

# Literaturverzeichnis

- Agarwal, A. K., & Weaver, J. T. 2000. Magnetic distortion of the magnetotelluric tensor: a numerical study. *Earth, Planets and Space*, **52**, 347–353.
- Bahr, K. 1988. Interpretation of the magnetotelluric impedance tensor: regional induction and local telluric distortion. *J. Geophysics*, **62**, 119–127.
- Bahr, K. 1991. geological noise in magnetotelluric data: a classification of distortion types. *Phys. Earth Planet. Inter.*, **66**, 24–38.
- Bailey, D., Whaler, K. A., Zengeni, T., Jones, P. C., & Gwavava, O. 2000. A magnetotelluric model of the Mana Pools Basin, Northern Zimbabwe. *J. Geophys. Res.*, **105**(5), 11185–11202.
- Berdichevsky, M. N., & Dmitriev, V. I. 1974. *Geoelectric and Geothermal Studies*. KAPG Geophysical Monograph, Akademiai Kaido, Budapest. Chap. Basic principles of interpretation of magnetotelluric curves, pages 165–221.
- Bibby, H. M. 1986. Analysis of multiple source bipole-quadripole resistivity surveys using apparent resistivity tensor. *Geophysics*, **51**, 972–983.
- Bostick, F. X. 1977. *Simple almost exact method of MT analysis, presented at the Workshop on Electrical Methods in Geothermal Exploration*. Vol. Contract 14080001-80359. U.S.G.S.
- Cagniard, L. 1953. Basic theory of the magneto-telluric method of geophysical prospecting. *Geophysics*, **18**, 605–645.
- Caldwell, T. G., & Bibby, H. M. 1998. The instantaneous apparent resistivity tensor: a visualization scheme for LOTEM electric field measurements. *Geophys. J. Int.*, **135**, 817–834.
- Chave, A. D., & Smith, J. T. 1994. On electric and magnetic galvanic distortion tensor decompositions. *J. Geophys. Res.*, **66**, 4669–4682.
- Daly, M. C. 1986. Crustal shear zones and thrust belts: their geometry and continuity in Central Africa. *Philosophical Transactions Royal Society London*, **317**, 111–128.

- Daly, M. C. 1989. Rift basin evolution in Africa: the influence of reactivated steep basement shear zones. *Inversion tectonics*, ed. G. D. W. M. A. Cooper, Geological Society Special Publications, **44**, 309–334.
- de Beer, J. H., Huyssen, R. M. J., & van Zijl, S. J. V. 1982. Magnetometer array studies and deep Schlumberger soundings in the Damara orogenic belt, South West Africa. *Geophys. J. R. astr.*, **70**, 11–29.
- de Kock, G. S. 1985. Die Geologie van 'n Gebied suidoos van Karibib. *Communs geol. Surv. SW Africa / Namibia*, **1**, 45–55.
- Echternacht, F., Tauber, S., Eisel, M., Brasse, H., Schwarz, G., & Haak, V. 1997. Electromagnetic study of the active continental margin in northern Chile. *Phys. Earth Planet. Inter.*, **102**, 69–87.
- Echternacht, Friedrich. 1998. *Die elektrische Leitfähigkeitsstruktur im Forearc der südlichen Zentralanden bei 20° – 21°, abgeleitet aus magnetotellurischen und geomagnetischen Sondierungen*. Ph.D. thesis, GFZ Potsdam Scientific Technical Report 98/20.
- Egbert, Gary D., & Livelybrooks, Dean W. 1996. Single station magnetotelluric impedance estimation: Coherence weighting and the regression M-estimate. *Geophysics*, **4**(964-970).
- Eggers, D. E. 1982. An eigenstate formulation of the magnetotelluric impedance tensor. *Geophysics*, **47**, 1204–1214.
- Eisel, M. 1995. *Interpretation magnetotellurischer Messungen im Umfeld der Kontinentalen Tiefbohrung unter besonderer Berücksichtigung lateral anisotroper Leitfähigkeitsstrukturen*. GeoForschungsZentrum Potsdam, Germany: Scientific Technical Report STR95/13.
- Eisel, Markus, & Haak, Volker. 1999. Macro-anisotropy of the electrical conductivity of the crust: a magnetotelluric study of the German Continental Deep Drilling Site (KTB). *Geophys. J. Int.*, **136**, 109–122.
- ELEKTB Group. 1997. KTB and the electrical conductivity of the crust. *J. Geophys. Res.*, **102**, 18289–18305.
- Garcia, X., Ledo, J., & Queralt, P. 1999. 2D inversion of 3D magnetotelluric data: The Kayabe data set. *Earth, Planets and Space*, **51**, 1135–1143.
- Groom, R. W., & Bailey, R. C. 1989. Decomposition of magnetotelluric impedance tensors in presence of local three-dimensional galvanic distortion. *J. Geophys. Res.*, **94**(B2), 1913–1925.

- Hoffmann-Rothe, Arne. 2002. *Combined structural and magnetotelluric investigation across the West Fault Zone in the Andes of Northern Chile*. Ph.D. thesis, Universität Potsdam.
- Ingham, M. R. 1988. The use of invariant impedances in magnetotelluric interpretation. *Geophys. J. R. astr.*, **92**, 165–169.
- Jones, A. G., Kurtz, R. D., Boerner, D. E., Craven, J. A., McNeice, G. W., Gough, D. I., DeLaurier, J. M., & Ellis, R. G. 1992. Electromagnetic images of the Fraser River Fault system. *Geology*, **39**, 191–225.
- Junge, A. 1990. *Robuste Schätzung bivariater Übertragungsfunktionen*. Protokoll Kolloquium Elektromagnetische Tiefenforschung, Hornburg (Hrg. V. Haak und H. Homilius).
- Junge, Andreas. 1993. *Induzierte elektrische Felder - neue Beobachtungen in Norddeutschland und im Bramwald*. Habilitationsschrift (unveröffentlicht).
- Kaufman, A. A., & Keller, G. V. 1981. *The Magnetotelluric Sounding Method*. Elsevier Scientific Publishing Company.
- Kontny, A., Friedrich, G., Behr, H. J., de Wall, H., Horn, E. E., Möller, P., & Zulauf, G. 1997. Formation of ore minerals in metamorphic rocks of the German continental deep drilling site (KTB). *J. Geophys. Res.*, **102**(B8), 18323–18336.
- Larsen, J. C. 1977. Removal of local surface conductivity effects from low frequency mantle response curves. *Acta Geodaet., Geophys. et Montanist. acad. Sci. Hung.*, **12**, 183–186.
- LaTorraca, G. A., Madden, T. R., & Korringa, J. 1986. An analysis of the magnetotelluric impedance for three-dimensional conductivity structures. *Geophysics*, **51**, 1819–1829.
- ledo, J., Ayala, C., Pous, J., Queralt, P., Marcuello, A., & Muñoz, J. A. 2000. New geophysical constraints on the deep structure of the Pyrenees. *Geophys. Res. Letters*, **27**, 1037–1040.
- Lezaeta, P. 2001. *Distortion Analysis and 3D-Modelling of Magnetotelluric Data in the Southern Central Andes*. Ph.D. thesis, Freie Universität Berlin.
- Lezaeta, P., & Haak, V. 2001. Beyond MT Decomposition: Current channelling and Magnetotelluric Phases over 90°. *J. Geophys. Res.*, submitted.
- Lilley, F. E. M. 1993. Magnetotelluric analysis using Mohr circles. *Geophysics*, **58**, 1498–1506.

- Lizzaralde, D., Chave, A., Hirth, G., & Schultz, A. 1995. Northeastern Pacific mantle conductivity profile from long-period magnetotelluric sounding using Hawaii-to-California submarine cable data. *J. Geophys. Res.*, **100**, 17837–17854.
- Lord, J., Oliver, G. J. H., & Soulsby, J. A. 1996. Landsat MSS imagery of a Lower Cretaceous regional dyke swarm, Damaraland, Namibia: a precursor to the splitting of Western Gondwana. *International Journal of Remote Sensing*, **17**, 2945–2954.
- Losecke, W., Knödel, K., & Müller, W. 1988. *Magnetotelluric survey in the northern Zambezi rift valley of Zimbabwe*. Tech. rept. Bundesanstalt für Geowissenschaften und Rohstoffe, Hannover, Germany.
- Mackie, R. L., Madden, T. R., & Wannamaker, P. E. 1993. Three-dimensional magnetotelluric modelling using difference equations - Theory and comparisons to integral equation solutions. *Geophysics*, **58**, 215–226.
- McNeice, G. W., & Jones, A. G. 2001. Multisite, multifrequency tensor decomposition of magnetotelluric data. *Geophysics*, **66**, 158–173.
- Miller, R. M. 1983. The Pan-African Damara Orogen of South West Africa / Namibia. *Spec. Publ. Geol. Soc. S. Afr.*, **11**, 431–515.
- Nascimento, D. 1997. *Magnetotelluric Instrument Development and Application*. Ph. D. thesis, Univ. of Edinburgh.
- Negi, J. G., & Saraf, P. D. 1989. *Anisotropy in Geoelectromagnetism*. Methods in Geochemistry and Geophysics, vol. 28. Elsevier.
- O'Connor, J. M., & le Roex, A. P. 1992. South Atlantic hot spot-plume systems: 1. Distribution of volcanism in time and space. *Earth Planet. Sci. Lett.*, **113**, 343–364.
- Park, S. W., & Livelybrooks, D. W. 1989. Quantitative interpretation of rotationally invariant parameters in magnetotellurics. *Geophysics*, **54**, 1483–1490.
- Pek, Josef, & Verner, Tomáš. 1997. Finite-difference modelling of magnetotelluric fields in two-dimensional anisotropic media. *Geophys. J. Int.*, **128**, 505–521.
- Pomposiello, C., Osella, A., Favetto, A., Sainato, C., Martinelli, P., & Aprea, C. 1998. Current channelling and three-dimensional effects detected from magnetotelluric data from a sedimentary basin in Sierras Pampeanas, Argentina. *Geophys. J. Int.*, **135**, 339–350.
- Porada, H. 1979. The Damara-Ribeira Orogen of the Pan-African-Braziliano cycle in Namibia (southwest Africa) and Brazil as interpreted in terms of continental collision. *Tectonics*, **57**, 237–265–541.

- Porada, H. 1983. Geodynamic Model for the geosynclinal Development of the Damaraland Orogen, Namibia, South West Africa. *Intracontinental Fold Belt*, ed. H. Martin & F. W. Eder, 503–541.
- Raab, Matthias J. 2001. *The Geomorphic Response of the Passive Continental Margin of Northern Namibia to Gondwana Break-Up and Global Scale Tectonics*. Ph.D. thesis, Institut für Geologie und Dynamik der Lithosphäre der Georg-August-Universität Göttingen.
- Ranganayaki, R. P. 1984. An interpretive analysis of magnetotelluric data. *Geophysics*, **49**, 1730–1748.
- Reilly, W. I. 1979. *Anisotropy tensors in Magnetotelluric application*. Tech. rept. Department of Scientific and Industrial Research, Wellington New Zealand.
- Ritter, O. 1995. *An audiomagnetotelluric investigation of the Southern Upland Fault; novel instrumentation, field procedures and 3D modelling*. Ph. D. thesis, Univ. of Edinburgh.
- Ritter, O., Ritter, P., Dawes, G., & Nascimento, D. 1996. *SPAM Mk-III User Manual*. Internal Publication, Department of Geology and Geophysics, Univ. of Edinburgh.
- Ritter, O., Junge, A., & Dawes, G. J. K. 1998. New equipment and processing for magnetotelluric remote reference observations. *Geophys. J. Int.*, **132**, 535–548.
- Ritter, Patricia, & Banks, Roger. 1998. Separation of local and regional information in distorted GDS response functions by hypothetical event analysis. *Geophys. J. Int.*, **135**, 923–942.
- Rodi, W., & Mackie, R. L. 2001. Nonlinear Conjugate Gradients Algorithm for 2D Magnetotelluric Inversion. *Geophysics*, **66**, 174–187.
- Schmucker, U. 1970. *Anomalies of geomagnetic variations in the southwestern United States*. Tech. rept. Bull. of the Scripps Inst. Of Oceanography, Univ. of California, San Diego, La Jolla, California, University of California Press; Berkeley, Los Angeles, London.
- Schwalenberg, Katrin. 2000. *Die Leitfähigkeitsstruktur der Zentralen Anden bei 21° S - Zweidimensionale Modellstudien und Untersuchungen zur Auflösbarkeit*. Ph.D. thesis, Scientific Technical Report STR00/24, GeoForschungsZentrum Potsdam, Germany.
- Simpson, Fiona. 2000. A three-dimensional electromagnetic model of the southern Kenya Rift: Departure from two dimensionality as a possible consequence of a rotating stress field. *J. Geophys. Res.*, **105**, 19321–19334.

- Smith, J. T. 1995. Understanding telluric distortion matrices. *Geophys. J. Int.*, **122**, 219–226.
- Smith, J. T. 1997. Estimating galvanic-distortion magnetic fields in magnetotellurics. *Geophys. J. Int.*, **130**, 65–72.
- Stewart, J., Watts, A. B., & Bagguley, J. G. 2000. Three-dimensional subsidence analysis and gravity modelling of the continental margin offshore Namibia. *Geophys. J. Int.*, **141**, 724–746.
- Swift, C. 1967. *A magnetotelluric investigation of an electrical conductivity anomaly in the south western United States*. Ph.D. Thesis, M.I.T. Cambridge, Mass.
- Szarka, L., & Menville, M. 1997. Analysis of rotational invariants of the magnetotelluric impedance tensor. *Geophys. J. Int.*, **129**, 133–142.
- Tauber, S., Banks, R., Ritter, O., & Weckmann, U. 2001. A high resolution magnetotelluric survey of the Iapetus Suture Zone in south-west Scotland. *Geophys. J. Int.*, **subm.**
- Tikhonov, A. N. 1950. Determination of the electrical characteristics of the deep strata of the Earth's crust. *Dokl. Akad. Nauk SSSR*, **73(2)**, 295pp.
- Unsworth, Martyn J., Malin, Peter E., Egbert, Gary D., & Booker, John R. 1997. Internal structure of the San Andreas fault at Parkfield, California. *Geology*, **25(4)**, 359–362.
- Wannamaker, P. E. 1990. *PW2D - Finite element program for magnetotelluric forward modelling and parameterized inversion of two-dimensional earth resistivity structure*. Tech. rept. University of Utah, Research Institute Earth Science.
- Weaver, J. T., Agarwal, A. K., & Lilley, F. E. M. 2000. Characterization of magnetotelluric tensor in terms of its invariants. *Geophys. J. Int.*, **141**, 321–336.
- Weckmann, U. 1999. *Magnetotellurische Messungen im Nördlichen Spessart*. Diploma thesis, Institut für Meteorologie und Geophysik, Universität Frankfurt a.M.
- Whaler, K. A., & Zengeni, T. G. 1993. An audiofrequency magnetotelluric traverse across the Mana Pool Basin, northern Zimbabwe. *Geophys. J. Int.*, **114**, 673–686.
- Wiese, H. 1962. Die Streichrichtung der Untergrundstrukturen des elektrischen Widerstandes, erschlossen aus geomagnetischen Variationen. *PAGEOPH*, **52**, 83–103.
- Zhdanov, Michael S., & Traynin, Peter. 1997. Migration versus Inversion in Electromagnetic Imaging Technique. *J. Geomag. Geoelect.*, **49**, 1415–1437.
- Zhdanov, Michael S., Traynin, Peter, & Booker, John R. 1996. Underground imaging by frequency-domain electromagnetic migration. *Geophysics*, **61(3)**, 666–682.