

Literaturverzeichnis

- [1] R. Kassing, R. Käismaier und I. W. Rangelow, *Lithographie der nächsten Generation*. Physik. Blätter **56** (2000) 31–36.
- [2] A. N. Cleland und M. L. Roukes, *Fabrication of high frequency nanometer scale mechanical resonators from bulk si crystals*. Appl. Phys. Lett. **69** (1996) 2653–2655.
- [3] H. G. Craighead, *Nanoelectromechanical systems*. Science **290** (2000) 1532–1535.
- [4] P. Rai-Choudhury, Hg., *Handbook of Microlithography, Micromachining, and Microfabrication*, Band 1 and 2. SPIE Optical Engineering Press, Bellingham, WA (1997).
- [5] I. Amato, *Micromachines: Fomenting a revolution, in miniature*. Science **284** (1998) 402–405.
- [6] W. Ehrfeld, V. Hessel und H. Löwe, *Microreactors – New Technology for Modern Chemistry*. Wiley-VCH, Weinheim (2000).
- [7] M. U. Kopp, A. J. de Mello und A. Manz, *Chemical amplification: Continuous-flow PCR on a chip*. Science **280** (1998) 1046–1048.
- [8] K. Jensen, *Chemical kinetics: Smaller, faster chemistry*. Nature **393** (1998) 735–737.
- [9] J. T. Santini, M. J. Cima und R. Langer, *A controlled-release microchip*. Nature **397** (1999) 335–338.

- [10] M. A. Burns, B. N. Johnson, S. N. Brahma-sandra, K. Handique, J. R. Webster, M. Krishnan, T. S. Sammarco, P. M. Man, D. Jones, D. Held-singer, C. H. Mastrangelo und D. T. Burke, *An integrated nanoliter DNA analysis device*. Science **282** (1998) 484–487.
- [11] G. L. Timp, *Nanotechnology*. Springer, New York (1999).
- [12] S. R. Quake und A. Scherer, *From micro- to nanofabrication with soft materials*. Science **290** (2000) 1536–1540.
- [13] R. Schuster, V. Kirchner, P. Allongue und G. Ertl, *Electrochemical micromachining*. Science **289** (2000) 98–101.
- [14] V. Kirchner, L. Cagnon, R. Schuster und G. Ertl, *Electrochemical machining of stainless steel microelements with ultrashort voltage pulses*. Appl. Phys. Lett **79** (2001) 1721–1723.
- [15] J. A. McGeough, *Principles of Electrochemical Machining*. Chapman and Hall, London (1974).
- [16] M. Datta und D. Harris, *Electrochemical micromachining: An environmentally friendly, high speed processing technology*. Electrochim. Acta **42** (1997) 3007–3013.
- [17] M. Datta und D. Landolt, *Fundamental aspects of electrochemical micro-fabrication*. Electrochim. Acta **45** (2000) 2535–2558.
- [18] C. Madore, O. Piotrowski und D. Landolt, *Through-mask electrochemical micromachining of titanium*. J. Electrochem. Soc. **146** (1990) 2526–2532.
- [19] R. M. Nyffenegger und R. M. Penner, *Nanometer-scale surface modification using the scanning probe microscope: progress since 1991*. Chem. Rev. **97** (1997) 1195–1230.

- [20] S. Gorer, G. S. Hsiao, M. G. Anderson, R. M. Stiger, J. Lee und R. M. Penner, *A hybrid electrochemical/chemical sythesis of semiconductor nanocrystals on graphite: a new role for electrodepostion in materials sythesis*. *Electrochim. Acta* **43** (1999) 2799–2809.
- [21] D. M. Kolb, R. Ullmann und T. Will, *Nanofabrication of small copper clusters on gold(111) electrodes by a STM*. *Science* **275** (1997) 1097–1099.
- [22] A. J. Bard, G. Denault, C. Lee, D. Mandler und D. O. Wipf, *Scanning electrochemical microscopy: A new technique for the characterization and modification of surfaces*. *Acc. Chem. Res.* **23** (1990) 357–363.
- [23] D. M. Mandler und A. J. Bard, *A new approach to the high-resolution electrodepostion of metals via the feedback mode of the scanning electrochemical microscope*. *J. Electrochem. Soc.* **137** (1990) 1079–1086.
- [24] J. O'M. Bockris und S. U. M. Khan, *Surface Electrochemistry. A Molecular Level Approach*. Plenum Press, New York (1993).
- [25] C. H. Hamann und W. Vielstich, *Elektrochemie*. Wiley-VCH, Weinheim, 3. Auflage (1998).
- [26] W. Schmickler, *Grundlagen der Elektrochemie*. Vieweg, Braunschweig/Wiesbaden (1996).
- [27] A. J. Bard und L. R. Faulkner, *Electrochemical Methods*. John Wiley and Sons (1980).
- [28] J. O'M. Bockris und A. K. N. Reddy, *Modern Electrochemistry*. Plenum Press, New York (1970).
- [29] W. Schmickler, *Models for the interface between a metal and an electrolyte solution*. In J. Lipkowski und P. N. Ross, Hg., *Structure of Electrified Interfaces*, VCH Publ. Inc., New York (1993) 201–238.

- [30] M. R. Vogt, A. Lachenwitzer, O. M. Magnussen und R. J. Behm, *In-situ STM study of the initial stages of corrosion of Cu(100) electrodes in sulfuric and hydrochloric acid solution*. Surf. Sci. **399** (1998) 49–69.
- [31] R. Vidal und A. C. West, *High-rate dissolution of copper in cupric-sulfate electrolytes*. Electrochim. Acta **41** (1996) 2417–2424.
- [32] R. Winand, *Contribution to the study of copper electrocrystallization in view of industrial applications – submicroscopic and macroscopic considerations*. Electrochim. Acta **43** (1998) 2925–2932.
- [33] M. A. Schneeweiss und D. M. Kolb, *The initial stages of copper deposition on bare and chemically modified gold electrodes*. Phys. Stat. Sol. (a) **173** (1999) 51–71.
- [34] R. J. Nichols, W. Beckmann, H. Meyer, N. Batina und D. M. Kolb, *An in situ scanning tunnelling microscopy study of bulk copper deposition and the influence of an organic additive*. J. Electroanal. Chem. **330** (1992) 381–394.
- [35] R. J. Nichols, E. Bunge, H. Meyer und H. Baumgärtel, *Classification of growth behaviour for copper on various substrates with in-situ scanning probe microscopy*. Surf. Sci. **335** (1995) 110–119.
- [36] E. Budevski, G. Staikov und W. J. Lorenz, *Electrochemical Phase Formation*. VCH, Weinheim (1996).
- [37] D. Hofmann, W. Schindler und J. Kirschner, *Electrodeposition of nanoscale magnetic structures*. Appl. Phys. Lett. **73** (1998) 3279–3281.
- [38] W. Schindler, D. Hofmann und J. Kirschner, *Localized electrodeposition using a scanning tunneling microscope tip as a nanoelectrode*. J. Electrochem. Soc. **148** (2001) C124–C130.

- [39] M. Peykova, E. Michailova, D. Stoychev und A. Milchev, *Galvanostatic studies of the nucleation and growth kinetics of copper in the presence of surfactans*. *Electrochim. Acta* **40** (1995) 2295–2601.
- [40] M. Wünsche, H. Meyer, R. Schumacher, S. Wasle und K. Doblhofer, *Effect of the microstructure of copper films on the damping of oscillating quartz resonators*. *Z. Phys. Chem.* **208** (1999) 225–238.
- [41] D. D. Macdonald, *Passivity – the key to our metals-based civilization*. *Pure Appl. Chem.* **71** (1999) 951–978.
- [42] U. R. Evans, *The passivity of metals. Part I. the isolation of the protective film*. *J. Chem. Soc.* (1927) 1020–1040.
- [43] L. Tronstad, *The investigation of thin surface films on metals by means of reflected polarized light*. *Trans. Faraday Soc.* **29** (1933) 502–514.
- [44] Helmut Kaesche, *Die Korrosion der Metalle: physikalische Prinzipien und aktuelle Probleme*. Springer, Berlin, 3. neubearb. u. erw. Auflage (1990).
- [45] U. F. Franck und K. Weil, *Zur Korrosion des passiven Eisens in Schwefelsäure*. *Z. Elektrochem. Ber. Bunsenges. Phys. Chem.* **56** (1952) 814–822.
- [46] L. Wegelius, F. Falkenberg und I. Olefjord, *Passivation of stainless steels in hydrochloric acid*. *J. Electrochem. Soc.* **146** (1999) 1397–1406.
- [47] C. Hubschmid und D. Landolt, *Formation conditions, chloride content, and stability of passive films on an iron-chromium alloy*. *J. Electrochem. Soc.* **140** (1993) 1898–1902.
- [48] G. Okamoto und T. Shibata, *Passivity and the breakdown of passivity of stainless steel*. In R. P. Frankenthal und J. Kruger, Hg., *Passivity of metals*, Corrosion Monograph Series, Electrochem. Soc., Princeton, NY (1978) 646–677.

- [49] E. Mattsson, *Basic Corrosion Technology for Scientists and Engineers*. Ellis Horwood Ltd, Chichester (1989).
- [50] H. H. Strehblow, *Breakdown of passivity and localized corrosion: Theoretical concepts and fundamental experimental results*. *Werkst. Korros.* **35** (1984) 437–448.
- [51] K. G. Weil und D. Menzel, *Die Einwirkung von Halogenionen auf passives Eisen*. *Z. Elektrochem. Ber. Bunsenges. Phys. Chem.* **63** (1959) 669–673.
- [52] The Chemical Rubber Co., *CRC Handbook of Chemistry and Physics*. Cleveland, Ohio, 49. Auflage (1968-69).
- [53] A. Cakir und J. C. Scully, *The breakdown of passive films on iron by halide ions*. In R. P. Frankenthal und J. Kruger, Hg., *Passivity of Metals*, Corrosion Monograph Series, The Electrochem. Soc., Princeton, NY (1978) 385–402.
- [54] D. Landolt, *Fundamental aspects of electropolishing*. *Electrochim. Acta* **32** (1987) 1–11.
- [55] H. Heinrich und H.-G. Feller, *Zum Mechanismus des elektrochemischen Polierens*. *Metalloberfläche* **38** (1984) 192–198 und 267–272.
- [56] S. Magaino, M. Matlosz und D. Landolt, *An impedance study of stainless steel electropolishing*. *J. Electrochem. Soc.* **140** (1993) 1365–1373.
- [57] W. T. Thomson, *Theory of Vibration*. George Allen and Unwin, London (1986).
- [58] S. R. Morrison, *Electrochemistry at Semiconductor and Oxidized Metal Electrodes*. Plenum Press, New York (1980).
- [59] H. Gerischer, *The impact of semiconductors on the concepts of electrochemistry*. *Electrochim. Acta* **35** (1990) 1677–1699.

- [60] P. Allongue, *Scanning tunneling microscopy of semiconductor electrodes*. In H. Gerischer und C. W. Tobias, Hg., *Advances in Electrochemical Science and Engineering*, Band 4, VCH, Weinheim (1995) 1–66.
- [61] P. C. Searson, *The surface chemistry of silicon in fluoride electrolytes*. In H. Gerischer und C. W. Tobias, Hg., *Advances in Electrochemical Science and Engineering*, Band 4, VCH, Weinheim (1995) 67–122.
- [62] P. Allongue, V. Costa-Kieling und H. Gerischer, *Etching of silicon in NaOH solutions. I. in situ scanning tunneling microscopic investigation of n-Si(111)*. J. Electrochem. Soc. **140** (1993) 1009–1018.
- [63] P. Allongue, V. Costa-Kieling und H. Gerischer, *Etching of silicon in NaOH solutions. II. electrochemical studies of n-Si(111) and (100) and mechanism of the dissolution*. J. Electrochem. Soc. **140** (1993) 1018–1026.
- [64] P. Allongue, V. Kieling und H. Gerischer, *Etching mechanism and atomic structure of H-Si(111) surfaces prepared in NH₄F*. Electrochim. Acta **40** (1995) 1353–1360.
- [65] E. A. Ponomarec und C. Levy-Clement, *Macropore formation on p-type Si in fluoride containing organic electrolytes*. Electrochem. and Solid-State Lett. **1** (1998) 42–45.
- [66] X. G. Zhang, *Mechanism of pore formation on n-type silicon*. J. Electrochem. Soc. **138** (1991) 3750–3756.
- [67] X. G. Zhang, S. D. Collins und R. L. Smith, *Porous silicon formation and electropolishing of silicon by anodic polarization in HF solution*. J. Electrochem. Soc. **136** (1989) 1561–1565.
- [68] R. L. Smith und S. D. Collins, *Porous silicon formation mechanisms*. J. Appl. Phys. **71** (1992) R1–R22.
- [69] G. Milazzo, *Electrochemistry*. Elsevier, Amsterdam (1963).

- [70] M. D. B. Charlton und G. J. Parker, *Fabrication of high aspect ratio silicon microstructures by anodic etching*. J. Micromech. Microeng. **7** (1997) 155–158.
- [71] A. N. Cleland und M. L. Roukes, *A nanometre-scale mechanical electrometer*. Nature **392** (1998) 160–162.
- [72] R. J. Jackman, S. T. Brittain, A. Adams, H. Wu, M. G. Prentiss, S. Whitesides und G. M. Whitesides, *Three-dimensional metallic microstructures fabricated by soft lithography and microelectrodeposition*. Langmuir **15** (1999) 826–836.
- [73] R. J. Jackmann, J. L. Wilbur und G. M. Whitesides, *Fabrication of submicrometer features on curved substrates by microcontact printing*. Science **269** (1995) 664–666.
- [74] J. A. Rogers, R. J. Jackmann und G. M. Whitesides, *Microcontact printing and electroplating on curved substrates: Production of free-standing three-dimensional metallic microstructures*. Adv. Mater. **9** (1997) 475–477.
- [75] K. Dunkel, H.-D. Bauer, W. Ehrfeld, J. Hoffeld, L. Weber, G. Hörcher und G. Müller, *Injection-molded fibre ribbon connectors for parallel optical links fabricated by the LIGA technique*. J. Micromech. Microeng. **8** (1998) 301–306.
- [76] W. Eberhardt, Th. Gerhäuser, M. Giousouf, H. Kück, R. Mohr und D. Warkentin, *Innovative concept for the fabrication of micromechanical sensor and actuator devices using selectively metallized polymers*. In *Transducers 01*, The 11th International Conference on Solid-State Sensors and Actuators, Munich (2001) .
- [77] C. Momma, B. N. Chichkov, S. Nolte, F. von Alvensleben, A. Tünnermann, H. Welling und B. Wellegehausen, *Short-pulse laser ablation of solid targets*. Opt. Commun. **129** (1996) 134–142.

- [78] B. N. Chichkov, C. Momma, S. Nolte, F. von Alvensleben und A. Tünnermann, *Femtosecond, picosecond and nanosecond laser ablation of solids*. Appl. Phys. A **63** (1996) 109–115.
- [79] S. Kawata, H.-B. Sun, T. Tanaka und K. Takada, *Finer features for functional microdevices*. Nature **412** (2001) 697–698.
- [80] M. C. Wanke, O. Lehmann, K. Müller, Q. Wen und M. Stuke, *Laser rapid prototyping of photonic band-gap mikrostrukturen*. Science **275** (1997) 1284–1286.
- [81] P. C. Andricacos, *Copper on-chip interconnections*. The Electrochemical Society Interface **8** (1999) 32–37.
- [82] M. Datta und L. T. Romankiw, *Application of chemical and electrochemical micromachining in the electronics industry*. J. Electrochem. Soc. **136** (1989) 285C–292C.
- [83] C. Madore und D. Landolt, *Electrochemical micromachining of controlled topographies on titanium for biological applications*. J. Micromech. Microeng. **7** (1997) 270–275.
- [84] E. Rosset, M. Datta und D. Landolt, *Electrochemical dissolution of stainless steels in flow channel cells with and without photoresist masks*. J. Appl. Electrochem. **20** (1990) 69–76.
- [85] R. T. Pötzschke, G. Staikov, W. J. Lorenz und W. Wiesbeck, *Electrochemical nanostructuring of n-Si(111) single-crystal faces*. J. Electrochem. Soc. **146** (1990) 141–149.
- [86] W. Li, J. A. Virtanen und R. M. Penner, *Nanometer-scale electrochemical deposition of silver on graphite using a scanning tunneling microscope*. Appl. Phys. Lett. **60** (1992) 1181–1183.

- [87] P. Avouris, T. Hertel und R. Martel, *AFM tip-induced local oxidation of silicon: kinetics, mechanism, and nanofabrication*. Appl. Phys. Lett. **71** (1997) 285–287.
- [88] R. Schuster, V. Kirchner, X. H. Xia, A. M. Bittner und G. Ertl, *Nano-scale electrochemistry*. Phys. Rev. Lett **80** (1998) 5599–5602.
- [89] X. H. Xia, R. Schuster, V. Kirchner und G. Ertl, *The growth of size-determined Cu clusters in nanometer holes on Au(111) due to a balance between surface and electrochemical energy*. J. Electroanal. Chem. **461** (1999) 102–109.
- [90] V. Kirchner, X. Xia und R. Schuster, *Electrochemical nanostructuring with ultrashort voltage pulses*. Acc. Chem. Res. **34** (2001) 371–377.
- [91] M. Kock. persönliche Mitteilung (2001).