

## REFERENCES

- Bayer, U., Clausnitzer, V. and Fuhrmann, J., 2002. Unsteady thermal convection in the North East German basin. Technical report, WIAS Berlin, 741.
- Bear, J., 1988. Dynamics of Fluids in Porous Media. Dover, New York, 764 pp.
- Bear, J., 1991. Modelling transport phenomena in porous media. Convective Heat and Mass Transfer in Porous Media: 7-69.
- Bear, J. and Bachmat, Y., 1990. Introduction to Modeling Transport Phenomena in Porous Media. Kluwer Acad. Publ., New York, 764 pp.
- Bernhard S., 1997. Thermodynamic and Transport Properties of Water and Steam. <http://www.cheresources.com/iapwsif97.shtml>.
- Bird, R.B., Stewart, W.E. and Lightfoot, E.N., 1958. Notes on transport phenomena, New York, 455 pp.
- Bjorlykke, K., Mo, A. and Palm, E., 1988. Modelling of thermal convection in sedimentary basins and its relevance to diagenetic reactions. Marine and Petroleum Geology, 5(4): 338-351.
- Bodenlos, A.J., 1970. Cap rock development and salt rock movement. The Geology and Technology of Gulf Coast Salt, Symposium Proceedings. Louisiana State University, Baton Rouge, 192 pp.
- Chen, W., Ghaith, A., Park, A. and Ortoleva, P., 1990. Diagenesis through coupled processes: Modeling approach, self-organization, and implications for exploration. In Prediction of reservoir quality through chemical modeling, AAPG Memoir 49, edited by Indu D. Meshri and Peter J. Ortoleva. Tulsa, OK: AAPG.: 103-130.
- Cheng, P., 1978. Heat transfer in geothermal systems. Advances in Heat Transfer, 14: 1-105.
- Clausnitzer, V., Bayer, U. and Fuhrmann, J., 2001. Large-scale thermal convective instability in sedimentary basins. Eur. Geophys. Soc., Geophys. Res. Abstracts HS02-02.
- Cooper, C.A., Glass, R.J. and Tyler, S.W., 1997. Experimental investigation of the stability boundary for double- diffusive finger convection in a Hele-Shaw cell. Water Resources Research, 33(4): 517-526.
- Dagan, G., 1989. Flow and Transport in Porous Formations. Springer-Verlag, New York Academy of Sciences Transactions, 465pp
- Diersch, H.-J.G., 2002. FEFLOW finite-element subsurface flow and transport simulation system. User's Manual/Reference Manual/White Papers, Release 5.0. WASY GmbH, Berlin.

- Diersch, H.J.G. and Kolditz, O., 1998. Coupled groundwater flow and transport: 2. Thermohaline and 3D convection systems. *Advances in Water Resources*, 21(5): 401-425.
- Diersch, H.J.G. and Kolditz, O., 2002. Variable-density flow and transport in porous media: Approaches and challenges. *Advances in Water Resources*, 25(8-12): 899-944.
- DIN, 1986. Summarische Wirkungs- und Stoffkenngrößen (Gruppe H)-Bestimmung der Säure- und Basekapazität (H7). D. deutsches Institut für Normung e.V.: 1-10.
- DVWK, 1992. Entnahme und Untersuchungsumfang von Grundwasserproben. Paul Parey, Hamburg. 128:33.
- Ekman, V.W., 1906. Beiträge zur Theorie der Meeresströmungen. *Ann. d. Hydrogr.*: 34-50.
- Evans, D.G. and Nunn, J.A., 1989. Free thermohaline convection in sediments surrounding a salt column. *Journal of Geophysical Research*, 94(B9): 12,413-12,422.
- Evans, D.G., Nunn, J.A. and Hanor, J.S., 1991. Mechanisms driving groundwater flow near salt domes. *Geophysical Research Letters*, 18(5): 927-930.
- Evans, G.E., Nunn, J. A., 1989. Free thermohaline convection in sediments surrounding a salt column. *J. Geophys. Res.*, 94: 12413-12422.
- Feyerabend, T., Kuhlmann, K. and Bening, L., 2000. Grundwasserversalzung in der Norddeutschen Tiefebene.
- Flocks, J.G., Kindinger, J.L., Davis, J.B. and Swarzenski, P., 2001. Geophysical Investigations of Upward Migrating Saline Water from the Lower to Upper Floridan Aquifer, Central Indian River Region, Florida. *Water-Resources Investigations, Report 01-4011*: 135-140.
- Garven, G., Bull, S.W. and Large, R.R., 2001. Hydrothermal fluid flow models of stratiform ore genesis in the McArthur Basin, Northern Territory, Australia. *Geofluids*, 1(4): 289-311.
- Georgiadis, J.G., 1991. Future research needs in convective heat and mass transport in porous media. *Convective Heat and Mass Transfer in Porous Media*: 1073-1088.
- Glander, H. and Schirrmeister, L., 1975. Erfassung und Darstellung der oberen Mineralwassergrenze. *Zeitschrift für angewandte Geologie Teil 1*, 21,(7).
- Gresho, P.M. and Sani, R.L., 2000. *Incompressible Flow and the Finite Element Method, Volume 1, Advection-Diffusion and Isothermal Laminar Flow*. John Wiley & Sons, 480 pp.
- Grube, A., Wichman, K., Hahn, J. and Nachtigall, K., 2000. Geogene Grundwasserversalzung in den Porengrundwasserleitern Norddeutschlands und ihre Bedeutung für die Wasserwirtschaft, 9. Technologiezentrum Wasser Karlsruhe (TZW), Karlsruhe, 203 pp.

- Hanano, M., 1998. A simple model of a two-layered high-temperature, liquid-dominated geothermal reservoir as a part of a large-scale hydrothermal convection system. *Transport in Porous Media*, 33: 3-27.
- Hannemann, M. and Schirrmeister, W., 1998. Paläohydrogeologische Grundlagen der Entwicklung der Süß-/Salzwassergrenze und der Salzwasseraustritte in Brandenburg. *Brandenburgische Geowissenschaftliche Beiträge*, 5: 61-72.
- Hanor, J.S., 1987. Kilometre-scale thermohaline overturn of pore waters in the Louisiana Gulf Coast. *Nature*, 327: 501-503.
- Hassanizadeh, M. and Gray, W.G., 1979a. General conservation equations for multiphase systems: 1. Averaging procedure. *Advances in Water Resources*, 2(3): 131-144.
- Hassanizadeh, M. and Gray, W.G., 1979b. General conservation equations for multiphase systems: 2. Mass, momenta, energy and entropy equations. *Advances in Water Resources*, 2: 191-203.
- Hassanizadeh, M. and Gray, W.G., 1980. General conservation equations for multiphase systems: 3. Constitutive theory for porous media flow. *Advances in Water Resources*, 3(1): 25-40.
- Hassanizadeh, S.M., 1986. Derivation of basic equations of mass transport in porous media, Part1. Macroscopic balance laws. *Advances in Water Resources*, 9: 196-222.
- Hassanizadeh, S.M., 1986. Derivation of basic equations of mass transport in porous media, Part2. Generalized darcy's and Fick's laws. *Advances in Water Resources*, 9: 207-222.
- Hassanizadeh, S.M. and Leijnse, T., 1988. On the modeling of brine transport in porous media. *Water Resources Research*, 24(3): 321-330.
- Heck, H.-L., 1932. Das Grundwasser in Zusammenhang mit dem geologischen Bau Schleswig-Holsteins. *Preußische Geol. Landesanstalt*: 106-133.
- Herbert, A.W., Jackson, C.P. and Lever, D.A., 1988. Coupled groundwater flow and solute transport with fluid density strongly dependent upon concentration. *Water Resources Research*, 24(10): 1781-1795.
- Horton, C.W. and Rogers, F.T., 1945. Convective currents in a porous medium. *J. Appl. Phys.*, 16: 367-370.
- Hoth, P., Seibt, A., Kellner, T. and Huenges, E., 1997. Geowissenschaftliche Bewertungsgrundlagen zur Nutzung hydrogeothermaler Ressourcen in Norddeutschland, Scientific technical report, Potsdam, 149.
- Hurtig, E., 1994. Land Brandenburg. Bohrungen mit kontinuierlichen Bohrlochmessungen. Bohrungen mit Maximaltemperaturen. Unveröff. Unterlagen bereitgestellt durch das Landesamt für Geowissenschaften und Rohstoffe Brandenburg.
- Jevons, W.S., 1857. On the cirrous form of cloud. *London, Edinburgh and Dublin Philosophical Magazine and Journal of Science*, 4th Series, 14: 22-35.

- Johannsen, A., 1980. Hydrogeologie von Schleswig Holstein. Geologische Jahrbuch, 28: 451.
- Kohout, F.A., 1965. A hypothesis concerning cyclic flow of salt water related to geothermal heating in the Floridian aquifer. New York Academy of Sciences Transactions, ser. 2, v.28, no. 2: 249-271.
- Kolditz, O., Ratke, R., Diersch, H.J.G. and Zielke, W., 1998. Coupled groundwater flow and transport: 1. Verification of variable density flow and transport models. Advances in Water Resources, 21(1): 27-46.
- Kubitschek, J.-P. and Weidman, P., 2003. Stability of a fluid-saturated porous medium heated from below by forced convection. International Journal of Heat and Mass Transfer, 46: 3697-3705.
- Kühn, 1997. Geochemische Folgereaktionen bei der hydrothermalen Energiegewinnung, Diss.Universität Bremen, 129 pp.
- Lehmann, H.-W., 1974. Geochemie der Tiefenwässer der Nordostdeutschen Senke. Zeitschrift für Angewandte Geologie Teil 2, 20: 502-509.
- Lehmann, H.-W., 1974. Geochemie der Tiefenwässer der Nordostdeutschen Senke. Zeitschrift für Angewandte Geologie Teil 2, 20: 551-557.
- Lever, D.A. and Jackson, C.P., 1985. On the equations for the flow of concentrated salt solution through a porous medium. U.K. DOE Report No. DOE/RW/85.100.
- Löhnert, E., Bauhus, W. and Sonntag, C., 1986. Mechanism of groundwater salinization in the Hamburg region, F.R. Germany -facies and new findings. In: Boekelman R.H., Van Dam, J. Evertman, M. & Ten Hoorn, W. (HRSG.): Proceedings of the salt water intrusion meeting. Delft, Netherlands: 613-628.
- MacNeal, R.H., 1990. The shape sensitivity of isoparametric elements. Proc. Sixth World Conf. on Finite Element Methods: 520-529.
- Magri, F., 2004. Derivation of the coefficients of thermal expansion and compressibility for use in FEFLOW. WASY White papers, III: 13-23.
- Mercer, J.W. and Pinder, G.F., 1974. Finite element analysis of hydrothermal systems. Finite Element Methods in Flow Problems. Proc. 1st Symp., Swansea, ed. Oden, J. T. et al., Univ. of Alabama Press: 401-414.
- Meyer, H., Schönicke, L., Wand, U., Hubberten, H. and Fridrichsen, H., 2000. Isotope studies of hydrogen and oxygen in ground ice - Experiences with the equilibration technique. Isotopes Environ. Health Stud., 36: 133-149.
- Möller, P., Dulski, P. and Morteani, G., 2003. Partitioning of rare earth elements yttrium and some major elements among source rocks, liquid and vapor of Larderello-Travale Geothermal Field, Tuscany (Central Italy). Geochim.Cosmochim. Acta, 67: 171-183.
- Müller, E. and Papendieck, G., 1975. Zur Verteilung , Genese und Dynamik von Tiefenwässern unter besonderer Berücksichtigung des Zechsteins. Zt. geol. Wiss., 3(2): 167-196.

- Musgrove, M. and Banner, J.L., 1993. Regional ground-water mixing and the origin of saline fluids; midcontinent, United States. *Science*, 259(5103): 1877-1882.
- Naumann, 2000. *Salinare Tiefenwässer in Norddeutschland: Gas- und isotopengeochemische Untersuchungen zur Herkunft und geothermischen Nutzung*, Potsdam.
- Neumann, 1975. *Hydrogeologische Verhältnisse des Paläozoikums und Mesozoikums am Nordrand der Norddeutsch-Polnischen Senke und ihre Beziehungen zu den Erdöl- und Erdgasvorkommen*, Freiberg.
- Nield, D.A., 1968. Onset of thermohaline convection in a porous medium. *Water Resources Research*, 4(3): 553-560.
- Nield, D.A., 1974. Comments on "Effect of solute dispersion on thermal convection in a porous medium layer". *Water Resources Research*, 10: 889.
- Nield, D.A., 1991. The stability of convective flows in porous media. *Convective heat and mass transfer in porous media*: 79-122.
- Nield, D.A. and Bejan, A., 1999. *Convection in porous media*. Springer, New York, 546 pp.
- Oldenburg, C.M. and Pruess, K., 1998. Layered thermohaline convection in hypersaline geothermal systems. *Transport in Porous Media*, 33(1-2): 29-63.
- Oldenburg, C.M. and Pruess, K., 1999. Plume separation by transient thermohaline convection in porous media. *Geophysical Research Letters*, 26(19): 2997-3000.
- Ortega, J.M. and Rheinboldt, W.C., 1970. *Iterative solution of nonlinear equations in several variables*. Academic Press, New York.
- Person, M., Raffensperger, J.P., Ge, S. and Garven, G., 1996. Basin-scale hydrogeologic modeling. *Reviews of Geophysics*, 34(1): 61-87.
- Posey, H.H. and Kyle, J.R., 1988. Fluid-rock interactions in the salt dome environment: an introduction and review. *Chemical Geology*, 74(1-2): 1-24.
- Qin, Y., Guo, J. and Kaloni, P., 1995. Double diffusive penetrative convection in porous media. *International J. Engng. Sci.*, 33(3): 303-312.
- Ranganathan, V. and Hanor, J.S., 1988. Density-driven groundwater flow near salt domes. *Chemical Geology*, 74(1-2): 173-188.
- Rayleigh, J.W.S., 1883. Investigation of the character of the equilibrium of an incompressible heavy fluid of variable density. *Proc. London Math. Soc.*, 14: 170-177.
- Rayleigh, L., 1916. On convection currents in a horizontal layer of fluid when the higher temperature is on the under side. *Philos. Mag.*, Ser. 6 32: 529-546.
- Reese, R.S., 2003. Hydrogeology and the distribution and the origin of salinity in the Floridian aquifer system, Southeastern Florida. 94-4010.

- Rockel, W., Hoth, P. and Seibt, A., 1997. Charakteristik und Aufschluss hydrogeothermaler Speicher. *Geowissenschaften*, 15(8): 244-252.
- Rosenberg, N.D. and Spera, F.J., 1990. Role of anisotropic and/or layered permeability in hydrothermal convection. *Geophysical Research Letters*, 17(3): 235-238.
- Rosenberg, N.D. and Spera, F.J., 1992. Convection in porous media with thermal and chemical buoyancy: a comparison of two models for solute dispersion. *Chaotic Processes in the Geological Science, IMA Volume in Mathematics and Its Applications*: 319-333.
- Rosenberg, N.D. and Spera, F.J., 1992. Thermohaline convection in a porous medium heated from below. *International Journal of Heat and Mass Transfer*, 35(5): 1261-1273.
- Rubin, H., 1975. Effect of solute dispersion on thermal convection in a porous medium layer. *Water Resources Research*, 11: 154-158.
- Rutter, 1988. Hydrogeologische Einschätzung des Saxons im Beckenzentrum und angrenzender Gebiete. Abschlussbericht VEB Geol. Forsch. und Erk. Halle BT Stendal.
- Sarkar, A., Nunn, J.A. and Hanor, J.S., 1995. Free thermohaline convection beneath allochthonous salt sheets: an agent for salt dissolution and fluid flow in Gulf Coast sediments. *Journal of Geophysical Research*, 100: 18,085-18,092.
- Scheck, M., 1997. Dreidimensional Strukturmodellierung des Nordostdeutschen Beckens unter Einbeziehung von Krustenmodellen, Geoforschungszentrum Potsdam.
- Scheck, M. and Bayer, U., 1999. Evolution of the Northeast German Basin - inferences from a 3D structural model and subsidence analysis. *Tectonophysics*, 313(1-2): 145-169.
- Schincariol, R.A., Schwartz, F.W. and Mendoza, C.A., 1994. On the generation of instabilities in variable density flow. *Water Resources Research*, 30(4): 913-927.
- Schirrmeister, W., 1996. Aus der Literatur überlieferte Angaben über natürliche Salzwasseraustritte an der Grundwasseroberfläche/Geländeoberfläche in Brandenburg. *Brandenburgische Geowissenschaftliche Beiträge*, 3: 94-96.
- Simmons, C.T., Fenstemaker, T.R. and Sharp, J.M., 2001. Variable-density groundwater flow and solute transport in heterogeneous porous media: approaches, resolutions and future challenges. *Journal of Contaminant Hydrology*, 52: 245-275.
- Simms, M.A. and Garven, G., 2004. Thermal convection in faulted extensional sedimentary basins: Theoretical results from finite-element modeling. *Geofluids*, 4(2): 109-130.
- Sorey, M.L., 1976. Numerical modeling of liquid geothermal systems. USGS Open File Report: 75-613.
- Stern, M.E., 1960. The salt fountain and thermohaline convection. *Tellus*, 12: 172-175.
- Stommel, H., Arons, A.B., Blanchard, D., 1956. An oceanographic curiosity: the perpetual salt fountain. *Deep sea Res.*, 3: 152-153.

- Straus, J.M., 1979. Large amplitude convection in porous media. *Journal of Fluid Mechanics*, 64: 51-63.
- Straus, J.M. and Schubert, G., 1977. Thermal convection of water in a porous medium: effects of temperature and pressure dependent thermodynamic and transport properties. *Journal of Geophysical Research*, 82: 325-333.
- Tan, K., Sam, T. and Jamaludin, H., 2003. The onset of transient convection in bottom heated porous media. *International Journal of Heat and Mass Transfer*, 46: 2857-2873.
- Tesmer, M. et al., submitted. Deep-reaching fluid flow in the North East German Basin. Origin and processes of ground water salinization. *International Journal of Geoscience*.
- Thomas, 1994. Hydrogeochemische Untersuchungen an Ölfeldwässern aus dem NM-Deutschland und dem Oberrheingraben und ihre Modellierung unter dem Aspekt eines Expertensystems für Fluid-Rock-Interactions (XPS Frocki), Berlin.
- Trettin, R., Haase, G. and Haberdank, M., 1990.  $^{87}\text{Sr}/^{86}\text{Sr}$ -Untersuchungen an Grundwässern des Berliner Urstromtales. *Isotopenpraxis*, 26(12): 595-598.
- Trettin, R., Hiller, A., Wolf, M., Deibel, K. and Gläßer, W., 1997. Isotopenanalytische Charakterisierung tiefliegender Grundwässer im Raum der Fürstenwalde-Gubener Störungszone. *Grundwasser*, Berlin; Heidelberg, 2,2: 65-76.
- Trevisan, O.V. and Bejan, A., 1987. Mass and Heat Transfer by High Rayleigh Number Convection in a Porous Medium Heated from Below. *International Journal of Heat and Mass Transfer*, 30: 2341-2356.
- Van der Lee, J., De Windt, L., 2001. Present state and future directions of modelling of geochemistry in hydrogeological systems. *Journal of Contaminant Hydrology*, 47: 265-282.
- Voigt, H., 1972. *Genese und Hydrochemie mineralisierter Grundwässer*. WTI Sonderheft. Berlin, 6.
- Voigt, H., 1975. Zur Dynamik mineralisierter Schichtenwässer. *Z. angew. Geol.*, 21, 4, Berlin.
- Voigt, H., 1977. Zur Geochemie der Spurenelemente Brom, Jod, Bor, Strontium und Lithium in den Mineralwässern des Nordteiles der DDR. *Z. angew. Geol.*, 23, 8, Berlin.
- Wagner, W., 2000. The IAPWS Industrial Formulation 1997 for the Thermodynamic Properties of Water and Steam. *ASME J. Eng. Gas Turbines and Power*, 122: 150-182.
- WASY-GmbH, 2002. FEFLOW finite-element subsurface flow and transport simulation system. User's Manual/Reference Manual/White Papers, Release 5.0, WASY GmbH, Berlin.