

8. Literaturverzeichnis*

ABRAHAMSSON, M., G. FABIAN und J. SJÖSTRAND (1990):

A longitudinal study of a population based sample of astigmatic children. II. The changeability of anisometropia.

Acta Ophthalmol. Scand. 68, 435-440.

ALSBIRK, P.H. (1979):

Refraction in adult west greenland eskimos.

Acta Ophthalmol. Scand. 57, 84-95.

ATKINSON, J., O.BRADDICK und J. FRENCH (1980):

Infant astigmatism: its disappearance with age.

Vision Res. 20, 891-893.

BELKIN, M., U. YINON, L. ROSE und I. REISERT (1977):

Effect of visual environment on refractive error of cats.

Doc. Ophthalmol. 42, 433-437.

BENEDEK, G.B. (1971):

Theory of transparency of the eye.

Applied Opt. 10, 459-473.

BERKELEY, M. A., und D.W. WATKINS (1973):

Grating resolution and refraction in the cat estimated from evoked cerebral potentials.

Vision Res. 13, 403-415.

Berrár, M. (1918):

Die Bedeutung der Berlinschen Ringe. Eine einfache Methode zur Bestimmung des Grades der Myopie.

Monatshefte Tierheilkunde, S. 293.

BINKHORST, R.D. (1975):

The optical design of intraocular lens implants.

Ophthalmic Surg. 6, 17-31.

BLAIR, N.P., J.T. DODGE und G.M. SCHMIDT (1985):

Rhegmatogenous retinal detachment in Labrador Retrievers.

Arch. Ophthalmol. 103, 842-847.

BLOOM, M., und M.A. BERKLEY (1977):

Visual acuity and near point of accommodation in cats.

Vision Res. 17, 723-730.

* Abkürzungen gemäß Biosis Serial Sources Vol. 1999

- BODEN, R. (1909):
Über den Refraktionszustand des Hundeauges.
Bern, Diss.
- BRODSTEIN, R.S., D.E. BRODSTEIN, R.J. OLSON, S.C. HUNT und R.R. WILLIAMS (1984):
The treatment of myopia with atropine and bifocals.
Ophthalmology 91, 1373-1379.
- BROWN, N.A.P., und A.R. HILL (1987):
Cataract: the relation between myopia and cataract morphology.
Br. J. Ophthalmol. 71, 405-414.
- BULLIMORE, M.A. (1989):
Myopia in optometry students: family history, age of onset and personality.
Ophthalmic. Physiol. Opt. 9, 284-288.
- CARRINGTON, S.D., und E.G. WOODWARD (1986):
Corneal thickness and diameter in the domestic cat.
Ophthalmic. Physiol. Opt. 6, 385-389.
- CLIMENHAGA, H., J.M. MACDONALD, B.E. MCCAREY und G.O. WARING (1988):
Effect on diameter and depth on the response to solid polysulfone intracorneal lenses in cats.
Arch. Ophthalmol. 106, 818-824.
- COHEN, A. (1992):
The retina.
In: W. M. Hart (Hrsg): Adler's physiology of the eye, 9. Auflage.
St. Louis [u.a.]: Mosby-Year Book, S.579-615.
- COILE, D.C., und L.P. O'KEEFE (1988):
Schematic eyes for domestic animals.
Ophthalmic. Physiol. Opt. 8, 215-220.
- CORBOY, J.M. (1996):
The retinoscopy book. An introductory manual for eye care professionals.
Thorofare: Slack Incorporated
- COTTRELL, B., und R.L PEIFFER. (1991):
Verändertes Aussehen.
In: R.L Peiffer (Hrsg): Ophthalmologie bei Kleintieren.
Stuttgart [u.a.]: Schattauer, S. 234.
- COTTRILL, N.B., W.J. BANKS und R.D. PECHMAN (1989):
Ultrasonographic and biometric evaluation of the eye and orbit of dogs.
Am. J. Vet. Res. 50, 898-903.

CREMIEUX, J., G.A. ORBAN, J. DUYSSEN, B. AMBLARD und H. KENNEDY (1989):
Experimental myopia in cats reared in the stroboscopic illumination.
Vision. Res. 29, 1033-1036.

CURCIO, C.A., K.R. SLOAN, R.E. KALINA und A.E. HENDRICKSON (1990):
Human photoreceptor topography.
J. Comp. Neurol. 292, 497-523.

CZERWONSKY, F. (1908):
Beitrag zur Kenntnis der Refraktionsanomalien und zur Aetiologie der Myopie des Pferdes.
Bern, Diss.

DAVIDSON, M.G. (1997):
Clinical retinoscopy for the veterinary ophthalmologist.
Vet. Comp. Ophthalmol. 7, 128-137.

DAVIDSON, M.G., C.J. MURPHY, M.P. NASISSE, A.S. HELLKAMP, D.K. OLIVERO,
M.C.BRINKMANN und L.H. CAMPBELL (1993):
Refractive state of aphakic and pseudophakic eyes of dogs.
Am. J. Vet. Res. 54, 174-177.

DAVIDSON, M.G., M.P. NASISSE, V.E. JAMIESON, R.V. ENGLISH und D.K. OLIVERO
(1991):
Phacoemulsification and intraocular lens implantation: A study of surgical results in 182
dogs.
Prog. Vet. Comp. Ophthalmol. 1, 233-238.

DERKSEN, J. (1920):
Untersuchungen über den Refraktionszustand des Hundeauges.
Berlin, Diss.

DRAEGER, J., R. GUTHOFF, L. KÖHLER und G. ALLMELING (1983):
Veterinärmedizinische ophthalmologische Mikrochirurgie.
Kleintierpraxis 28, 65-68.

DUBAR, M.J., und M.G. THIEULIN (1927):
L'Etat de réfraction des yeux des mammifères domestiques.
Revue Générale de Médecine Vétérinaire 36, 561-566.

EKESTEN, B. (1994):
Biological variability and measurement error variability in ocular biometry in Samoyed dogs.
Acta. Vet. Scand. 35, 427-433.

EKESTEN, B., und I. TORRANG (1995):
Age-related changes in ocular distances in normal eyes of Samoyeds.
Am. J. Vet. Res. 56, 127-133.

- ENROTH-CUGELL, C., und J.G. ROBSON (1966):
The contrast sensitivity of retinal ganglion cells of the cat.
J. Physiol. (Lond.) 187, 517-552.
- EZEH, P.I., L.J. MYERS, K.A. CUMMINS und R.D. WHITLEY (1990):
Utilizing an optokinetic device in assessing the functional visual acuity of the dog.
Prog. Vet. Neurol. 1, 427-432.
- FATH EL-BAB, M.R., N.A. MISK, A. HIFNY und A.M. KAASEM (1982):
Surgical anatomy of the lens in different domestic animals.
Zentbl. Vetmed. Reihe C 11, 27-31.
- FLOYD, G. (1951):
Changes in the corneal curvature following cataract extraction.
Am. J. Ophthalmol. 51, 1525-1533.
- FREEMAN, D.N. (1981):
Visual acuity development and the sensitive period in cat and man.
Dissertation Abstracts International 41, 2501B-2502B.
- FREEMAN, R.D. (1980):
Corneal radius of curvature of the kitten and the cat.
Invest. Ophthalmol. Vis. Sci. 19, 306-308.
- FREEMAN, R.D., S. WONG und S. ZEZULA (1978):
Optical development of the kitten cornea.
Vision Res. 18, 409-414.
- FRIEDBURG, D. (1990):
Objektive Refraktionsbestimmung.
Fortschr. Ophthalmol. Suppl. 87, 138-141.
- FULTON, A.B., V. DOBSON, D. SALEM, C. MAR, R.A. PETERSEN und R.M. HANSEN (1980):
Cycloplegic refractions in infants and young children.
Am. J. Ophthalmol. 90, 239-247.
- GAIDDON, J., N. BOUHANA und P.-E. LALLEMENT (1996):
Refraction by retinoscopy of normal, aphakic and pseudophakic canine eyes:
Advantage of a 41-Diopter intraocular lens?
Vet. Comp. Ophthalmol. 6, 121-124.
- GAIDDON, J., S. ROSOLEN und L. STERU (1989):
Etude de biométrie, kératométrie et calcul de la puissance de l'implantat chez le chien.
Pratique médicale et chirurgicale de l'animal de compagnie 24, 683-691.

- GAIDDON, J., S.G. ROSOLEN, L. STERU, C.S. COOK und R. PEIFFER (1991):
Use of biometry and keratometry for determining optimal power for intraocular lens implants in dogs.
Am. J. Vet. Res. 52, 781-783.
- GILGER, B.C., M.G. DAVIDSON und C.M.H. COLITZ (1998a):
Experimental implantation of posterior chamber prototype intraocular lenses for the feline eye.
Am. J. Vet. Res. 59, 1339-1343.
- GILGER, B.C., M.G. DAVIDSON und P.B. HOWARD (1998b):
Keratometry, ultrasonographic biometry, and prediction of intraocular lens power in the feline eye.
Am. J. Vet. Res. 59, 131-134.
- GLOVER, T.D., und G.M. CONSTANTINESCU (1997):
Surgery for cataracts.
Vet. Clin. N. Am. Small Anim. Pract. 27, 1143-1173.
- GOLDSCHMIDT, E. (1968):
On the etiology of myopia. An epidemiologic study.
Acta Ophthalmol. Scand. Suppl. 98, 1-172.
- GONSIOR, B. (1994):
Physik für Mediziner, Biologen und Pharmazeuten, 2. Auflage.
Stuttgart [u.a.]: Schattauer, S. 276-322.
- GORDON, R.A., und P.B. DONZIS (1985):
Refractive development of the human eye.
Arch. Ophthalmol. 103, 785-788.
- GÖRIG, C., A. MEYER-LINDENBERG, S. ULRICH, F. WAGNER und I. NOLTE (1997):
Keratometrie beim Hund: zwei automatische Handkeratometer im Vergleich.
Tierärztl. Prax. Ausg. K Kleintiere Heimtiere 25, 659-665.
- GUM, G.G. (1991):
Physiology of the eye.
In: K.N. Gelatt: Veterinary Ophthalmology, 2. Auflage.
Philadelphia [u.a.]: Lea and Febiger, S. 124-161.
- GWIAZDA, J., M. SCHEIMAN, I. MOHINDRA und R. HELD (1984):
Astigmatism in children: changes in axis and amount from birth to six years.
Invest. Ophthalmol. Vis. Sci. 25, 88-92.

- GWIN, R.M., I. LERNER, J.K. WARREN und G.GUM (1982):
Decrease in canine corneal endothelial cell density and increase in corneal thickness as functions of age.
Invest. Ophthalmol. Vis. Sci. 22, 267-271.
- HARRIS, L.R. (1978):
Contrast sensitivity and acuity of a conscious cat measured by the occipital evoked Potential.
Vision Res. 18, 175-178.
- HARTEN, H.-U. (1993):
Physik für Mediziner, 6. Auflage.
Berlin [u.a.]: Springer-Verlag
- HEBEL, R. (1976):
Distribution of retinal ganglion cells in five mammalian species (pig, sheep, ox, horse, dog).
Anat. Embryol. (Berl.) 150, 45-51.
- HENDRICKSON, P., und W. ROSENBLUM (1985):
Accommodation demand and deprivation in kitten ocular development.
Invest. Ophthalmol. Vis. Sci. 26, 343-349.
- HESS, C., und L. HEINE (1898):
Arbeiten auf dem Gebiete der Accommodationslehre. 4. Experimentelle Untersuchungen über den Einfluß der Accommodation auf den intraocularen Druck, nebst Beiträgen zur Kenntnis der Accommodation bei Säugetieren.
Arch. Ophthalmol. 46, 243-276.
- HOLLWICH, F. (1988).
Augenheilkunde – Ein kurzgefaßtes Lehrbuch, 11. Auflage.
Stuttgart [u.a.]: Thieme Verlag
- HUGHES, A. (1975)
A quantitative analysis of the cat retinal ganglion cell topography.
J. Comp. Neurol. 163, 107-128.
- HUGHES, A. (1977):
The refractive state of the rat eye.
Vision Res. 17, 927-939.
- HUI, J., L. PECK und H.C. HOWLAND (1995):
Correlations between familial refractive error and children's non-cyclopepic refraction.
Vision Res. 35, 1353-1358.
- JAGGER, W.S. (1990):
The refractive structure and optical properties of the isolated crystalline lens of the cat.
Vision Res. 30, 723-738.

KAHMANN (1930):

Untersuchungen über die Linse, die Zonula ciliaris, Refraktion und Akkommodation von Säugetieren.

Zool. Jahrb. Abt. Allg. Zool. Physiol. Tiere 48, 509-588.

KAO, S.C., H.Y. LU und J.H. LIU (1988):

Atropine effect on school myopia. A preliminary report.

Acta Ophthalmol. Scand. Suppl. 185, 132-133.

KATZ, J., J.M. TIELSCH und A. SOMMER (1997):

Prevalence and risk factors for refractive errors in an adult inner city population.

Invest. Ophthalmol. Vis. Sci. 38, 334-340.

KAUFMAN, P.L. (1992):

Accommodation and presbyopia: Neuromuscular and biophysical aspects.

In: W. M. Hart (Hrsg): Adler's physiology of the eye, 9. Auflage.

St. Louis [u.a.]: Mosby-Year Book, S.391-411.

KIORPES, L., D.C. KIPER und J.A. MOVSHON (1993):

Contrast sensitivity and vernier acuity in amblyopic monkeys.

Vision Res. 33, 2301-2311.

KIORPES, L., und J. WALLMAN (1995):

Does experimentally-induced amblyopia cause hyperopia in monkeys?

Vision Res. 35, 1289-1297.

KISTLER, R. (1927):

Untersuchungen über die Refraktion von 105 Hunden mit Bemerkungen über senile Veränderungen des Hundeauges.

Klin. Monatsbl. Augenheilkd. 80, 181-190.

KLEBERGER, E. (1967):

Linse mit doppeltem Brennpunkt (Butzenscheibenlinse) erzeugt durch toxische Dosen von Dimethylsulfoxyd (DMSO) an Hunden.

Graefes Arch. Klin. Exp. Ophthalmol. 173, 269-281.

KOCH, S.A., und L.F. RUBIN (1972):

Distribution of cones in retina of the normal dog.

Am. J. Vet. Res. 33, 361-363.

KOSCHEL, O. (1893):

Über Form-, Lage- und Größenverhältnisse der Orbita, des Bulbus und der Krystalllinse unserer Haustiere.

Zeitschrift für vergleichende Augenheilkunde 2, 53-79.

KREUZER, R.O., und J.G. SIVAK (1985):
Chromatic aberration of the vertebrate lens.
Ophthalmic. Physiol. Opt. 5, 33-41.

KRINKE, A., K. SCHNIDER, E. LUNDBECK und G. KRINKE (1981):
Ganglionic cell distribution in the central area of the beagle dog retina.
Zentralbl. Veterinärmed. Reihe C 10, 26-35.

KROSS, J. (1993):
Optische Abbildung.
In: H. Niedrig (Hrsg): Lehrbuch der Experimentalphysik, Bergmann;Schaefer.
Berlin [u.a.]: de Gruyter, S. 35-189.

LARSEN, J.S. (1979):
Axial length of the emmetropic eye and its relation to the head size.
Acta Ophthalmol. Scand. 57, 76-83.

LEE, K.E., B.E.K. KLEIN und R. KLEIN (1999):
Changes in refractive error over a 5 – year interval in the Beaver Dam eye study.
Invest. Ophthalmol. Vis. Sci. 40, 1645-1649.

LEPARD, C.W. (1975):
Comparative changes in the error of refraction between fixing and amblyopic eyes during
growth and development.
Am. J. Ophthalmol. 80, 485-490.

LEYDHECKER, W., und F. GREHN (1993):
Augenheilkunde, 25. Auflage.
Berlin [u.a.]: Springer-Verlag

LINDENAU, O. (1909):
Untersuchungen von Rinderaugen, insbesondere über die Ametropie dieser Sehorgane.
Monatshefte praktische Thierheilkunde 289-335.

LOVASIK, J.V., und R. BEAUCHAMP (1982a):
Ocular accommodation neurons in brain stem of the alert cat.
Am. J. Optom. Physiol. Optics 59, 785-794.

LOVASIK, J.V., und R. BEAUCHAMP (1982b):
Ocular accommodation in the cat after electrical stimulation of mesencephalic reticular
formation.
Am. J. Optom. Physiol. Optics 59, 726-734.

MARG, E., J.L. REEVES und W.E. WENDT (1954):
Accommodative response of the eye to electrical stimulation of the ciliary ganglion in cats.
Am. J. Optom. Arch. Acad. Optom. 31, 127-136.

MARG, E., und J.L. REEVES (1955):

Accommodative response of the eye of an aged cat to electrical stimulation of the ciliary ganglion.

J. Opt. Soc. Am. 45, 926-928.

MARSH-TOOTLE, W.L., und T.T. NORTON (1989):

Refractive and structural measures of lid-suture myopia in tree shrew.

Invest. Ophthalmol. Vis. Sci. 30, 2245-2257.

MATTHIESSEN, L. (1887):

Beiträge zur Dioptrik der Krystallinse.

Zeitschrift für vergleichende Augenheilkunde 5, 21-44.

MCBRIEN, N.A., H.O. MOGHADDAM und A.P. REEDER (1993a):

Atropine reduces experimental myopia and eye enlargement via a nonaccommodative mechanism.

Invest. Ophthalmol. Vis. Sci. 34, 205-214.

MCBRIEN, N.A., H.O. MOGHADDAM, R. NEW und L.R. WILLIAMS (1993b):

Experimental myopia in a diurnal mammal (*Sciurus Carolinensis*) with no accommodative ability.

J. Physiol. (Lond.) 469, 427-441.

MEYER, W. (1897):

Über den physikalisch optischen Bau der Augen von Hund und Schaf.

Rostock, Diss.

MILLER, P.E., und C.J. MURPHY (1995):

Vision in dogs.

J. Am. Vet. Med. Assoc. 207, 1623- 1634.

MINDEL, J.S., und S.D. GLICK (1973):

Photostimulation and visual physiology: Implications for behavioral studies.

Behav. Biol. 8, 325-335, Abstract No 1-128.

MITCHELL, D.E., und F. WILKINSON (1974):

The effect of early astigmatism on the visual resolution of gratings.

J. Physiol. (Lond.) 243, 739-756.

MOHINDRA, I. (1975):

Techniques, instruments, cases.

Am. J. Optom. Physiol. Opt. 52, 867-869.

MOHINDRA, I. (1977):

Comparison of „near retinoscopy“ and subjective refraction in adults.

Am. J. Optom. Physiol. Opt. 54, 319-322.

MURPHY, C.J., D.O. MUTTI, K. ZADNIK und J. VER HOEVE (1997):
Effect of optical defocus on visual acuity in dogs.
Am. J. Vet. Res. 58, 414-418.

MURPHY, C.J., K. ZADNIK und M.J. MANNIS (1992):
Myopia and refractive error in dogs.
Invest. Ophthalmol. Vis. Sci. 33, 2459-2463.

MUTTI, D.O., K. ZADNIK und C.J. MURPHY (1999):
Naturally occurring vitreous chamber-based myopia in the Labrador Retriever.
Invest. Ophthalmol. Vis. Sci. 40, 1577-1584.

MUTTI, D.O., K. ZADNIK, C.A. JOHNSON, H.C. HOWLAND und C.J. MURPHY (1992):
Retinoscopic measurement of the refractive state of the rat eye.
Vision Res. 32, 583-586.

NASISSE, M.P., M.G. DAVIDSON, V.E. JAMIESON, R.V. ENGLISH und D.K. OLIVERO (1991):
Phacoemulsification and intraocular lens implantation: A study of technique in 182 dogs.
Prog. Vet. Comp. Ophthalmol. 1, 1225-232.

NASTRI, G., G.C. PERUGINI, S. SAVASTANO, A. POLZELLA und G. SBORDONE (1984):
The evolution of refraction in the fixing and the amblyopic eye.
Doc. Ophthalmol. 56, 265-274.

NELMS, S.R., M.G. DAVIDSON, M.P. NASISSE und T.L. GLOVER (1994):
Comparison of corneal and scleral surgical approaches for cataract extraction by phacoemulsification and intraocular lens implantation in normal dogs.
Vet. Comp. Ophthalmol. 4, 53-60.

NEUHAUS, W., und E. REGENFUSS (1967):
Über die Sehschärfe des Hundes bei verschiedenen Helligkeiten.
Z. vgl. Physiol. 57, 137-146.

NEUMANN, W., S. KLESEN und A. PETZOLD (1998):
Proceedings of the 1998 Meeting. ECVO (European College of Veterinary Ophthalmologists)
– ESVO (European Society of Veterinary Ophthalmology) – SOVI (Italian Society of Veterinary Ophthalmology), S. 43.

NI, J., und L. SMITH (1989):
Effects of chronic optical defocus on the kitten's refractive status.
Vision Res. 29, 929-938.

- NICKEL, R., A. SCHUMMER und E. SEIFERLE (1984):
Lehrbuch der Anatomie der Haustiere, Bd 1.
Frewein, J., K.-H. Wille und H. Wilkens: Bewegungsapparat, 5. Auflage.
Berlin [u.a.]: Paul Parey
- NOWAK, M. R., und W. NEUMANN (1987):
Refraktion des Hundeauges.
Klin. Monatsbl. Augenheilkd. 191, 81-83.
- O'NEILL, W.D., und J.S. BRODKEY (1969):
Linear regression of lens movement with refractive state.
Arch. Ophthalmol. 82, 795-799.
- ODOM, J.V., N.M. BROMBERG und W.W. DAWSON (1983):
Canine visual acuity: retinal and cortical field potentials evoked by pattern stimulation.
Am. J. Physiol. 245, R637-R641.
- OFRI, R., W.W. DAWSON und K.N. GELATT (1993):
Visual resolution in normal and glaucomatous dogs determined by pattern electroretinography.
Prog. Vet. Comp. Ophthalmol. 3, 111-116.
- OWENS, D.A., I. MOHINDRA und R. HELD (1980):
The effectiveness of a retinoscope beam as an accommodative stimulus.
Invest. Ophthalmol. Vis. Sci. 19, 942-949.
- PÄRSSINEN, O., und A.L. LYYRA (1993):
Myopia and myopic progression among schoolchildren: A three-year follow-up study.
Invest. Ophthalmol. Vis. Sci. 34, 2794-2802.
- PASTERNAK, T., und W.H. MERIGAN (1981):
The luminance dependence of spatial vision in the cat.
Vision Res. 21, 1333-1339.
- PEICHL, L. (1992a):
Topography of ganglion cells in the dog and wolf retina.
J. Comp. Neurol. 324, 603-620.
- PEICHL, L. (1992b):
Morphological types of ganglion cells in the dog and wolf retina.
J. Comp. Neurol. 324, 590-602.
- PEIFFER, R.L., und J. GAIDDON (1991):
Posterior chamber intraocular lens implantation in the dog: Results of 65 implants in 61 patients.
J. Am. Anim. Hosp. Assoc. 27, 453-462.

- PIGGINS, D., und C.J.C. PHILLIPS (1996):
The eye of the domesticated sheep with implications for vision.
Anim. Sci. (Pencaitland) 62, 301-308.
- POLLET, L. (1982):
Refraction of normal and aphakic canine eyes.
J. Am. Anim. Hosp. Assoc. 18, 323-326.
- POTTS, A.M., D. HODGES, C.B. SHELMAN, K.J. FRITZ, N.S. LEVY und Y.MANGNALL
(1972):
Morphology of the primate optic nerve. I. Method and total fiber count.
Invest. Ophthalmol. Vis. Sci. 11, 980-988.
- RABIN, J., R.C. VAN SLUYTERS und R. MALACH (1981):
Emmetropization: a vision – dependent phenomenon.
Invest. Ophthalmol. Vis. Sci. 20, 561-564.
- RAVIOLA, E., und T.N. WIESEL (1985):
An animal model of myopia.
N. Engl. J. Med. 312, 1609-1615.
- REIM, M. (1990):
Augenheilkunde, 3. Auflage.
Stuttgart: Enke Verlag
- RICHLER, A., und J.C. BEAR (1980):
Refraction, nearwork and education.
Acta Ophthalmol. 58, 468-478.
- ROE, L.D., und D.L. GUYTON (1984a):
The red reflex from retinoscopy's point of view. Reflections on a small area.
Surv. Ophthalmol. 28, 345-348.
- ROE, L.D., und D.L. GUYTON (1984b):
An ophthalmoscope is not a retinoscope. The difference is in the red reflex.
Surv. Ophthalmol. 28, 405-408.
- ROSE, L., U. YINON und M. BELKIN (1974):
Myopia induced in cats deprived of distance vision during development.
Vision Res. 14, 1029-1032.
- ROSOLEN, S.G., S. GANEM, M. GROSS und B. FRANC (1995):
Refractive corneal surgery on dogs: preliminary results of keratomileusis using a 193
nanometer excimer laser.
Vet. Comp. Ophthalmol. 5, 18-24.

RUBIN, L.F., und S.A. KOCH (1968):
Ocular diagnostic ultrasonography.
J. Am. Med. Assoc. 153, 1706-1716.

SAUNDERS, K.J., und C.A. WESTALL (1992):
Comparison between near retinoscopy and cycloplegic retinoscopy in the refraction of infants and children.
Optom. Vision Sci. 69, 615-622.

SCHAEFFEL, F., A. GLASSER und H.C. HOWLAND (1988):
Accommodation, refractive error and eye growth in chickens.
Vision Res. 28, 639-657.

SCHAEFFEL, F., und H.C. HOWLAND (1995):
Guest editorial.
Vision Res. 35, 1135-1139.

SCHIFFER, S.P., N.W. RANTANEN, G.A. LEARY und G.M. BRYAN (1982):
Biometric study of the canine eye, using A-mode ultrasonography.
Am. J. Vet. Res. 43, 826-829.

SCHMID, K.L., und C.F. WILDSOET (1996):
Effects on the compensatory responses to positive and negative lenses of intermittent lens wear and ciliary nerve section in chicks.
Vision Res. 36, 1023-1036.

SEVERIN, G.A. (1996):
Severin's veterinary ophthalmology notes, 3. Auflage.
Colorado: Veterinary Ophthalmology Notes

SHIVELEY, J.N., G.P. EPLING und R. JENSEN (1970):
Fine structure of the canine eye: Retina.
Am. J. Vet. Res. 31, 1339-1359.

SIVAK, J.G., und R.O. KREUZER (1983):
Spherical aberration of the crystalline lens.
Vision Res. 23, 59-70.

SLATTER, D. (1990):
Fundamentals of veterinary ophthalmology, 2. Auflage.
Philadelphia [u.a.]: W.B. Saunders Company

SMITH, L., G.W. MAGUIRE und J.T. WATSON (1980):
Axial lengths and refractive errors in kittens reared with an optically induced anisometropia.
Invest. Ophthalmol. Vis. Sci. 19, 1250-1255.

- SMITH, L., L.-F. HUNG und R.S. HARWEHRT (1994):
Effects of optically induced blur on the refractive status of young monkeys.
Vision Res. 34, 293-301.
- SMITH, L., R.S. HARWERTH und M.L.J. CRAWFORD (1985):
Spatial contrast sensitivity deficits in monkeys produced by optically induced anisometropia.
Invest. Ophthalmol. Vis. Sci. 26, 330-342.
- SMITH, L., und L.-F. HUNG (1999):
The role of optical defocus in regulating refractive development in infant monkeys.
Vision Res. 39, 1415-1435.
- SMOLEN, D., R. BALL und J.L. ZACKS (1976):
Postnatal changes in corneal curvature.
Am. J. Optom. Physiol. Opt. 53, 165-167.
- STADES, F.C., W. NEUMANN, M.H. BOEVE und M. WYMAN (1996):
Praktische Augenheilkunde für den Tierarzt, 1. Auflage.
Hannover: Schlütersche, S. 11.
- STEINBERG, R.H., M. REID und P.L. LACY (1973):
The distribution of rods and cones in the retina of the cat (*Felis domesticus*).
J. Comp. Neurol. 148, 229-248.
- STONE, J. (1965):
A quantitative analysis of the distribution of ganglion cells in the cat's retina.
J. Comp. Neurol. 124, 337-352.
- STONE, J. (1978):
The number and distribution of ganglion cells in the cat's retina.
J. Comp. Neurol. 180, 753-772.
- STROBEL, J. (1985):
Die Berechnung der Brechkräfte von intraokularen Linsen.
Fortschr. Ophthalmol. 82, 165-167.
- SUNDERLAND, H.R., und W.D. O'NEILL (1976):
Functional dependance of optical parameters on circumferential forces in the cat lens.
Vision Res. 16, 1151-1158.
- SUSTMANN (1911):
Refraktionsbestimmungen mit dem Sehrahrmen nach Holterbach bei Reitpferden durch
Skioskopie.
Berl. Tierärztl. Prakt. Wochenschr. 24, S.481.

THOMPSON, H.S. (1992):

The pupil.

In: W. M. Hart (Hrsg): Adler's physiology of the eye, 9. Auflage.

St. Louis [u.a.]: Mosby-Year Book, S. 412-441.

THORN, F., M. GOLLENDER und P. ERICKSON (1976):

The development of the kitten's visual optics.

Vision Res. 16, 1145-1149.

TOMLINSON, A., und C.I. PHILLIPS (1970):

Applanation tension and axial length of the eyeball.

Br. J. Ophthalmol. 54, 548-552.

TROILO, D. (1992):

Neonatal eye growth and emmetropisation – a literature review.

Eye 6, 154-160.

TROILO, D., M.D. GOTTLIEB und J. WALLMAN (1987):

Visual deprivation causes myopia in chicks with optic nerve section.

Curr. Eye Res. 6, 993-999.

VAKKUR, G.J., P.O. BISHOP und W. KOZAK (1963):

Visual optics in the cat, including posterior nodal distance and retinal landmarks.

Vision Res. 3, 289-314.

VAKKUR, G.J., und P.O. BISHOP (1963):

The schematic eye in the cat.

Vision Res. 3, 357-381.

WALDE, I., E.H. SCHÄFFER und R.G. KÖSTLIN (1997):

Atlas der Augenerkrankungen bei Hund und Katze, 2. Auflage.

Stuttgart [u.a.]: Schattauer, S.163.

WALLMAN, J., und J. I. ADAMS (1987):

Developmental aspects of experimental myopia in chicks: Susceptibility, recovery and relation to emmetropization.

Vision Res. 27, 1139-1163.

WÄSSLE, H. (1971):

Optical quality of the cat eye.

Vision Res. 11, 995-1006.

WÄSSLE, H., und B.B. BOYCOTT (1991):

Functional architecture of the mammalian retina.

Physiol. Rev. 71, 447-480.

- WEBER, H. (1961):
Versuche zur Ermittlung der subjektiven Sehschärfe des Gebrauchshundes.
Leipzig, Diss.
- WHITMORE W.G. (1992):
Congenital and developmental myopia.
Eye (Lond.) 6, 361-365.
- WILDSOET, C.F., und J. WALLMAN (1995):
Choroidal and scleral mechanisms of compensation for spectacle lenses in chicks.
Vision Res. 35, 1175-1194.
- WILDSOET, C.F., und R.O.L. WONG (1999)
A far-sighted view of myopia. Retinal neurons can differentiate between different types of defocus to mediate changes in ocular growth.
Nat. Med. 5, 879-880.
- WILLIAMS, R.W., C. CAVADA und F. REINOSO-SUAREZ (1993):
Rapid evolution of the visual system: A cellular assay of the retina and dorsal lateral geniculate nucleus of the spanish wildcat and the domestic cat.
J. Neurosci. 13, 208-228.
- WILLIAMS, R.W., M.J. BASTIANI, B. LIA und L.M. CHALUPA (1986):
Growth cones, dying axons, and developmental fluctuations in the fiber population of the cat's optic nerve.
J. Comp. Neurol. 246, 32-69.
- WONG, R.O.L., und A. HUGHES (1987):
The morphology, number, and distribution of a large population of confirmed displaced amacrine cells in the adult cat retina.
J. Comp. Neurol. 255, 159-177.
- WOUTERS, L., und A. DE MOOR (1978):
Retinoscopische Refraktiebepaling Bij Het Paard. Retinoscopic determination of refraction in the horse.
Vlaams Diergeneeskd. Tijdschr. 47, 445-454.
- WU, S.-Y., B. NEMESURE und M.C. LESKE (1999):
Refractive errors in a black adult population: The barbados eye study.
Invest. Ophthalmol. Vis. Sci. 40, 2179-2184.
- WYMAN, M., und E. F. DONOVAN (1965):
The ocular fundus of the normal dog.
J. Am. Vet. Med. Assoc. 147, 17-26.

YINON, U. (1984):

Myopia induction in animals following alteration of the visual input during development: a review.

Curr. Eye. Res. 3, 677-690.

YINON, U., K.C. KOSLOWE und M.I. RASSIN (1984):

The optical effects of eyelid closure on the eyes of kittens reared in light and dark.

Curr. Eye Res. 3, 431-439.

YINON, U., und K.C. KOSLOWE (1984):

Eyelid closure effects on the refractive error of the eye in dark- and light- reared kittens.

Am. J. Optom. Physiol. Opt. 61, 271-273.

YOUNG, F.A., G.A. LEARY, W.R. BALDWIN, D.C. WEST, R.A. BOX, E. HARRIS und C. JOHNSON (1969):

The transmission of refractive errors within eskimo families.

Am. J. Optom. Arch. Am. Acad. Optom. 43, 676-685.

ZADNIK, K., W.A. SATARIANO, D.O. MUTTI, R.I. SHOLTZ und A.J. ADAMS (1994):

The effect of parental history of myopia on children's eye size.

J. Am. Med. Assoc. 271, 1323-1327.