

# Literaturverzeichnis

- [1] J. C. Eilbeck, P. S. Lomdahl and A. C. Scott, *The discrete self-trapping equation*, Physica D **16**, 318 (1985)
- [2] J. Carr and J. C. Eilbeck, *Stability of stationary solutions of the discrete self-trapping equation*, Physics Letters A **109**, (1985), 201
- [3] D. Cai, A. R. Bishop and N. Grønbech-Jensen, *Localized states in discrete nonlinear Schrödinger equations*, Phys. Rev. Lett. **72**, (1994), 591
- [4] P. Marquie, J. M. Bilbault and M. Remoissenet, *Observation of nonlinear localized modes in an electrical lattice*, Phys. Rev. E **51**, (1995), 6127
- [5] P. Marquie, J. M. Bilbault and M. Remoissenet, *Generation of envelope and hole solitons in an experimental transmission line*, Phys. Rev. E, **49**, (1993), 828
- [6] T. Bountis, H. W. Capel and M. Kollmann, *Multibreathers and homoclinic orbits in 1-dimensional nonlinear lattices*, Physics Letters A **268**, (2000), 50
- [7] Y.S. Kivshar and B. Luther-Davis, *Dark optical solitons*, Phys. Reports **298**, (1998), 81
- [8] D. Hennig, K. O. Rasmussen, H. Gabriel and A. Bülow, *Solitonlike solutions of the generalized discrete nonlinear Schrödinger equation*, Phys. Rev. E **54**, (1996), 5788
- [9] S. Flach and C. R. Willis, *Discrete breathers*, Physics Reports-Review Section of Physics Letters **295**, (1998), 182
- [10] M. Kollmann and T. Bountis, *A Melnikov approach to soliton-like solutions of systems of discretized nonlinear Schrödinger equations*, Physica D **113**, (1998), 397

- [11] J. L. Marin, S. Aubry and L. M. Floria, *Intrinsic localized modes: Discrete breathers. Existence and linear stability*, Physica D **113**, (1998), 283
- [12] D. Hennig, *Bounds on the energy exchange and freezing of the actions in the Holstein model*, Physica D **113**, (1998), 196
- [13] A. Hasegawa, *Optical Solitons in fibers*, Springer-Verlag Berlin, 1989
- [14] C. Schmidt-Hattenberger, U. Trutschel, R. Muschall and F. Lederer, *Analytical description of the optical-field in a circular fiber array with Kerr-law nonlinearity*, Optics Communications **89**, (1992), 473
- [15] M. Remoissenet, *Waves Called Solitons*, Springer-Verlag Berlin, 1994
- [16] M. Toda, *Theory of Nonlinear Lattices*, Springer-Verlag Berlin, 1978
- [17] T. Holstein, *Studies of Polaron Motion*, Ann. Phys. **8**, (1959), 325
- [18] M. J. Ablowitz and J. F. Ladik, *Nonlinear differential-difference equations and Fourier analysis*, J. Math. Phys. **17**, (1976), 1011
- [19] A. Bülow, *Energietransfer und Lokalisation auf einer GDNLS-Doppelkette*, Diplomarbeit FU-Berlin, 1997
- [20] A. Bülow, D. Hennig and H. Gabriel, *Soliton interaction for a nonlinear double chain*, Phys. Rev. E **59**, (1999), 2
- [21] M. Abramowitz and I. A. Stegun, *Handbook of Mathematical Functions*, Dover Publications, Inc., New York, 1965
- [22] M. L. Glasser, V. Papageorgiou and T. Bountis, *Melnikov's function for two-dimensional mappings*, SIAM J. Appl. Math. **49**, (1989), 692
- [23] J. Moser, *Stable and Random Motions in Dynamical Systems*, Princetown Univ. Press, 1973
- [24] J. Guckenheimer and P. Holmes, *Nonlinear Oszillations, Dynamical Systems, and Bifurcations of Vector Fields*, Springer-Verlag New York, Berlin, Heidelberg, Tokyo, 1983
- [25] T. Bountis, A. Goriely and M. Kollmann, *A Melnikov vector for n-dimensional mappings*, Physics Letters A **206**, (1995), 38

- [26] S. N. Chow and M. Yamashita, *Geometry of the Melnikov vector*, In: Nonlinear equations in the applied sciences, Academic Press, New York, 1992
- [27] A. J. Lichtenberg and M. A. Liebermann, *Regular and Chaotic Motion*, Springer-Verlag New York, Heidelberg, Berlin, 1992
- [28] T. Dauxios and M. Peyrard, *Energy Localization in Nonlinear Lattices*, Phys. Rev. Lett. **70**, (1993), 3935
- [29] Y. S. Kivshar and D. K. Campbell, *Peierls-Nabarro potential barrier for highly localized nonlinear modes*, Phys. Rev. E **48**, (1993), 3077
- [30] J. Coste and J. Peyrard, *Stationary waves in a nonlinear periodic medium: Strong resonances and localized structures. 1. The discrete model*, Phys. Rev. B **39**, (1989), 13086
- [31] P. G. Drazin and R. S. Johnson, *Solitons*, Cambridge University Press, 1989
- [32] S. Wiggins, *Global Bifurcations and Chaos*, Springer-Verlag New York, Heidelberg, Berlin, 1988
- [33] S. Wiggins, *Chaotic Transport in Dynamical Systems*, Springer-Verlag New York, 1991
- [34] E.T. Whittaker and G. N. Watson, *A Course of Modern Analysis*, MacMillan New York, 1943
- [35] I. Nussbaum and S. F. Fischer, *Analytical treatment of localized, stationary states of the discrete self-trapping equation*, Physics Letters A **115**, (1986), 268
- [36] P. L. Christiansen, *On a generalized discrete self-trapping equation*, J. Mol. Liquids **41**, (1989), 113
- [37] A. C. Scott and P. L. Christiansen, *A generalized discrete self-trapping equation*, Physica Scripta **42**, (1990), 257
- [38] R. Scharf and A. R. Bishop, *Properties of the nonlinear Schrödinger equation on a lattice*, Phys. Rev. A **43**, (1991), 6535

- [39] A. Scott, *Davydov's soliton*, Physics Reports-Review Section of Physics Letters **217**, 1
- [40] V. M. Kenkre and D. K. Campbell, *Self-trapping on a dimer - time-dependent solutions of a discrete nonlinear Schrödinger equation*, Phys. Rev. B **34**, (1986), 4959
- [41] A. C. Scott and J. C. Eilbeck, *On the CH stretch overtones of benzene*, Chem. Phys. Lett. **132**, (1986), 23
- [42] D. Hennig, *The integrable configuration of the disordered  $n = 3$  discrete self-trapping equation*, Physica D **64**, (1992), 121
- [43] M. I. Molina and G. P. Tsironis, *Dynamics of self-trapping in the discrete nonlinear Schrödinger equation*, Physica D **65**, (1993), 267
- [44] D. B. Duncan, J. C. Eilbeck, H. Feddersen and J. A. Wattis, *Solitons on lattices*, Physica D **68**, (1993)
- [45] D. Hennig, N. G. Sun, H. Gabriel and G. P. Tsironis, *Spatial properties of integrable and nonintegrable discrete nonlinear Schrödinger equations*, Phys. Rev. E **52**, (1995), 255
- [46] B. Malomed and M. I. Weinstein, *Soliton dynamics in the discrete nonlinear Schrödinger equation*, Physics Letters A **220**, (1996), 91
- [47] G. Weissgerber, *Melnikovanalyse gedämpfter, diskreter nichtlinearer Schrödinger-gleichungen*, Diplomarbeit FU-Berlin, 1998
- [48] M. Johansson and S. Aubry, *Existence and stability of quasiperiodic breathers in the discrete nonlinear Schrödinger equation*, Nonlinearity **10**, (1997), 1151
- [49] D. Hennig, *Energy exchange dynamics of the discrete nonlinear Schrödinger equation lattice and intrinsic formation of strongly localized states*, Phys. Rev. E **56**, (1997), 3101
- [50] S. Darmanyan, A. Kobayakov and F. Lederer, *Stability of strongly localized excitations in discrete media with cubic nonlinearity*, J. of Exp. and Theor. Physics **86**, (1998), 682

- [51] D. Hennig and G. P. Tsironis, *Wave transmission in nonlinear lattices*, Physics Reports-Review Section of Physics Letters **307**, (1999), 334
- [52] M. J. Ablowitz, Y. Ohta and A. D. Trubatch, *On integrability and chaos in discrete systems*, Chaos, Solitons & Fractals **11**, (2000), 1
- [53] T. Bountis, H. W. Capel and M. Kollmann, *Multibreathers and homoclinic orbits in 1-dimensional nonlinear lattices*, Physics Letters A **268**, (2000), 50
- [54] S. De Filippo, M. F. Girard and M. Salerno, *Lyapunov exponents for the  $n = 3$  discrete self-trapping equation*, Physica D **26**, (1987), 411
- [55] P. X. Tran, *Bistability transition in the self-trapping of an electron in a one-dimensional molecular chain*, Physics Letters A **123**, (1987), 231
- [56] L. Cruzeiro-Hansson, P. L. Christiansen and J. N. Elgin, *Self-trapping on a dimer. Time-dependent solutions of a discrete nonlinear Schrödinger equation*, Phys. Rev. B **37**, (1988), 7896
- [57] G. P. Tsironis, V. M. Kenkre and D. Finley, *Effects of dissipation on nonlinearity in transport. Evolution and integrability properties in a molecular dimer*, Phys. Rev. A **37**, (1988), 4474
- [58] T. Blaschke, *Energietransfer und Wechselwirkung von Solitonen und Brethern auf gekoppelten nichtlinearen Gittern*, Diplomarbeit FU-Berlin, 1999
- [59] N. Finlayson and G. I. Stegeman, *Spatial switching, instabilities and chaos in a 3-wave-guide nonlinear directional coupler*, App. Phys. Lett. **56**, (1990), 2276
- [60] L. Cruzeiro-Hansson, H. Feddersen, R. Flesch, P. L. Christiansen, M. Salerno and A. C. Scott, *Classical and quantum analysis of chaos in the discrete self-trapping equation*, Phys. Rev. B **42**, (1990)
- [61] B. Esser and D. Hennig, *Energy-transfer in an asymmetric nonlinear dimer model*, Z. Physik B **83**, (1991), 285
- [62] D. Hennig, *The discrete self-trapping equation and the Painlevé property*, J. Phys. A-Mathematical and General **25**, (1992), 1247

- [63] D. Hennig and B. Esser, *Spectral and time resolved optical-emission of a nonlinear dimer model*, Z. Physik B. **88**, (1992), 231
- [64] D. Hennig, *Analytic structure of a harmonically perturbed nonlinear dimer model*, Physica Scripta **46**, (1992), 14
- [65] V. May and M. Schreiber, *Self-localized energy-transfer in a dissipative environment*, Phys. Rev. A **46**, (1992), 6925
- [66] Y. S. Kivshar, *Self-induced gap solitons* Phys. Rev. Lett. **70**, (1992), 3055
- [67] G. P. Tsironis, W. D. Deering and M. I. Molina, *Applications of self-trapping in optically coupled devices*, Physica D **68**, (1993), 135
- [68] L. J. Bernstein, K. W. DeLong and N. Finlayson, *Self-trapping transitions in a discrete nls model with localized initial conditions*, Phys. Lett. A **181**, (1993), 135
- [69] N. Finlayson, K. J. Blow, L. J. Bernstein and K. W. DeLong, *Localization of chaos in the discrete nonlinear Schrödinger equation*, Phys. Rev. A **48**, (1993), 3863
- [70] R. Muschall, C. Schmidt-Hattenberger and F. Lederer, *Spatially solitary waves in arrays of nonlinear wave-guides*, Opt. Lett. **19**, (1994), 323
- [71] M. I. Molina and G. P. Tsironis, *Absence of localization in a nonlinear random binary alloy*, Phys. Rev. Lett. **73**, (1994), 464
- [72] E. W. Laedke, K. H. Spatschek and S. K. Turitsyn, *Stability of discrete solitons and quasicollapse to intrinsically localized modes*, Phys. Rev. Lett. **73**, (1994), 1055
- [73] G. P. Tsironis, M. I. Molina and D. Hennig, *Generalized nonlinear impurity in a linear chain*, Phys. Rev. E **50**, (1994), 2365
- [74] G. Kalosakas, G. P. Tsironis and E. N. Economou, *Self-trapping properties and recurrence phenomena in a modified discrete nonlinear Schrödinger equation*, J. Phys. Condensed Matter **6**, (1994), 7847
- [75] M. H. Hays, C. D. Levermore and P. D. Miller, *Macroscopic lattice-dynamics*, Physica D **79**, (1994), 1

- [76] M. J. Ablowitz and C. M. Schober, *Homoclinic manifolds and numerical chaos in the nonlinear Schrödinger equation*, Mathematics and Computers in Simulation **37**, (1994), 249
- [77] B. Esser and H. Schanz, *Regular and chaotic dynamics in systems with excitonic-vibronic coupling*, Chaos, Solitons & Fractals **4**, (1994), 2067
- [78] Y. S. Kivshar, W. Krolikowski and O. A. Chubykalo, *Dark solitons in discrete lattices*, Phys. Rev. E **50**, (1994), 409
- [79] D. Cai, A. R. Bishop, N. Gronbech-Jensen and M. Salerno, *Electric-field-induced nonlinear Bloch oscillations and dynamical localization*, Phys. Rev. Lett. **74**, (1995), 1186
- [80] D. Hennig, H. Gabriel, M. F. Jorgensen, P. L. Christiansen and C. B. Clausen, *Homoclinic chaos in the discrete self-trapping trimer*, Phys. Rev. E **51**, (1995), 2870
- [81] D. Hennig and H. Gabriel, *The 4-element discrete nonlinear Schrödinger equation. Nonintegrability and Arnold diffusion*, J. Phys. A - Mathematical and General **28**, (1995), 3749
- [82] M. I. Molina and G. P. Tsironis, *Disorder in the discrete nonlinear Schrödinger equation*, J. Mod. Phys. B **9**, (1995), 1899
- [83] D. Hennig, K. O. Rasmussen, G. P. Tsironis and H. Gabriel, *Breatherlike impurity modes in discrete nonlinear lattices*, Phys. Rev. E **52**, (1995), 4628
- [84] P. K. Datta and K. Kundu, *Time evolution of models described by a one-dimensional discrete nonlinear Schrödinger equation*, Phys. Rev. B **53**, (1996), 443
- [85] P. L. Christiansen, Y. B. Gaididei, K. O. Rasmussen, V. K. Mezentsev and J. J. Rasmussen, *Dynamics in discrete 2-dimensional nonlinear Schrödinger equations in the presence of point-defects*, Phys. Rev. B **54**, (1996), 900
- [86] E. W. Laedke, O. Kluth and K. H. Spatschek, *Existence of solitary solutions in nonlinear chains*, Phys. Rev. E **54**, (1996), 4299

- [87] T. Peschel, R. Muschall and F. Lederer, *Power-controlled beam steering in non equidistant arrays of nonlinear waveguides*, Optics Communications **136**, (1997), 16
- [88] P. L. Christiansen, Y. B. Gaididei, M. Johansson and K. O. Rasmussen, *Breatherlike excitations in discrete lattices with noise and nonlinear damping*, Phys. Rev. B **55**, (1997), 5759
- [89] G. Kalosakas, P. Maniadis and G. P. Tsironis, *Self-trapping and stationary properties of a generalized nonlinear Schrödinger equation dimer*, Physica Scripta **55**, (1997), 523
- [90] B. C. Gupta and K. Kundu, *Localized states in a 1-d nonlinear chain*, Physics Letters A **235**, (1997), 176
- [91] O. Bang, P. L. Christiansen and C. B. Clausen, *Stationary solutions and self-trapping in discrete quadratic nonlinear systems*, Phys. Rev. E **56**, (1997), 7257
- [92] D. Hennig and H. Gabriel, *Designing localized multipulse solutions of the discrete nonlinear Schrödinger equation with an external potential*, Phys. Rev. E **57**, (1998), 2371
- [93] S. Darmanyan, A. Kobayakov, E. Schmidt and F. Lederer, *Strongly localized vectorial modes in nonlinear waveguide arrays*, Phys. Rev. E **57**, (1998), 3520
- [94] A. Ghosh, B. C. Gupta and K. Kundu, *Stationary self-localized states due to quadratic nonlinearity in one-dimensional systems*, J. Phys. Condensed Matter **10**, (1998), 2701
- [95] M. Johansson, Y. B. Gaididei, P. L. Christiansen, K. O. Rasmussen, *Switching between bistable states in a discrete nonlinear model with long-range dispersion*, Phys. Rev. E **57**, (1998), 4739
- [96] K. Kundu and B. C. Gupta, *The role of power law nonlinearity in the discrete nonlinear Schrödinger equation on the formation of stationary localized states in the cayley tree*, European Physical Journal B **3**, (1998), 23



- [97] M. Johansson, S. Aubry, Y. B. Gaididei, P. L. Christiansen and K. O. Rasmussen, *Dynamics of breathers in discrete nonlinear Schrödinger models*, Physica D **119**, (1998), 115
- [98] D. Hennig, *Exponential stability for the energy exchange dynamics of the Holstein model*, J. Math. Phys. **39**, (1998), 115
- [99] G. Kalosakas, S. Aubry and G. P. Tsironis, *Polaron solutions and normal-mode analysis in the semiclassical Holstein model*, Phys. Rev. B **58**, (1998), 115
- [100] Y. B. Gaididei, D. Hendriksen, P. L. Christiansen and K. O. Rasmussen, *Stationary states of the two-dimensional nonlinear Schrödinger model with disorder*, Phys. Rev. B **58**, (1998), 115
- [101] M. Johansson and Y. S. Kivshar, *Discreteness-induced oscillatory instabilities of dark solitons*, Phys. Rev. Lett. **82**, (1999), 85
- [102] D. Hennig, *Periodic, quasiperiodic and chaotic localized solutions of a driven, damped, nonlinear lattice*, Phys. Rev. E **59**, (1999), 1637
- [103] P. J. Martinez, L. M. Floria, F. Falo and J. J. Mazo, *Intrinsically localized chaos in discrete nonlinear extended systems*, Europhysics Letters **45**, (1999), 444
- [104] S. Darmanyán, A. Kobayakov, F. Lederer and L. Vazquez, *Discrete fronts and quasirectangular solitons*, Phys. Rev. B **59**, (1999), 444
- [105] M. J. Ablowitz, Y. Ohta and A. D. Trubatch, *On discretizations of the vector nonlinear Schrödinger equation*, Physics Letters A **253**, (1999), 287
- [106] M. I. Weinstein, *Excitation thresholds for nonlinear localized modes on lattices*, Nonlinearity **12**, (1999), 673
- [107] M. I. Molina, *Self-trapping on a generalized nonlinear tetrahedron*, Mod. Phys. Lett. B **13**, (1999), 225
- [108] R. E. Amritkar and V. M. Kenkre, *Nature of transitions in augmented discrete nonlinear Schrödinger equations*, Phys. Rev. E **59**, (1999), 6306

- [109] K. O. Rasmussen, D. Cai and A. R. Bishop, *Localization in a nonlinear disordered system*, Europhysics Letters **47**, (1999), 421
- [110] A. S. Kovalev, O. V. Usatenko and A. V. Gorbach, *Bifurcation picture for gap solitons in nonlinear modulated systems*, Phys. Rev. E **60**, (1999), 2309  
**32**, (1999), A-M
- [111] O. O. Vakhnenko, *Nonlinear model of intramolecular excitations on a multileg ladder lattice*, Phys. Rev. E **60**, (1999), 2492
- [112] J. F. R. Archilla, R. S. Mackay and J. L. Marin, *Discrete breathers and Anderson modes: two faces of the same phenomenon?* Physica D **134**, (1999), 406
- [113] V. B. Kuznetsov, M. Salerno and E. K. Sklyanin, *Quantum Bäcklund transformation for the integrable DST model*, J. Phys. A - Mathematical and General **33**, (2000), 171
- [114] P. G. Kevrekidis, K. O. Rasmussen and A. R. Bishop, *Localized excitations and their thresholds*, Phys. Rev. E **61**, (2000), 4652
- [115] B. C. Gupta and S. B. Lee, *Stationary localized states due to nonlinear impurities described by the modified discrete nonlinear Schrödinger equation*, Physics Letters A **269**, (2000), 130
- [116] M. Johansson and S. Aubry, *Growth and decay of discrete nonlinear Schrödinger breathers interacting with internal modes or standing-wave phonons*, Phys. Rev. E **61**, (2000), 5864