

6. References:

1. Vallar L, Spada A, Giannattasio G. (1987) Altered G_s and adenylate cyclase activity in human GH-secreting pituitary adenomas. *Nature*. 330:566-568
2. Ezzat S, Melmed S. (1990) The role of growth factors in the pituitary. *Journal of Endocrinological Investigation*. 13: 691-698
3. Ezzat S, Walpola IA, Ramyar L, Smyth HS, Asa SL. (1995) Membrane-anchored expression of transforming growth factor- in human pituitary adenoma cells. *Journal of Clinical Endocrinology and Metabolism*. 80:534-539
4. Renner U, Mojto J, Arzt E, Lange M, Stalla J, Müller O-A, Stalla GK. (1993) Secretion of polypeptide growth factors by human nonfunctioning pituitary adenoma cells in culture. *Neuroendocrinology*. 57:825-834
5. Jones TH, Justice S, Price A, Chapman K. (1991) Interleukin-6 secreting human pituitary adenomas in vitro. *Journal of Clinical Endocrinology and Metabolism*. 73(1):207-209
6. Otuska F, Tamiya T, Yamauchi T, Ogura T, Ohmoto T, Makino H. (1999) Quantitative analysis of growth-related factors in human pituitary adenomas. *Regulatory Peptides* 83:31-38
7. Atkin SL, Landolt AM, Jeffreys RV, Diver M, Radcliffe J, White MC. (1993) Basic fibroblastic growth factor stimulates prolactin secretion from human anterior pituitary adenomas without affecting adenoma cell proliferation. *Journal of Clinical Endocrinology and Metabolism*. 77(3):831-837
8. Finley EL, Ramsdell JS. (1994) A transforming factor-alpha pathway is expressed in GH4C1 rat pituitary tumors and appears necessary for tumor formation. *Endocrinology*. 135(1):416-422

9. Finley EL, King JS, Ramsdell JS. (1994) Human pituitary somatotropes express transforming growth factor-alpha and its receptor. *J. Endocrinol.* 141(3):517
10. McAndrew J, Paterson AJ, Asa SL, McCarthy KJ, Kudlow JE. (1995) Targeting of transforming growth factor-alpha expression to pituitary lactotrophs in transgenic mice results in selective lactotroph proliferation and adenomas. *Endocrinol.* 136(10):4479-4488
11. Chaidarun SS, Eggo MC, Sheppard MC, Stewart PM. (1994) Expression of epidermal growth factor (EGF), its receptor, and related pro-oncoprotein (erbB-2) in human pituitary tumors and response to EGF in vitro. *Endocrinol.* 135(5):2012-2021
12. LeRiche VK, Asa SL, Ezzat S. (1996) Epidermal growth factor and its receptor (EGF-R) in human pituitary adenomas: EGF-R correlates with tumor aggressiveness. *J Clin Endocrinol Metab.* 81(2):656-662
13. Atkin SL, Landolt AM, Foy P, Jeffreys RV, Hipkin L, White MC. (1994) Effects of insulin-like growth factor-I on growth hormone and prolactin secretion and cell proliferation of human somatotropinomas and prolactinomas in vitro. *Clinical Endocrinology.* 41:503-509
14. Ceda GP, Hoffman AR, Silverberg GD, Wilson DM, Rosenfeld RG. (1985) Regulation of growth hormone release from cultured human pituitary adenomas by somatomedins and Insulin. *Journal of Clinical Endocrinology and Metabolism.* 60(6):1204-1209
15. Melmed S. (1984) Insulin suppresses growth hormone secretion by rat pituitary cells. *Journal of Clinical Investigation.* 73:1425-1433
16. Newton CJ, Buric R, Trapp T, Brockmeier S, Pagotto U, Stalla GK. (1994) The unliganded estrogen receptor (ER) transduces growth factor signals. *J Steroid Biochem Molec Biol.* 48(5/6):481-486

17. Tashjian AH Jr, Yasuhiro Y, Levine L, Sato, GH, Parker ML. (1968) Establishment of clonal strains of rat pituitary tumor cells that secrete growth hormone. *Endocrinol* 82: 342-352
18. Tashjian AH, Jr (1979) Clonal strains of hormone-producing pituitary cells. *Methods Enzymol* LVIII:527-535
19. Macaulay VM. (1992) Insulin-like growth factors and cancer. *British Journal of Cancer*. 65:311-320
20. De Meyts P, Wallach B, Christofferson CT, Urso B, Gronskov K, Latus L.-J, Yakushi F, Ilondo MM, Shymko RM. (1994) The insulin-like growth factor-I receptor. Structure, ligand-binding mechanisms and signal transduction. *Hormonal Research*. 42:152-169
21. Furlanetto RW, Harwell SE, Baggs RB (1993) Effects of insulin-like growth factor receptor inhibition on human melanomas in culture and in athymic mice. *Cancer Res* 53(11):2522-6
22. Kalebic T, Tsokos M, Helman LJ (1994) In vivo treatment with antibody against IGF-1 receptor suppresses growth of human rhabdomyosarcoma and down-regulates p34cdc2. *Cancer Res* 54(21):5531-4
23. Rubin R, Baserga R. (1995) Biology of Disease: Insulin-like growth factor-I receptor. Its role in cell proliferation, apoptosis, and tumorigenicity. *Laboratory Investigation*. 73(3):311-331
24. Resnicoff M, Abraham D, Yutanawiboonchai W, Rotman H L, Kajstura J, Rubin R, Zoltick P, Baserga R. (1995) The insulin-like growth factor I receptor protects tumor cells from apoptosis in vivo. *Cancer Research*. 55:2463-2469

25. Liu JP, Baker J, Perkins AS, Robertson EJ, Efstratiadis A (1993) Mice carrying null mutations of the genes encoding insulin-like growth factor I (IGF-1) and type 1 IGF receptor (IGF1R). *Cell* 75(1):59-72
26. Kaleko M, Rutter WJ, Miller AD (1990) Overexpression of the human insulin like growth factor I receptor promotes ligand-dependent neoplastic transformation. *Mol Cell Biol* 10(2):464-73
27. Singleton JR, Dixit VM, Feldman EL. (1996) Type I insulin-like growth factor receptor activation regulates apoptotic proteins. *Journal of Biological Chemistry*. 271(50):31791-31794
28. Datta SR, Dudek H, Tao X, Masters S, Fu H, Gotoh Y, Greenberg ME. (1997) Akt phosphorylation of BAD couples survival signals to the cell-intrinsic death machinery. *Cell*. 91:231-241
29. De Meyts P. (1994) The structural basis of insulin and insulin-like growth factor-I receptor binding and negative co-operativity, and its relevance to mitogenic versus metabolic signalling. *Diabetologia*. 37(2):135-148
30. Atkin SL, Landolt AM, Foy P, Jeffreys RV, Hipkin L, White MC. (1994) Effects of insulin-like growth factor-I on growth hormone and prolactin secretion and cell proliferation of human somatotropinomas and prolactinomas *in vitro*. *Clin Endocrinol*. 41:503-509
31. Atkin SL, Landolt AM, Jeffreys RV, Hipkin L, Radcliffe J, Square CR, White MC. (1993) Differential effects of insulin-like growth factor-1 on the hormonal product and proliferation of glycoprotein secreting human pituitary adenomas. *J Clin Endocrinol Metabol*. 77:1059-1066
32. Spector, T. (1978) Refinement of the Coomassie Blue Method of Protein Quantitation. *Analyt Biochem*. 86:142-146

33. Auernhammer GJ, Renner U, Müller O-A, Stalla J, Stalla GK. (1993) Loperamide inhibits corticotrophic cell function by a naloxone-insensitive mechanism in the rat in vitro. *Neuroendocrinology* 57:1019-1027
34. Greenwood FC, Hunter WM, Glover JS. The preparation of ¹³¹I-labelled human growth hormone of high specific radioactivity. *Biochem J.* 89:114-123
35. Hayashi I, Sato GH. (1976) Replacement of serum by hormones permits growth of cells in defined medium. *Nature* 259:132-134
36. Propato-Mussafiri R, Kanse SM, Ghatei MA, Bloom SR. (1992) Pituitary adenylate cyclase-activating polypeptide releases 7B2, adrenocorticotrophin, growth hormone and prolactin from mouse and rat clonal pituitary cell lines AtT-20 and GH₃. *J. Endocrinol.* 132:107-113
37. Melmed S. (1984) Insulin suppresses growth hormone secretion by rat pituitary cells. *J Clin Invest* 73(5):1425-33
38. Gourdji D, Bataille D, Vauclin N, Grouselle D, Rosselin G, Tixier-Vidal A (1979) Vasoactive intestinal peptide (VIP) stimulates prolactin (PRL) release and cAMP production in a rat pituitary cell line (GH3/B6). Additive effects of VIP and TRH on PRL release. *FEBS Lett* 104(1):165-8
39. Martin, SJ, Reutelingperger PM, McGahon AJ, Rader JA, vanSchie RCAA, Laface DM, Green DR. (1995) Early redistribution of plasma membrane phosphatidylserine is a general feature of apoptosis regardless of the initiating stimulus: inhibition by overexpression of Bcl-2 and Abl. *J.Exp.Med.* 182:1545-1556
40. Lewis MD, Hepburn PJ, Scanlon MF. 1997. Epidermal growth factor protects GH₃ cells from adenosine induced growth arrest. *Mol Cell Endocrinol* 127(2):137-142

41. Yamamoto H, Prager D, Yamasaki H, Melmed S. (1993) Rat pituitary GC cell insulin-like growth factor-I receptor regulation. *Endocrinol* 133(3):1420-1425
42. Grothey A, Voigt W, Schöber C, Müller T, Dempke W, Schmoll HJ. (1999) The role of insulin-like growth factor I and its receptor in cell growth, transformation, apoptosis, and chemoresistance in solid tumors. *J Cancer Res Clin Oncol*. 125:166-173
43. Castillo AI Aranda A. 1997. Differential regulation of pituitary-specific gene expression by insulin-like growth factor 1 in rat pituitary GH4C1 and GH3 cells. *Endocrinol* 138(12):5442-5451
44. Black EG, Logan A, Davis JRE, Sheppard MC. (1990) Basic fibroblast growth factor affects DNA synthesis and cell function and activates multiple signaling pathways in rat Thyroid FRTL-5 and pituitary GH₃ cells. *J. Endocrinol* 127:39-46
45. Ferrara N,, Schweigerer L, Neufeld G, Michell R, Gospodarowicz D. 1987. Pituitary follicular cells produce basic fibroblast growth factor. *Proc Natl Acad Sci* 84:5773-5777
46. Zimering M, Katsumata N, Sato Y, Brandi M, Aurbach G, Marx S, Friesen H. 1993. Increased basic fibroblast growth factor in plasma from multiple endocrine neoplasia Type 1: relation to pituitary tumor. *J. Clin Endocrinol Metabol* 77:831-837
47. Wert MM, Palfrey HC. 2000. Divergence in the anti-apoptotic signalling pathways used by nerve growth factor and basic fibroblast growth factor (bFGF) in PC12 cells. rescue by bFGF involves protein kinase C δ . *Biochem J*. 352:175-182
48. Hartfield PJ, Bilney AJ, Murray AW. 1998. Neurotropic factors prevent ceramide-induced apoptosis downstream of c-Jun N-terminal kinase activation in PC12 cells. *J. Neurochem*. 71(1):161-169

49. Zawada WM, Kirschman DL, Cohen JJ, Heidenreich KA, Freed CD. 1996. Growth factors rescue embryonic dopamine neurons from programmed cell death. *Exp Neurol* 140(1):60-67
50. Childs GV, Rougeau D, Unabia G, (1995) Corticotropin-releasing hormone and epidermal growth factor: mitogens for anterior pituitary corticotrops. *Endocrinology* 136:1595-1602
51. Van Wijk PA, van Neck JW, Rjinberk A, Crougns RJM. (1995) Proliferation of the murine corticotropic tumour cell line AtT20 is affected by hypophysiotrophic hormones, growth factors, and glucocorticoids. *Mol Cell Endocrinol* 111:13-9
52. Schonbrunn A, Krasnoff M, Westendorf JM, Tashjian AH. (1980) Epidermal growth factor and thyrotropin-releasing hormone act similarly on a clonal pituitary cell strain. *J Cell Biol.* 85:786-797
53. Armen H; Tashjian JR. 1979. Clonal strains of hormone-producing pituitary cells. *Meth Enzymology.* 18:527-535
54. Yoshinaga N, Yasuda Y, Murayama T, Nomura Y. 2000. Possible involvement of cytosolic phospholipase A(2) in cell death induced by 1-methyl-4-phenylpyridinium ion, a dopaminergic neurotoxin, in GH3 cells. *Brain res.* 855(2):244-251
55. Yoshinaga N, Murayama T, Nomura Y. 2000. Apoptosis induction by a dopaminergic neurotoxin, 1-methyl-4-phenylpyridinium ion (MPP(+)), and inhibition by epidermal growth factor in GH3 cells. *Biochem Pharmacol.* 60(1):111-120
56. Ilio KY, Sensibar JA, Lee C. 1995. Effect of TGF-beta, TGF-alpha, and EGF on cell proliferation and cell death in rat ventral prostatic epithelial cells in culture. *J Androl* 16(6):482-490

57. Homburg R, Amsterdam A. 1998. Polycystic ovary syndrome – loss of the apoptotic mechanism in the ovarian follicles? *J Endocrinol Invest* 21(9):552-557
58. Melamed P, Gur G, Rosenfeld H, Elizur A, Yaron Z. 1999. Possible interactions between gonadotrophs and somatotrophs in the pituitary of tilapia: apparent roles for insulin-like growth factor I and estradiol. *Endocrinol.* 140(3):1183-1191
59. Gil-Ad I, Shtauf B, Luria D, Karp L, Fridman Y, Weizman A. (1999) Insulin-like-growth-factor-I (IGF-I) antagonizes apoptosis induced by serum deficiency and doxorubicin in neuronal cell culture. *Growth Hormone & IGF1 Res.* 9:458-464
60. Lawlor MA, Feng X, Everding DR, Sieger K, Stewart CEH, Rotwein P. 2000. Dual control of muscle cell survival by distinct growth factor-regulated signaling pathways. *Mol Cell Biology.* 20(9):3256-3263
61. Atkin SL, Landolt AM, Jeffreys RV, Hipkin L, Radcliffe J, Squire CR, White MC. 1993. Differential effects of insulin-like growth factor 1 on the hormonal product and proliferation of glycoprotein-secreting human pituitary adenomas. *J Clin Endocrinol Metabol* 77(4):1059-1066
62. Arzt E, Buric R, Stelzer G, Stalla J, Sauer J, Renner U, et al. (1993) Interleukin involvement in anterior pituitary cell growth regulation: effects of IL-2 and IL-6. *Endocrinology* 132(1):459-467
63. Sawada T, Koike K, Kanda Y, Ikegami H, Jikihara H, Maeda T, Osako Y, Hirota K, Miyake A. 1995. Interleukin-6 stimulates cell proliferation of rat pituitary clonal cell lines in vitro. *J Endocrinol Invest* 18(2):83-90
64. Renner U, Gloddek J, Arzt E, Inoue K, Stalla GK. 1997. Interleukin-6 is an autocrine growth factor for folliculostellate-like TtT/GF mouse pituitary tumor cells. *Exp Clin Endocrinol Diabetes.* 105(6) :345-352

65. Shioda S, Ozawy H, Dohi K, Mizushima H, Matsumoto K, Nakajo S, Takaki A, Zhou CJ, Nakai Y, Arimura A. PACAP protects hippocampal neurons against apoptosis: involvement of JNK/SAPK signaling pathway. *Ann NY Acad Sci* 865:111-117
66. Gado K, Domjan G, Hegyesi H, Falus A. 2000. Role of interleukin-6 in the pathogenesis of multiple myeloma. *Cell Bil Int* 24(4):195-209
67. Mormede P, Baird A. (1988) Estrogens, cyclic adenosine 3',5'-monophosphate, and phorbol esters modulate the prolactin response of GH₃ cells to basic fibroblast growth factor. *Endocrinology* 122:2265-2271
68. Mallo F, Wilson E, Whorwood CG, Singh S, Sheppard MC. 1995. Basic and acidic fibroblast growth factor increase prolactin mRNA in a dose-dependent and specific manner in GH₃ cells. *Mol Cell Endocrinol* 114:117-125
69. Billis WM, White BA. 1997. Effects of the protein tyrosine kinase inhibitor, herbimycin A, on prolactin gene expression in GH3 and 235-1 pituitary tumor cells. *Biochimica Biophysica Acta* 1358:31-38
70. Hidesuke K; Hinkle PM. 1987. Epidermal growth factor decreases thyroid hormone receptors and attenuates thyroid hormone responses in GH₄C₁ cells. *Endocrinol* 120(2):537-543
71. Johnson LK, Baxter JD, Vlodaysky I, Gospodarowitz D. (1980) Epidermal growth factor and expression of specific genes: effects on cultured rat pituitary cells are dissociable from the mitogenic response. *Proc Natl Acad Csi USA* 77:394-398
72. Yamashita S, Melmed S. 1986. Effects of insulin on rat anterior pituitary cells. Inhibition of growth hormone secretion and mRNA levels. *Diabetes* 35(4):440-447

73. Fruchtmann S, Jackson L, Borski R. 2000. Insulin-like growth factor I disparately regulates prolactin and growth hormone synthesis and secretion: studies using the teleost pituitary model. *Endocrinol* 141(8):2886-2894
74. Yamasaki H, Prager D, Gebremedhin S, Moise L, Melmed S. (1991) Binding and action of insulin-like growth factor I in pituitary tumour cells. *Endocrinology*. 128:857-862
75. Yamashita, S, Melmed, S. (1986) Insulin-like growth factor I action on rat anterior cells: suppression of growth hormone secretion and messenger ribonucleic acid levels. *Endocrinology*. 118:176-182
76. Yamashita S, Weiss M, Melmed S. (1986) Insulin-like growth factor I regulates growth hormone secretion and messenger ribonucleic acid levels in human tumour cells. *J Clin Endocrinol Metab*. 63:730-735
77. Goodyer CG, Marcovitz S, Hardy J, Levebvre Y, Guyda HJ, Posner BI. (1986) Effect of insulin-like growth factors on human foetal, adult normal and tumour pituitary function in tissue culture. *Acta Endocrinol* 112:49-57
78. Ceda GP, Davis RG, Rosenfeld RG, Hoffman AR. (1987) The growth hormone (GH) releasing hormone (GHRH)-GH-somatomedin axis: evidence for rapid inhibition of GHRH-elicited GH release by insulin-like growth factors I and II. *Endocrinology* 120:1658-1662
79. Melmed S. 1984. Insulin suppresses growth hormone secretion by rat pituitary cells. *J Clin Invest* 73:1425-1433
80. Spangelo BL, Judd AM, Isakson PC, MacLeod RM. (1989) Interleukin-6 stimulates anterior pituitary hormone release in vitro. *Endocrinology* 125:575-577

81. Fiscus RR, Tu AW, Chew SB. (2001) Natriuretic peptides inhibit apoptosis and prolong the survival on serum-deprived PC12 cells. *Neuroreport* 12:185-189
82. Szende B, Magyar K, Szegedi Z. (2000) Apoptotic and antiapoptotic effect of (-) deprenyl and (-)-desmethyl-deprenyl on human cell lines. *Neurobiology* 8(3-4):249-255
83. Maclcod MR, Allsopp TE, McLuckic J, Kelly JS. (2001) Serum withdrawal causes apoptosis in SHSY 5Y cells. *Brain Research* 889:308-315
84. Kuroda H, Mandai M, Konishi I, Tsuruta Y, Kusakari T, Kariya M, Fujii S. (2001) Human ovarian surface epithelial (ose) cells express LH/HCG receptors, and HCG inhibits apoptosis of ose cells via up-regulation of insuline-like growth factor-1. *International Journal of Cancer* 92:309-315
85. Gagnon A, Dods P, Roustan-Delattour N, Chen CS, Sorisky A. (2001) Phosphatidylinositol-3,4,5-trisphosphate is required for insulin-like growth factor 1-mediated survival of 3T3-L1 preadipocytes. *Endocrinology* 142:205-212
86. Sasson R, Tajima K & Amsterdam A. (2001) Glucocorticoids protect against apoptosis induced by serum deprivation, cyclic adenosine 3'5'-monophosphate and p53 activation in immortalized human granulosa cells: involvement of Bcl-2. *Endocrinology* 142:802-811
87. Eshet R, Werner H, Klinger B, Silbergeld A, Laron Z, LeRoith D, Roberts CT Jr. (1993) Up-regulation of insulin-like growth factor-I (IGF-I) receptor gene expression in patients with reduced serum IGF-I levels. *J Mol Endocrinol* 10(2):115-120
88. Sugimoto H, Shikata K, Makino H, Ota K, Ota Z. (1995) Upregulation of insulin-like growth factor receptor gene in experimental diabetes rat glomeruli. *J Diabetes Complications* 9(4):262-264

89. Werner H, Le Roith D. (1997) The insulin-like growth factor-I receptor signaling pathways are important for tumorigenesis and inhibition of apoptosis. *Crit Rev Oncog* 8(1):71-92
90. O'Connor R, Kauffmann-Zeh A, Liu Y, Lehar S, Evan GI, Baserga R, Blattler WA. (1997) Identification of domains of the insulin-like growth factor I receptor that are required for protection from apoptosis. *Mol Cell Biol* 17(1): 427-435
91. Reuzzi F, Prisco M, Dewis M, Salomoni P, Grassilli E, Romano G, Celabretta B, Baserga R. (1999) Multiple signaling pathways of the insulin-like growth factor 1 receptor in protection from apoptosis. *Mol Cell Biol* 19(10):7203-7215