

6 Literatur

- Abbey, S. E., and Potter, L. R. (2002). Vasopressin-dependent inhibition of the C-Typ natriuretic peptide receptor, NPR-B/GC-B, requires elevated intracellular calcium concentrations. *J Biol Chem* 277, 42423-30.
- Abraham, W. C., and Tate, W. P. (1997). Metaplasticity: a new vista across the field of synaptic plasticity. *Prog Neurobiol* 52, 303-23.
- Abraham, W. C., and Williams, J. M. (2003). Properties and mechanisms of LTP maintenance. *Neuroscientist* 9, 463-74.
- Airhart, N., Yang, Y. F., Roberts, C. T., Jr., and Silberbach, M. (2003). Atrial natriuretic peptide induces natriuretic peptide receptor-cGMP-dependent protein kinase interaction. *J Biol Chem* 278, 38693-8.
- Albuquerque, E. X., Pereira, E. F., Alkondon, M., Schrattenholz, A., and Maelicke, A. (1997). Nicotinic acetylcholine receptors on hippocampal neurons: distribution on the neuronal surface and modulation of receptor activity. *J Recept Signal Transduct Res* 17, 243-66.
- An, W. F., Bowlby, M. R., Betty, M., Cao, J., Ling, H. P., Mendoza, G., Hinson, J. W., Mattsson, K. I., Strassle, B. W., Trimmer, J. S., and Rhodes, K. J. (2000a). Modulation of A-Typ potassium channels by a family of calcium sensors. *Nature* 403, 553-6.
- An, W. F., Ling, H. P., Chen, H., et al., (2000b). K-channel interacting protein-2splice variants, chromosomal organisation and localisation. In “*Annual Meeteing Soc. f. Neuroscience*”, Vol. 26, pp 614.2, New Orleans, Louisiana.
- Andreassi, M. G., Del Ry, S., Palmieri, C., Clerico, A., Biagini, A., and Giannessi, D. (2001). Up-regulation of 'clearance' receptors in patients with chronic heart failure: a possible explanation for the resistance to biological effects of cardiac natriuretic hormones. *Eur J Heart Fail* 3, 407-14.
- Anwyl, R. (1999). Metabotropic glutamate receptors: electrophysiological properties and role in plasticity. *Brain Res Brain Res Rev* 29, 83-120.

- Bahring, R., Dannenberg, J., Peters, H. C., Leicher, T., Pongs, O., and Isbrandt, D. (2001). Conserved Kv4 N-terminal domain critical for effects of Kv channel-interacting protein 2.2 on channel expression and gating. *J Biol Chem* 276, 23888-94.
- Bashir, Z. I., Bortolotto, Z. A., Davies, C. H., Berretta, N., Irving, A. J., Seal, A. J., Henley, J. M., Jane, D. E., Watkins, J. C., and Collingridge, G. L. (1993). Induction of LTP in the hippocampus needs synaptic activation of glutamate metabotropic receptors. *Nature* 363, 347-50.
- Beattie, E. C., Howe, C. L., Wilde, A., Brodsky, F. M., and Mobley, W. C. (2000). NGF signals through TrkA to increase clathrin at the plasma membrane and enhance clathrin-mediated membrane trafficking. *J Neurosci* 20, 7325-33.
- Baker, B. F., Condon, T. P., Koller, E., McKay, R. A., Siwkowski, A. M., Vickers, T. A., and Monia, B. P. (2001). Discovery and analysis of antisense oligonucleotide activity in cell culture. *Methods* 23, 191-8.
- Behnisch, T., and Reymann, K. G. (1993). Co-activation of metabotropic glutamate and N-methyl-D-aspartate receptors is involved in mechanisms of long-term potentiation maintenance in rat hippocampal CA1 neurons. *Neuroscience* 54, 37-47.
- Bennett, M. R. (1999). The concept of a calcium sensor in transmitter release. *Prog Neurobiol* 59, 243-77.
- Bernstein, H. G., Becker, A., Keilhoff, G., Spilker, C., Gorczyca, W. A., Braunewell, K. H., and Grecksch, G. (2003). Brain region-specific changes in the expression of calcium sensor proteins after repeated applications of ketamine to rats. *Neurosci Lett* 339, 95-8.
- Bernstein, H. G., Braunewell, K. H., Spilker, C., Danos, P., Baumann, B., Funke, S., Diekmann, S., Gundelfinger, E. D., and Bogerts, B. (2002). Hippocampal expression of the calcium sensor protein visinin-like protein-1 in schizophrenia. *Neuroreport* 13, 393-6.
- Berridge, M. J. (1998). Neuronal calcium signaling. *Neuron* 21, 13-26.
- Berridge, M. J., Bootman, M. D., and Roderick, H. L. (2003). Calcium signalling: dynamics, homeostasis and remodelling. *Nat Rev Mol Cell Biol* 4, 517-29.

- Berridge, M. J., Lipp, P., and Bootman, M. D. (2000). The versatility and universality of calcium signalling. *Nat Rev Mol Cell Biol* 1, 11-21.
- Blackstone, C., and Sheng, M. (1999). Protein targeting and calcium signaling microdomains in neuronal cells. *Cell Calcium* 26, 181-92.
- Blackstone, C., and Sheng, M. (2002). Postsynaptic calcium signaling microdomains in neurons. *Front Biosci* 7, d872-85.
- Bliss, T. V., and Lomo, T. (1973). Long-lasting potentiation of synaptic transmission in the dentate area of the anaesthetized rabbit following stimulation of the perforant path. *J Physiol* 232, 331-56.
- Boekhoff, I., Braunewell, K. H., Andreini, I., Breer, H., and Gundelfinger, E. (1997). The calcium-binding protein VILIP in olfactory neurons: regulation of second messenger signaling. *Eur J Cell Biol* 72, 151-8.
- Bortolotto, Z. A., and Collingridge, G. L. (1992). Activation of glutamate metabotropic receptors induces long-term potentiation. *Eur J Pharmacol* 214, 297-8.
- Braunewell, K. H., Brackmann, M., and Manahan-Vaughan, D. (2003). Group I mGlu receptors regulate the expression of the neuronal calcium sensor protein VILIP-1 in vitro and in vivo: implications for mGlu receptor-dependent hippocampal plasticity? *Neuropharmacology* 44, 707-15.
- Brackmann, M., Anand, R., and Braunewell, K.-H. (2004) Neuronal calcium censor (NCS) protein VILIP-1 modulates cGMP signalling by regulating receptor guanylyl cyclase B phosphorylation and cell surface trafficking in neural cells and hippocampal neurons. Eingereicht.
- Brackmann, M., Zhao, C., Kuhl, D., Manahan-Vaughan., D., and Braunewell, K.-H. (2004a) DHPG-induced expression of neuronal calcium sensor proteins NCS-1 and VILIP-1 in the hippocampus *in vivo*: time course of expression and comparison to the immediate early gene arg3.1. Eingereicht.
- Braunewell, K. H., Brackmann, M., Schaupp, M., Spilker, C., Anand, R., and Gundelfinger, E. D. (2001). Intracellular neuronal calcium sensor (NCS) protein VILIP-1 modulates cGMP signalling pathways in transfected neural cells and cerebellar granule neurones. *J Neurochem* 78, 1277-86.

- Braunewell, K. H., and Gundelfinger, E. D. (1997). Low level expression of calcium-sensor protein VILIP induces cAMP-dependent differentiation in rat C6 glioma cells. *Neurosci Lett* 234, 139-42.
- Braunewell, K. H., Spilker, C., Behnisch, T., and Gundelfinger, E. D. (1997). The neuronal calcium-sensor protein VILIP modulates cyclic AMP accumulation in stably transfected C6 glioma cells: amino-terminal myristoylation determines functional activity. *J Neurochem* 68, 2129-39.
- Brodsky, F. M., Chen, C. Y., Knuehl, C., Towler, M. C., and Wakeham, D. E. (2001). Biological basket weaving: formation and function of clathrin-coated vesicles. *Annu Rev Cell Dev Biol* 17, 517-68.
- Brown, D. A., and London, E. (1998). Functions of lipid rafts in biological membranes. *Annu Rev Cell Dev Biol* 14, 111-36.
- Brown, D. A., and London, E. (2000). Structure and function of sphingolipid- and cholesterol-rich membrane rafts. *J Biol Chem* 275, 17221-4.
- Burette, A., Petrusz, P., Schmidt, H. H., and Weinberg, R. J. (2001). Immunohistochemical localization of nitric oxide synthase and soluble guanylyl cyclase in the ventral cochlear nucleus of the rat. *J Comp Neurol* 431, 1-10.
- Burgoyne, R. D., O'Callaghan, D. W., Hasdemir, B., Haynes, L. P., and Tepikin, A. V. (2004). Neuronal Ca(2+)-sensor proteins: multitalented regulators of neuronal function. *Trends Neurosci* 27, 203-9.
- Buxbaum, J. D., Choi, E. K., Luo, Y., Lilliehook, C., Crowley, A. C., Merriam, D. E., and Wasco, W. (1998). Calsenilin: a calcium-binding protein that interacts with the presenilins and regulates the levels of a presenilin fragment. *Nat Med* 4, 1177-81.
- Callahan, W., Nankervis, S., and Toop, T. (2004). Natriuretic peptides inhibit adenylyl cyclase activity in dispersed eel gill cells. *J Comp Physiol [B]* 4, 4.
- Carafoli, E., and Penniston, J. T. (1985). The calcium signal. *Sci Am* 253, 70-8.
- Carrion, A. M., Link, W. A., Ledo, F., Mellstrom, B., and Naranjo, J. R. (1999). DREAM is a Ca2+-regulated transcriptional repressor. *Nature* 398, 80-4.

- Chatelain, D., Lesage, J., Montel, V., Chatelain, A., and Deloof, S. (2003). Effect of natriuretic peptides on in vitro stimulated adrenocorticotrophic hormone release and pro-opiomelanocortin mRNA expression by the fetal rat pituitary gland in late gestation. *Horm Res* 59, 142-8.
- Chen, C. K., Inglese, J., Lefkowitz, R. J., and Hurley, J. B. (1995). Ca(2+)-dependent interaction of recoverin with rhodopsin kinase. *J Biol Chem* 270, 18060-6.
- Chen, X. L., Zhong, Z. G., Yokoyama, S., Bark, C., Meister, B., Berggren, P. O., Roder, J., Higashida, H., and Jeromin, A. (2001). Overexpression of rat neuronal calcium sensor-1 in rodent NG108-15 cells enhances synapse formation and transmission. *J Physiol* 532, 649-59.
- Chen, X., and Wang, Z. (2001). Regulation of epidermal growth factor receptor endocytosis by wortmannin through activation of Rab5 rather than inhibition of phosphatidylinositol 3-kinase. *EMBO Rep* 2, 842-9.
- Cheng, H. Y., Pitcher, G. M., Laviolette, S. R., Whishaw, I. Q., Tong, K. I., Kockeritz, L. K., Wada, T., Joza, N. A., Crackower, M., Goncalves, J., Sarosi, I., Woodgett, J. R., Oliveira-dos-Santos, A. J., Ikura, M., van der Kooy, D., Salter, M. W., and Penninger, J. M. (2002). DREAM is a critical transcriptional repressor for pain modulation. *Cell* 108, 31-43.
- Collingridge, G. L., Kehl, S. J., and McLennan, H. (1983). Excitatory amino acids in synaptic transmission in the Schaffer collateral-commissural pathway of the rat hippocampus. *J Physiol* 334, 33-46.
- Cohen, I., Navarro, V., Clemenceau, S., Baulac, M., and Miles, R. (2002). On the origin of interictal activity in human temporal lobe epilepsy in vitro. *Science* 298, 1418-21
- Cohen, D., Koh, G. Y., Nikanova, L. N., Porter, J. G., and Maack, T. (1996). Molecular determinants of the clearance function of Typ C receptors of natriuretic peptides. *J Biol Chem* 271, 9863-9.
- Cooper, S. T., Harkness, P. C., Baker, E. R., and Millar, N. S. (1999). Up-regulation of cell-surface alpha4beta2 neuronal nicotinic receptors by lower temperature and expression of chimeric subunits. *J Biol Chem* 274, 27145-52.

- Daniel, H., Hemart, N., Jaillard, D., and Crepel, F. (1993). Long-term depression requires nitric oxide and guanosine 3':5' cyclic monophosphate production in rat cerebellar Purkinje cells. *Eur J Neurosci* 5, 1079-82.
- De Castro, E., Nef, S., Fiumelli, H., Lenz, S. E., Kawamura, S., and Nef, P. (1995). Regulation of rhodopsin phosphorylation by a family of neuronal calcium sensors. *Biochem Biophys Res Commun* 216, 133-40.
- De Vente, J., Asan, E., Gambaryan, S., Markerink-van Ittersum, M., Axer, H., Gallatz, K., Lohmann, S. M., and Palkovits, M. (2001). Localization of cGMP-dependent protein kinase Typ II in rat brain. *Neuroscience* 108, 27-49.
- Dizhoor, A. M., and Hurley, J. B. (1996). Inactivation of EF-hands makes GCAP-2 (p24) a constitutive activator of photoreceptor guanylyl cyclase by preventing a Ca²⁺-induced "activator-to-inhibitor" transition. *J Biol Chem* 271, 19346-50.
- Dizhoor, A. M., Olshevskaya, E. V., Henzel, W. J., Wong, S. C., Stults, J. T., Ankoudinova, I., and Hurley, J. B. (1995). Cloning, sequencing, and expression of a 24-kDa Ca(2+)-binding protein activating photoreceptor guanylyl cyclase. *J Biol Chem* 270, 25200-6.
- Dreier, J. P., and Heinemann, U. (1991). Regional and time dependent variations of low Mg²⁺ induced epileptiform activity in rat temporal cortex slices. *Exp Brain Res* 87, 581-96.
- Dudek, S. M., and Bear, M. F. (1992). Homosynaptic long-term depression in area CA1 of hippocampus and effects of N-methyl-D-aspartate receptor blockade. *Proc Natl Acad Sci U S A* 89, 4363-7.
- Dyer, J. R., Sossin, W. S., and Klein, M. (1996). Cloning and characterization of aplycalcin and Aplysia neurocalcin, two new members of the calmodulin superfamily of small calcium-binding proteins. *J Neurochem* 67, 932-42.
- Fulle, H. J., Vassar, R., Foster, D. C., Yang, R. B., Axel, R., and Garbers, D. L. (1995). A receptor guanylyl cyclase expressed specifically in olfactory sensory neurons. *Proc Natl Acad Sci U S A* 92, 3571-5.
- Fiscus, R. R. (2002). Involvement of cyclic GMP and protein kinase G in the regulation of apoptosis and survival in neural cells. *Neurosignals* 11, 175-90.

- Genin, A., Davis, S., Meziane, H., Doyere, V., Jeromin, A., Roder, J., Mallet, J., and Laroche, S. (2001). Regulated expression of the neuronal calcium sensor-1 gene during long-term potentiation in the dentate gyrus in vivo. *Neuroscience* 106, 571-7.
- Gomez, M., De Castro, E., Guarin, E., Sasakura, H., Kuhara, A., Mori, I., Bartfai, T., Bargmann, C. I., and Nef, P. (2001). Ca²⁺ signaling via the neuronal calcium sensor-1 regulates associative learning and memory in *C. elegans*. *Neuron* 30, 241-8.
- Gorczyca, W. A., Gray-Keller, M. P., Detwiler, P. B., and Palczewski, K. (1994). Purification and physiological evaluation of a guanylate cyclase activating protein from retinal rods. *Proc Natl Acad Sci U S A* 91, 4014-8.
- Gorodovikova, E. N., and Philippov, P. P. (1993). The presence of a calcium-sensitive p26-containing complex in bovine retina rod cells. *FEBS Lett* 335, 277-9.
- Gray, J. A., Sheffler, D. J., Bhatnagar, A., Woods, J. A., Hufeisen, S. J., Benovic, J. L., and Roth, B. L. (2001). Cell-type specific effects of endocytosis inhibitors on 5-hydroxytryptamine(2A) receptor desensitization and resensitization reveal an arrestin-, GRK2-, and GRK5-independent mode of regulation in human embryonic kidney 293 cells. *Mol Pharmacol* 60, 1020-30.
- Grimes, M. L., Zhou, J., Beattie, E. C., Yuen, E. C., Hall, D. E., Valletta, J. S., Topp, K. S., LaVail, J. H., Bunnett, N. W., and Mobley, W. C. (1996). Endocytosis of activated TrkA: evidence that nerve growth factor induces formation of signaling endosomes. *J Neurosci* 16, 7950-64.
- Guo, W., Malin, S. A., Johns, D. C., Jeromin, A., and Nerbonne, J. M. (2002). Modulation of Kv4-encoded K(+) currents in the mammalian myocardium by neuronal calcium sensor-1. *J Biol Chem* 277, 26436-43.
- Hanahan, D. (1983). Studies on transformation of Escherichia coli with plasmids. *J Mol Biol* 166, 557-580.
- Hansen, S. H., Olsson, A., and Casanova, J. E. (1995). Wortmannin, an inhibitor of phosphoinositide 3-kinase, inhibits transcytosis in polarized epithelial cells. *J Biol Chem* 270, 28425-32.

- Haeseleer, F., Sokal, I., Li, N., Pettenati, M., Rao, N., Bronson, D., Wechter, R., Baehr, W., and Palczewski, K. (1999). Molecular characterization of a third member of the guanylyl cyclase-activating protein subfamily. *J Biol Chem* 274, 6526-35.
- Heizmann, C. W., and Hunziker, W. (1991). Intracellular calcium-binding proteins: more sites than insights. *Trends Biochem Sci* 16, 98-103.
- Hendricks, K. B., Wang, B. Q., Schnieders, E. A., and Thorner, J. (1999). Yeast homologue of neuronal frequenin is a regulator of phosphatidylinositol-4-OH kinase. *Nat Cell Biol* 1, 234-41.
- Hering, H., Lin, C. C., and Sheng, M. (2003). Lipid rafts in the maintenance of synapses, dendritic spines, and surface AMPA receptor stability. *J Neurosci* 23, 3262-71.
- Herman, J. P., Dolgas, C. M., Rucker, D., and Langub, M. C., Jr. (1996). Localization of natriuretic peptide-activated guanylate cyclase mRNAs in the rat brain. *J Comp Neurol* 369, 165-87.
- Hilfiker, S. (2003). Neuronal calcium sensor-1: a multifunctional regulator of secretion. *Biochem Soc Trans* 31, 828-32.
- Huber, K. M., Roder, J. C., and Bear, M. F. (2001). Chemical induction of mGluR5- and protein synthesis--dependent long-term depression in hippocampal area CA1. *J Neurophysiol* 86, 321-5.
- Jeanclos, E. M., Lin, L., Treuil, M. W., Rao, J., DeCoster, M. A., and Anand, R. (2001). The chaperone protein 14-3-3eta interacts with the nicotinic acetylcholine receptor alpha 4 subunit. Evidence for a dynamic role in subunit stabilization. *J Biol Chem* 276, 28281-90. 2001 May 14.
- Jeromin, A., Shayan, A. J., Msghina, M., Roder, J., and Atwood, H. L. (1999). Crustacean frequenins: molecular cloning and differential localization at neuromuscular junctions. *J Neurobiol* 41, 165-75.
- Job, C., and Eberwine, J. (2001). Localization and translation of mRNA in dendrites and axons. *Nat Rev Neurosci* 2, 889-98.

- Joubert, S., Labrecque, J., and De Lean, A. (2001). Reduced activity of the NPR-A kinase triggers dephosphorylation and homologous desensitization of the receptor. *Biochemistry* 40, 11096-105.
- Kabbani, N., Negyessy, L., Lin, R., Goldman-Rakic, P., and Levenson, R. (2002). Interaction with neuronal calcium sensor NCS-1 mediates desensitization of the D2 dopamine receptor. *J Neurosci* 22, 8476-86.
- Kawamura, S. (1993). Rhodopsin phosphorylation as a mechanism of cyclic GMP phosphodiesterase regulation by S-modulin. *Nature* 362, 855-7.
- Kawamura, S., Kuwata, O., Yamada, M., Matsuda, S., Hisatomi, O., and Tokunaga, F. (1996). Photoreceptor protein s26, a cone homologue of S-modulin in frog retina. *J Biol Chem* 271, 21359-64.
- Kawamura, S., and Murakami, M. (1991). Calcium-dependent regulation of cyclic GMP phosphodiesterase by a protein from frog retinal rods. *Nature* 349, 420-3.
- Kawamura, S., Takamatsu, K., and Kitamura, K. (1992). Purification and characterization of S-modulin, a calcium-dependent regulator on cGMP phosphodiesterase in frog rod photoreceptors. *Biochem Biophys Res Commun* 186, 411-7.
- Kawasaki, H., Nakayama, S., and Kretsinger, R. H. (1998). Classification and evolution of EF-hand proteins. *Biometals* 11, 277-95.
- Kim, O. J., Gardner, B. R., Williams, D. B., Marinec, P. S., Cabrera, D. M., Peters, J. D., Mak, C. C., Kim, K. M., and Sibley, D. R. (2003). The role of phosphorylation in D1 dopamine receptor desensitization: Evidence for a novel mechanism of arrestin association. *J Biol Chem*.
- Klenchin, V. A., Calvert, P. D., and Bownds, M. D. (1995). Inhibition of rhodopsin kinase by recoverin. Further evidence for a negative feedback system in phototransduction. *J Biol Chem* 270, 16147-52.
- Kleppisch, T., Pfeifer, A., Klatt, P., Ruth, P., Montkowski, A., Fassler, R., and Hofmann, F. (1999). Long-term potentiation in the hippocampal CA1 region of mice lacking cGMP-dependent kinases is normal and susceptible to inhibition of nitric oxide synthase. *J Neurosci* 19, 48-55.

- Kleppisch, T., Wolfsgruber, W., Feil, S., Allmann, R., Wotjak, C. T., Goebbel, S., Nave, K. A., Hofmann, F., and Feil, R. (2003). Hippocampal cGMP-dependent protein kinase I supports an age- and protein synthesis-dependent component of long-term potentiation but is not essential for spatial reference and contextual memory. *J Neurosci* 23, 6005-12.
- Klyachko, V. A., Ahern, G. P., and Jackson, M. B. (2001). cGMP-mediated facilitation in nerve terminals by enhancement of the spike afterhyperpolarization. *Neuron* 31, 1015-25.
- Koh, P. O., Undie, A. S., Kabbani, N., Levenson, R., Goldman-Rakic, P. S., and Lidow, M. S. (2003). Up-regulation of neuronal calcium sensor-1 (NCS-1) in the prefrontal cortex of schizophrenic and bipolar patients. *Proc Natl Acad Sci U S A* 100, 313-7.
- Kobayashi, M., Takamatsu, K., Saitoh, S., and Noguchi, T. (1993). Myristoylation of hippocalcin is linked to its calcium-dependent membrane association properties. *J Biol Chem* 268, 18898-904.
- Krishnan, A., Venkataraman, V., Fik-Rymarkiewicz, E., Duda, T., and Sharma, R. K. (2004). Structural, biochemical, and functional characterization of the calcium sensor neurocalcin delta in the inner retinal neurons and its linkage with the rod outer segment membrane guanylate cyclase transduction system. *Biochemistry* 43, 2708-23.
- Kumar, V. D., Vijay-Kumar, S., Krishnan, A., Duda, T., and Sharma, R. K. (1999). A second calcium regulator of rod outer segment membrane guanylate cyclase, ROS-GC1: neurocalcin. *Biochemistry* 38, 12614-20.
- Ladant, D. (1995). Calcium and membrane binding properties of bovine neurocalcin delta expressed in Escherichia coli. *J Biol Chem* 270, 3179-85.
- Lilliehook, C., Bozdagi, O., Yao, J., Gomez-Ramirez, M., Zaidi, N. F., Wasco, W., Gandy, S., Santucci, A. C., Haroutunian, V., Huntley, G. W., and Buxbaum, J. D. (2003). Altered Abeta formation and long-term potentiation in a calsenilin knock-out. *J Neurosci* 23, 9097-106.
- Li, G., D'Souza-Schorey, C., Barbieri, M. A., Roberts, R. L., Klipper, A., Williams, L. T., and Stahl, P. D. (1995). Evidence for phosphatidylinositol 3-kinase as a regulator of endocytosis via activation of Rab5. *Proc Natl Acad Sci U S A* 92, 10207-11.

- Li, N., Fariss, R. N., Zhang, K., Otto-Bruce, A., Haeseleer, F., Bronson, D., Qin, N., Yamazaki, A., Subbaraya, I., Milam, A. H., Palczewski, K., and Baehr, W. (1998). Guanylate-cyclase-inhibitory protein is a frog retinal Ca²⁺-binding protein related to mammalian guanylate-cyclase-activating proteins. *Eur J Biochem* 252, 591-9.
- Lin, L., Braunewell, K. H., Gundelfinger, E. D., and Anand, R. (2002a). Functional analysis of calcium-binding EF-hand motifs of visinin-like protein-1. *Biochem Biophys Res Commun* 296, 827-32.
- Lin, L., Jeanclos, E. M., Treuil, M., Braunewell, K. H., Gundelfinger, E. D., and Anand, R. (2002). The calcium sensor protein visinin-like protein-1 modulates the surface expression and agonist sensitivity of the alpha 4beta 2 nicotinic acetylcholine receptor. *J Biol Chem* 277, 41872-8.
- Lilliehook, C., Chan, S., Choi, E. K., Zaidi, N. F., Wasco, W., Mattson, M. P., and Buxbaum, J. D. (2002). Calsenilin enhances apoptosis by altering endoplasmic reticulum calcium signaling. *Mol Cell Neurosci* 19, 552-9.
- Linden, D. J., Dawson, T. M., and Dawson, V. L. (1995). An evaluation of the nitric oxide/cGMP/cGMP-dependent protein kinase cascade in the induction of cerebellar long-term depression in culture. *J Neurosci* 15, 5098-105.
- Liu, S., Rao, Y., and Daw, N. (2003). Roles of protein kinase A and protein kinase G in synaptic plasticity in the visual cortex. *Cereb Cortex* 13, 864-9.
- Lisman, J. E. (2001). Three Ca²⁺ levels affect plasticity differently: the LTP zone, the LTD zone and no man's land. *J Physiol* 532, 285.
- Lucas, K. A., Pitari, G. M., Kazerounian, S., Ruiz-Stewart, I., Park, J., Schulz, S., Chepenik, K. P., and Waldman, S. A. (2000). Guanylyl cyclases and signaling by cyclic GMP. *Pharmacol Rev* 52, 375-414.
- Mahloogi, H., Gonzalez-Guerrico, A. M., Lopez De Cicco, R., Bassi, D. E., Goodrow, T., Braunewell, K. H., and Klein-Szanto, A. J. (2003). Overexpression of the calcium sensor visinin-like protein-1 leads to a cAMP-mediated decrease of in vivo and in vitro growth and invasiveness of squamous cell carcinoma cells. *Cancer Res* 63, 4997-5004.

- Manahan-Vaughan, D. (1997). Group 1 and 2 metabotropic glutamate receptors play differential roles in hippocampal long-term depression and long-term potentiation in freely moving rats. *J Neurosci* 17, 3303-11.
- Manahan-Vaughan, D., and Brauneckwell, K. H. (1999). Novelty acquisition is associated with induction of hippocampal long-term depression. *Proc Natl Acad Sci U S A* 96, 8739-44.
- Manahan-Vaughan, D., Reiser, M., Pin, J. P., Wilsch, V., Bockaert, J., Reymann, K. G., and Riedel, G. (1996). Physiological and pharmacological profile of trans-azetidine-2,4-dicarboxylic acid: metabotropic glutamate receptor agonism and effects on long-term potentiation. *Neuroscience* 72, 999-1008.
- Manahan-Vaughan, D., and Reymann, K. G. (1995a). 1S,3R-ACPD dose dependently induces a slow onset potentiation in the dentate gyrus in vivo. *Eur J Pharmacol* 294, 497-503.
- Manahan-Vaughan, D., and Reymann, K. G. (1995b). 1S,3R-ACPD dose-dependently induces a slow-onset potentiation in the rat hippocampal CA1 region in vivo. *Neuropharmacology* 34, 1103-5.
- Manahan-Vaughan, D., and Reymann, K. G. (1996). Metabotropic glutamate receptor subTyp agonists facilitate long-term potentiation within a distinct time window in the dentate gyrus in vivo. *Neuroscience* 74, 723-31.
- Manahan-Vaughan, D., and Reymann, K. G. (1997). Group 1 metabotropic glutamate receptors contribute to slow-onset potentiation in the rat CA1 region in vivo. *Neuropharmacology* 36, 1533-8.
- Mann, E. A., Jump, M. L., Wu, J., Yee, E., and Giannella, R. A. (1997). Mice lacking the guanylyl cyclase C receptor are resistant to STa-induced intestinal secretion. *Biochem Biophys Res Commun* 239, 463-6.
- Martys, J. L., Wjasow, C., Gangi, D. M., Kielian, M. C., McGraw, T. E., and Backer, J. M. (1996). Wortmannin-sensitive trafficking pathways in Chinese hamster ovary cells. Differential effects on endocytosis and lysosomal sorting. *J Biol Chem* 271, 10953-62.
- McGuinness, N., Anwyl, R., and Rowan, M. (1991). The effects of trans-ACPD on long-term potentiation in the rat hippocampal slice. *Neuroreport* 2, 688-90.

- Mercer, E. A., Korhonen, L., Skoglosa, Y., Olsson, P. A., Kukkonen, J. P., and Lindholm, D. (2000). NAIP interacts with hippocalcin and protects neurons against calcium-induced cell death through caspase-3-dependent and -independent pathways. *Embo J* 19, 3597-607.
- Milner, B. (1959). The memory defect in bilateral hippocampal lesions. *Psychiatr Res Rep Am Psychiatr Assoc* No, 43-58.
- Milner, B., and Penfield, W. (1955). The effect of hippocampal lesions on recent memory. *Trans Am Neurol Assoc*, 42-8.
- Misumi, Y., Miki, K., Takatsuki, A., Tamura, G., and Ikehara, Y. (1986). Novel blockade by brefeldin A of intracellular transport of secretory proteins in cultured rat hepatocytes. *J Biol Chem* 261, 11398-403.
- Miyajima, M., Arai, H., Okuda, O., Hishii, M., Nakanishi, H., Ishii, H., and Sato, K. (2004). Effect of C-Typ natriuretic peptide (CNP) on water channel aquaporin-4 (AQP4) expression in cultured astrocytes. *Brain Res Mol Brain Res* 122, 109-15.
- Monfort, P., Munoz, M. D., Kosenko, E., and Felipo, V. (2002). Long-term potentiation in hippocampus involves sequential activation of soluble guanylate cyclase, cGMP-dependent protein kinase, and cGMP-degrading phosphodiesterase. *J Neurosci* 22, 10116-22.
- Naber, P. A., Witter, M. P., and Lopes Silva, F. H. (2000). Networks of the hippocampal memory system of the rat. The pivotal role of the subiculum. *Ann N Y Acad Sci* 911, 392-403.
- Nagata, K., Puls, A., Futter, C., Aspenstrom, P., Schaefer, E., Nakata, T., Hirokawa, N., and Hall, A. (1998). The MAP kinase kinase kinase MLK2 co-localizes with activated JNK along microtubules and associates with kinesin superfamily motor KIF3. *Embo J* 17, 149-58.
- Nair, K. S., Balasubramanian, N., and Slepak, V. Z. (2002). Signal-dependent translocation of transducin, RGS9-1-Gbeta5L complex, and arrestin to detergent-resistant membrane rafts in photoreceptors. *Curr Biol* 12, 421-5.

- Nef, S., Fiumelli, H., de Castro, E., Raes, M. B., and Nef, P. (1995). Identification of neuronal calcium sensor (NCS-1) possibly involved in the regulation of receptor phosphorylation. *J Recept Signal Transduct Res* 15, 365-78.
- Nguyen, H. M., Cahill, C. M., McPherson, P. S., and Beaudet, A. (2002). Receptor-mediated internalization of [³H]-neurotensin in synaptosomal preparations from rat neostriatum. *Neuropharmacology* 42, 1089-98.
- Noyama, K., and Maekawa, S. (2003). Localization of cyclic nucleotide phosphodiesterase 2 in the brain-derived Triton-insoluble low-density fraction (raft). *Neurosci Res* 45, 141-8.
- O'Callaghan, D. W., and Burgoyne, R. D. (2003). Role of myristylation in the intracellular targeting of neuronal calcium sensor (NCS) proteins. *Biochem Soc Trans* 31, 963-5.
- O'Callaghan, D. W., Tepikin, A. V., and Burgoyne, R. D. (2003). Dynamics and calcium sensitivity of the Ca²⁺/myristoyl switch protein hippocalcin in living cells. *J Cell Biol* 163, 715-21.
- O'Mara, S. M., Commins, S., Anderson, M., and Gigg, J. (2001). The subiculum: a review of form, physiology and function. *Prog Neurobiol* 64, 129-55.
- Orito, A., Kumano goh, H., Yasaka, K., Sokawa, J., Hidaka, H., Sokawa, Y., and Maekawa, S. (2001). Calcium-dependent association of annexin VI, protein kinase C alpha, and neurocalcin alpha on the raft fraction derived from the synaptic plasma membrane of rat brain. *J Neurosci Res* 64, 235-41.
- Ostrom, R. S., Bunney, R. A., and Insel, P. A. (2004). Nitric oxide inhibition of adenylyl cyclase Typ 6 activity is dependent upon lipid rafts and caveolin signaling complexes. *J Biol Chem*.
- Palczewski, K., Subbaraya, I., Gorczyca, W. A., Helekar, B. S., Ruiz, C. C., Ohguro, H., Huang, J., Zhao, X., Crabb, J. W., Johnson, R. S., and et al. (1994). Molecular cloning and characterization of retinal photoreceptor guanylyl cyclase-activating protein. *Neuron* 13, 395-404.

- Pandey, K. N., Nguyen, H. T., Sharma, G. D., Shi, S. J., and Kriegel, A. M. (2002). Ligand-regulated internalization, trafficking, and down-regulation of guanylyl cyclase/atrial natriuretic peptide receptor-A in human embryonic kidney 293 cells. *J Biol Chem* 277, 4618-27.
- Peitzsch, R. M., and McLaughlin, S. (1993). Binding of acylated peptides and fatty acids to phospholipid vesicles: pertinence to myristoylated proteins. *Biochemistry* 32, 10436-43.
- Persechini, A., Moncrief, N. D., and Kretsinger, R. H. (1989). The EF-hand family of calcium-modulated proteins. *Trends Neurosci* 12, 462-7.
- Philippov, P. P. (2000). Phototransduction and calcium. *Membr Cell Biol* 13, 195-206.
- Polans, A., Baehr, W., and Palczewski, K. (1996). Turned on by Ca²⁺! The physiology and pathology of Ca(2+)-binding proteins in the retina. *Trends Neurosci* 19, 547-54.
- Pongs, O., Lindemeier, J., Zhu, X. R., Theil, T., Engelkamp, D., Krah-Jentgens, I., Lambrecht, H. G., Koch, K. W., Schwemer, J., Rivosecchi, R., and et al. (1993). Frequenin--a novel calcium-binding protein that modulates synaptic efficacy in the *Drosophila* nervous system. *Neuron* 11, 15-28.
- Ponnambalam, S., and Baldwin, S. A. (2003). Constitutive protein secretion from the trans-Golgi network to the plasma membrane. *Mol Membr Biol* 20, 129-39.
- Potter, L. R., and Garbers, D. L. (1994). Protein kinase C-dependent desensitization of the atrial natriuretic peptide receptor is mediated by dephosphorylation. *J Biol Chem* 269, 14636-42.
- Potter, L. R. (1998). Phosphorylation-dependent regulation of the guanylyl cyclase-linked natriuretic peptide receptor B: dephosphorylation is a mechanism of desensitization. *Biochemistry* 37, 2422-9.
- Potter, L. R., and Hunter, T. (1998a). Identification and characterization of the major phosphorylation sites of the B-Typ natriuretic peptide receptor. *J Biol Chem* 273, 15533-9.

- Potter, L. R., and Hunter, T. (1998b). Phosphorylation of the kinase homology domain is essential for activation of the A-Typ natriuretic peptide receptor. *Mol Cell Biol* 18, 2164-72.
- Potter, L. R., and Hunter, T. (2001). Guanylyl cyclase-linked natriuretic peptide receptors: structure and regulation. *J Biol Chem* 276, 6057-60.
- Pressman, B. C. (1976). Biological applications of ionophores. *Annu Rev Biochem* 45, 501-30.
- Rajebhosale, M., Greenwood, S., Vidugiriene, J., Jeromin, A., and Hilfiker, S. (2003). Phosphatidylinositol 4-OH kinase is a downstream target of neuronal calcium sensor-1 in enhancing exocytosis in neuroendocrine cells. *J Biol Chem* 278, 6075-84.
- Raymond, C. R., Thompson, V. L., Tate, W. P., and Abraham, W. C. (2000). Metabotropic glutamate receptors trigger homosynaptic protein synthesis to prolong long-term potentiation. *J Neurosci* 20, 969-76.
- Richter-Levin, G., and Yaniv, D. (2001). Is LTP in the hippocampus a useful model for learning-related alterations in gene expression? *Rev Neurosci* 12, 289-96.
- Rizo, J., and Sudhof, T. C. (1998). C2-domains, structure and function of a universal Ca²⁺-binding domain. *J Biol Chem* 273, 15879-82.
- Rudnicka-Nawrot, M., Surgucheva, I., Hulmes, J. D., Haeseleer, F., Sokal, I., Crabb, J. W., Baehr, W., and Palczewski, K. (1998). Changes in biological activity and folding of guanylate cyclase-activating protein 1 as a function of calcium. *Biochemistry* 37, 248-57.
- Savchenko, A., Barnes, S., and Kramer, R. H. (1997). Cyclic-nucleotide-gated channels mediate synaptic feedback by nitric oxide. *Nature* 390, 694-8.
- Schmidt, H. H. (1992). NO., CO and .OH. Endogenous soluble guanylyl cyclase-activating factors. *FEBS Lett* 307, 102-7.
- Schnurra, I., Bernstein, H. G., Riederer, P., and Brauneckell, K. H. (2001). The neuronal calcium sensor protein VILIP-1 is associated with amyloid plaques and extracellular tangles in Alzheimer's disease and promotes cell death and tau phosphorylation in vitro: a link between calcium sensors and Alzheimer's disease? *Neurobiol Dis* 8, 900-9.

- Schuman, E. M., and Madison, D. V. (1991). A requirement for the intercellular messenger nitric oxide in long-term potentiation. *Science* 254, 1503-6.
- Shibata, R., Misonou, H., Campomanes, C. R., Anderson, A. E., Schrader, L. A., D oliveira, L. C., Carroll, K. I., Sweatt, J. D., Rhodes, K. J., and Trimmer, J. S. (2003). A fundamental role for KChIPs in determining the molecular properties and trafficking of Kv4.2 potassium channels. *J Biol Chem* 278, 36445-54.
- Shpetner, H., Joly, M., Hartley, D., and Corvera, S. (1996). Potential sites of PI-3 kinase function in the endocytic pathway revealed by the PI-3 kinase inhibitor, wortmannin. *J Cell Biol* 132, 595-605.
- Simpson, P. J., Nighorn, A., and Morton, D. B. (1999). Identification of a novel guanylyl cyclase that is related to receptor guanylyl cyclases, but lacks extracellular and transmembrane domains. *J Biol Chem* 274, 4440-6.
- Sippy, T., Cruz-Martin, A., Jeromin, A., and Schweizer, F. E. (2003). Acute changes in short-term plasticity at synapses with elevated levels of neuronal calcium sensor-1. *Nat Neurosci* 6, 1031-8.
- Slepnev, V. I., and De Camilli, P. (2000). Accessory factors in clathrin-dependent synaptic vesicle endocytosis. *Nat Rev Neurosci* 1, 161-72.
- Spilker, C. (2001). Die neuronalen Calciumsensor (NCS)-Proteine VILIP-3 und VILIP-1 aus dem Zentralnervensystem der Ratte: vergleichende Untersuchungen zu Lokalisation, Funktion und Calcium-Myristoyl- Switch. Dissertation an der Universität Magdeburg.
- Spilker, C., and Brauneckell, K. H. (2003). Calcium-myristoyl switch, subcellular localization, and calcium-dependent translocation of the neuronal calcium sensor protein VILIP-3, and comparison with VILIP-1 in hippocampal neurons. *Mol Cell Neurosci* 24, 766-78.
- Spilker, C., Dresbach, T., and Brauneckell, K. H. (2002). Reversible translocation and activity-dependent localization of the calcium-myristoyl switch protein VILIP-1 to different membrane compartments in living hippocampal neurons. *J Neurosci* 22, 7331-9.

- Spreafico, F., Barski, J. J., Farina, C., and Meyer, M. (2001). Mouse DREAM/calsenilin/KChIP3: gene structure, coding potential, and expression. *Mol Cell Neurosci* 17, 1-16.
- Stepan, H., Leitner, E., Siems, W. E., Maul, B., and Walther, T. (1999). mRNA quantification of C-Typ natriuretic peptide in brain areas of rodents. *Peptides* 20, 1243-5.
- Steward, O., and Worley, P. F. (2001). Selective targeting of newly synthesized Arc mRNA to active synapses requires NMDA receptor activation. *Neuron* 30, 227-40.
- Suzuki, T. (2002). Lipid rafts at postsynaptic sites: distribution, function and linkage to postsynaptic density. *Neurosci Res* 44, 1-9.
- Svoboda, K., and Mainen, Z. F. (1999). Synaptic [Ca₂₊]: intracellular stores spill their guts. *Neuron* 22, 427-30.
- Tartakoff, A. M. (1983). Perturbation of vesicular traffic with the carboxylic ionophore monensin. *Cell* 32, 1026-8.
- Telegdy, G., Kokavszky, K., and Nyerges, A. (1999). Action of C-Typ natriuretic peptide (CNP) on passive avoidance learning in rats: involvement of transmitters. *Eur J Neurosci* 11, 3302-6.
- Teng, D. H., Chen, C. K., and Hurley, J. B. (1994). A highly conserved homologue of bovine neurocalcin in *Drosophila melanogaster* is a Ca(2+)-binding protein expressed in neuronal tissues. *J Biol Chem* 269, 31900-7.
- Teyler, T. J., Cavus, I., Coussens, C., DiScenna, P., Grover, L., Lee, Y. P., and Little, Z. (1994). Multideterminant role of calcium in hippocampal synaptic plasticity. *Hippocampus* 4, 623-34.
- Towler, D. A., Gordon, J. I., Adams, S. P., and Glaser, L. (1988). The biology and enzymology of eukaryotic protein acylation. *Annu Rev Biochem* 57, 69-99.
- Tremblay, J., Desjardins, R., Hum, D., Gutkowska, J., and Hamet, P. (2002). Biochemistry and physiology of the natriuretic peptide receptor guanylyl cyclases. *Mol Cell Biochem* 230, 31-47.

- Tucker, C. L., Hurley, J. H., Miller, T. R., and Hurley, J. B. (1998). Two amino acid substitutions convert a guanylyl cyclase, RetGC-1, into an adenylyl cyclase. *Proc Natl Acad Sci U S A* 95, 5993-7.
- Vinogradova, O. S. (2001). Hippocampus as comparator: role of the two input and two output systems of the hippocampus in selection and registration of information. *Hippocampus* 11, 578-98.
- Wang, W., Zhou, Z., Zhao, W., Huang, Y., Tang, R., Ying, K., Xie, Y., and Mao, Y. (2001). Molecular cloning, mapping and characterization of the human neurocalcin delta gene (NCALD). *Biochim Biophys Acta* 1518, 162-7.
- Wedel, B. J., and Garbers, D. L. (1997). New insights on the functions of the guanylyl cyclase receptors. *FEBS Lett* 410, 29-33.
- Weiler, I. J., and Greenough, W. T. (1993). Metabotropic glutamate receptors trigger postsynaptic protein synthesis. *Proc Natl Acad Sci U S A* 90, 7168-71.
- Weiler, I. J., Irwin, S. A., Klintsova, A. Y., Spencer, C. M., Brazelton, A. D., Miyashiro, K., Comery, T. A., Patel, B., Eberwine, J., and Greenough, W. T. (1997). Fragile X mental retardation protein is translated near synapses in response to neurotransmitter activation. *Proc Natl Acad Sci U S A* 94, 5395-400.
- Weiss, J. L., and Burgoine, R. D. (2001). Voltage-independent inhibition of P/Q-Typ Ca²⁺ channels in adrenal chromaffin cells via a neuronal Ca²⁺ sensor-1-dependent pathway involves Src family tyrosine kinase. *J Biol Chem* 276, 44804-11.
- Wells, D. G., and Fallon, J. R. (2000). In search of molecular memory: experience-driven protein synthesis. *Cell Mol Life Sci* 57, 1335-9.
- Williams, J. M., Mason-Parker, S. E., Abraham, W. C., and Tate, W. P. (1998). Biphasic changes in the levels of N-methyl-D-aspartate receptor-2 subunits correlate with the induction and persistence of long-term potentiation. *Brain Res Mol Brain Res* 60, 21-7.
- Wilson, E. M., and Chinkers, M. (1995). Identification of sequences mediating guanylyl cyclase dimerization. *Biochemistry* 34, 4696-701.

- Wozny, C., Kivi, A., Lehmann, T. N., Dehnicke, C., Heinemann, U., and Behr, J. (2003). Comment on "On the origin of interictal activity in human temporal lobe epilepsy in vitro". *Science* 301, 463; author reply 463.
- Yang, R. B., Foster, D. C., Garbers, D. L., and Fulle, H. J. (1995). Two membrane forms of guanylyl cyclase found in the eye. *Proc Natl Acad Sci U S A* 92, 602-6.
- Zamaratski, E., Pradeepkumar, P. I., and Chattopadhyaya, J. (2001). A critical survey of the structure-function of the antisense oligo/RNA heteroduplex as substrate for RNase H. *J Biochem Biophys Methods* 48, 189-208.
- Zhuo, M., Hu, Y., Schultz, C., Kandel, E. R., and Hawkins, R. D. (1994). Role of guanylyl cyclase and cGMP-dependent protein kinase in long-term potentiation. *Nature* 368, 635-9.
- Zucker, R. S. (2003). NCS-1 stirs somnolent synapses. *Nat Neurosci* 6, 1006-8.
- Zufall, F., Shepherd, G. M., and Barnstable, C. J. (1997). Cyclic nucleotide gated channels as regulators of CNS development and plasticity. *Curr Opin Neurobiol* 7, 404-12.