

7 LITERATURVERZEICHNIS

- J. H. AAFJES (1967).
The disappearance of volatile fatty acids through the rumen wall. *Z Tierphysiol Tierernahr Futtermittelkd* **22**(2), 69-75.
- K. ABDOUN, K. WOLF, G. ARNDT und H. MARTENS (2003).
Effect of ammonia on Na⁺ transport across isolated rumen epithelium of sheep is diet dependent. *Br J Nutr* **90**(4), 751-8.
- N. ABULADZE, I. LEE, D. NEWMAN, J. HWANG, K. BOORER, A. PUSHKIN und I. KURTZ (1998).
Molecular cloning, chromosomal localization, tissue distribution, and functional expression of the human pancreatic sodium bicarbonate cotransporter. *J Biol Chem* **273**(28), 17689-95.
- A. N. ALEXANDER und H. V. CAREY (1999).
Oral IGF-I enhances nutrient and electrolyte absorption in neonatal piglet intestine. *Am J Physiol* **277**(3 Pt 1), G619-25.
- A. N. ALEXANDER und H. V. CAREY (2001).
Involvement of PI 3-kinase in IGF-I stimulation of jejunal Na⁺-K⁺-ATPase activity and nutrient absorption. *Am J Physiol Gastrointest Liver Physiol* **280**(2), G222-8.
- M. R. ALISON und C. E. SARRAF (1994).
The role of growth factors in gastrointestinal cell proliferation. *Cell Biol Int* **18**(1), 1-10.
- S. L. ALPER, M. N. CHERNOVA und A. K. STEWART (2001).
Regulation of Na⁺-independent Cl⁻/HCO₃⁻ exchangers by pH. *Jop* **2**(4 Suppl), 171-5.
- S. L. ALPER, R. B. DARMAN, M. N. CHERNOVA und N. K. DAHL (2002).
The AE gene family of Cl⁻/HCO₃⁻ exchangers. *J Nephrol* **15 Suppl 5**, S41-53.
- H. AMLAL, Z. WANG, C. BURNHAM und M. SOLEIMANI (1998).
Functional characterization of a cloned human kidney Na⁺:HCO₃⁻ cotransporter. *J Biol Chem* **273**(27), 16810-5.
- H. N. ANTONIADES und A. J. OWEN (1982).
Growth factors and regulation of cell growth. *Annu Rev Med* **33**, 445-63.
- R. W. ASH und A. DOBSON (1963).
The Effect of Absorption on the Acidity of Rumen Contents. *J Physiol* **169**, 39-61.
- F. ATROSHI, J. PARANTAINEN, S. SANKARI, M. JARVINEN, L. A. LINDBERG und H. SALONIEMI (1996).
Changes in inflammation-related blood constituents of mastitic cows. *Vet Res* **27**(2), 125-32.

- F. ATROSHI, J. PARANTAINEN, S. SANKARI und T. OSTERMAN (1989).
Inflammation-related changes in cyclic AMP and cyclic GMP in bovine mastitis. *Vet Res Commun* **13**(6), 427-33.
- R. L. BALDWIN (1998).
Use of isolated ruminal epithelial cells in the study of rumen metabolism. *J Nutr* **128**(2 Suppl), 293S-296S.
- R. L. BALDWIN (1999).
The proliferative actions of insulin, insulin-like growth factor-I, epidermal growth factor, butyrate and propionate on ruminal epithelial cells in vitro. *Small Ruminat Research* **32**(3), 261-268.
- J. A. BARNARD und G. WARWICK (1993).
Butyrate rapidly induces growth inhibition and differentiation in HT-29 cells. *Cell Growth Differ* **4**(6), 495-501.
- M. BARTKIEWICZ, N. HERNANDO, S. V. REDDY, G. D. ROODMAN und R. BARON (1995).
Characterization of the osteoclast vacuolar H(+)-ATPase B-subunit. *Gene* **160**(2), 157-64.
- L. J. BEARDSWORTH, BEARDSWORTH, P.M., CARE, A.D. (1987).
The effect of increased potassium concentration on the absorption of magnesium from the reticulo-rumen of conscious sheep. *J. Physiol.* **386**, 89.
- M. R. BENNINK, T. R. TYLER, G. M. WARD und D. E. JOHNSON (1978).
Ionic milieu of bovine and ovine rumen as affected by diet. *J Dairy Sci* **61**(3), 315-23.
- D. J. BENOS (1982).
Amiloride: a molecular probe of sodium transport in tissues and cells. *Am J Physiol* **242**(3), C131-45.
- R. BERG und P. EDVI (1976).
Morphologische Untersuchungen an der Pansenmukosa von Schafen mit gleichzeitigen klinischen Kontrollen bei Fütterung verschiedener Rationstypen.
- E. N. BERGMAN (1990).
Energy contributions of volatile fatty acids from the gastrointestinal tract in various species. *Physiol Rev* **70**(2), 567-90.
- A. A. BERNARDO, F. T. KEAR, A. V. SANTOS, J. MA, D. STEPLOCK, R. B. ROBEY und E. J. WEINMAN (1999).
Basolateral Na(+)/HCO₃(-) cotransport activity is regulated by the dissociable Na(+)/H(+) exchanger regulatory factor. *J Clin Invest* **104**(2), 195-201.
- P. BERNASCONI, T. RAUSCH, I. STRUVE, L. MORGAN und L. TAIZ (1990).
An mRNA from human brain encodes an isoform of the B subunit of the vacuolar H(+)-ATPase. *J Biol Chem* **265**(29), 17428-31.

- B. L. BLAZER-YOST, M. COX und R. FURLANETTO (1989).
Insulin and IGF I receptor-mediated Na⁺ transport in toad urinary bladders. *Am J Physiol* **257**(4 Pt 1), C612-20.
- A. BOETTCHER (2000). Dissertation.
Funktionelle Charakterisierung des Na⁺/H⁺-Austauschers an kultivierten ruminalen Epithelzellen: Einfluss verschiedener extrazellulärer Faktoren und mögliche Regulationsmechanismen. Freie Universität Berlin. Berlin
- C. BOOKSTEIN, M. W. MUSCH, Y. XIE, M. C. RAO und E. B. CHANG (1999).
Regulation of intestinal epithelial brush border Na⁽⁺⁾/H⁽⁺⁾ exchanger isoforms, NHE2 and NHE3, in C2bbe cells. *J Membr Biol* **171**(1), 87-95.
- C. L. BOS, D. J. RICHEL, T. RITSEMA, M. P. PEPPELENBOSCH und H. H. VERSTEEG (2004).
Prostanoids and prostanoid receptors in signal transduction. *Int J Biochem Cell Biol* **36**(7), 1187-205.
- E. J. BOWMANN, SIEBERS, A., ALTENDORF, K. (1988).
Bafilomycins: A Class of Inhibitors of Membrane ATPases from Microorganisms, Animal Cells, and Plant Cells. *PNAS* **85**, 7972-7976.
- S. R. BRANT, C. H. YUN, M. DONOWITZ und C. M. TSE (1995).
Cloning, tissue distribution, and functional analysis of the human Na⁺/N⁺ exchanger isoform, NHE3. *Am J Physiol* **269**(1 Pt 1), C198-206.
- A. BROWNLEE (1956).
The development of rumen papillae in cattle fed on different diets. *Brit. Vet. J.* **112**, 369.
- M. BUGAUT (1987).
Occurrence, absorption and metabolism of short chain fatty acids in the digestive tract of mammals. *Comp Biochem Physiol B* **86**(3), 439-72.
- G. BURCKHARDT, F. DI SOLE und C. HELMLE-KOLB (2002).
The Na⁺/H⁺ exchanger gene family. *J Nephrol* **15 Suppl 5**, S3-21.
- C. E. BURNHAM, H. AMLAL, Z. WANG, G. E. SHULL und M. SOLEIMANI (1997).
Cloning and functional expression of a human kidney Na⁺:HCO₃⁻ cotransporter. *J Biol Chem* **272**(31), 19111-4.
- S. A. BUSTIN (2000).
Absolute quantification of mRNA using real-time reverse transcription polymerase chain reaction assays. *J Mol Endocrinol* **25**(2), 169-93.
- S. A. BUSTIN (2002).
Quantification of mRNA using real-time reverse transcription PCR (RT-PCR): trends and problems. *J Mol Endocrinol* **29**(1), 23-39.

- S. A. BUSTIN und T. NOLAN (2004).
Pitfalls of quantitative real-time reverse-transcription polymerase chain reaction. *J Biomol Tech* **15**(3), 155-66.
- A. G. CABADO, F. H. YU, A. KAPUS, G. LUKACS, S. GRINSTEIN und J. ORLOWSKI (1996).
Distinct structural domains confer cAMP sensitivity and ATP dependence to the Na⁺/H⁺ exchanger NHE3 isoform. *J Biol Chem* **271**(7), 3590-9.
- A. D. CARE, R. C. BROWN, A. R. FARRAR und D. W. PICKARD (1984).
Magnesium absorption from the digestive tract of sheep. *Q J Exp Physiol* **69**(3), 577-87.
- R. R. CARTER, O. B. ALLEN und W. L. GROVUM (1990a).
The effect of feeding frequency and meal size on amounts of total and parotid saliva secreted by sheep. *Br J Nutr* **63**(2), 305-18.
- R. R. CARTER und W. L. GROVUM (1990b).
Factors affecting the voluntary intake of food by sheep. 5. The inhibitory effect of hypertonicity in the rumen. *Br J Nutr* **64**(1), 285-99.
- R. R. CARTER und W. L. GROVUM (1990c).
A review of the physiological significance of hypertonic body fluids on feed intake and ruminal function: salivation, motility and microbes. *J Anim Sci* **68**(9), 2811-32.
- M. E. CAVET, S. AKHTER, F. S. DE MEDINA, M. DONOWITZ und C. M. TSE (1999).
Na⁽⁺⁾/H⁽⁺⁾ exchangers (NHE1-3) have similar turnover numbers but different percentages on the cell surface. *Am J Physiol* **277**(6 Pt 1), C1111-21.
- W. J. CHIEN und C. E. STEVENS (1972).
Coupled active transport of Na and Cl across forestomach epithelium. *Am J Physiol* **223**(4), 997-1003.
- I. CHOI, M. F. ROMERO, N. KHANDOUDI, A. BRIL und W. F. BORON (1999).
Cloning and characterization of a human electrogenic Na⁺-HCO₃⁻ cotransporter isoform (hhNBC). *Am J Physiol* **276**(3 Pt 1), C576-84.
- L. L. CLARKE und R. A. ARGENZIO (1990).
NaCl transport across equine proximal colon and the effect of endogenous prostanoids. *Am J Physiol* **259**(1 Pt 1), G62-9.
- C. COPPOCK, NOLLER, CH, WOLFE, SA, CALLAHAN, CJ, BAKER, JS (1972).
Effect of forage-Concentrate Ration in Complete Feeds Fed ad Libitum on Feed Intake Prepartum and the Occurrence of Abomasal Displacement in Dairy Cows. *J. Dairy Sci.* **55**, 783-789.
- M. T. CORREA, C. R. CURTIS, H. N. ERB, J. M. SCARLETT und R. D. SMITH (1990).
An ecological analysis of risk factors for postpartum disorders of Holstein-Friesian cows from thirty-two New York farms. *J Dairy Sci* **73**(6), 1515-24.

- P. F. CURRAN und A. K. SOLOMON (1957).
Ion and water fluxes in the ileum of rats. *J Gen Physiol* **41**(1), 143-68.
- J. W. CZERKAWSKI (1986).
An introduction to rumen studies.
- S. A. DAVIES, S. F. GOODWIN, D. C. KELLY, Z. WANG, M. A. SOZEN, K. KAISER und J. A. DOW (1996).
Analysis and inactivation of vha55, the gene encoding the vacuolar ATPase B-subunit in *Drosophila melanogaster* reveals a larval lethal phenotype. *J Biol Chem* **271**(48), 30677-84.
- G. J. DEVROEDE und S. F. PHILLIPS (1969).
Conservation of sodium, chloride, and water by the human colon. *Gastroenterology* **56**(1), 101-9.
- J. M. DIAMOND (1968).
Transport mechanisms in the gallbladder. *Handbook of physiology, section 6, Alimentary canal*, **5**.
- M. DIENER und E. SCHARRER (1997).
Effects of short-chain fatty acids on cell volume regulation and chloride transport in the rat distal colon. *Comp Biochem Physiol A Physiol* **118**(2), 375-9.
- L. DIERNAES, J. SEHESTED, P. D. MOLLER und E. SKADHAUGE (1994).
Sodium and chloride transport across the rumen epithelium of cattle in vitro: effect of short-chain fatty acids and amiloride. *Exp Physiol*. **79**(5), 755-762.
- G. DIRKSEN, F. AHRENS, J. SCHON, E. MAYER und H. G. LIEBICH (1992).
[Preparatory feeding of the dry stage cow in regard to nutritional condition and the status of the rumen mucosa and rumen flora at calving]. *Berl Munch Tierarztl Wochenschr* **105**(1), 1-4.
- G. DIRKSEN, H. G. LIEBICH, G. BROSI, H. HAGEMEISTER und E. MAYER (1984).
[Morphology of the rumen mucosa and fatty acid absorption in cattle--important factors for health and production]. *Zentralbl Veterinarmed A* **31**(6), 414-30.
- M. A. DOBLE, V. B. TOLA, R. R. CIMA, M. J. ZINNER, M. A. KLEIN und D. I. SOYBEL (2000).
Luminal osmolarity downregulates gene expression of Na⁺/H⁺ exchanger (NHE3) in rat colon mucosa. *J Gastrointest Surg* **4**(5), 531-5.
- A. DOBSON (1955).
The forces moving sodium ions through rumen epithelium.
- A. DOBSON (1959).
Active transport through the epithelium of the reticulo-rumen sac. *J Physiol* **146**(235-251).

- A. DOBSON, D. SCOTT und I. McDONALD (1966).
Salivary composition and hypomagnesaemia in grazing sheep. *Res Vet Sci* **7**(1), 94-100.
- A. DOBSON, A. F. SELLERS und V. H. GATEWOOD (1976).
Absorption and exchange of water across rumen epithelium. *Am J Physiol* **231**(5 Pt. 1), 1588-94.
- M. DONOWITZ, A. JANECKI, S. AKHTER, M. E. CAVET, F. SANCHEZ, G. LAMPRECHT, M. ZIZAK, W. L. KWON, S. KHURANA, C. H. YUN und C. M. TSE (2000).
Short-term regulation of NHE3 by EGF and protein kinase C but not protein kinase A involves vesicle trafficking in epithelial cells and fibroblasts. *Ann N Y Acad Sci* **915**, 30-42.
- M. DOREAU und Y. CHILLIARD (1997a).
Digestion and metabolism of dietary fat in farm animals. *Br J Nutr* **78 Suppl 1**, S15-35.
- M. DOREAU und Y. CHILLIARD (1997b).
Effects of ruminal or postruminal fish oil supplementation on intake and digestion in dairy cows. *Reprod Nutr Dev* **37**(1), 113-24.
- S. DRÖSE, ALTENDORF, K. (1997).
Bafilomycins and concanamycins as inhibitors of V-ATPases and P-ATPases. *J. Exp. Biol.* **200**, 1-8.
- W. ELLENBERGER (1911).
Handbuch der vergleichenden mikroskopischen Anatomie der Haustiere, Band 2. Berlin, Parey Verlag.
- D. EMANOVIC, F. A. HARRISON, R. D. KEYNES und J. C. RANKIN (1976).
The effect of acetazolamide on ion transport across isolated sheep rumen epithelium. *J Physiol* **254**(3), 803-12.
- W. V. ENGELHARDT und G. BREVES (2000).
Physiologie der Haustiere. 3-7773-1429-3
- R. A. ERDMANN (1988).
Dietary buffering requirements of the lactating dairy cow: A review. *J. Dairy Sci.* **71**, 3246-3266.
- C. R. ERWIN, R. A. FALCONE, JR., L. E. STERN, C. J. KEMP und B. W. WARNER (2000).
Analysis of intestinal adaptation gene expression by cDNA expression arrays. *JPEN J Parenter Enteral Nutr* **24**(6), 311-6.
- B. ETSCHMANN (2002). Dissertation.
Funktionelle Charakterisierung des ORF3- Proteins des Felinen Calicivirus. LMU München. München

G. FEJES-TOTH, W. R. CHEN, E. RUSVAI, T. MOSER und A. NARAY-FEJES-TOTH (1994). Differential expression of AE1 in renal HCO₃-secreting and -reabsorbing intercalated cells. *J Biol Chem* **269**(43), 26717-21.

H. G. FERREIRA, F. A. HARRISON, R. D. KEYNES und L. ZURICH (1972). Ion transport across an isolated preparation of sheep rumen epithelium. *J Physiol* **222**(1), 77-93.

H. G. FERREIRA, HARRISON, F.A., KEYNES, R.D. (1964). Studies with isolated rumen epithelium of the sheep. *Proceedings of the physiological Society* **24-25**, 28-30.

H. G. FERREIRA, HARRISON, F.A., KEYNES, R.D., NAUSS, A.H. (1966). Observations on the potential across the rumen of the sheep. *J. Physiol.* **187**, 615-630.

H. J. FREEMAN (1986). Effects of differing concentrations of sodium butyrate on 1,2-dimethylhydrazine-induced rat intestinal neoplasia. *Gastroenterology* **91**(3), 596-602.

W. M. FREEMAN, S. J. WALKER und K. E. VRANA (1999). Quantitative RT-PCR: pitfalls and potential. *Biotechniques* **26**(1), 112-22, 124-5.

G. GÄBEL (1995). Transport of short-chain fatty acids in the ruminant forestomach. *Physiological and Clinical Aspects of Short-chain Fatty Acids*, Cambridge University Press, 133-147.

G. GÄBEL, M. BELL und H. MARTENS (1989). The effect of low mucosal pH on sodium and chloride movement across the isolated rumen mucosa of sheep. *Q J Exp Physiol* **74**(1), 35-44.

G. GÄBEL, M. BESTMANN und H. MARTENS (1991a). Influences of diet, short-chain fatty acids, lactate and chloride on bicarbonate movement across the reticulo-rumen wall of sheep. *Zentralbl Veterinarmed A* **38**(7), 523-9.

G. GÄBEL, H. BUTTER und H. MARTENS (1999). Regulatory role of cAMP in transport of Na⁺, Cl⁻ and short-chain fatty acids across sheep ruminal epithelium. *Exp Physiol* **84**(2), 333-45.

G. GÄBEL, S. LEONARD-MAREK und M. H. (1993a). Influence of food deprivation on SCFA and electrolyte transport across sheep reticulorumen. *Zentralbl Veterinarmed A* **40**, 339-344.

G. GÄBEL, H. MARTENS, M. SUENDERMANN und P. GALFI (1987). The effect of diet, intraruminal pH and osmolarity on sodium, chloride and magnesium absorption from the temporarily isolated and washed reticulo-rumen of sheep. *Q J Exp Physiol* **72**(4), 501-11.

- G. GÄBEL und J. SEHESTED (1997).
SCFA transport in the forestomach of ruminants. *Comp Biochem Physiol A Physiol* **118**(2), 367-74.
- G. GÄBEL, S. VOGLER und H. MARTENS (1991b).
Short-chain fatty acids and CO₂ as regulators of Na⁺ and Cl⁻ absorption in isolated sheep rumen mucosa. *J Comp Physiol [B]* **161**(4), 419-26.
- G. GÄBEL, S. VOGLER und H. MARTENS (1993b).
Mechanisms of sodium and chloride transport across isolated sheep reticulum. *Comp Biochem Physiol Comp Physiol* **105**(1), 1-10.
- P. GALFI, S. NEOGRADY, F. KUTAS und T. VERESEGYHAZY (1983).
Keratinization of cultured ruminal epithelial cells treated with butyrate and lactate. *Zentralbl Veterinarmed A* **30**(10), 775-81.
- P. GALFI, S. NEOGRADY, F. KUTAS und T. VERESEGYHAZY (1985).
Influence of sodium butyrate on HeLa cell morphology and proliferation. *Life Sci* **37**(24), 2257-68.
- P. GALFI, S. NEOGRADY und T. SAKATA (1991).
Effects of Volatile fatty acids on epithelial cell proliferation of the digestive tract and its hormonal mediation. *Proceedings of the 7th International Symposium on Ruminant Physiology*.
- S. A. GIDUCK und J. P. FONTENOT (1987).
Utilization of magnesium and other macrominerals in sheep supplemented with different readily-fermentable carbohydrates. *J Anim Sci* **65**(6), 1667-73.
- R. A. GOODLAD (1981).
Some effects of diet on the mitotic index and the cell cycle of the ruminal epithelium of sheep. *Q J Exp Physiol* **66**(4), 487-99.
- R. A. GOODLAD und N. A. WRIGHT (1995).
Epidermal growth factor and transforming growth factor-alpha actions on the gut. *Eur J Gastroenterol Hepatol* **7**(10), 928-32.
- C. GRAHAM und N. L. SIMMONS (2005).
Functional organization of the bovine rumen epithelium. *Am J Physiol Regul Integr Comp Physiol* **288**(1), R173-81.
- L. A. GRAHAM, B. POWELL und T. H. STEVENS (2000).
Composition and assembly of the yeast vacuolar H⁽⁺⁾-ATPase complex. *J Exp Biol* **203 Pt 1**, 61-70.
- F. A. HARRISON (1971).
Ion transport across rumen and omasum epithelium. *Philos Trans R Soc Lond B Biol Sci* **262**(842), 301-5.

- F. A. HARRISON, R. D. KEYNES, J. C. RANKIN und L. ZURICH (1975).
The effect of ouabain on ion transport across isolated sheep rumen epithelium. *J Physiol* **249**, 669-677.
- W. R. HARVEY, MADDRELL, S.H.P., TELFER, W.H. AND WIECZOREK, H. (1998).
H⁺ V-ATPases energize animal plasma membranes for secretion and absorption of ions and fluids. *Amer. Zool* **38**, 426-441.
- R. HASS, R. BUSCHE, L. LUCIANO, E. REALE und W. V. ENGELHARDT (1997).
Lack of butyrate is associated with induction of Bax and subsequent apoptosis in the proximal colon of guinea pig. *Gastroenterology* **112**(3), 875-81.
- H. HAYASHI, K. SZASZI und S. GRINSTEIN (2002).
Multiple modes of regulation of Na⁺/H⁺ exchangers. *Ann N Y Acad Sci* **976**, 248-58.
- M. HENSELEIT (1991). Dissertation.
In vitro Untersuchungen über einen elektrogenen Natriumtransport am isolierten Pansenepithel von Schafen. Tierärztliche Hochschule Hannover. Hannover
- R. HIGUCHI, G. DOLLINGER, P. S. WALSH und R. GRIFFITH (1992).
Simultaneous amplification and detection of specific DNA sequences. *Biotechnology (N Y)* **10**(4), 413-7.
- R. HIGUCHI, C. FOCKLER, G. DOLLINGER und R. WATSON (1993).
Kinetic PCR analysis: real-time monitoring of DNA amplification reactions. *Biotechnology (N Y)* **11**(9), 1026-30.
- R. HODIN (2000).
Maintaining gut homeostasis: the butyrate-NF-kappaB connection. *Gastroenterology* **118**(4), 798-801.
- R. R. HOFMANN und B. SCHNORR (1982).
Die funktionelle Morphologie des Wiederkäuer-Magens. 3-432-88081-2
- H. HÖLLER, BREVES, B., DUBBERKE, M. (1988).
Flux of inorganic phosphate and calcium across the isolated mucosa of the sheep omasum. *J. Vet. Med.* **A 35**, 709-716.
- U. HOPFER und C. M. LIEDTKE (1987).
Proton and bicarbonate transport mechanisms in the intestine. *Annu Rev Physiol* **49**, 51-67.
- K. HUHNS, F. MULLER, K. U. HONSCHA, H. PFANNKUCHE und G. GABEL (2003).
Molecular and functional evidence for a Na⁽⁺⁾-HCO₃⁽⁻⁾-cotransporter in sheep ruminal epithelium. *J Comp Physiol [B]* **173**(4), 277-84.
- L. JIANG, H. LAWSKY, R. M. COLOSO, M. A. DUDLEY und R. P. FERRARIS (2001).
Intestinal perfusion induces rapid activation of immediate-early genes in weaning rats. *Am J Physiol Regul Integr Comp Physiol* **281**(4), R1274-82.

D. W. JOHNSON, B. K. BREW, P. PORONNIK, D. I. COOK, M. J. FIELD, A. Z. GYORY und C. A. POLLOCK (1997).

Insulin-like growth factor I stimulates apical sodium/hydrogen exchange in human proximal tubule cells. *Am J Physiol* **272**(4 Pt 2), F484-90.

W. F. JOHNSON, C. R. DIPALMA, T. R. ZIEGLER, S. SCULLY und C. L. FARRELL (2000).

Keratinocyte growth factor enhances early gut adaptation in a rat model of short bowel syndrome. *Vet Surg* **29**(1), 17-27.

R. A. KANDASAMY und J. ORLOWSKI (1996).

Genomic organization and glucocorticoid transcriptional activation of the rat Na⁺/H⁺ exchanger Nhe3 gene. *J Biol Chem* **271**(18), 10551-9.

R. A. KANDASAMY, F. H. YU, R. HARRIS, A. BOUCHER, J. W. HANRAHAN und J. ORLOWSKI (1995).

Plasma membrane Na⁺/H⁺ exchanger isoforms (NHE-1, -2, and -3) are differentially responsive to second messenger agonists of the protein kinase A and C pathways. *J Biol Chem* **270**(49), 29209-16.

P. KAUFFOLD, B. PIATKOWSKI und J. VOIGT (1977a).

[Studies on the effect of nutritional factors on the ruminal mucosa. 4. The effect of plant proteins and urea on mucosal structure and function]. *Arch Tierernahr* **27**(6), 379-91.

P. KAUFFOLD, PIATOWSKI, B. (1971).

Zur Morphologie der Pansenmucosa junger Wiederkäuer bei unterschiedlicher Fütterung. *Arch Tierernahr* **21**, 171.

P. KAUFFOLD, J. VOIGT und G. HERRENDORFER (1977b).

[The effect of nutritional factors on the ruminal mucosa. 3. Condition of the mucosa after infusion of propionic acid, acetic acid and butyric acid]. *Arch Tierernahr* **27**(3), 201-11.

P. KAUFFOLD, J. VOIGT und B. PIATKOWSKI (1975).

[Studies of the influence of nutritional factors on the ruminal mucosa. 1. Structure and functional state of the ruminal mucosa after feeding of extreme rations and abrupt change in nutrition]. *Arch Tierernahr* **25**(4), 247-56.

R. D. KEYNES, HARRISON, F.A. (1970).

Transport of inorganic ions across the epithelium. *Physiology of digestion and metabolism in the ruminant*. Oriel. Press, Newcastle upon Tyne, 113-118.

P. R. KIELA, E. R. HINES, J. F. COLLINS und F. K. GHISHAN (2001).

Regulation of the rat NHE3 gene promoter by sodium butyrate. *Am J Physiol Gastrointest Liver Physiol* **281**(4), G947-56.

R. KNICKELBEIN, P. S. ARONSON, C. M. SCHRON, J. SEIFTER und J. W. DOBBINS (1985a).

Sodium and chloride transport across rabbit ileal brush border. II. Evidence for Cl⁻-HCO₃⁻ exchange and mechanism of coupling. *Am J Physiol* **249**(2 Pt 1), G236-45.

- R. G. KNICKELBEIN, P. S. ARONSON und J. W. DOBBINS (1985b).
Substrate and inhibitor specificity of anion exchangers on the brush border membrane of rabbit ileum. *J Membr Biol* **88**(2), 199-204.
- T. KOCH und R. BERG (1990).
Lehrbuch der Veterinär-Anatomie, Band II, Eingeweidelehre (Splanchnologie). Jena, Gustav Fischer Verlag. 3-334-00269-1
- T. KRAMER, T. MICHELBERGER, H. GURTLER und G. GABEL (1996).
Absorption of short-chain fatty acids across ruminal epithelium of sheep. *J Comp Physiol [B]* **166**(4), 262-9.
- J. KRUH (1982).
Effects of sodium butyrate, a new pharmacological agent, on cells in culture. *Mol Cell Biochem* **42**(2), 65-82.
- I. KURTZ (1989).
Basolateral membrane Na⁺/H⁺ antiport, Na⁺/base cotransport, and Na⁺-independent Cl⁻/base exchange in the rabbit S3 proximal tubule. *J Clin Invest* **83**(2), 616-22.
- M. A. LANE, R. L. T. BALDWIN und B. W. JESSE (2002).
Developmental changes in ketogenic enzyme gene expression during sheep rumen development. *J Anim Sci* **80**(6), 1538-44.
- M. A. LANE und B. W. JESSE (1997).
Effect of volatile fatty acid infusion on development of the rumen epithelium in neonatal sheep. *J Dairy Sci* **80**(4), 740-6.
- I. LANG (1997). Dissertation.
In vitro Untersuchungen zur Charakterisierung eines spannungsabhängigen Kationenkanals in der luminalen Membran des Pansenepithels beim Schaf. Freie Universität Berlin. Berlin
- L. D. LAWSON und D. W. POWELL (1987).
Bradykinin-stimulated eicosanoid synthesis and secretion by rabbit ileal components. *Am J Physiol* **252**(6 Pt 1), G783-90.
- S. LECLERQ (1999). Dissertation.
Transportphysiologische Untersuchungen am isolierten Pansenepithel des Schafes unter Berücksichtigung verschiedener osmotischer Gradienten. Freie Universität Berlin. Berlin
- S. LEONARD-MAREK, MARTENS, H. (1996).
Effects of potassium on magnesium transport across rumen epithelium. *Am J Physiol* **271**.
- S. LEONHARD (1990). Dissertation.
Zum Magnesiumtransport durch das Pansenepithel von Schafen. Freie Universität Berlin. Berlin

- S. LEONHARD, H. MARTENS und G. GABEL (1989).
New aspects of magnesium transport in ruminants. *Acta Vet Scand Suppl* **86**, 146-51.
- S. LEONHARD-MAREK, G. GABEL und H. MARTENS (1998).
Effects of short chain fatty acids and carbon dioxide on magnesium transport across sheep rumen epithelium. *Exp Physiol* **83**(2), 155-64.
- R. LEVITAN, J. S. FORDTRAN, B. A. BURROWS und F. J. INGELFINGER (1962).
Water and salt absorption in the human colon. *J Clin Invest* **41**, 1754-9.
- H. G. LIEBICH, G. DIRKSEN, A. ARBEL, S. DORI und E. MAYER (1987).
[Feed-dependent changes in the rumen mucosa of high-producing cows from the dry period to eight weeks post partum]. *Zentralbl Veterinarmed A* **34**(9), 661-72.
- H. G. LIEBICH, A. REUSCH, M. SCHWARZ und E. MAYER (1990).
Funktionelle Morphologie der bovinen Pansenschleimhaut -fütterungsabhängige Regression und Proliferation des kollagenfaserigen Bindegewebes der ruminalen Zotten. *Tierärztliche Umschau* **45**, 732-739.
- K. J. LIVAK und T. D. SCHMITTGEN (2001).
Analysis of relative gene expression data using real-time quantitative PCR and the 2(-Delta Delta C(T)) Method. *Methods* **25**(4), 402-8.
- K. LJUNGMANN, T. GROFTE, P. KISSMEYER-NIELSEN, A. FLYVBJERG, H. VILSTRUP, N. TYGSTRUP und S. LAURBERG (2000).
GH decreases hepatic amino acid degradation after small bowel resection in rats without enhancing bowel adaptation. *Am J Physiol Gastrointest Liver Physiol* **279**(4), G700-6.
- S. LOPEZ, F. D. HOVELL, J. DIJKSTRA und J. FRANCE (2003).
Effects of volatile fatty acid supply on their absorption and on water kinetics in the rumen of sheep sustained by intragastric infusions. *J Anim Sci* **81**(10), 2609-16.
- A. LUCIONI, C. WOMACK, M. W. MUSCH, F. L. ROCHA, C. BOOKSTEIN und E. B. CHANG (2002).
Metabolic acidosis in rats increases intestinal NHE2 and NHE3 expression and function. *Am J Physiol Gastrointest Liver Physiol* **283**(1), G51-6.
- M. P. MANTELL, T. R. ZIEGLER, W. T. ADAMSON, J. A. ROTH, W. ZHANG, W. FRANKEL, A. BAIN, J. C. CHOW, R. J. SMITH und J. L. ROMBEAU (1995).
Resection-induced colonic adaptation is augmented by IGF-I and associated with upregulation of colonic IGF-I mRNA. *Am J Physiol* **269**(6 Pt 1), G974-80.
- H. MARTENS (1994).
Saturation kinetics of electrogenic and electroneutral Na-transport of sheep rumen epithelium. *Proc.Soc.Nutr.Physiol.* **3**, 87.

- H. MARTENS und I. BLUME (1986).
Effect of intraruminal sodium and potassium concentrations and of the transmural potential difference on magnesium absorption from the temporarily isolated rumen of sheep. *Q J Exp Physiol* **71**, 409-415.
- H. MARTENS und G. GABEL (1988).
Transport of Na and Cl across the epithelium of ruminant forestomachs: rumen and omasum. A review. *Comp Biochem Physiol A* **90**, 569-575.
- H. MARTENS, G. GÄBEL und S. LEONHARD (1990).
Transportmechanismen im Pansenepithel von Schafen. *Tierärztliche Umschau* **45**, 805-813.
- H. MARTENS, G. GÄBEL und B. STROZYK (1991).
Mechanism of electrically silent Na and Cl transport across the rumen epithelium of sheep. *Exp Physiol* **76**, 103-114.
- H. MARTENS, KURKOWSKI, S. (1998).
Auswirkungen eines erhöhten osmotischen Druckes auf die Gewebeleitfähigkeit und den Natriumtransport des isolierten Pansenepithels von Schafen. *Proc. Soc. Nutr. Physiol.* **7**, 67.
- J. MENTSCHEL, R. LEISER, C. MULLING, C. PFARRER und R. CLAUS (2001).
Butyric acid stimulates rumen mucosa development in the calf mainly by a reduction of apoptosis. *Arch Tierernahr* **55**(2), 85-102.
- P. D. MOLLER, L. DIERNAES, J. SEHESTED, J. HYLDGAARD-JENSEN und E. SKADHAUGE (1997).
Lactate transport across the bovine rumen epithelium in vitro. *Zentralbl Veterinarmed A* **44**(1), 31-8.
- T. B. MORRISON, J. J. WEIS und C. T. WITWER (1998).
Quantification of low-copy transcripts by continuous SYBR Green I monitoring during amplification. *Biotechniques* **24**(6), 954-8, 960, 962.
- W. MOSIMANN (1990).
Zytologie, Histologie und mikroskopische Anatomie der Haussäugetiere. Berlin und Hamburg, Paul Parey Verlag. 3-489-51616-8
- F. MÜLLER, J. R. ASCHENBACH und G. GÄBEL (2000).
Role of Na⁺/H⁺ exchange and HCO₃⁻ transport in pH_i recovery from intracellular acid load in cultured epithelial cells of sheep rumen. *J Comp Physiol [B]* **170**(4), 337-43.
- M. W. MUSCH, C. BOOKSTEIN, Y. XIE, J. H. SELLIN und E. B. CHANG (2001).
SCFA increase intestinal Na absorption by induction of NHE3 in rat colon and human intestinal C2/bbe cells. *Am J Physiol Gastrointest Liver Physiol* **280**(4), G687-93.
- N. L. NAKHOUL und L. L. HAMM (2002).
Vacuolar H⁽⁺⁾-ATPase in the kidney. *J Nephrol* **15 Suppl 5**, S22-31.

- S. NEOGRADY, P. GALFI und F. KUTAS (1989a).
Effects of butyrate and insulin and their interaction on the DNA synthesis of rumen epithelial cells in culture. *Experientia* **45**(1), 94-6.
- S. NEOGRADY, P. GALFI, F. KUTAS und T. SAKATA (1989b).
The effects of butyrate and glucagon on the proliferation of ruminal epithelial cells in culture. *Vet Res Commun* **13**(1), 27-9.
- J. E. NOCEK, J. H. HERBEIN und C. E. POLAN (1980).
Influence of ration physical form, ruminal degradable nitrogen and age on rumen epithelial propionate and acetate transport and some enzymatic activities. *J Nutr* **110**(12), 2355-64.
- J. NOEL, POUYSSEGUR J. (1995).
Hormonal regulation, pharmacology, and membrane sorting of vertebrate Na⁺/H⁺ exchanger isoform. *Am J Physiol* **268**, C283-C296.
- A. OPPEL (1896).
Lehrbuch der vergleichenden mikroskopischen Anatomie der Wirbeltier, Teil 1, Der Magen. Jena, Fischer Verlag.
- R. C. ORLANDO, J. C. BRYSON und D. W. POWELL (1984).
Mechanisms of H⁺ injury in rabbit esophageal epithelium. *Am J Physiol* **246**(6 Pt 1), G718-24.
- F. N. OWENS, D. S. SECRIST, W. J. HILL und D. R. GILL (1998).
Acidosis in cattle: a review. *J Anim Sci* **76**(1), 275-86.
- K. PARK, J. A. OLSCHOWKA, L. A. RICHARDSON, C. BOOKSTEIN, E. B. CHANG und J. E. MELVIN (1999).
Expression of multiple Na⁺/H⁺ exchanger isoforms in rat parotid acinar and ductal cells. *Am J Physiol* **276**(2 Pt 1), G470-8.
- D. PARTHASARATHY und A. T. PHILLIPSON (1953).
The movement of potassium sodium, chloride and water across the rumen epithelium of sheep. *J Physiol* **121**(3), 452-69.
- K. U. PETERSEN, J. R. WOOD, G. SCHULZE und K. HEINTZE (1981).
Stimulation of gallbladder fluid and electrolyte absorption by butyrate. *J Membr Biol* **62**(3), 183-93.
- S. PETROVIC, X. JU, S. BARONE, U. SEIDLER, S. L. ALPER, H. LOHI, J. KERE und M. SOLEIMANI (2003).
Identification of a basolateral Cl⁻/HCO₃⁻ exchanger specific to gastric parietal cells. *Am J Physiol Gastrointest Liver Physiol* **284**(6), G1093-103.
- M. W. PFAFFL (2001).
A new mathematical model for relative quantification in real-time RT-PCR. *Nucleic Acids Res* **29**(9), e45.

- D. W. POWELL (1981).
Barrier function of epithelia. *Am J Physiol* **241**(4), G275-88.
- K. PUOPOLO, C. KUMAMOTO, I. ADACHI, R. MAGNER und M. FORGAC (1992).
Differential expression of the "B" subunit of the vacuolar H(+)-ATPase in bovine tissues. *J Biol Chem* **267**(6), 3696-706.
- V. M. RAJENDRAN und H. J. BINDER (2000).
Characterization and molecular localization of anion transporters in colonic epithelial cells. *Ann N Y Acad Sci* **915**, 15-29.
- R. RASMUSSEN (2001).
Quantification on the Light-Cycler. *Rapid Cycle Real-time PCR, Methods and Applications*, Springer Press, 21-34.
- G. RECHKEMMER, K. RONNAU und W. VON ENGELHARDT (1988a).
Fermentation of polysaccharides and absorption of short chain fatty acids in the mammalian hindgut. *Comp Biochem Physiol A* **90**(4), 563-8.
- G. RECHKEMMER und W. VON ENGELHARDT (1988b).
Concentration- and pH-dependence of short-chain fatty acid absorption in the proximal and distal colon of guinea pig (*Cavia porcellus*). *Comp Biochem Physiol A* **91**(4), 659-63.
- L. REUSS und K. U. PETERSEN (1985).
Cyclic AMP inhibits Na⁺/H⁺ exchange at the apical membrane of *Necturus* gallbladder epithelium. *J Gen Physiol* **85**(3), 409-29.
- L. REUSS und J. S. STODDARD (1987).
Role of H⁺ and HCO₃⁻ in salt transport in gallbladder epithelium. *Annu Rev Physiol* **49**, 35-49.
- M. F. ROMERO, P. FONG, U. V. BERGER, M. A. HEDIGER und W. F. BORON (1998).
Cloning and functional expression of rNBC, an electrogenic Na⁺-HCO₃⁻ cotransporter from rat kidney. *Am J Physiol* **274**(2 Pt 2), F425-32.
- M. F. ROMERO, M. A. HEDIGER, E. L. BOULPAEP und W. F. BORON (1997).
Expression cloning and characterization of a renal electrogenic Na⁺/HCO₃⁻ cotransporter. *Nature* **387**(6631), 409-13.
- M. K. RÜBBELKE (1998). Dissertation.
In vitro Untersuchungen des Pansenepithels von Schafen zur Charakterisierung eines elektrogenen, calcium-sensitiven Natriumtransportes. Freie Universität Berlin. Berlin
- I. SABOLIC, D. BROWN, S. L. GLUCK und S. L. ALPER (1997).
Regulation of AE1 anion exchanger and H(+)-ATPase in rat cortex by acute metabolic acidosis and alkalosis. *Kidney Int* **51**(1), 125-37.

- T. SAKATA und H. TAMATE (1978).
Rumen epithelial cell proliferation accelerated by rapid increase in intraruminal butyrate. *J Dairy Sci* **61**(8), 1109-13.
- E. G. SANDER (1959).
The stimulatory effect of sodium butyrate and sodium propionate on the development of rumen mucosa in the young calf.
- E. SCHARRER, M. MEDL und H. G. LIEBICH (1983).
Changes in the structure and function of the rumen epithelium during development. 3. Effect of liquid versus solid diet on Na and Cl transport across lamb rumen epithelium. *Zentralbl Veterinarmed A* **30**(10), 767-74.
- A. SCHEFFLER (1984). Dissertation.
Charakterisierung der Wirkung von Pharmaka auf die elektrophysiologischen Parameter gastrointestinaler Epithelgewebe mit einer mikrocomputergesteuerten Stom- und Spannungsklemmeinrichtung. Humboldt-Universität. Berlin
- B. SCHNORR und B. VOLLMERHAUS (1967).
[The surface relief of the ruminal mucosa in the ox and goat]. *Zentralbl Veterinarmed A* **14**(2), 93-104.
- B. SCHRODER, I. RITTMANN, E. PFEFFER und G. BREVES (1997).
In vitro studies on calcium absorption from the gastrointestinal tract in small ruminants. *J Comp Physiol [B]* **167**(1), 43-51.
- M. SCHWEIGEL und H. MARTENS (2003).
Anion-dependent Mg²⁺ influx and a role for a vacuolar H⁺-ATPase in sheep ruminal epithelial cells. *Am J Physiol Gastrointest Liver Physiol* **285**(1), G45-53.
- D. SCOTT (1967).
The effects of potassium supplements upon the absorption of potassium and sodium from the sheep rumen. *Q J Exp Physiol Cogn Med Sci* **52**(4), 382-91.
- D. SCOTT und W. BUCHAN (1987).
The effects of feeding either hay or grass diets on salivary phosphorus secretion, net intestinal phosphorus absorption and on the partition of phosphorus excretion between urine and faeces in the sheep. *Q J Exp Physiol* **72**(3), 331-8.
- J. SEHESTED, L. DIERNAES, G. LAVERTY, P. D. MOLLER und E. SKADHAUGE (1996a).
Methodological and functional Aspects of the isolated bovine rumen epithelium in üssing chamber flux studies. *Acta Agric. Scand. Sect. A, Animal Sci.* **46**, 76-86.
- J. SEHESTED, L. DIERNAES, P. D. MOLLER und E. SKADHAUGE (1996b).
Transport of sodium across the isolated bovine rumen epithelium: interaction with short-chain fatty acids, chloride and bicarbonate. *Exp Physiol* **81**(1), 79-94.

- J. SEHESTED, L. DIERNAES, P. D. MOLLER und E. SKADHAUGE (1999a).
Ruminal transport and metabolism of short-chain fatty acids (SCFA) in vitro: effect of SCFA chain length and pH. *Comp Biochem Physiol A Mol Integr Physiol* **123**(4), 359-68.
- J. SEHESTED, L. DIERNAES, P. D. MOLLER und E. SKADHAUGE (1999b).
Transport of butyrate across the isolated bovine rumen epithelium--interaction with sodium, chloride and bicarbonate. *Comp Biochem Physiol A Mol Integr Physiol* **123**(4), 399-408.
- A. F. SELLERS, AND A. DOBSON (1960).
Studies on reticulo-rumen sodium and potassium concentrations and electrical potentials in sheep. *Res. Vet. Sci.* **1**, 95-102.
- Z. SHEN, H. MARTENS und M. SCHWEIGEL (2004a).
Effects of IGF-1 on Na transport across rumen epithelium and on Na⁺/H⁺ exchanger. *Proc. Soc. Nutr. Physiol.*
- Z. SHEN, H. M. SEYFERT, B. LOHRKE, F. SCHNEIDER, R. ZITNAN, A. CHUDY, S. KUHLA, H. M. HAMMON, J. W. BLUM, H. MARTENS, H. HAGEMEISTER und J. VOIGT (2004b).
An energy-rich diet causes rumen papillae proliferation associated with more IGF type 1 receptors and increased plasma IGF-1 concentrations in young goats. *J Nutr* **134**(1), 11-7.
- M. SOLEIMANI (2002).
Na⁺:HCO₃⁻ cotransporters (NBC): expression and regulation in the kidney. *J Nephrol* **15 Suppl 5**, S32-40.
- Y. SOWA und T. SAKAI (2000).
Butyrate as a model for "gene-regulating chemoprevention and chemotherapy." *Biofactors* **12**(1-4), 283-7.
- I. SPERBER und S. HYDEN (1952).
Transport of chloride through the ruminal mucosa. *Nature* **169**(4301), 587.
- B. D. STACY und A. C. WARNER (1966).
Balances of water and sodium in the rumen during feeding: osmotic stimulation of sodium absorption in the sheep. *Q J Exp Physiol Cogn Med Sci* **51**(2), 79-93.
- D. H. STEVEN, MARSHALL, A.B. (1970).
Organization of rumen epithelium. Phillipson, A.T. *Physiology of digestion and metabolism in the ruminant*, Proc. 3 th Internat. Sympos. Cambridge; Newcastle upon Tyne: Oriol.
- C. E. STEVENS (1964).
Transport of Sodium and Chloride by the Isolated Rumen Epithelium. *Am J Physiol* **206**, 1099-1105.

- T. H. STEVENS und M. FORGAC (1997).
Structure, function and regulation of the vacuolar (H⁺)-ATPase. *Annu Rev Cell Dev Biol* **13**, 779-808.
- J. H. SWALLOW, CODE, C.H. (1966).
Intestinal transmucosal fluxes of bicarbonate. *Am J Physiol* **212**, 717-723.
- H. TAMATE, A. D. MCGILLIARD und N. L. JACOBSON (1962).
Effect of various dietaries on the anatomical development of the stomach in the calf.
- S. O. THORLACIUS (1972).
Effect of steam-volatile fatty acids and carbon dioxide on blood content of rumen papillae of the cow. *Am J Vet Res* **33**(2), 427-30.
- M. TSE, S. LEVINE, C. YUN, S. BRANT, L. T. COUNILLON, J. POUYSSEGUR und M. DONOWITZ (1993).
Structure/function studies of the epithelial isoforms of the mammalian Na⁺/H⁺ exchanger gene family. *J Membr Biol* **135**(2), 93-108.
- K. J. ULLRICH, H. W. RADTKE und G. RUMRICH (1971).
The role of bicarbonate and other buffers on isotonic fluid absorption in the proximal convolution of the rat kidney. *Pflugers Arch* **330**(2), 149-61.
- S. K. UPPAL, K. WOLF, S. S. KHAHRA und H. MARTENS (2003a).
Modulation of Na⁺transport across isolated rumen epithelium by short fatty acids in hay- and concentrate-fed sheep. *J. Anim. Physiol. a. Anim. Nutr.* **87**, 380-388.
- S. K. UPPAL, K. WOLF und H. MARTENS (2003b).
The effect of short chain fatty acids on calcium flux rates across isolated rumen epithelium of hay-fed and concentrate-fed sheep. *J. Anim. Physiol. a. Anim. Nutr.* **87**, 12-20.
- H. H. USSING und K. ZERAHN (1951).
Active transport of sodium as the source of electric current in the short-circuited isolated frog skin. *Acta. Physiol. Scand.* **23**, 110-127.
- D. R. WADHWA und A. D. CARE (2000).
The absorption of calcium ions from the ovine reticulo-rumen. *J Comp Physiol [B]* **170**(8), 581-8.
- S. WAKABAYASHI, T. IKEDA, T. IWAMOTO, J. POUYSSEGUR und M. SHIGEKAWA (1997).
Calmodulin-binding autoinhibitory domain controls "pH-sensing" in the Na⁺/H⁺ exchanger NHE1 through sequence-specific interaction. *Biochemistry* **36**(42), 12854-61.
- A. C. WARNER und B. D. STACY (1965).
Solutes in the Rumen of the Sheep. *Q J Exp Physiol Cogn Med Sci* **50**, 169-84.

- A. C. WARNER und B. D. STACY (1977).
Influence of ruminal and plasma osmotic pressure on salivary secretion in sheep. *Q J Exp Physiol Cogn Med Sci* **62**(2), 133-42.
- E. WEIGAND, J. W. YOUNG und A. D. MCGILLIARD (1975).
Volatile fatty acid metabolism by rumen mucosa from cattle fed hay or grain. *J Dairy Sci* **58**(9), 1294-300.
- E. J. WEINMAN, S. SHENOLIKAR und A. M. KAHN (1987).
cAMP-associated inhibition of Na⁺-H⁺ exchanger in rabbit kidney brush-border membranes. *Am J Physiol* **252**(1 Pt 2), F19-25.
- M. WEISSER, T. HAFERLACH, C. SCHOCH, W. HIDDEMANN und S. SCHNITTGER (2004).
The use of housekeeping genes for real-time PCR-based quantification of fusion gene transcripts in acute myeloid leukemia. *Leukemia* **18**(9), 1551-3.
- H. O. WHEELER (1963).
Transport of Electrolytes and Water across Wall of Rabbit Gall Bladder. *Am J Physiol* **205**, 427-38.
- J. A. A. P. WILHELM (2003).
Real-time polymerase chain reaction. *Chembiochem* **4**(11), 1120-8.
- S. WOLFFRAM, R. FRISCHKNECHT und E. SCHARRER (1989).
Influence of theophylline on the electrical potential difference and ion fluxes (Na, Cl, K) across the isolated rumen epithelium of sheep. *Zentralbl Veterinarmed A* **36**(10), 755-62.
- W. M. WONG und N. A. WRIGHT (1999).
Epidermal growth factor, epidermal growth factor receptors, intestinal growth, and adaptation. *JPEN J Parenter Enteral Nutr* **23**(5 Suppl), S83-8.
- K. WÜRFEL (1908). Dissertation.
Vergleichende anatomische und histologische Untersuchungen über den Bau des zweiten Magens und über die Muscularis mucosa des Vorderdarms des Wiederkäuers (Rind und Schaf). Dresden und Zürich
- C. H. C. YUN, OH, S., ZIZAK, M., STEPLOCK, D., TSAO, S., TSE, C.-M., WEINMANN, E.J., DONOWITZ, M. (1997).
cAMP-mediated inhibition of epithelial brush border Na⁺/H⁺ exchanger, NHE3, requires an associated regulatory protein. *Proc.Natl.Sci.* **94**, 3010-3015.
- N. C. ZACHOS, M. TSE und M. DONOWITZ (2005).
Molecular physiology of intestinal n(+)/h(+) exchange. *Annu Rev Physiol* **67**, 411-43.
- X. ZHANG, L. DING und A. J. SANDFORD (2005).
Selection of reference genes for gene expression studies in human neutrophils by real-time PCR. *BMC Mol Biol* **6**(1), 4.

R. ZITNAN, J. VOIGT, J. WEGNER, G. BREVES, B. SCHRODER, C. WINCKLER, M. LEVKUT, M. KOKARDOVA, U. SCHONHUSEN, S. KUHLA, H. HAGEMASTER und A. SOMMER (1999). Morphological and functional development of the rumen in the calf: influence of the time of weaning. 1. Morphological development of rumen mucosa. Arch Tierernahr **52**(4), 351-62.