

1. Dalziel, T.K. Chronic interstitial enteritis Br.Med.J. 1913; 11:1068
2. Pizarro TT, Cominelli F Cytokine therapy for Crohn's disease. Advances in translational research Ann Rev Med 2007; 58:433-44
3. Dignass A Biologische Therapie der CED 2003 Uni-Med-Science
4. Baumgart DC, Sandborn WJ Inflammatory bowel disease: clinical aspects and established and evolving therapies Lancet 2007; 369:1641-57
5. Duchmann R, Zeitz M Crohn's Disease Handbook of Mucosal Immunology 1999 Academic press
6. Xavier RJ, Podolsky DK Unravelling the pathogenesis of inflammatory bowel disease Nature 2007; 448: 427-34
7. Strober W, Fuss I, Mannon P The fundamental basis of inflammatory bowel disease J Clin Invest 2007; 117: 514-521
8. Marks DJ, Harbord MWN, MacAllister R, Rahman FZ, Young J, Al-Lazikani B, Lees W, Novelli M, Bloom S, Segal AW Defective acute inflammation in Crohn's disease: a clinical investigation Lancet 2006; 367: 668-78
9. Deusch K, Reich K Immunological aspects of inflammatory bowel disease Endoscopy 1992; 24: 568-77
10. Bamias G, Nyce MR, De la Rue SA, Cominelli F New concepts in the pathophysiology of inflammatory bowel disease Ann Intern Med 2005; 143: 895-904
11. Kucharzik T, Maaser C, Lügering A, Kagnoff M, Mayer L, Targan S, Domschke W Recent understanding of IBD Pathogenesis: Implications for future therapies Inflamm Bowel Dis 2006; 12: 1068-83
12. Neurath MF, Schürmann G Zur Immunpathogenese der CED Der Chirurg 2000; 71: 30-40
13. Peyrin-Biroulet L, Desreumaux P, Sandborn WJ, Colombel JF Crohn's disease: beyond antagonists of TNF Lancet 2008; 372: 67-81
14. Podolsky DK Inflammatory bowel disease N Engl J Med 2002; 347: 417-29
15. Shanahan F Crohn's disease Lancet 2002; 395: 62-69
16. Baumgart DC, Carding SR Inflammatory bowel disease: cause and immunobiology Lancet 2007; 369: 1627-40
17. Ince MN, David MD, Elliott DE Immunologic and molecular mechanisms in inflammatory bowel disease Surg Clin Am 2007; 87: 681-696
18. Abraham C, Cho JH Bugging of the intestinal mucosa N Engl J Med; 357;7:708-710

19. Janeway CA, Travers P, Walport M et al Mucosal Immunology in Immunobiology 6th Ed. 2005 Garland Science
20. Pabst O, Bernhardt G, Förster R The impact of cell-bound antigen-transport on mucosal tolerance induction J Leukocyte Biol 2007; 82: 1-6
21. Izecue A, Coombs JL, Powrie F Regulatory T-cells suppress systemic and mucosal immune activation to control intestinal inflammation Immunol Rev 2006; 212: 256-71
22. Zeitz M. Ein spezifisches Oberflächenantigen auf darmassoziierten Lymphozyten Z.Gastroenterologie 1988; 26: 145-7
23. Zeitz M, Ullrich R, Schneider T, Schieferdecker HL, Riecken EO Cell differentiation and proliferation in the gastrointestinal tract with respect to the local immune system Ann NY Acad Sci 1994; 733: 75-86
24. Cerf-Bensussan N, Jarry A, Brousse N, Lisowska-Grospierre B, Guy-Grand D, Griscelli C A monoclonal antibody HML-1 defining a novel membrane molecule present on human intestinal lymphocytes Eur.J.Immunol. 1987; 17: 1279
25. Zeitz M, Schieferdecker HL, Ullrich R, Jahn HU, James SP, Riecken EO Phenotype and function of lamina propria T-Lymphocytes Immunol Res 1991; 10 (3-4): 199-206
26. Zeitz M, Schieferdecker HL, James SP, Riecken EO Special functional features of T-Lymphocyte subpopulations in the effector compartment of the intestinal mucosa and their relation to mucosal transformation Digestion 1990; 46 Suppl. 2: 280-9
27. Schieferdecker HL, Ullrich R, Hirsland H, Zeitz M T-cell differentiation antigens on lymphocytes in the human intestinal lamina propria J Immunol 1992; 149 (8): 2816-22
28. Ullrich R, Schieferdecker HL, Ziegler K, Riecken EO Zeitz M $\gamma\delta$ -T-cells in the human intestine express surface markers of activation and are preferentially located in the epithelium Cell Immunol 1990; 128 (2): 619-27
29. Ullrich R, Schieferdecker HL, Jahn HU, Zeitz M $\gamma\delta$ -Cells in the human intestine Immunol. Res 1991; 10 (3-4): 306-9
30. Pezzutto A, Ulrichs T, Burmester G Taschenatlas der Immunologie 2.Auflage Thieme 2007
31. Rudensky AY, Campbell DJ In vivo sites and cellular mechanism of T reg cell-mediated suppression J Exp Med 2006; 203: 489-92
32. Bettelli E, Carrier Y, Gao W et al Reciprocal developmental pathways for the generation of pathogenic effector TH17 and regulatory T-cells Nature 2006; 441:235-8
33. Malek TR The biology of Interleukin-2 Annu Rev Immunol 2008; 26: 453-79

34. Pabst R The anatomical basis for the immune function of the gut *Anat Embryol* 1987; 176: 135-44
35. Goyette P, Labbé C, Trinh TT et al Molecular pathogenesis of inflammatory bowel disease: Genotypes, phenotypes and personalized medicine *Annals of Medicine* 2007; 39: 177-199
36. Gaya DR, Russel RK, Nimma ER, Satsangi J New genes in inflammatory bowel disease: lessons for complex diseases? *Lancet* 2006; 367: 1271-84
37. Korzenik JR Past and current theories of etiology of IBD - toothpaste, worms and refrigerators *J Clin Gastroenterol* 2005; 39: 59-65
38. Ley RE, Peterson, DA, Gordon JI Ecological and evolutionary forces shaping microbial diversity in the human intestine *Cell* 2006; 124: 837-848
39. Fischbach W Laborchemische Entzündungsparameter bei chronisch entzündlichen Darmerkrankungen *Med Klinik* 1991; 86: 535-539
40. Goebell H Different activity indices in Crohn's disease and their possible role in: Goebell (ed) *Inflammatory bowel diseases* MTP-Press 1988
41. Maratka Z Crohn's Disease Activity Indices: Need for Distinguishing Activity from Severity *Hepato-gastroenterol* 1981; 28: 187-88
42. Hodgson HJF Laboratory markers of inflammatory bowel disease in: Allan RN, Rhodes MG, Hanauer SB et al (eds) *Inflammatory bowel diseases 3rd Ed* 1997 Churchill Livingstone
43. Zeitz M, Hartmann K, Emde C et al Untersuchungen zur Thrombozytose als Aktivitätsparameter bei Morbus Crohn *Verhandlungen der Dt Ges. für Innere Medizin Bd 90, 1984* JF Bergmann Verlag München
44. Spence DT, Mayberry JF Clinical Indices in IBD in: Allan RN, Rhodes MG, Hanauer SB et al (eds) *Inflammatory bowel diseases 3rd Ed* 1997 Churchill Livingstone
45. Gisbert JP, McNicholl AG Questions and answers on the role of faecal calprotectin as a biological marker in inflammatory bowel disease *Digestive and Liver Disease* 41 (2009) 56-66
46. Foell D, Wittkowski H, Roth J Monitoring disease activity by Stoll analyses: from occult blood to molecular markers of intestinal inflammation and damage
47. Best WR, Bectel JM, Singleton JW et al Development of a Crohn's disease activity index *Gastroenterology* 1976; 70: 439-44

48. Summers RW, Switz DM, Sessions JTM et al National cooperative Crohn's disease study: Results of drug treatment *Gastroenterology*; 1979; 77: 847-69
49. Malchow H, Ewe K, Brandes JW et al European Cooperative Crohn's disease study: results of drug treatment *Gastroenterology* 1984; 77: 847-69
50. De Dombal FT, Softley A IOIBD report No 1: Observer variation in calculating indices of severity and activity in Crohn's disease *Gut* 1987; 28: 474-81
51. Andre C, Descos L, Fermanion J Assessment of appropriate laboratory measurements to supplement the CDAI *Gut* 1981; 22: 571-574
52. Harvey RF, Bradshaw JM A simple index of Crohn's disease activity *Lancet* 1980; 1: 514
53. Van Hees, P.A.M., Van Elteren, Ph., Van Lier, H.J., Van Tongeren, J.H.M An index of inflammatory activity in patients with Crohn's disease *Gut* 1980; 21: 279-86
54. Wienbeck M, Goebell H, Schomerus H Development of a prognostic index in Crohn's disease (SAI) *Med Klin* 1987; 82(3): 87-91
55. Clamp SE, Myren J, Bouchier IA et al Diagnosis of IBD: an international multicenter scoring system (Oxford Index) *Br Med J* 1982; 284 (6309): 91-95
56. Wright JP, Marks IN, Parfitt A A simple index of Crohn's disease activity. The cape town index *South African Medical Journal* 1985; 68: 502-3
57. Mary JY, Modigliani R Development and validation of an endoscopic index of the severity for Crohn's disease: a prospective multicenter study *Gut* 1989; 30: 983-989
58. Zimmermann MJ, Jewell DP Lymphocytes in Inflammatory bowel disease in: Allan RN, Rhodes MG, Hanauer SB et al (eds) *Inflammatory bowel diseases* 3rd Ed 1997 Churchill Livingstone
59. Auer IO, Roder A, Frohlich J Immune status in Crohn's disease 6: Immunoregulation evaluated by multiple, distinct T-suppressor cell assays of lymphocyte proliferation and by enumeration of immunoregulatory T-lymphocyte subsets *Gastroenterol* 1984; 86: 1531-1543
60. Auer IO, Götz S, Ziemer E et al Immune status in Crohn's disease 3. Peripheral blood B-lymphocytes, enumerated by means of F(ab)₂ antibody-fragments, Null- and T-lymphocytes *Gut* 1979; 20: 261-8
61. Auer IO, Wechsler W, Ziemer E et al Immune status in Crohn's disease 1. Leukocyte and lymphocyte subpopulations in peripheral blood *Scand J Gastroenterol* 1978; 13:561

62. Elson CO, Graeff AS, James SP et al Covert suppressor T-cells in Crohn's disease
Gastroenterology 1981; 80: 1513
63. Elson CO, James SP, Graeff AS et al Hypogammaglobulinemia due to abnormal suppressor
T-cell activity in Crohn's disease Gastroenterology 1984; 86: 569
64. James SP, Neckers L, Graeff A et al Suppression of immunoglobulin synthesis by
lymphocyte subpopulations in patients with Crohn's disease Gastroenterol 1984; 86: 1510
65. MacDermott RP, Nash GS, Bertovich MJ et al Alterations of IgM, IgG and IgA-synthesis
and secretion by peripheral blood and intestinal mononuclear cells from patients with
ulcerative colitis and Crohn's disease Gastroenterology 1981; 81:844
66. MacDermott RP, Bragdon MJ, Kodner IJ Deficient cell-mediated cytotoxicity and
hyporesponsiveness to interferon and mitogenic lectin activation by IBD peripheral blood
and intestinal mononuclear cells Gastroenterology 1986; 90: 6-11
67. Strickland RG, Korsemyer S, Soltis RD et al Peripheral blood T- and B-cells in chronic
inflammatory bowel disease Gastroenterology 1974; 67: 569-77
68. Dalton HR, Hoang P, Jewell DP Antigen induced suppression in peripheral blood and
lamina propria mononuclear cells in inflammatory bowel disease Gut 1992; 33: 324-330
69. Kramer JK, Depew WT, Szewczuk MR T-cell immunoregulation in patients with
inflammatory bowel disease 1. Differential helper T-cell function in ulcerative colitis and
Crohn's disease Clin Lab Immunol 1988; 25: 9-17
70. Deem R, Targan S, Niederlehner A, Shanahan F The CD8+Leu7+ subset of T-cells in
Crohn's disease: distinction between cytotoxic and covert suppressor functions. Clin Exp
Immunol 1990; 80: 387-394
71. Mueller C, Knoflach P, Zielinsky CC T-Cell activation in Crohn's disease - Increased levels
of soluble interleukin-2-receptor in serum and supernatants of stimulated peripheral blood
mononuclear cells Gastroenterology 1990; 93: 639-646
72. Brynskov J, Tvede N, Plasma interleukin-2 and a soluble/shed interleukin-2-receptor in
serum of patients with Crohn's disease. Effect of cyclosporin Gut 1990; 31: 795-99
73. Crabtree JE, Juby LD, Heatley RV, Lobo AJ, Bullimore DW, Axon ATR. Soluble
interleukin-2-receptors in Crohn's disease: relation of serum concentrations to disease
activity Gut 1990; 31: 1033-6

74. Duclos B, Reimund JM, Lang JM, Coumaros G, Lehr L, Baumann R, Koehl C, Weill JP
Mononuclear cell activation in Crohn's disease. Evaluation using serum assay of neopterin
and interleukin-2 soluble receptors *Gastroenterol Clin Biol* 1990; 14(1): 22-7
75. Schürmann G, Betzler M, Post S, Herfarth C, Meuer S Soluble IL-2R, IL-6 and IL-61 β in
patients with Crohn's disease and ulcerative colitis: preoperative levels and postoperative
changes in Serum concentrations *Digestion* 1992; 51: 51-59
76. Mahida YR , Gallagher A., Kurlak L., Hawkey C.J. Plasma and tissue interleukin-2-receptor
levels in inflammatory bowel disease *Clin Exp Immunol* 1990, 82, 75-80
77. Mullin GE., Lazenby AJ, Harris ML, Bayless TM, James SP Increased interleukin-2
mRNA in the intestinal mucosal lesions of Crohn's disease but not ulcerative colitis
Gastroenterology, 1992; 102(5): 1620-7
78. Ming RH, Atluru D, Spellmann CW, Imir T, Goodwin JS, Strickland RG Peripheral blood
mononuclear-cell interleukin-2 production, receptor generation and lymphokine-activated
cytotoxicity in inflammatory bowel disease *J Clin Immunol* 1987; 7/1: 59-63
79. Fais S, Pallone F, Squarcia O, Boirivant M, Pozilli P T cell early activation antigens
expressed by PBL in Crohn's disease *J Clin Lab Immunol* 1985; 16: 75-6
80. Pallone F, Montano S, Fais S, Boirivant M, Signore A Pozilli P Studies of PBL in Crohn's
disease. Circulating activated T-cells *Scand J Gastroenterol* 1983; 18(8): 1003-8
81. Pallone F, Fais S, Squarcia O, Biancone L, Pozzilli P, Boirivant M Activation of peripheral
blood and intestinal lamina propria lymphocytes in Crohn's disease. In vivo state of
activation and in vitro response to stimulation as defined by the expression of early activation
antigens *Gut* 1987; 28: 745-753
82. Pepys EO, Fagen EA, Tennent GA, Chadwick VS, Pepys MB Enumeration of lymphocyte
populations defined by surface markers in the whole blood of patients with Crohn's disease
Gut 1982; 23: 766-9
83. Purrmann J, Hengels KJ, Cleveland S, Gemsa R, Koldehoff M, Strohmeyer G
Subpopulationen von T-Lymphozyten im peripheren Blut von Patienten mit M. Crohn *Z
Gastroenterol* 1990; 28: 242-6
84. Roche JK, Watkins MH, Cook SL Inflammatory bowel disease: Prevalence and level of
activation of circulating T-Lymphocyte Subpopulations mediating suppressor/cytotoxic and
helper function as defined by monoclonal antibodies *Clin Immunol Immunopathol* 1982;
25: 362-373

85. Raedler A, Fraenkel S, Klose G, Thiele HG Elevated numbers of peripheral T-cells in inflammatory bowel diseases displaying T9 antigen and Fc α receptors Clin Exp Immunol 1985; 60: 518-524
86. Raedler A, Fraenkel S, Klose G, Seyfarth K, Thiele HG Involvement of the immune system in the pathogenesis of Crohn's disease. Expression of the T9 antigen on peripheral immunocytes correlates with the severity of the disease Gastroenterol 1985; 88: 978-83
87. Raedler A, Schreiber S, de Weerth A, Voss A, Peters S, Greten H Assessment of in vivo activated T cells in Patients with Crohn's disease Hepato-Gastroenterol 1990; 37: 67-71
88. Sauer D, Sauer H Aktivierte zirkulierende Lymphozyten als Parameter für die klinische Aktivität bei Patienten mit Morbus Crohn Z gesamte Inn Med. 1992; 47: 257-62
89. Selby WS, Jewell DP T-Lymphocyte subsets in inflammatory bowel disease: peripheral blood Gut 1983; 24: 99-105
90. Senju M, Wu KC, Mahida YR, Jewell DP Coexpression of CD4 and CD8 on peripheral blood T-cells and lamina propria T-cells in IBD by two colour immunofluorescence and flow cytometric analysis Gut 1991; 32: 918-922
91. Senju M, Hulstaert F, Lowder J, Jewell DP Flow cytometric analysis of PBL in ulcerative colitis and Crohn's disease Gut 1991; 32: 779-783
92. Yuan SZ, Hanauer SB, Kluskens LF, Kraft SC Circulating lymphocyte subpopulations in Crohn's Disease Gastroenterol. 1983; 85: 1313-8
93. Aas J, Huizenga KA, Newcomer AD, Shorter RG Inflammatory bowel disease: Lymphocytic responses to nonspecific stimulation in vitro Scand J Gastroenterol 1972; 7: 299-303
94. Asquith P, Kraft SC, Rothberg M Lymphocyte responses to nonspecific mitogens in inflammatory bowel disease Gastroenterology 1972; 62: 718
95. Bird AG, Britton S No evidence for decreased lymphocyte reactivity in Crohn's disease Gastroenterol 1974; 67: 926-932
96. Bolton PM, James SL, Newcombe RG, Whitehead RH Hughes LE The immune competence of patients with inflammatory bowel disease Gut 1974; 15: 213-219
97. Brown SM, Taub RN, Present DH, Janowitz HD Short term lymphocyte cultures in regional enteritis Lancet 1970; 23. May: 112
98. Parent K, Barrett J, Wilson LD Investigation of the pathogenic mechanism in regional enteritis with in vitro lymphocyte cultures Gastroenterol 1971; 61,4: 431-9

99. Röpke C Lymphocyte transformation and delayed hypersensitivity in Crohn's disease
Scand J Gastroenterol 1972; 7: 671-77
100. Sachar DB, Taur RN, Brown SM, Present DH, Korelitz BI, Janowitz HD Impaired lymphocyte responsiveness in inflammatory bowel disease Gastroenterology 1973; 64(2): 203
101. Stevens R, Oliver M, Brogan M, Heiserodt J, Targan S Defective generation of tetanus-specific antibody-producing B-cells after in vivo immunization of Crohn's disease and ulcerative colitis patients Gastroenterol. 1985; 88: 1860-6
102. Van Gossum A, Dupont E, Schandene L, Cremer M, Wybran J Immune status in healthy relatives of patients with familial Crohn's disease Dig Dis Sci 1988; 33/8: 945-950
103. Walker GJ, Greaves MF Delayed Hypersensitivity and lymphocyte transformation in Crohn's disease and proctocolitis Gut 1969; 10,1: 414
104. McHattie J, Magil A, Jeejeebhoy K, Falk RE Immunoresponsiveness of lymphocytes from patients with regional enterocolitis by in vitro testing Canadian Soc Gastroenterol Clinical Research 1971; 19: 779
105. Smith KA The structure of IL2 bound to the three chains of the IL2R and how signaling occurs Med Immunol 2006; 5: 3
106. Malek TR The biology of Interleukin-2 Annu Rev Immunol 2008; 26: 453-79
107. Nelson BH, Willerford DM Biology of the Interleukin-2-receptor Adv Immunol 1998; 70: 1-81
108. Nelson BH IL2, regulatory T cells and tolerance J Immunol 2004; 172: 3983-88
109. Treiger BF, Leonard WJ, Svetlik P A secreted form of the human interleukin-2-receptor encoded by an „anchor minus“ cDNA J Immunol 1986; 136: 4099-4105
110. Symons JA, Wood NC, Di Giovine F, Duff GW Soluble IL-2 receptor in rheumatoid arthritis - correlation with disease activity, IL-1 and IL-2 inhibition J Immunol 1988; 141/8: 2612-8
111. Rubin LA, Nelson DL The soluble interleukin-2-receptor: biology, function and clinical application Annals of internal medicine 1990; 113: 619-27
112. Rubin LA, Kurman CC, Fritz MA, Biddison WE et al Soluble interleukin 2 receptors are released from activated human lymphoid cells in vitro J Immunol 1985; 135: 3172-7
113. Colver GB, Symons JA, Duff GW Soluble interleukin-2 receptor in atopic eczema Br Med J 1989; 298: 1426-8

114. Crabtree JE, Heatley RV, Juby LD et al Serum interleukin-2-receptor in coeliac disease: response to treatment and gluten challenge Clin Exp Immunol 1989; 77: 345-8
115. Greenberg SJ, Marcon L, Hurwitz BJ et al Elevated levels of soluble interleukin-2 receptors in multiple sclerosis N Engl J Med 1988; 319(15): 1019-1020
116. Lobo-Yeo A, Mieli-Vergani G, Mowat AP, Vergani D Soluble interleukin 2 receptors in autoimmune chronic active hepatitis Gut 1990; 31:690-3
117. Mackeen L, Brown M sIL2R as a marker for aktive t-cell-malignancies Fed Proc 1986 45: 454
118. Rubin LA The soluble interleukin-2-receptor in rheumatic disease Arthritis and Rheumatism 1990; 33/8: 1145-8
119. Strausz J, Mueller-Quernheim J, Ferlinz R Serumspiegel des sezernierten Interleukin-2-Rezeptor als ein Aktivitätsparameter der Sarkoidose Pneumologie 1990; 44(1): 213-4
120. Semenzato G, Cipriani A, Trentin L, Zambello R, Masciarelli M, Vinante, F, Chilosi M, Pizzolo G High serum levels of soluble interleukin-2-receptors in sarcoidosis Sarcoidosis 1987; 4: 25-7
121. Ward JH The structure, function and regulation of transferrin receptors Invest. Radiol. 1987; 22: 74-83
122. Huebers HA, Finch, CA The physiology of transferrin and transferrin receptors Physiol rev 1987; 67: 520-82
123. Hynes, RO Integrins: a family of cell surface receptors Cell 1987; 48:549-554
124. Hynes RO Integrins: Versatility, modulation and signaling in cell adhesion Cell 1992; 69: 11-25
125. Hemler ME, Jacobson JG, Brenner MB, Mann D, Strominger JL VLA-1: a T cell surface antigen which defines a novel late stage of human T cell activation Eur J Immunol 1985; 15: 502-8
126. Hemler, ME Adhesive protein receptors on hematopoetic cells Immunol.today 1988; 9/4: 109-13
127. Springer TA Adhesion receptors of the immune system Nature 1990; 346: 425-434
128. Ben-Horin S, Bank I The role of very late antigen-1 in immune mediated inflammation Clin Immunol 2004; 113: 119-129
129. Schieferdecker HL, Ullrich R, Weiß-Breckwoldt AN et al The HML-1 antigen of intestinal lymphocytes is an activation antigen J Immunol 1990; 144: 2541-9

130. Uss E, Rowshani AT, Hooibrink B et al CD103 is a marker for alloantigen-induced regulatory CD8+ T-cells *J Immunol* 2006; 177: 2775-83
131. Kilshaw P, Higgins JMG Alpha E: no more rejection? *J Exp Med* 2002; 196/7: 873-5
132. Annacker O, Coombes JL, Malmstrom V et al Essential role for CD103 in the T-cell-mediated regulation of experimental colitis *J Exp Med* 2005; 202: 1051-61
133. Waithe WI, Hirschhorn K Lymphocyte response to activators Kap 26 in Weir DM (ed), *Handbook of experimental Immunology* 2nd Ed 1988 Elsevier Science
134. Janeway CA, Travers P, Walport M et al Appendix-Immunologists Toolbox *Immunobiology* 6th Ed. Garland Science 2005
135. Pezzutto A, Ulrichs T, Burmester G Labor (S. 88-112) *Taschenatlas der Immunologie* 2.Auflage Thieme 2007
136. Miller, R.G. Physikal methods for separation of of lymphocyte subpopulations in Weir DM (ed), *Handbook of experimental Immunology* 2nd Ed 1988 Elsevier Science
137. Josimovic-Alasevic O, Feldmeier H, Zwingenberger K et al Interleukin-2-receptor in patients with localized and systemic parasitic diseases *Clin Exp Immunol* 1988; 72: 249-54
138. Voller A, Bidwell D Enzyme-linked-immunosorbent assay in: manual of clinical laboratory immunology p.99 Rose, Friedman, Fahey (eds) American society for microbiology 3th ed. 1986
139. Indiveri F, Huddlestone J, Pellegrino MA et al Isolation of human T-lymphocytes: comparison between nylon wool filtration and rosetting with neuraminidase(YCN) and 2-aminoethylisothiuroniumbromid (AET) treated SRBCs *J Immunol Meth* 1980; 34: 107
140. Greaves MF, Brown G Purification of human T and B lymphocytes *J Immunol* 1974; 112: 420
141. Johnson GD, Holborow EJ Preparation and use of fluorochrom conjugates Kap.28 in Weir DM (ed), *Handbook of experimental Immunology* 2nd Ed 1988 Elsevier Science
142. Parks DR, Lanier LL, Herzenberg, LA Flow cytometry and fluorescence activated cell sorting (FACS) Kap 29 in Weir DM (ed), *Handbook of experimental Immunology* 2nd Ed 1988 Elsevier Science
143. Herzenberg LA, Herzenberg LA Analysis and separation using the fluorescence activated cell sorter Kap.22 in Weir DM (ed), *Handbook of experimental Immunology* 2nd Ed 1988 Elsevier Science

144. Severinson E, Larsson EL Lymphocyte responses to polyclonal B and T cell activators
Kap. 63 in Weir DM (ed), Handbook of experimental Immunology 2nd Ed 1988 Elsevier
Science
145. Duijvestin A, Hamann A Mechanisms and regulation of lymphocyte migration
Immunology today 1989; 10: 23-28
146. Blum KS, Pabst R Lymphocyte numbers and subsets in the human blood. Do they mirror
the situation in all organs? Immunology letters 2007; 108; 45-51
147. Westermann J, Pabst R Lymphocyte subsets in the blood: a diagnostic window on the
lymphoid system? Immunology today 1990; 11: 406
148. Westermann J, Ehlers EM, Exton M, Kaiser M, Bode U Migration of naive, effector and
memory T-cells: implications for the regulation of the immune response Immunological
reviews 2001; 184: 20-37
149. Westermann J, Bode U Distribution of activated T cells migrating through the body: a
matter of life and death Immunology today 1999; 20/7: 302-6
150. Mitsuyama K, Toyonaga A, Sasaki E et al Soluble interleukin-6-receptors in inflammatory
bowel disease: relation to circulating IL-6 Gut 1995; 36: 45-49

Mein Lebenslauf wird aus datenschutzrechtlichen Gründen in der elektronischen Version meiner Arbeit nicht veröffentlicht.

Erklärung

„Ich, Anja Weiss-Breckwoldt, erkläre hiermit, dass ich die vorlegte Dissertation mit dem Thema: „Untersuchungen zum Aktivierungszustand peripherer Lymphozyten bei Patienten mit Morbus Crohn“ selbst verfasst und keine anderen als die angegebenen Quellen und Hilfsmittel benutzt, ohne die (unzulässige) Hilfe Dritter verfasst und auch in Teilen keine Kopie anderer Arbeiten dargestellt habe“.

Danksagungen

Ganz herzlich möchte ich mich für die vielfältigen Unterstützungen bei Dr. H. Schieferdecker, Dr. U. Jahn, Dr. J. Preiß und B. Schmidt bedanken, bei Dr. O. Josimovic-Alasevic für die Zurverfügungstellung des sIL-2R-ELISA, bei Dr. R. Ullrich für die sehr engagierte und kompetente Durchsicht der Arbeit sowie bei Prof. M. Zeitz für die Betreuung des gesamten Projektes.