

# Bibliography

## 4 Bibliography

- Aleshin, A.E., Hoffman, C., Firsov, L.M. and Honzatko, R.B. (1994) Refined crystal structures of glucoamylase from *Aspergillus awamori* var. X100. *J Mol Biol*, **238**, 575-591.
- Allard, S.T., Giraud, M.F., Whitfield, C., Graninger, M., Messner, P. and Naismith, J.H. (2001) The crystal structure of dTDP-D-Glucose 4,6-dehydratase (RmlB) from *Salmonella enterica* serovar *Typhimurium*, the second enzyme in the dTDP-l-rhamnose pathway. *J Mol Biol*, **307**, 283-295.
- Arndt, U.W. (2001) X-ray Sources. In Arnold, E. (ed.), *International Tables for Crystallography Volume F Crystallography of Biological Macromolecules*. Kluwer Academic Publishers, Dordrecht.
- Banner, D.W., Bloomer, A.C., Petsko, G.A., Phillips, D.C., Pogson, C.I., Wilson, I.A., Corran, P.H., Furth, A.J., Milman, J.D., Offord, R.E., Priddle, J.D. and Waley, S.G. (1975) Structure of chicken muscle triose phosphate isomerase determined crystallographically at 2.5 angstrom resolution using amino acid sequence data. *Nature*, **255**, 609-614.
- Bibel, M., Brettl, C., Gossler, U., Kriegshauser, G. and Liebl, W. (1998) Isolation and analysis of genes for amyloytic enzymes of the hyperthermophilic bacterium *Thermotoga maritima*. *FEMS Microbiol Lett*, **158**, 9-15.
- Blake, C.C.F., Koenig, D.F., Mair, G.A., North, A.C.T., Phillips, D.C. and Sarma, V.R. (1965) Structure of hen egg white lysozyme. A three dimensional Fourier synthesis at 2 Å resolution. *Nature*, **206**, 757-763.
- Blow, D. (2002) *Outline of Crystallography for Biologists*. Oxford University Press, Oxford.
- Bottoms, C.A., Smith, P.E. and Tanner, J.J. (2002) A structurally conserved water molecule in Rossmann dinucleotide-binding domains. *Protein Sci*, **11**, 2125-2137.
- Brandon, C. and Tooze, J. (1999) *Introduction to Protein Structure*. Garland Publishing, New York.
- Brünger, A.T. (1993) Assessment of phase accuracy by cross validation: the free R value. Methods and applications. *Acta Cryst*, **D49**, 24 - 36.
- Brunger, A.T., Adams, P.D., Clore, G.M., DeLano, W.L., Gros, P., Grosse-Kunstleve, R.W., Jiang, J.-S., Kuszewski, J., Nilges, N., Pannu, N.S., Read, R.J., Rice, L.M., Simonson, T. and Warren, G.L. (1998) Crystallography and NMR System (CNS): A new software system for macromolecular structure determination. *Acta Cryst. D*, **54**, 905-921.
- Carugo, O. and Argos, P. (1997) NADP-dependent enzymes. II: Evolution of the mono- and dinucleotide binding domains. *Proteins*, **28**, 29-40.
- Castagnetto, J.M., Hennessy, S.W., Roberts, V.A., Getzoff, E.D., Tainer, J.A. and Pique, M.E. (2002) MDB: the Metalloprotein Database and Browser at The Scripps Research Institute. *Nucleic Acids Res*, **30**, 379-382.

# Bibliography

- Chapman, A.D., Cortes, A., Dafforn, T.R., Clarke, A.R. and Brady, R.L. (1999) Structural basis of substrate specificity in malate dehydrogenases: crystal structure of a ternary complex of porcine cytoplasmic malate dehydrogenase, alpha-ketomalonate and tetrahydNAD. *J Mol Biol*, **285**, 703-712.
- Choi, H.J., Kang, S.W., Yang, C.H., Rhee, S.G. and Ryu, S.E. (1998) Crystal structure of a novel human peroxidase enzyme at 2.0 Å resolution. *Nat Struct Biol*, **5**, 400-406.
- Coutinho, P.M. and Henrissat, B. (1999) Carbohydrate-Active Enzymes: an integrated database approach. In Svensson, B. (ed.), *Recent Advances in Carbohydrate Bioengineering*. The Royal Society of Chemistry, Cambridge, pp. 3-12.
- Cowtan, K. (1994) dm: An automated procedure for phase improvement by density modification. *Joint CCP4 + ESF-EACBM Newsletter on Protein Crystallography*, **31**, 34 - 38.
- Davies, G. and Henrissat, B. (1995) Structures and mechanisms of glycosyl hydrolases. *Structure*, **3**, 853-859.
- de La Fortelle, E. and Bricogne, G. (1997) Maximum-Likelihood Heavy-Atom Parameter Refinement for the Multiple Isomorphous Replacement and Multiwavelength Anomalous Diffraction Methods. *Meth Enzymol*, **276**, 472-494.
- Divne, C., Stahlberg, J., Reinikainen, T., Ruohonen, L., Pettersson, G., Knowles, J.K., Teeri, T.T. and Jones, T.A. (1994) The three-dimensional crystal structure of the catalytic core of cellobiohydrolase I from *Trichoderma reesei*. *Science*, **265**, 524-528.
- Drenth, J. (1994) *Principles of Protein X-ray Crystallography*. Springer-Verlag, New York.
- Engh, R.A. and Huber, R. (1991) Accurate bond and angle parameters for X-ray protein structure refinement. *Acta Cryst*, **A47**, 392 - 400.
- Fierobe, H.P., Clarke, A.J., Tull, D. and Svensson, B. (1998a) Enzymatic properties of the cysteinesulfinic acid derivative of the catalytic-base mutant Glu400->Cys of glucoamylase from *Aspergillus awamori*. *Biochemistry*, **37**, 3753-3759.
- Fierobe, H.P., Mirgorodskaya, E., McGuire, K.A., Roepstorff, P., Svensson, B. and Clarke, A.J. (1998b) Restoration of catalytic activity beyond wild-type level in glucoamylase from *Aspergillus awamori* by oxidation of the Glu400->Cys catalytic-base mutant to cysteine sulfinic acid. *Biochemistry*, **37**, 3743-3752.
- French, A.D. and Dowd, M.K. (1993) Exploration of disaccharide conformations by molecular mechanics. *J Mol Struct (Theochem)*, **286**, 183 - 201.
- Garman, E.F. and Schneider, T.R. (1997) Macromolecular Cryocrystallography. *J Appl Crystallogr*, **30**, 211 - 237.
- Garman, S.C., Hannick, I., Zhu, A. and Garboczi, D.N. (2002) The 1.9 Å structure of alpha-N-acetylgalactosaminidase: molecular basis of glycosidase deficiency diseases. *Structure*, **10**, 425-434.
- Goodsell, D.S. and Olson, A.J. (2000) Structural symmetry and protein function. *Annu Rev Biophys Biomol Struct*, **29**, 105-153.
- Goßlar, U. (1992) Charakterisierung einer in *E.coli* kloniert alpha-Glucosidase aus *Thermotoga maritima* MSB8. *Doktorarbeit. Lehrstuhl für Mikrobiologie*. Technischer Universität München.

# Bibliography

- Gouet, P., Courcelle, E., Stuart, D.I. and Metoz, F. (1999) ESPript: multiple sequence alignments in PostScript. *Bioinformatics*, **15**, 305-308.
- Guerin, D.M., Lascombe, M.B., Costabel, M., Souchon, H., Lamzin, V., Beguin, P. and Alzari, P.M. (2002) Atomic (0.94 Å) resolution structure of an inverting glycosidase in complex with substrate. *J Mol Biol*, **316**, 1061-1069.
- Guinier, A. and Fournet, G. (1955) *Small angle scattering of X-rays*. Wiley, New York.
- Henrissat, B. (1991) A classification of glycosyl hydrolases based on amino acid sequence similarities. *Biochem J*, **280** (Pt 2), 309-316.
- Henrissat, B. and Bairoch, A. (1996) Updating the sequence-based classification of glycosyl hydrolases. *Biochem J*, **316** (Pt 2), 695-696.
- Hidaka, M., Fushinobu, S., Ohtsu, N., Motoshima, H., Matsuzawa, H., Shoun, H. and Wakagi, T. (2002) Trimeric crystal structure of the glycoside hydrolase family 42 beta-galactosidase from *Thermus thermophilus* A4 and the structure of its complex with galactose. *J Mol Biol*, **322**, 79-91.
- Hogg, D.R. (1990) Chemistry of sulphenic acids and esters. In Patai, S. (ed.), *The Chemistry of Sulphenic Acids and Their Derivatives*. John Wiley & Sons, Chichester, pp. 361 - 402.
- Holm, L. and Sander, C. (1993) Protein structure comparison by alignment of distance matrices. *J Mol Biol*, **233**, 123-138.
- Hooft, R.W.W., Vriend, G., Sander, C. and Abola, E.E. (1996) Errors in protein structures. *Nature*, **381**, 272 - 272.
- Huber, R.E., Langworthy, T.A., König, H., Thomm, M., Woese, C.R., Sleytr, U.B. and Stetter, K.O. (1986) *Thermotoga maritima* sp. represents a novel new genus of unique extremely thermophilic eubacteria growing up to 90°C. *Arch Microbiol*, **144**, 324 - 333.
- Jancarik, J. and Kim, S.-H. (1991) Sparse matrix sampling: a screening method for crystallisation of proteins. *J Appl Crystallogr*, **24**, 409 - 411.
- Janin, J. and Chothia, C. (1990) The structure of protein-protein recognition sites. *J Biol Chem*, **265**, 16027-16030.
- Jones, T.A., Zou, J.Y., Cowan, S.W. and Kjeldgaard, M. (1991) Improved methods for building protein models in electron density maps and the location of errors in these models. *Acta Cryst. A*, **47**, 110-119.
- Kleywegt, G.J. (1996) Use of non-crystallographic symmetry in protein structure refinement. *Acta Cryst. D*, **52**, 842-857.
- Kleywegt, G.J., Harris, M.R., Zou, J.Y., Taylor, T.C., Wählby, A. and Jones, T.A. (2003) The Uppsala Electron Density Server (EDS) - a touch of reality. *to be submitted*.
- Kleywegt, G.J. and Jones, T.A. (1994) Detection, delineation, measurement and display of cavities in macromolecular structures. *Acta Cryst. D*, **50**, 178-185.
- Kleywegt, G.J. and Jones, T.A. (1998) Databases in protein crystallography. *Acta Cryst. D*, **54**, 1119-1131.
- Kleywegt, G.J. and Jones, T.A. (1999) Software for handling macromolecular envelopes. *Acta Cryst. D*, **55**, 941-944.

# Bibliography

- Kozin, M.B., Volkov, V.V. and Svergun, D.I. (1997) ASSA - a program for three dimensional rendering in solution scattering from biopolymers. *J Appl Crystallogr*, **30**, 811-815.
- Kraulis, P.J. (1991) MOLSCRIPT: A program to produce both detailed and schematic plots of protein structures. *J. Applied Crystallography*, **24**, 946-950.
- Kundig, W., Roseman, S. and Ghosh, S. (1964) Phosphate bound to histidine in protein as intermediate in novel phospho-transferase system. *Proc Natl Acad Sci U S A*, **52**, 1067-1074.
- Laine, R.A. (1994) A calculation of all possible oligosaccharide isomers both branched and linear yields  $1.05 \times 10^{12}$  structures for a reducing hexasaccharide: the Isomer Barrier to development of single-method saccharide sequencing or synthesis systems. *Glycobiology*, **4**, 759-767.
- Laskowski, R.A., MacArthur, M.W., Moss, D.S. and Thornton, J.A. (1993) PROCHECK: a program to check the stereochemical quality of protein structures. *J Appl Crystallogr*, **26**, 283 - 291.
- Liljestrom, P.L. and Liljestrom, P. (1987) Nucleotide sequence of the melA gene, coding for alpha-galactosidase in *Escherichia coli* K-12. *Nucleic Acids Res*, **15**, 2213-2220.
- Marcotte, E.M., Monzingo, A.F., Ernst, S.R., Brzezinski, R. and Robertus, J.D. (1996) X-ray structure of an anti-fungal chitosanase from streptomyces N174. *Nat Struct Biol*, **3**, 155-162.
- McCarter, J.D. and Withers, S.G. (1994) Mechanisms of enzymic glycoside hydrolysis. *Curr Opin Struct Biol*, **4**, 885-892.
- McPherson, A. (1982) *Preparation and Analysis of Protein Crystals*. John Wiley & Sons, New York.
- McPherson, A. and Weickmann, J. (1990) X-ray analysis of new crystal forms of the sweet protein thaumatin. *J Biomol Struct Dyn*, **7**, 1053-1060.
- McRee, D.E. (1999) *Practical Protein Crystallography*. Academic Press, San Diego.
- Meadow, N.D., Fox, D.K. and Roseman, S. (1990) The bacterial phosphoenolpyruvate: glycone phosphotransferase system. *Annu Rev Biochem*, **59**, 497-542.
- Merritt, E.A. and Bacon, D.J. (1997) Raster3D: Photorealistic Molecular Graphics. *Methods in Enzymology*, **277**, 505-524.
- Michel, G., Chantalat, L., Duee, E., Barbeyron, T., Henrissat, B., Kloareg, B. and Dideberg, O. (2001) The kappa-carrageenase of *P. carrageenovora* features a tunnel-shaped active site: a novel insight in the evolution of Clan-B glycoside hydrolases. *Structure (Camb)*, **9**, 513-525.
- Nagashima, S., Nakasako, M., Dohmae, N., Tsujimura, M., Takio, K., Odaka, M., Yohda, M., Kamiya, N. and Endo, I. (1998) Novel non-heme iron center of nitrile hydratase with a claw setting of oxygen atoms. *Nat Struct Biol*, **5**, 347-351.
- Nurizzo, D., Turkenburg, J.P., Charnock, S.J., Roberts, S.M., Dodson, E.J., McKie, V.A., Taylor, E.J., Gilbert, H.J. and Davies, G.J. (2002) *Cellvibrio japonicus* alpha-L-arabinanase 43A has a novel five-blade beta-propeller fold. *Nat Struct Biol*, **9**, 665-668.

# Bibliography

- Orengo, C.A., Michie, A.D., Jones, S., Jones, D.T., Swindells, M.B. and Thornton, J.M. (1997) A hierachic classification of protein domain structures. *Structure*, **5**, 1093-1108.
- Otwinowski, Z. and Minor, W. (1997) Processing of X-ray Diffraction Data Collected in Oscillation Mode. *Meth Enzymol*, **276**, 307 - 326.
- Page, R.D.M. (1996) TREEVIEW: An application to display phylogenetic trees on personal computers. *Computer Applications in teh Biosciences*, **12**, 357 - 358.
- Perrakis, A., Tews, I., Dauter, Z., Oppenheim, A.B., Chet, I., Wilson, K.S. and Vorgias, C.E. (1994) Crystal structure of a bacterial chitinase at 2.3 Å resolution. *Structure*, **2**, 1169-1180.
- Przylas, I., Terada, Y., Fujii, K., Takaha, T., Saenger, W. and Strater, N. (2000a) X-ray structure of acarbose bound to amylosemaltase from *Thermus aquaticus*. Implications for the synthesis of large cyclic glucans. *Eur J Biochem*, **267**, 6903-6913.
- Przylas, I., Tomoo, K., Terada, Y., Takaha, T., Fujii, K., Saenger, W. and Strater, N. (2000b) Crystal structure of amylosemaltase from *Thermus aquaticus*, a glycosyltransferase catalysing the production of large cyclic glucans. *J Mol Biol*, **296**, 873-886.
- Raasch, C. (2001) Molekulare, biochemische und strukturelle Untersuchungen an amylolytischen Enzymen von *Thermotoga maritima* MSB8. *Doktorarbeit. Mathematisch-Naturwissenschaftlichen Fakultäten*. Georg-August-Universität, Göttingen.
- Raasch, C., Armbrecht, M., Streit, W., Hocker, B., Strater, N. and Liebl, W. (2002) Identification of residues important for NAD(+) binding by the *Thermotoga maritima* alpha-glucosidase AglA, a member of glycoside hydrolase family 4. *FEBS Lett*, **517**, 267-271.
- Raasch, C., Streit, W., Schanzer, J., Bibel, M., Gossler, U. and Liebl, W. (2000) *Thermotoga maritima* AglA, an extremely thermostable NAD<sup>+</sup>-Mn<sup>2+</sup>- and thiol-dependent alpha-glucosidase. *Extremophiles*, **4**, 189-200.
- Reizer, J., Saier, M.H., Jr., Deutscher, J., Grenier, F., Thompson, J. and Hengstenberg, W. (1988) The phosphoenolpyruvate:sugar phosphotransferase system in gram-positive bacteria: properties, mechanism, and regulation. *Crit Rev Microbiol*, **15**, 297-338.
- Robrish, S.A., Fales, H.M., Gentry-Weeks, C. and Thompson, J. (1994) Phosphoenolpyruvate-dependent maltose:phosphotransferase activity in *Fusobacterium mortiferum* ATCC 25557: specificity, inducibility, and product analysis. *J Bacteriol*, **176**, 3250-3256.
- Rossmann, M.G., Liljas, A., Brandon, C.I. and Banaszak, L.T. (1975) Evolutionary and structural relationships among dehydrogenases. *The Enzymes*, **11**, 61-102.
- Rouvinen, J., Bergfors, T., Teeri, T., Knowles, J.K. and Jones, T.A. (1990) Three-dimensional structure of cellobiohydrolase II from *Trichoderma reesei*. *Science*, **249**, 380-386.
- Ruile, P., Winterhalter, C. and Liebl, W. (1997) Isolation and analysis of a gene encoding alpha-glucuronidase, an enzyme with a novel primary structure involved in the breakdown of xylan. *Mol Microbiol*, **23**, 267-279.

# Bibliography

- Salmeen, A., Andersen, J.N., Myers, M.P., Meng, T.C., Hinks, J.A., Tonks, N.K. and Barford, D. (2003) Redox regulation of protein tyrosine phosphatase 1B involves a sulphenyl-amide intermediate. *Nature*, **423**, 769-773.
- Smith, B.J., McKimm-Breskin, J.L., McDonald, M., Fernley, R.T., Varghese, J.N. and Colman, P.M. (2002) Structural studies of the resistance of influenza virus neuramindase to inhibitors. *J Med Chem*, **45**, 2207-2212.
- Suresh, C., Rus'd, A.A., Kitaoka, M. and Hayashi, K. (2002) Evidence that the putative alpha-glucosidase of *Thermotoga maritima* MSB8 is a pNP alpha-D-glucuronopyranoside hydrolyzing alpha-glucuronidase. *FEBS Lett*, **517**, 159-162.
- Svergun, D.I., Barberato, C. and Koch, M.H.J. (1995) CRYSTAL - a program to evaluate X-ray solution scattering of biological macromolecules from atomic coordinates. *J Appl Crystallogr*, **28**, 768-773.
- Svergun, D.I., Petoukhov, M.V. and Koch, M.H. (2001) Determination of domain structure of proteins from X-ray solution scattering. *Biophys J*, **80**, 2946-2953.
- Terwilliger, T.C. and Berendzen, J. (1999) Automated structure solution for MIR and MAD. *Acta Cryst*, **D55**, 849-861.
- Thompson, J., Gentry-Weeks, C.R., Nguyen, N.Y., Folk, J.E. and Robrish, S.A. (1995) Purification from *Fusobacterium mortiferum* ATCC 25557 of a 6-phosphoryl-O-alpha-D-glucopyranosyl:6-phosphoglucohydrolase that hydrolyzes maltose 6-phosphate and related phospho-alpha-D-glucosides. *J Bacteriol*, **177**, 2505-2512.
- Thompson, J., Pikis, A., Ruvinov, S.B., Henrissat, B., Yamamoto, H. and Sekiguchi, J. (1998) The gene glvA of *Bacillus subtilis* 168 encodes a metal-requiring, NAD(H)-dependent 6-phospho-alpha-glucosidase. Assignment to family 4 of the glycosylhydrolase superfamily. *J Biol Chem*, **273**, 27347-27356.
- Thompson, J., Robrish, S.A., Immel, S., Lichtenthaler, F.W., Hall, B.G. and Pikis, A. (2001) Metabolism of sucrose and its five linkage-isomeric alpha-D-glucosyl-D-fructoses by *Klebsiella pneumoniae*. Participation and properties of sucrose-6-phosphate hydrolase and phospho-alpha-glucosidase. *J Biol Chem*, **276**, 37415-37425.
- Thompson, J., Ruvinov, S.B., Freedberg, D.I. and Hall, B.G. (1999) Cellobiose-6-phosphate hydrolase (Celf) of *Escherichia coli*: characterization and assignment to the unusual family 4 of glycosylhydrolases. *J Bacteriol*, **181**, 7339-7345.
- Thompson, J.D., Higgins, D.G. and Gibson, T.J. (1994) CLUSTAL W: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, positions-specific gap penalties and weight matrix choice. *Nucl Acids Res*, **22**, 4673 - 4680.
- Thomson, N.H., Miles, M.J., Popineau, Y., Harries, J., Shewry, P. and Tatham, A.S. (1999) Small angle X-ray scattering of wheat seed-storage proteins: alpha-, gamma- and omega-gliadins and the high molecular weight (HMW) subunits of glutenin. *Biochim Biophys Acta*, **1430**, 359-366.
- Vachette, P. and Svergun, D.I. (2000) Small-angle X-ray scattering by solutions of biological macromolecules. In Timmins, P.A. (ed.), *Structure and Dynamics of Biomolecules*. Oxford University Press, New York, pp. 199-237.

# Bibliography

- Van Montfort, R.L., Congreve, M., Tisi, D., Carr, R. and Jhoti, H. (2003) Oxidation state of the active-site cysteine in protein tyrosine phosphatase 1B. *Nature*, **423**, 773-777.
- Van Petegem, F., Collins, T., Meuwis, M.A., Gerday, C., Feller, G. and Van Beeumen, J. (2003) The structure of a cold-adapted family 8 xylanase at 1.3 Å resolution. Structural adaptations to cold and investigation of the active site. *J Biol Chem*, **278**, 7531-7539.
- Varghese, J.N., Garrett, T.P., Colman, P.M., Chen, L., Hoj, P.B. and Fincher, G.B. (1994) Three-dimensional structures of two plant beta-glucan endohydrolases with distinct substrate specificities. *Proc Natl Acad Sci U S A*, **91**, 2785-2789.
- Varrot, A., Frandsen, T.P., von Ossowski, I., Boyer, V., Cottaz, S., Driguez, H., Schulein, M. and Davies, G.J. (2003) Structural Basis for Ligand Binding and Processivity in Cellobiohydrolase Cel6A from *Humicola insolens*. *Structure (Camb)*, **11**, 855-864.
- Wakarchuck, W.W., Campbell, R.L., Sung, W.L., Davoodi, J. and Yaguchi, M. (1994) Mutational and crystallography analyses of the active site residues of the *Bacillus circulans* xylanase. *Protein Sci*, **3**, 467-475.
- Wallace, A.C., Laskowski, R.A. and Thornton, J.A. (1995) LIGPLOT. A program to generate schematic diagrams of protein-ligand interactions. *Prot Eng*, **8**, 127 - 134.
- Wang, Q., Graham, R.W., Trimbur, D., Warren, R.A.J. and Withers, S.G. (1994) Changing enzymatic reaction mechanisms by mutagenesis: conversion of a retaining glucosidase to an inverting enzyme. *J Am Chem Soc*, **116**, 11594-11595.
- Westhead, D.R., Slidel, T.W.F., Flores, T.P.J. and Thornton, J.M. (1999) Protein structural topology: automated analysis, diagrammatic representation and database searching. *Protein Science*, **8**, 897-904.
- Wolfenden, R., Lu, X. and Young, G. (1998) Spontaneous hydrolysis of glycosides. *J Am Chem Soc*, **120**, 6814-6815.
- Zechel, D.L. and Withers, S.G. (2000) Glycosidase mechanisms: anatomy of a finely tuned catalyst. *Acc Chem Res*, **33**, 11-18.
- Zechel, D.L. and Withers, S.G. (2001) Dissection of nucleophilic and acid-base catalysis in glycosidases. *Curr Opin Chem Biol*, **5**, 643-649.