

7 **Literaturverzeichnis**

- [1] **Abdullah, K.M., Lo, R.Y. und Mellors, A.** (1991). Cloning, nucleotide sequence, and expression of the *Pasteurella haemolytica* A1 glycoprotease gene. *J. Bacteriol.*, **173**, 5597-5603.
- [2] **Abdullah, K.M., Lo, R.Y. und Mellors, A.** (1990). Distribution of glycoprotease activity and the glycoprotease gene among serotypes of *Pasteurella haemolytica*. *Biochem. Soc. Trans.*, **18**, 901-903.
- [3] **Abdullah, K.M., Udoh, E.A., Shewen, P.E. und Mellors, A.** (1992). A neutral glycoprotease of *Pasteurella haemolytica* A1 specifically cleaves O-sialoglycoproteins. *Infect. Immun.*, **60**, 56-62.
- [4] **Ambagala, T.C., Ambagala, A.P. und Srikumaran, S.** (1999). The leukotoxin of *Pasteurella haemolytica* binds to beta(2) integrins on bovine leukocytes. *FEMS Microbiol. Lett.*, **179**, 161-167.
- [5] **Amigot, J.A., Torremorell, M. und Pijoan, C.** (1998). Evaluation of techniques for the detection of toxigenic *Pasteurella multocida* strains from pigs. *J. Vet. Diagn. Invest.*, **10**, 169-173.
- [6] **Anderson, L.C., Rush, H.G. und Glorioso, J.C.** (1984). Strain differences in the susceptibility and resistance of *Pasteurella multocida* to phagocytosis and killing by rabbit polymorphonuclear neutrophils. *Am. J. Vet. Res.*, **45**, 1193-1198.
- [7] **Angen, O., Ahrens, P., Kuhnert, P., Christensen, H. und Mutters, R.** (2003). Proposal of *Histophilus somni* gen. nov., sp. nov. for the three species incertae sedis 'Haemophilus somnus', 'Haemophilus agni' and 'Histophilus ovis'. *Int. J. Syst. Evol. Microbiol.*, **53**, 1449-56.
- [8] **Angen, O., Caugant, D.A., Olsen, J.E. und Bisgaard, M.** (1997). Genotypic relationships among strains classified under the (*Pasteurella*) *haemolytica*-complex as indicated by ribotyping and multilocus enzyme electrophoresis. *Zentralbl. Bakteriol.*, **286**, 333-354.
- [9] **Angen, O., Mutters, R., Caugant, D.A., Olsen, J.E. und Bisgaard, M.** (1999). Taxonomic relationships of the [*Pasteurella*] *haemolytica* complex as evaluated by DNA-DNA hybridizations and 16S rRNA sequencing with proposal of *Mannheimia haemolytica* gen. nov., comb. nov., *Mannheimia granulomatis* comb. nov., *Mannheimia glucosida* sp. nov., *Mannheimia ruminalis* sp. nov. and *Mannheimia varigena* sp. nov. *Int. J. Syst. Bacteriol.*, **49**, 67-86.
- [10] **Angen, O., Quirie, M., Donachie, W. und Bisgaard, M.** (1999). Investigations on the species specificity of Mannheimia (*Pasteurella*) *haemolytica* serotyping. *Vet. Microbiol.*, **65**, 283-290.

- [11] **Ausubel, M.F.e.**, Current protocols in molecular biology. 1987-2000, New York: Wiley and Sons, Inc.
- [12] **Baalsrud, K.J.** (1987). Atrophic rhinitis in goats in Norway. *Vet. Rec.*, **121**, 350-353.
- [13] **Basaraba, R.J., Byerly, A.N., Mosier, D.A., Butine, M.D., Stewart, G.C., Fenwick, B.W., Chengappa, M.M. und Highlander, S.K.** (1999). Actin polymerization enhances *Pasteurella haemolytica* leukotoxicity. *Vet. Microbiol.*, **64**, 307-321.
- [14] **Bennett, P.M.** (2004). Genome plasticity: insertion sequence elements, transposons and integrons, and DNA rearrangement. *Methods Mol Biol*, **266**, 71-113.
- [15] **Benov, L.T. und Fridovich, I.** (1994). *Escherichia coli* expresses a copper- and zinc-containing superoxide dismutase. *J. Biol. Chem.*, **269**, 25310-25314.
- [16] **Berndt, A. und Kohler, H.** (1997). [LPS receptor expression and lps binding capacity of monocytes and macrophages in swine]. *Berl. Münch. Tierärztl. Wochenschr.*, **110**, 381-5.
- [17] **Beuzon, C.R., Chessa, D. und Casadesus, J.** (2004). IS200: an old and still bacterial transposon. *Int Microbiol*, **7**, 3-12.
- [18] **Biberstein, E.L., Gills, M., Knight, H.** (1960). Serological types of *Pasteurella haemolytica*. *Cornell Vet.*, **50**, 283-300.
- [19] **Bingham, D.P., Moore, R. und Richards, A.B.** (1990). Comparison of DNA:DNA homology and enzymatic activity between *Pasteurella haemolytica* and related species. *Am. J. Vet. Res.*, **51**, 1161-1166.
- [20] **Bisgaard, M.** (1993). Ecology and significance of *Pasteurellaceae* in animals. *Zentralbl. Bakteriol.*, **279**, 7-26.
- [21] **Bisgaard, M.**, Taxonomy of the family *Pasteurellaceae* Pohl 1981, in *Haemophilus, Actinobacillus, and Pasteurella*, **W. Donachie, F.A. Lainson, and A.L. Hodgson**, Editors. 1995, Plenum Press: New York and London. p. 1-7.
- [22] **Borrathybay, E., Sawada, T., Kataoka, Y., Ohtsu, N., Takagi, M., Nakamura, S. und Kawamoto, E.** (2003). A 39 kDa protein mediates adhesion of avian *Pasteurella multocida* to chicken embryo fibroblast cells. *Vet. Microbiol.*, **97**, 229-243.
- [23] **Bosch, M., Garrido, E., Llagostera, M., Perez de Rozas, A.M., Badiola, I. und Barbe, J.** (2002). *Pasteurella multocida* *exbB*, *exbD* and *tonB* genes are physically linked but independently transcribed. *FEMS Microbiol. Lett.*, **210**, 201-208.
- [24] **Bosch, M., Garrido, M.E., Llagostera, M., Perez De Rozas, A.M., Badiola, I. und Barbe, J.** (2002). Characterization of the *Pasteurella multocida* *hgbA* gene encoding a hemoglobin-binding protein. *Infect. Immun.*, **70**, 5955-5964.
- [25] **Bosch, M., Garrido, M.E., Perez de Rozas, A.M., Badiola, I., Barbe, J. und Llagostera, M.** (2004). *Pasteurella multocida* contains multiple immunogenic haemin- and hemoglobin-binding proteins. *Vet. Microbiol.*, **99**, 103-112.

- [26] **Bosch, M., Tarrago, R., Garrido, M.E., Campoy, S., Fernandez de Henestrosa, A.R., Perez de Rozas, A.M., Badiola, I. und Barbe, J.** (2001). Expression of the *Pasteurella multocida ompH* gene is negatively regulated by the Fur protein. *FEMS Microbiol. Lett.*, **203**, 35-40.
- [27] **Boyce, J.D. und Adler, B.** (2001). Acapsular *Pasteurella multocida* B:2 can stimulate protective immunity against pasteurellosis. *Infect. Immun.*, **69**, 1943-1946.
- [28] **Boyce, J.D., Chung, J.Y. und Adler, B.** (2000). *Pasteurella multocida* capsule: composition, function and genetics. *J. Biotechnol.*, **83**, 153-160.
- [29] **Boyce, J.D., Wilkie, I., Harper, M., Paustian, M.L., Kapur, V. und Adler, B.** (2002). Genomic scale analysis of *Pasteurella multocida* gene expression during growth within the natural chicken host. *Infect. Immun.*, **70**, 6871-6879.
- [30] **Braun, V.** (1995). Energy-coupled transport and signal transduction through the gram-negative outer membrane via TonB-ExbB-ExbD-dependent receptor proteins. *FEMS Microbiol. Rev.*, **16**, 295-307.
- [31] **Breider, M.A., Kumar, S. und Corstvet, R.E.** (1990). Bovine pulmonary endothelial cell damage mediated by *Pasteurella haemolytica* pathogenic factors. *Infect. Immun.*, **58**, 1671-1677.
- [32] **Brickell, S.K., Thomas, L.M., Long, K.A., Panaccio, M. und Widders, P.R.** (1998). Development of a PCR test based on a gene region associated with the pathogenicity of *Pasteurella multocida* serotype B:2, the causal agent of haemorrhagic septicemia in Asia. *Vet. Microbiol.*, **59**, 295-307.
- [33] **Brogden, K.A., Lehmkuhl, H.D. und Cutlip, R.C.** (1998). *Pasteurella haemolytica* complicated respiratory infections in sheep and goats. *Vet. Res.*, **29**, 233-254.
- [34] **Brogden, K.A. und Packer, R.A.** (1979). Comparison of *Pasteurella multocida* serotyping systems. *Am. J. Vet. Res.*, **40**, 1332-1335.
- [35] **Brown, J.F., Leite, F. und Czuprynski, C.J.** (1997). Binding of *Pasteurella haemolytica* leukotoxin to bovine leukocytes. *Infect. Immun.*, **65**, 3719-3724.
- [36] **Brussow, H., Canchaya, C. und Hardt, W.D.** (2004). Phages and the evolution of bacterial pathogens: from genomic rearrangements to lysogenic conversion. *Microbiol Mol Biol Rev.*, **68**, 560-602.
- [37] **Burrows, L.L., Olah-Winfield, E. und Lo, R.Y.** (1993). Molecular analysis of the leukotoxin determinants from *Pasteurella haemolytica* serotypes 1 to 16. *Infect. Immun.*, **61**, 5001-5007.
- [38] **Busch, C., Orth, J., Djouder, N. und Aktories, K.** (2001). Biological activity of a C-terminal fragment of *Pasteurella multocida* toxin. *Infect. Immun.*, **69**, 3628-3634.
- [39] **Buys, W.E., Smith, H.E., Kamps, A.M., Kamp, E.M. und Smits, M.A.** (1990). Sequence of the dermonecrotic toxin of *Pasteurella multocida* ssp. *multocida*. *Nucleic Acids Res.*, **18**, 2815-2816.

- [40] **Canvin, J., Langford, P.R., Wilks, K.E. und Kroll, J.S.** (1996). Identification of *sodC* encoding periplasmic [Cu,Zn]-superoxide dismutase in *Salmonella*. *FEMS Microbiol. Lett.*, **136**, 215-220.
- [41] **Carter, G.R.** (1967). Pasteurellosis: *Pasteurella multocida* and *Pasteurella haemolytica*. *Adv. Vet. Sci.*, **11**, 321-379.
- [42] **Chae, C.H., Gentry, M.J., Confer, A.W. und Anderson, G.A.** (1990). Resistance to host immune defense mechanisms afforded by capsular material of *Pasteurella haemolytica*, serotype 1. *Vet. Microbiol.*, **25**, 241-251.
- [43] **Champlin, F.R., Shryock, T.R., Patterson, C.E., Austin, F.W. und Ryals, P.E.** (2002). Prevalence of a novel capsule-associated lipoprotein among *pasteurellaceae* pathogenic in animals. *Curr. Microbiol.*, **44**, 297-301.
- [44] **Chang, Y.F., Ma, D.P., Shi, J. und Chengappa, M.M.** (1993). Molecular characterization of a leukotoxin gene from a *Pasteurella haemolytica*-like organism, encoding a new member of the RTX toxin family. *Infect. Immun.*, **61**, 2089-2095.
- [45] **Chang, Y.F., Young, R., Post, D. und Struck, D.K.** (1987). Identification and characterization of the *Pasteurella haemolytica* leukotoxin. *Infect. Immun.*, **55**, 2348-2354.
- [46] **Cheryk, L.A., Hooper-McGrevy, K.E. und Gentry, P.A.** (1998). Alterations in bovine platelet function and acute phase proteins induced by *Pasteurella haemolytica* A1. *Can. J. Vet. Res.*, **62**, 1-8.
- [47] **Chevalier, G., Duclohier, H., Thomas, D., Shechter, E. und Wroblewski, H.** (1993). Purification and characterization of protein H, the major porin of *Pasteurella multocida*. *J. Bacteriol.*, **175**, 266-276.
- [48] **Choi-Kim, K., Maheswaran, S.K., Felice, L.J. und Molitor, T.W.** (1991). Relationship between the iron regulated outer membrane proteins and the outer membrane proteins of in vivo grown *Pasteurella multocida*. *Vet. Microbiol.*, **28**, 75-92.
- [49] **Chrisp, C.E. und Foged, N.T.** (1991). Induction of pneumonia in rabbits by use of a purified protein toxin from *Pasteurella multocida*. *Am. J. Vet. Res.*, **52**, 56-61.
- [50] **Christensen, H., Bisgaard, M., Bojesen, A.M., Mutters, R. und Olsen, J.E.** (2003). Genetic relationships among avian isolates classified as *Pasteurella haemolytica*, '*Actinobacillus salpingitidis*' or *Pasteurella anatis* with proposal of *Gallibacterium anatis* gen. nov., comb. nov. and description of additional genomospecies within *Gallibacterium* gen. nov. *Int. J. Syst. Evol. Microbiol.*, **53**, 275-287.
- [51] **Chung, J.Y., Wilkie, I., Boyce, J.D., Townsend, K.M., Frost, A.J., Ghoddusi, M. und Adler, B.** (2001). Role of capsule in the pathogenesis of fowl cholera caused by *Pasteurella multocida* serogroup A. *Infect. Immun.*, **69**, 2487-2492.
- [52] **Chung, J.Y., Zhang, Y. und Adler, B.** (1998). The capsule biosynthetic locus of *Pasteurella multocida* A:1. *FEMS Microbiol. Lett.*, **166**, 289-296.

- [53] **Clarke, C.R., Lauer, A.K., Barron, S.J. und Wyckoff, J.H., 3rd** (1994). The role of eicosanoids in the chemotactic response to *Pasteurella haemolytica* infection. *Zentralbl. Veterinarmed. B*, **41**, 483-491.
- [54] **Clarke, J.M., Morton, R.J., Clarke, C.R., Fulton, R.W. und Saliki, J.T.** (2001). Development of an ex vivo model to study adherence of *Mannheimia haemolytica* serovar 1 to mucosal tissues of the respiratory tract of cattle. *Am. J. Vet. Res.*, **62**, 805-811.
- [55] **Cole, S.P., Guiney, D.G. und Corbeil, L.B.** (1993). Molecular analysis of a gene encoding a serum-resistance-associated 76 kDa surface antigen of *Haemophilus somnus*. *J. Gen. Microbiol.*, **139 (Pt 9)**, 2135-2143.
- [56] **Confer, A.W.** (1993). Immunogens of *Pasteurella*. *Vet. Microbiol.*, **37**, 353-368.
- [57] **Confer, A.W., Ayalew, S., Panciera, R.J., Montelongo, M., Whitworth, L.C. und Hammer, J.D.** (2003). Immunogenicity of recombinant *Mannheimia haemolytica* serotype 1 outer membrane protein PlpE and augmentation of a commercial vaccine. *Vaccine*, **21**, 2821-2829.
- [58] **Confer, A.W., Clinkenbeard, K.D. und Murphy, G.L.**, Pathogenesis and virulence of *Pasteurella haemolytica* in cattle: an analysis of current knowledge and future approaches, in *Haemophilus, Actinobacillus, and Pasteurella*, **W. Donachie, Lainson, F. A., Hodgson, J. C.**, Editor. 1995, Plenum Press: New York and London. p. 51-62.
- [59] **Confer, A.W., McCraw, R.D., Durham, J.A., Morton, R.J. und Panciera, R.J.** (1995). Serum antibody responses of cattle to iron-regulated outer membrane proteins of *Pasteurella haemolytica* A1. *Vet. Immunol. Immunopathol.*, **47**, 101-110.
- [60] **Confer, A.W., Suckow, M.A., Montelongo, M., Dabo, S.M., Miloscio, L.J., Gillespie, A.J. und Meredith, G.L.** (2001). Intranasal vaccination of rabbits with *Pasteurella multocida* A:3 outer membranes that express iron-regulated proteins. *Am. J. Vet. Res.*, **62**, 697-703.
- [61] **Conlon, J.A. und Shewen, P.E.** (1993). Clinical and serological evaluation of a *Pasteurella haemolytica* A1 capsular polysaccharide vaccine. *Vaccine*, **11**, 767-772.
- [62] **Cooney, B.J. und Lo, R.Y.** (1993). Three contiguous lipoprotein genes in *Pasteurella haemolytica* A1 which are homologous to a lipoprotein gene in *Haemophilus influenzae* type b. *Infect. Immun.*, **61**, 4682-4688.
- [63] **Cope, L.D., Love, R.P., Guinn, S.E., Gilep, A., Usanov, S., Estabrook, R.W., Hrkal, Z. und Hansen, E.J.** (2001). Involvement of HxuC outer membrane protein in utilization of hemoglobin by *Haemophilus influenzae*. *Infect. Immun.*, **69**, 2353-2363.
- [64] **Cornelissen, C.N. und Sparling, P.F.** (1994). Iron piracy: acquisition of transferrin-bound iron by bacterial pathogens. *Mol. Microbiol.*, **14**, 843-850.
- [65] **Cox, A.J., Hunt, M.L., Boyce, J.D. und Adler, B.** (2003). Functional characterization of HgbB, a new hemoglobin binding protein of *Pasteurella multocida*. *Microb. Pathog.*, **34**, 287-296.

- [66] **Cox, A.J., Hunt, M.L., Ruffolo, C.G. und Adler, B.** (2000). Cloning and characterisation of the *Pasteurella multocida ahpA* gene responsible for a haemolytic phenotype in *Escherichia coli*. *Vet. Microbiol.*, **72**, 135-152.
- [67] **Coy, S.L., Lee, M.D. und Sander, J.** (1997). Intrastrain variation of lipopolysaccharide of *Pasteurella multocida* in turkeys. *Am. J. Vet. Res.*, **58**, 755-759.
- [68] **Cudd, L., Clarke, C., Clinkenbeard, K., Shelton, M., Clinkenbeard, P. und Murphy, G.** (1999). Role of intracellular calcium in *Pasteurella haemolytica* leukotoxin-induced bovine neutrophil leukotriene B4 production and plasma membrane damage. *FEMS Microbiol. Lett.*, **172**, 123-129.
- [69] **Cutlip, R.C., Brogden, K.A. und Lehmkuhl, H.D.** (1998). Changes in the lungs of lambs after intratracheal injection of lipopolysaccharide from *Pasteurella haemolytica* A1. *J. Comp. Pathol.*, **118**, 163-167.
- [70] **Czuprynski, C.J., Noel, E.J., Ortiz-Carranza, O. und Srikumaran, S.** (1991). Activation of bovine neutrophils by partially purified *Pasteurella haemolytica* leukotoxin. *Infect. Immun.*, **59**, 3126-3133.
- [71] **Dabo, S.M., Confer, A.W. und Lu, Y.S.** (2000). Single primer polymerase chain reaction fingerprinting for *Pasteurella multocida* isolates from laboratory rabbits. *Am. J. Vet. Res.*, **61**, 305-309.
- [72] **Dabo, S.M., Confer, A.W., Styre, D. und Murphy, G.L.** (1994). Expression, purification and immunologic analysis of three *Pasteurella haemolytica* A1 28-30 kDa lipoproteins. *Microb. Pathog.*, **17**, 149-158.
- [73] **Davies, R.L., Arkinsaw, S. und Selander, R.K.** (1997). Evolutionary genetics of *Pasteurella haemolytica* isolates recovered from cattle and sheep. *Infect. Immun.*, **65**, 3585-3593.
- [74] **Davies, R.L. und Lee, I.** (2004). Sequence diversity and molecular evolution of the heat-modifiable outer membrane protein gene (*ompA*) of *Mannheimia*(*Pasteurella*) *haemolytica*, *Mannheimia glucosida*, and *Pasteurella trehalosi*. *J. Bacteriol.*, **186**, 5741-5752.
- [75] **Davies, R.L., MacCorquodale, R., Baillie, S. und Caffrey, B.** (2003). Characterization and comparison of *Pasteurella multocida* strains associated with porcine pneumonia and atrophic rhinitis. *J. Med. Microbiol.*, **52**, 59-67.
- [76] **Davies, R.L., McCluskey, J., Gibbs, H.A., Coote, J.G., Freer, J.H. und Parton, R.** (1994). Comparison of outer-membrane proteins of *Pasteurella haemolytica* expressed in vitro and in vivo in cattle. *Microbiology*, **140**, 3293-3300.
- [77] **Davies, R.L., Whittam, T.S. und Selander, R.K.** (2001). Sequence diversity and molecular evolution of the leukotoxin (*lktA*) gene in bovine and ovine strains of *Mannheimia* (*Pasteurella*) *haemolytica*. *J. Bacteriol.*, **183**, 1394-1404.

- [78] **De Jong, M.F.**, (Progressive) atrophic rhinitis, in *Diseases of swine*, **A.D. Leman, B.E. Straw, W.L. Mengeling, S. D'Allaire, and D.J. Tylor**, Editors. 1992, Iowa State University Press: Ames. p. 414-435.
- [79] **DeAngelis, P.L.** (1996). Enzymological characterization of the *Pasteurella multocida* hyaluronic acid synthase. *Biochemistry*, **35**, 9768-9771.
- [80] **DeAngelis, P.L., Jing, W., Drake, R.R. und Achyuthan, A.M.** (1998). Identification and molecular cloning of a unique hyaluronan synthase from *Pasteurella multocida*. *J. Biol. Chem.*, **273**, 8454-8458.
- [81] **DeAngelis, P.L. und Padgett-McCue, A.J.** (2000). Identification and molecular cloning of a chondroitin synthase from *Pasteurella multocida* type F. *J. Biol. Chem.*, **275**, 24124-24129.
- [82] **DeAngelis, P.L. und White, C.L.** (2002). Identification and molecular cloning of a heparosan synthase from *Pasteurella multocida* type D. *J. Biol. Chem.*, **277**, 7209-7213.
- [83] **Deneer, H.G. und Potter, A.A.** (1989). Iron-repressible outer-membrane proteins of *Pasteurella haemolytica*. *J. Gen. Microbiol.*, **135**, 435-443.
- [84] **Dewhirst, F.E., Paster, B.J., Olsen, I. und Fraser, G.J.** (1992). Phylogeny of 54 representative strains of species in the family *Pasteurellaceae* as determined by comparison of 16S rRNA sequences. *J. Bacteriol.*, **174**, 2002-2013.
- [85] **Dewhirst, F.E., Paster, B.J., Olsen, I. und Fraser, G.J.** (1993). Phylogeny of the *Pasteurellaceae* as determined by comparison of 16S ribosomal ribonucleic acid sequences. *Zentralbl. Bakteriol.*, **279**, 35-44.
- [86] **DiGiacomo, R.F., Deeb, B.J., Brodie, S.J., Zimmerman, T.E., Veltkamp, E.R. und Chrisp, C.E.** (1993). Toxin production by *Pasteurella multocida* isolated from rabbits with atrophic rhinitis. *Am. J. Vet. Res.*, **54**, 1280-1286.
- [87] **Djordjevic, S.P., Eamens, G.J., Ha, H., Walker, M.J. und Chin, J.C.** (1998). Demonstration that Australian *Pasteurella multocida* isolates from sporadic outbreaks of porcine pneumonia are non-toxigenic (*toxA*-) and display heterogeneous DNA restriction endonuclease profiles compared with toxigenic isolates from herds with progressive atrophic rhinitis. *J. Med. Microbiol.*, **47**, 679-688.
- [88] **Dobson, S.R., Kroll, J.S. und Moxon, E.R.** (1992). Insertion sequence IS1016 and absence of *Haemophilus* capsulation genes in the Brazilian purpuric fever clone of *Haemophilus influenzae* biogroup aegyptius. *Infect. Immun.*, **60**, 618-622.
- [89] **Donachie, W.**, Vaccine development against *Pasteurella haemolytica* infections in sheep., in *Haemophilus, Actinobacillus, and Pasteurella*, **W. Donachie, Lainson, F. A., Hodgson, J. C.**, Editor. 1995, Plenum Press: New York and London. p. 25-37.
- [90] **Donnio, P.Y., Allardet-Servent, A., Perrin, M., Escande, F. und Avril, J.L.** (1999). Characterisation of dermonecrotic toxin-producing strains of *Pasteurella multocida* subsp. *multocida* isolated from man and swine. *J. Med. Microbiol.*, **48**, 125-131.

- [91] **Doughty, S.W., Ruffolo, C.G. und Adler, B.** (2000). The type 4 fimbrial subunit gene of *Pasteurella multocida*. *Vet. Microbiol.*, **72**, 79-90.
- [92] **Dozois, C.M., Dho-Moulin, M., Bree, A., Fairbrother, J.M., Desautels, C. und Curtiss, R., 3rd** (2000). Relationship between the Tsh autotransporter and pathogenicity of avian *Escherichia coli* and localization and analysis of the *Tsh* genetic region. *Infect. Immun.*, **68**, 4145-4154.
- [93] **Dudet, L.I., Chailier, P., Dubreuil, J.D. und Martineau-Doize, B.** (1996). *Pasteurella multocida* toxin stimulates mitogenesis and cytoskeleton reorganization in Swiss 3T3 fibroblasts. *J. Cell Physiol.*, **168**, 173-182.
- [94] **Dugal, F., Belanger, M. und Jacques, M.** (1992). Enhanced adherence of *Pasteurella multocida* to porcine tracheal rings preinfected with *Bordetella bronchiseptica*. *Can. J. Vet. Res.*, **56**, 260-264.
- [95] **Duncan, J.R., Wilkie, B.N., Hiestand, F. und Winter, A.J.** (1972). The serum and secretory immunoglobulins of cattle: characterization and quantitation. *J. Immunol.*, **108**, 965-976.
- [96] **Ehlers, J., Schimmel, D., Sachse, K., Boehnke, H.J. und Schoss, P.** (1993). [Toxin-producing pasteurellas in a cattle herd]. *Dtsch. Tierärztl. Wochenschr.*, **100**, 488-491.
- [97] **Ekins, A., Bahrami, F., Sijercic, A., Maret, D. und Niven, D.F.** (2004). *Haemophilus somnus* possesses two systems for acquisition of transferrin-bound iron. *J. Bacteriol.*, **186**, 4407-4411.
- [98] **Ekins, A. und Niven, D.F.** (2002). Identification of *fur* and *fldA* homologs and a *Pasteurella multocida* *tbpA* homolog in *Histophilus ovis* and effects of iron availability on their transcription. *J. Bacteriol.*, **184**, 2539-2542.
- [99] **Erler, W., Schimmel, D. und Jacob, B.** (1993). [The effect of toxins from *Pasteurella multocida* type D in calves in vivo]. *Berl. Münch. Tierärztl. Wochenschr.*, **106**, 83-84.
- [100] **Ewers, C., Lübke-Becker, A. und Wieler, L.H.** (2004). [*Mannheimia haemolytica* and the pathogenesis of pneumonic pasteurellosis]. *Berl. Münch. Tierärztl. Wochenschr.*, **3-4**, 97-115.
- [101] **Ewers, C., Lübke-Becker, A. und Wieler, L.H.** (2004). [*Pasteurella*: insights into the virulence determinants of a heterogenous bacterium]. *Berl. Münch. Tierärztl. Wochenschr.*, **9-10**, 367-386.
- [102] **Feil, E.J. und Enright, M.C.** (2004). Analyses of clonality and the evolution of bacterial pathogens. *Curr Opin Microbiol*, **7**, 308-13.
- [103] **Fenwick, B.**, Liposaccharides and capsules of the HAP group bacteria., in *Haemophilus, Actinobacillus, and Pasteurella*, **W. Donachie, Lainson, F. A., Hodgson, J. C.**, Editor. 1995, Plenum Press: New York and London. p. 75-87.

- [104] **Fernandez de Henestrosa, A.R., Badiola, I., Saco, M., Perez de Rozas, A.M., Campoy, S. und Barbe, J.** (1997). Importance of the *galE* gene on the virulence of *Pasteurella multocida*. *FEMS Microbiol. Lett.*, **154**, 311-316.
- [105] **Ficken, M.D., Barnes, H.J., Avakian, A.P. und Carver, D.K.** (1992). Vaccination of turkeys with cell-free culture filtrate of *Pasteurella multocida*: effects of ultrafiltration and endotoxin removal. *Avian Dis.*, **36**, 423-431.
- [106] **Fortin, M. und Jacques, M.** (1987). Hemagglutination by *Pasteurella multocida* of porcine origin. *J. Clin. Microbiol.*, **25**, 938-939.
- [107] **Frank, G.H., Briggs, R.E., Loan, R.W., Purdy, C.W. und Zehr, E.S.** (1996). Respiratory tract disease and mucosal colonization by *Pasteurella haemolytica* in transported cattle. *Am. J. Vet. Res.*, **57**, 1317-1320.
- [108] **Frederiksen, W.** (1993). Ecology and significance of *Pasteurellaceae* in man--an update. *Zentralbl. Bakteriol.*, **279**, 27-34.
- [109] **Frymus, T., Bielecki, W. und Jakubowski, T.** (1991). Toxigenic *Pasteurella multocida* in rabbits with naturally occurring atrophic rhinitis. *Zentralbl. Veterinarmed. B*, **38**, 265-268.
- [110] **Fuller, C.A., Yu, R., Irwin, S.W. und Schryvers, A.B.** (1998). Biochemical evidence for a conserved interaction between bacterial transferrin binding protein A and transferrin binding protein B. *Microb. Pathog.*, **24**, 75-87.
- [111] **Fuller, T.E., Kennedy, M.J. und Lowery, D.E.** (2000). Identification of *Pasteurella multocida* virulence genes in a septicemic mouse model using signature-tagged mutagenesis. *Microb. Pathog.*, **29**, 25-38.
- [112] **Fussing, V., Nielsen, J.P., Bisgaard, M. und Meyling, A.** (1999). Development of a typing system for epidemiological studies of porcine toxin-producing *Pasteurella multocida* ssp. *multocida* in Denmark. *Vet. Microbiol.*, **65**, 61-74.
- [113] **Galdiero, M., Palomba, E., De, L., Vitiello, M. und Pagnini, P.** (1998). Effects of the major *Pasteurella multocida* porin on bovine neutrophils. *Am. J. Vet. Res.*, **59**, 1270-1274.
- [114] **Garrido, M.E., Bosch, M., Medina, R., Bigas, A., Llagostera, M., Perez De Rozas, A.M., Badiola, I. und Barbe, J.** (2003). *fur*-independent regulation of the *Pasteurella multocida hbpA* gene encoding a haemin-binding protein. *Microbiology*, **149**, 2273-2281.
- [115] **Gatewood, D.M., Fenwick, B.W. und Chengappa, M.M.** (1994). Growth-condition dependent expression of *Pasteurella haemolytica* A1 outer membrane proteins, capsule, and leukotoxin. *Vet. Microbiol.*, **41**, 221-233.
- [116] **Gatto, N.T., Dabo, S.M., Hancock, R.E. und Confer, A.W.** (2002). Characterization of, and immune responses of mice to, the purified OmpA- equivalent outer membrane protein of *Pasteurella multocida* serotype A:3 (Omp28). *Vet. Microbiol.*, **87**, 221-235.

- [117] **Glisson, J.R., Contreras, M.D., Cheng, I.H. und Wang, C.** (1993). Cross-protection studies with *Pasteurella multocida* bacterins prepared from bacteria propagated in iron-depleted medium. *Avian Dis.*, **37**, 1074-1079.
- [118] **Goldblatt, D.** (1998). Recent developments in bacterial conjugate vaccines. *J. Med. Microbiol.*, **47**, 563-567.
- [119] **Gonzalez, C., Murtaugh, M.P. und Maheswaran, S.K.** (1991). Genomic distribution of a serotype 1-specific antigen-coding DNA fragment of *Pasteurella haemolytica*. *Zentralbl. Veterinarmed. B*, **38**, 599-609.
- [120] **Gonzalez, C.T. und Maheswaran, S.K.** (1993). The role of induced virulence factors produced by *Pasteurella haemolytica* in the pathogenesis of bovine pneumonic pasteurellosis: review and hypotheses. *Br. Vet. J.*, **149**, 183-193.
- [121] **Gonzalez, C.T., Maheswaran, S.K. und Murtaugh, M.P.** (1995). *Pasteurella haemolytica* serotype 2 contains the gene for a noncapsular serotype 1-specific antigen. *Infect. Immun.*, **63**, 1340-1348.
- [122] **Graham, M.R. und Lo, R.Y.** (1997). Cloning and characterization of the *exbB-exbD-tonB* locus of *Pasteurella haemolytica* A1. *Gene*, **186**, 201-205.
- [123] **Graham, M.R. und Lo, R.Y.** (2002). A putative iron-regulated TonB-dependent receptor of *Mannheimia (Pasteurella) haemolytica* A1: possible mechanism for phase variation. *Vet. Microbiol.*, **84**, 53-67.
- [124] **Grund, S., Schoss, P. und Thiesen, B.** (1990). [*Pasteurella multocida* (type D and A) and atrophic rhinitis of swine-- hemagglutination, fimbriae and adhesion in vitro in the nasal mucosa of swine fetuses]. *Berl. Münch. Tierärztl. Wochenschr.*, **103**, 365-371.
- [125] **Hancock, R.E. und Brinkman, F.S.** (2002). Function of pseudomonas porins in uptake and efflux. *Annu. Rev. Microbiol.*, **56**, 17-38.
- [126] **Harmon, B.G., Glisson, J.R., Latimer, K.S., Steffens, W.L. und Nunnally, J.C.** (1991). Resistance of *Pasteurella multocida* A:3,4 to phagocytosis by turkey macrophages and heterophils. *Am. J. Vet. Res.*, **52**, 1507-1511.
- [127] **Harper, M., Boyce, J.D., Wilkie, I.W. und Adler, B.** (2003). Signature-tagged mutagenesis of *Pasteurella multocida* identifies mutants displaying differential virulence characteristics in mice and chickens. *Infect. Immun.*, **71**, 5440-5446.
- [128] **Heddleston, K.L., Goodson, T., Leibovitz, L. und Angstrom, C.I.** (1972). Serological and biochemical characteristics of *Pasteurella multocida* from free-flying birds and poultry. *Avian Dis.*, **16**, 729-734.
- [129] **Heinrichs, D.E., Yethon, J.A. und Whitfield, C.** (1998). Molecular basis for structural diversity in the core regions of the lipopolysaccharides of *Escherichia coli* and *Salmonella enterica*. *Mol. Microbiol.*, **30**, 221-232.
- [130] **Henderson, I.R., Navarro-Garcia, F. und Nataro, J.P.** (1998). The great escape: structure and function of the autotransporter proteins. *Trends Microbiol.*, **6**, 370-378.

- [131] **Higgins, T.E., Murphy, A.C., Staddon, J.M., Lax, A.J. und Rozengurt, E.** (1992). *Pasteurella multocida* toxin is a potent inducer of anchorage- independent cell growth. *Proc. Natl. Acad. Sci. U S A*, **89**, 4240-4244.
- [132] **Highlander, S.K.** (2001). Molecular genetic analysis of virulence in *Mannheimia (Pasteurella) haemolytica*. *Front. Biosci.*, **6**, 1128-1150.
- [133] **Highlander, S.K., Chidambaram, M., Engler, M.J. und Weinstock, G.M.** (1989). DNA sequence of the *Pasteurella haemolytica* leukotoxin gene cluster. *DNA*, **8**, 15-28.
- [134] **Highlander, S.K., Engler, M.J. und Weinstock, G.M.** (1990). Secretion and expression of the *Pasteurella haemolytica* Leukotoxin. *J. Bacteriol.*, **172**, 2343-2350.
- [135] **Highlander, S.K., Fedorova, N.D., Dusek, D.M., Panciera, R., Alvarez, L.E. und Rinehart, C.** (2000). Inactivation of *Pasteurella (Mannheimia) haemolytica* leukotoxin causes partial attenuation of virulence in a calf challenge model. *Infect. Immun.*, **68**, 3916-3922.
- [136] **Hodgson, J.C., Moon, G.M., Quirie, M. und Donachie, W.** (2003). Association of LPS chemotype of *Mannheimia (Pasteurella) haemolytica* A1 with disease virulence in a model of ovine pneumonic pasteurellosis. *J. Endotoxin Res.*, **9**, 25-32.
- [137] **Holland, J., Parsons, T.R., Hasan, A.A., Cook, S.M., Stevenson, P., Griffiths, E. und Williams, P.** (1996). Conservation and antigenic cross-reactivity of the transferin-binding proteins of *Haemophilus influenzae*, *Actinobacillus pleuropneumoniae* and *Neisseria meningitidis*. *Microbiology*, **142 (Pt 12)**, 3505-13.
- [138] **Hoskins, I.C. und Lax, A.J.** (1995). The *Pasteurella multocida* *txaR* gene is expressed in *Escherichia coli* but does not repress transcription of the *P. multocida* toxin gene *toxA*. *Mol. Microbiol.*, **18**, 377.
- [139] **Hoskins, I.C., Thomas, L.H. und Lax, A.J.** (1997). Nasal infection with *Pasteurella multocida* causes proliferation of bladder epithelium in gnotobiotic pigs. *Vet. Rec.*, **140**, 22.
- [140] **Hsuan, S.L., Kannan, M.S., Jeyaseelan, S., Prakash, Y.S., Sieck, G.C. und Maheswaran, S.K.** (1998). *Pasteurella haemolytica* A1-derived leukotoxin and endotoxin induce intracellular calcium elevation in bovine alveolar macrophages by different signaling pathways. *Infect. Immun.*, **66**, 2836-2844.
- [141] **Hu, S.P., Felice, L.J., Sivanandan, V. und Maheswaran, S.K.** (1986). Siderophore production by *Pasteurella multocida*. *Infect. Immun.*, **54**, 804-810.
- [142] **Hunt Gerardo, S., Citron, D.M., Claros, M.C., Fernandez, H.T. und Goldstein, E.J.** (2001). *Pasteurella multocida* subsp. *multocida* and *P. multocida* subsp. *septica* differentiation by PCR fingerprinting and alpha-glucosidase activity. *J. Clin. Microbiol.*, **39**, 2558-2564.
- [143] **Hunt, M.L., Adler, B. und Townsend, K.M.** (2000). The molecular biology of *Pasteurella multocida*. *Vet. Microbiol.*, **72**, 3-25.

- [144] **Hunt, M.L., Boucher, D.J., Boyce, J.D. und Adler, B.** (2001). In vivo-expressed genes of *Pasteurella multocida*. *Infect. Immun.*, **69**, 3004-3012.
- [145] **Hunt, M.L., Cox, A.J., Ruffolo, C.G., Rajakumar, K. und Adler, B.** (2000). Characterisation of a *Pasteurella multocida* esterase gene which confers a hemolytic phenotype in *Escherichia coli* under anaerobic conditions. *FEMS Microbiol. Lett.*, **192**, 249-256.
- [146] **iDali, C., Foged, N.T., Frandsen, P.L., Nielsen, M.H. und Elling, F.** (1991). Ultrastructural localization of the *Pasteurella multocida* toxin in a toxin-producing strain. *J. Gen. Microbiol.*, **137**, 1067-1071.
- [147] **Ifeanyi, F.I. und Bailie, W.E.** (1992). Passive protection of mice with antiserum to neuraminidase from *Pasteurella multocida* serotype A:3. *Vet. Res. Commun.*, **16**, 97-105.
- [148] **Inzana, T.J., Todd, J. und Veit, H.P.** (1993). Safety, stability, and efficacy of non-capsulated mutants of *Actinobacillus pleuropneumoniae* for use in live vaccines. *Infect. Immun.*, **61**, 1682-1686.
- [149] **Iovane, G., Galdiero, M., Vitiello, M. und De Martino, L.** (1998). Effect of *Pasteurella haemolytica* outer membrane proteins on bovine neutrophils. *FEMS Immunol. Med. Microbiol.*, **20**, 29-36.
- [150] **Iovane, G., Pagnini, P., Galdiero, M., Cipollaro de l'Ero, G., Vitiello, M., D'Isanto, M. und Marcatili, A.** (1998). Role of *Pasteurella multocida* porin on cytokine expression and release by murine splenocytes. *Vet. Immunol. Immunopathol.*, **66**, 391-404.
- [151] **Isaacson, R.E. und Trigo, E.** (1995). Pili of *Pasteurella multocida* of porcine origin. *FEMS Microbiol. Lett.*, **132**, 247-251.
- [152] **Jacques, M., Belanger, M., Diarra, M.S., Dargis, M. und Malouin, F.** (1994). Modulation of *Pasteurella multocida* capsular polysaccharide during growth under iron-restricted conditions and in vivo. *Microbiology*, **140**, 263-270.
- [153] **Jacques, M. und Paradis, S.E.** (1998). Adhesin-receptor interactions in *Pasteurellaceae*. *FEMS Microbiol. Rev.*, **22**, 45-59.
- [154] **Jaramillo, L., Diaz, F., Hernandez, P., Debray, H., Trigo, F., Mendoza, G. und Zenteno, E.** (2000). Purification and characterization of an adhesin from *Pasteurella haemolytica*. *Glycobiology*, **10**, 31-37.
- [155] **Jaworski, M.D., Hunter, D.L. und Ward, A.C.** (1998). Biovariants of isolates of *Pasteurella* from domestic and wild ruminants. *J. Vet. Diagn. Invest.*, **10**, 49-55.
- [156] **Jeyaseelan, S., Hsuan, S.L., Kannan, M.S., Walcheck, B., Wang, J.F., Kehrl, M.E., Lally, E.T., Sieck, G.C. und Maheswaran, S.K.** (2000). Lymphocyte function-associated antigen 1 is a receptor for *Pasteurella haemolytica* leukotoxin in bovine leukocytes. *Infect. Immun.*, **68**, 72-79.

- [157] **Jeyaseelan, S., Sreevatsan, S. und Maheswaran, S.K.** (2002). Role of *Mannheimia haemolytica* leukotoxin in the pathogenesis of bovine pneumonic pasteurellosis. *Anim. Health Res. Rev.*, **3**, 69-82.
- [158] **Kamp, E.M., Bokken, G.C., Vermeulen, T.M., de Jong, M.F., Buys, H.E., Reek, F.H. und Smits, M.A.** (1996). A specific and sensitive PCR assay suitable for large-scale detection of toxigenic *Pasteurella multocida* in nasal and tonsillar swabs specimens of pigs. *J. Vet. Diagn. Invest.*, **8**, 304-309.
- [159] **Kamp, E.M., ter Laak, E.A. und de Jong, M.F.** (1990). Atypical *Pasteurella* strains producing a toxin similar to the dermonecrotic toxin of *Pasteurella multocida* subspecies *multocida*. *Vet. Rec.*, **126**, 434-437.
- [160] **Kashimoto, T., Katahira, J., Cornejo, W.R., Masuda, M., Fukuoh, A., Matsuzawa, T., Ohnishi, T. und Horiguchi, Y.** (1999). Identification of functional domains of *Bordetella* dermonecrotizing toxin. *Infect. Immun.*, **67**, 3727-3732.
- [161] **Kasten, R.W., Carpenter, T.E., Snipes, K.P. und Hirsh, D.C.** (1997). Detection of *Pasteurella multocida*-specific DNA in turkey flocks by use of the polymerase chain reaction. *Avian Dis.*, **41**, 676-682.
- [162] **Kasten, R.W., Hansen, L.M., Hinojoza, J., Bieber, D., Ruehl, W.W. und Hirsh, D.C.** (1995). *Pasteurella multocida* produces a protein with homology to the P6 outer membrane protein of *Haemophilus influenzae*. *Infect. Immun.*, **63**, 989-993.
- [163] **Kerr, J.R.** (1999). Cell adhesion molecules in the pathogenesis of and host defence against microbial infection. *Mol. Pathol.*, **52**, 220-230.
- [164] **Kielstein, P.** (1986). On the occurrence of toxin-producing *Pasteurella-multocida*-strains in atrophic rhinitis and in pneumonias of swine and cattle. *Zentralbl. Veterinarmed. B*, **33**, 418-424.
- [165] **Kilian, M., Mestecky, J. und Russell, M.W.** (1988). Defense mechanisms involving Fc-dependent functions of immunoglobulin A and their subversion by bacterial immunoglobulin A proteases. *Microbiol. Rev.*, **52**, 296-303.
- [166] **Kilian, M., Reinholdt, J., Lomholt, H., Poulsen, K. und Frandsen, E.V.** (1996). Biological significance of IgA1 proteases in bacterial colonization and pathogenesis: critical evaluation of experimental evidence. *Acta Pathol. Microbiol. et Immunol. Scand.*, **104**, 321-338.
- [167] **Kimura, M.** (1968). Evolutionary rate at the molecular level. *Nature*, **217**, 624-6.
- [168] **Kinnula, V.L. und Crapo, J.D.** (2003). Superoxide dismutases in the lung and human lung diseases. *Am. J. Respir. Crit. Care Med.*, **167**, 1600-1619.
- [169] **Kirby, S.D., Lainson, F.A., Donachie, W., Okabe, A., Tokuda, M., Hatase, O. und Schryvers, A.B.** (1998). The *Pasteurella haemolytica* 35 kDa iron-regulated protein is an FbpA homologue. *Microbiology*, **144**, 3425-3436.

- [170] **Kirby, S.D., Ogunnariwo, J.A., Schryvers, A.B.**, Receptor-mediated iron acquisition from transferrin in the *Pasteurellaceae.*, in *Haemophilus, Actinobacillus, and Pasteurella*, **W. Donachie, Lainson, F.A., Hodgson, J.C.**, Editor. 1995, Plenum Press: New York and London. p. 115-127.
- [171] **Kroll, J.S., Langford, P.R. und Loynds, B.M.** (1991). Copper-zinc superoxide dismutase of *Haemophilus influenzae* and *H. parainfluenzae*. *J. Bacteriol.*, **173**, 7449-7457.
- [172] **Kroll, J.S., Langford, P.R., Wilks, K.E. und Keil, A.D.** (1995). Bacterial [Cu,Zn]-superoxide dismutase: phylogenetically distinct from the eukaryotic enzyme, and not so rare after all! *Microbiology*, **141**, 2271-2279.
- [173] **Kroll, J.S., Loynds, B.M. und Moxon, E.R.** (1991). The *Haemophilus influenzae* capsulation gene cluster: a compound transposon. *Mol. Microbiol.*, **5**, 1549-1560.
- [174] **Kyte, J. und Doolittle, R.F.** (1982). A simple method for displaying the hydrophobic character of a protein. *J. Mol. Biol.*, **157**, 105-132.
- [175] **Lacerda, H.M., Lax, A.J. und Rozenfurt, E.** (1996). *Pasteurella multocida* toxin, a potent intracellularly acting mitogen, induces p125FAK and paxillin tyrosine phosphorylation, actin stress fiber formation, and focal contact assembly in Swiss 3T3 cells. *J. Biol. Chem.*, **271**, 439-445.
- [176] **Lafleur, R.L., Abrahamsen, M.S. und Maheswaran, S.K.** (1998). The biphasic mRNA expression pattern of bovine interleukin-8 in *Pasteurella haemolytica* lipopolysaccharide-stimulated alveolar macrophages is primarily due to tumor necrosis factor alpha. *Infect. Immun.*, **66**, 4087-4092.
- [177] **Lainson, F.A., Thomson, N., Rowe, H.A., Langford, P.R., Aitchison, K.D., Donachie, W. und Kroll, J.S.** (1996). Occurrence of [copper, zinc]-cofactored superoxide dismutase in *Pasteurella haemolytica* and its serotype distribution. *FEMS Microbiol. Lett.*, **142**, 11-17.
- [178] **Lally, E.T., Hill, R.B., Kieba, I.R. und Korostoff, J.** (1999). The interaction between RTX toxins and target cells. *Trends Microbiol.*, **7**, 356-361.
- [179] **Lariviere, S., Leblanc, L., Mittal, K.R. und Martineau, G.P.** (1992). Characterization of *Pasteurella multocida* from nasal cavities of piglets from farms with or without atrophic rhinitis. *J. Clin. Microbiol.*, **30**, 1398-1401.
- [180] **Laurent, T.C. und Fraser, J.R.** (1992). Hyaluronan. *Faseb. J.*, **6**, 2397-2404.
- [181] **Lax, A.J. und Chanter, N.** (1990). Cloning of the toxin gene from *Pasteurella multocida* and its role in atrophic rhinitis. *J. Gen. Microbiol.*, **136**, 81-87.
- [182] **Lee, B.C.** (1995). Quelling the red menace: haem capture by bacteria. *Mol Microbiol*, **18**, 383-90.

- [183] **Lee, C.W. und Shewen, P.E.** (1996). Evidence of bovine immunoglobulin G1 (IgG1) protease activity in partially purified culture supernate of *Pasteurella haemolytica* A1. *Can. J. Vet. Res.*, **60**, 127-132.
- [184] **Lee, C.W., Shewen, P.E., Cladman, W.M., Conlon, J.A., Mellors, A. und Lo, R.Y.** (1994). Sialoglycoprotease of *Pasteurella haemolytica* A1: detection of antisialoglycoprotease antibodies in sera of calves. *Can. J. Vet. Res.*, **58**, 93-98.
- [185] **Leite, F., Gyles, S., Atapattu, D., Maheswaran, S.K. und Czuprynski, C.J.** (2003). Prior exposure to *Mannheimia haemolytica* leukotoxin or LPS enhances beta(2)-integrin expression by bovine neutrophils and augments LKT cytotoxicity. *Microb. Pathog.*, **34**, 267-275.
- [186] **Lemichez, E., Flatau, G., Bruzzone, M., Boquet, P. und Gauthier, M.** (1997). Molecular localization of the *Escherichia coli* cytotoxic necrotizing factor CNF1 cell-binding and catalytic domains. *Mol. Microbiol.*, **24**, 1061-1070.
- [187] **Li, J. und Clinkenbeard, K.D.** (1999). Lipopolysaccharide complexes with *Pasteurella haemolytica* leukotoxin. *Infect. Immun.*, **67**, 2920-2927.
- [188] **Lichtensteiger, C.A., Steenbergen, S.M., Lee, R.M., Polson, D.D. und Vimr, E.R.** (1996). Direct PCR analysis for toxigenic *Pasteurella multocida*. *J. Clin. Microbiol.*, **34**, 3035-3039.
- [189] **Lichtensteiger, C.A. und Vimr, E.R.** (1997). Neuraminidase (sialidase) activity of *Haemophilus parasuis*. *FEMS Microbiol. Lett.*, **152**, 269-274.
- [190] **Lo, M., Boyce, J.D., Wilkie, I.W. und Adler, B.** (2004). Characterization of two lipoproteins in *Pasteurella multocida*. *Microbes Infect.*, **6**, 58-67.
- [191] **Lo, R.Y.** (2001). Genetic analysis of virulence factors of *Mannheimia (Pasteurella) haemolytica* A1. *Vet. Microbiol.*, **83**, 23-35.
- [192] **Lo, R.Y., McKerral, L.J., Hills, T.L. und Kostrzynska, M.** (2001). Analysis of the capsule biosynthetic locus of *Mannheimia (Pasteurella) haemolytica* A1 and proposal of a nomenclature system. *Infect. Immun.*, **69**, 4458-4464.
- [193] **Lo, R.Y., Strathdee, C.A. und Shewen, P.E.** (1987). Nucleotide sequence of the leukotoxin genes of *Pasteurella haemolytica* A1. *Infect. Immun.*, **55**, 1987-1996.
- [194] **Lo, R.Y., Strathdee, C.A., Shewen, P.E. und Cooney, B.J.** (1991). Molecular studies of Ssa1, a serotype-specific antigen of *Pasteurella haemolytica* A1. *Infect. Immun.*, **59**, 3398-3406.
- [195] **Lo, R.Y.C.**, *Pasteurella*, in *Molecular Medical Microbiology*, **M. Sussman**, Editor. 2002, Academic Press: Newcastle. p. 973-986.
- [196] **Long, J.P., Tong, H.H. und DeMaria, T.F.** (2004). Immunization with native or recombinant *Streptococcus pneumoniae* neuraminidase affords protection in the chinchilla otitis media model. *Infect. Immun.*, **72**, 4309-4313.

- [197] **Loosmore, S.M., Yang, Y.P., Coleman, D.C., Shortreed, J.M., England, D.M. und Klein, M.H.** (1997). Outer membrane protein D15 is conserved among *Haemophilus influenzae* species and may represent a universal protective antigen against invasive disease. *Infect. Immun.*, **65**, 3701-3707.
- [198] **Loveless, B.J. und Saier, M.H., Jr.** (1997). A novel family of channel-forming, auto-transporting, bacterial virulence factors. *Mol. Membr. Biol.*, **14**, 113-123.
- [199] **Lübke, A., Hartmann, L., Schroder, W. und Hellmann, E.** (1994). Isolation and partial characterization of the major protein of the outer membrane of *Pasteurella haemolytica* and *Pasteurella multocida*. *Zentralbl. Bakteriolog.*, **281**, 45-54.
- [200] **Ludwig, A., Bauer, S., Benz, R., Bergmann, B. und Goebel, W.** (1999). Analysis of the SlyA-controlled expression, subcellular localization and pore-forming activity of a 34 kDa haemolysin (ClyA) from *Escherichia coli* K-12. *Mol. Microbiol.*, **31**, 557-567.
- [201] **Lugowski, C., Kulakowska, M. und Romanowska, E.** (1983). Enterobacterial common antigen-tetanus toxoid conjugate as immunogen. *Infect. Immun.*, **42**, 1086-1091.
- [202] **Lugtenberg, B., van Boxtel, R. und de Jong, M.** (1984). Atrophic rhinitis in swine: correlation of *Pasteurella multocida* pathogenicity with membrane protein and lipopolysaccharide patterns. *Infect. Immun.*, **46**, 48-54.
- [203] **Luo, Y., Glisson, J.R., Jackwood, M.W., Hancock, R.E., Bains, M., Cheng, I.H. und Wang, C.** (1997). Cloning and characterization of the major outer membrane protein gene (*ompH*) of *Pasteurella multocida* X-73. *J. Bacteriol.*, **179**, 7856-7864.
- [204] **Luo, Y., Zeng, Q., Glisson, J.R., Jackwood, M.W., Cheng, I.H. und Wang, C.** (1999). Sequence analysis of *Pasteurella multocida* major outer membrane protein (*OmpH*) and application of synthetic peptides in vaccination of chickens against homologous strain challenge. *Vaccine*, **17**, 821-831.
- [205] **Magyar, T. und Rimler, R.B.** (1991). Detection and enumeration of toxin-producing *Pasteurella multocida* with a colony-blot assay. *J. Clin. Microbiol.*, **29**, 1328-1332.
- [206] **Mahasreshti, P.J., Murphy, G.L., Wyckoff, J.H., 3rd, Farmer, S., Hancock, R.E. und Confer, A.W.** (1997). Purification and partial characterization of the *OmpA* family of proteins of *Pasteurella haemolytica*. *Infect. Immun.*, **65**, 211-218.
- [207] **Majury, A.L. und Shewen, P.E.** (1991). The effect of *Pasteurella haemolytica* A1 leukotoxic culture supernate on the in vitro proliferative response of bovine lymphocytes. *Vet. Immunol. Immunopathol.*, **29**, 41-56.
- [208] **Male, C.J.** (1979). Immunoglobulin A1 protease production by *Haemophilus influenzae* and *Streptococcus pneumoniae*. *Infect. Immun.*, **26**, 254-261.
- [209] **Marandi, M. und Mittal, K.R.** (1996). Characterization of an outer membrane protein of *Pasteurella multocida* belonging to the *OmpA* family. *Vet. Microbiol.*, **53**, 303-314.

- [210] **Marandi, M. und Mittal, K.R.** (1997). Role of Outer Membrane Protein H (OMPH)- and OMPA-specific monoclonal antibodies from hybridoma tumors in protection of mice against *Pasteurella multocida*. *Infect. Immun.*, **65**, 4502-4508.
- [211] **May, B.J., Zhang, Q., Li, L.L., Paustian, M.L., Whittam, T.S. und Kapur, V.** (2001). Complete genomic sequence of *Pasteurella multocida*, Pm70. *Proc. Natl. Acad. Sci. U S A*, **98**, 3460-3465.
- [212] **McKerral, L.J. und Lo, R.Y.** (2002). Construction and characterization of an acapsular mutant of *Mannheimia haemolytica* A1. *Infect. Immun.*, **70**, 2622-2629.
- [213] **Mellors, A.**, O-Sialoglycoprotein, in *Handbook of Proteolytic Enzymes*, **A.L. Barrett and F.F. Woessner**, Editors. 1998, Academic Press: New York. p. 1471-1473.
- [214] **Mizan, S., Henk, A., Stallings, A., Maier, M. und Lee, M.D.** (2000). Cloning and characterization of sialidases with 2-6' and 2-3' sialyl lactose specificity from *Pasteurella multocida*. *J. Bacteriol.*, **182**, 6874-6883.
- [215] **Moller, L.V., Grasselier, H., Dankert, J. und van Alphen, L.** (1996). Variation in metabolic enzyme activity of persistent *Haemophilus influenzae* in respiratory tracts of patients with cystic fibrosis. *J. Clin. Microbiol.*, **34**, 1926-1929.
- [216] **Morck, D.W., Olson, M.E., Acres, S.D., Daoust, P.Y. und Costerton, J.W.** (1989). Presence of bacterial glycocalyx and fimbriae on *Pasteurella haemolytica* in feedlot cattle with pneumonic pasteurellosis. *Can. J. Vet. Res.*, **53**, 167-171.
- [217] **Morgan, K.L., Bourne, F.J., Newby, T.J. und Bradley, P.A.** (1981). Humoral factors in the secretory immune system of ruminants. *Adv. Exp. Med. Biol.*, **137**, 391-411.
- [218] **Morton, D.J., Whitby, P.W., Jin, H., Ren, Z. und Stull, T.L.** (1999). Effect of multiple mutations in the hemoglobin- and hemoglobin-haptoglobin-binding proteins, HgpA, HgpB, and HgpC, of *Haemophilus influenzae* type b. *Infect. Immun.*, **67**, 2729-2739.
- [219] **Mueller, H.E. und Mannheim, W.** (1995). Occurrence of sialidase and N-acetylneuraminatase lyase in *Pasteurella* species. *Zentralbl. Bakteriol.*, **283**, 105-114.
- [220] **Murphy, G.L. und Whitworth, L.C.** (1993). Analysis of tandem, multiple genes encoding 30-kDa membrane proteins in *Pasteurella haemolytica* A1. *Gene*, **129**, 107-111.
- [221] **Murphy, G.L., Whitworth, L.C., Clinkenbeard, K.D. und Clinkenbeard, P.A.** (1995). Hemolytic activity of the *Pasteurella haemolytica* leukotoxin. *Infect. Immun.*, **63**, 3209-3212.
- [222] **Murphy, G.L., Whitworth, L.C., Confer, A.W., Gaskins, J.D., Pandher, K. und Dabo, S.M.** (1998). Characterization of a *Pasteurella haemolytica* A1 mutant deficient in production of three membrane lipoproteins. *Am. J. Vet. Res.*, **59**, 1275-1280.
- [223] **Murray, P.R., Baron, E.J., Pfaller, M.A., Tenover, F.C. und Tenover, R.H.**, Manual of Clinical Microbiology. 7th ed. 1999, Washington: ASM Press.

- [224] **Mutters, R., Bisgaard, M. und Pohl, S.** (1986). Taxonomic relationship of selected biogroups of *Pasteurella haemolytica* as revealed by DNA:DNA hybridizations. *Acta Pathol. Microbiol. Immunol. Scand. [B]*, **94**, 195-202.
- [225] **Mutters, R., Mannheim, W. und Bisgaard, M.**, Taxonomy of the group., in *Pasteurella and Pasteurellosis*, **C. Adlam and J.M. Rutter**, Editors. 1989, Academic Press: London. p. 3-34.
- [226] **Namioka, S. und Murata, M.** (1961). Serological studies on *Pasteurella multocida*. III. O antigenic analysis of cultures isolated from various animals. *Cornell Vet.*, **51**, 522-528.
- [227] **Nardini, P.M., Mellors, A. und Lo, R.Y.** (1998). Characterization of a fourth lipoprotein from *Pasteurella haemolytica* A1 and its homology to the OmpA family of outer membrane proteins. *FEMS Microbiol. Lett.*, **165**, 71-77.
- [228] **Negrete-Abascal, E., Tenorio, V.R. und de la Garza, M.** (1999). Secretion of proteases from *Pasteurella multocida* isolates. *Curr. Microbiol.*, **38**, 64-67.
- [229] **Negrete-Abascal, E., Tenorio, V.R., Serrano, J.J., Garcia, C. und de la Garza, M.** (1994). Secreted proteases from *Actinobacillus pleuropneumoniae* serotype 1 degrade porcine gelatin, hemoglobin and immunoglobulin A. *Can. J. Vet. Res.*, **58**, 83-86.
- [230] **Neilands, J.B.** (1995). Siderophores: Structure and Function of Microbial Iron Transport Compounds. *J. Biol. Chem.*, **270**, 26723-26726.
- [231] **Newsom, I.E. und Cross, F.** (1932). Some bipolar organisms found in pneumonia in sheep. *J. Am. Vet. Med. Assoc.*, **80**, 711-719.
- [232] **Nielsen, J.P., Bisgaard, M. und Pedersen, K.B.** (1986). Production of toxin in strains previously classified as *Pasteurella multocida*. *Acta Pathol. Microbiol. Immunol. Scand. [B]*, **94**, 203-204.
- [233] **Nyarko, K.A., Coomber, B.L., Mellors, A. und Gentry, P.A.** (1998). Bovine platelet adhesion is enhanced by leukotoxin and sialoglycoprotease isolated from *Pasteurella haemolytica* A1 cultures. *Vet. Microbiol.*, **61**, 81-91.
- [234] **Ogunnariwo, J.A., Alcantara, J. und Schryvers, A.B.** (1991). Evidence for non-siderophore-mediated acquisition of transferrin-bound iron by *Pasteurella multocida*. *Microb. Pathog.*, **11**, 47-56.
- [235] **Ogunnariwo, J.A. und Schryvers, A.B.** (2001). Characterization of a novel transferrin receptor in bovine strains of *Pasteurella multocida*. *J. Bacteriol.*, **183**, 890-896.
- [236] **Ogunnariwo, J.A. und Schryvers, A.B.** (1990). Iron acquisition in *Pasteurella haemolytica*: expression and identification of a bovine-specific transferrin receptor. *Infect. Immun.*, **58**, 2091-2097.
- [237] **Ogunnariwo, J.A. und Schryvers, A.B.** (1996). Rapid identification and cloning of bacterial transferrin and lactoferrin receptor protein genes. *J. Bacteriol.*, **178**, 7326-7328.

- [238] **Ogunnariwo, J.A., Woo, T.K., Lo, R.Y., Gonzalez, G.C. und Schryvers, A.B.** (1997). Characterization of the *Pasteurella haemolytica* transferrin receptor genes and the recombinant receptor proteins. *Microb. Pathog.*, **23**, 273-284.
- [239] **Osawa, R., Rainey, F., Fujisawa, T., Lang, E., Busse, H.J., Walsh, T.P. und Stackebrandt, E.** (1996). *Lonepinella koalarum* gen. nov. sp. nov. In *Validation of the Publication of New Names and New Combinations Previously Effectively Published Outside the IJSB. List no. 56. Int. J. Syst. Bacteriol.*, **46**.
- [240] **Oswald, E., Sugai, M., Labigne, A., Wu, H.C., Fiorentini, C., Boquet, P. und O'Brien, A.D.** (1994). Cytotoxic necrotizing factor type 2 produced by virulent *Escherichia coli* modifies the small GTP-binding proteins Rho involved in assembly of actin stress fibers. *Proc. Natl. Acad. Sci. USA*, **91**, 3814-3818.
- [241] **Pandher, K., Confer, A.W. und Murphy, G.L.** (1998). Genetic and immunologic analyses of PlpE, a lipoprotein important in complement-mediated killing of *Pasteurella haemolytica* serotype 1. *Infect. Immun.*, **66**, 5613-5619.
- [242] **Pandher, K. und Murphy, G.L.** (1996). Genetic and immunological analyses of a 38 kDa surface-exposed lipoprotein of *Pasteurella haemolytica* A1. *Vet. Microbiol.*, **51**, 331-341.
- [243] **Pandit, K.K. und Smith, J.E.** (1993). Capsular hyaluronic acid in *Pasteurella multocida* type A and its counterpart in type D. *Res. Vet. Sci.*, **54**, 20-24.
- [244] **Paulsen, D.B., Confer, A.W., Clinkenbeard, K.D. und Mosier, D.A.** (1995). *Pasteurella haemolytica* lipopolysaccharide-induced cytotoxicity in bovine pulmonary artery endothelial monolayers: inhibition by indomethacin. *Vet. Pathol.*, **32**, 173-183.
- [245] **Pestana de Castro, A.F., Perreau, P., Rodrigues, A.C. und Simoes, M.** (1980). Haemagglutinating properties of *Pasteurella multocida* type A strains isolated from rabbits and poultry. *Ann. Microbiol. (Paris)*, **131**, 255-263.
- [246] **Petersen, S.K.** (1990). The complete nucleotide sequence of the *Pasteurella multocida* toxin gene and evidence for a transcriptional repressor, TxaR. *Mol. Microbiol.*, **4**, 821-830.
- [247] **Petersen, S.K. und Foged, N.T.** (1989). Cloning and expression of the *Pasteurella multocida* toxin gene, *tox*A, in *Escherichia coli*. *Infect. Immun.*, **57**, 3907-3913.
- [248] **Petras, S.F., Chidambaram, M., Illyes, E.F., Froshauer, S., Weinstock, G.M. und Reese, C.P.** (1995). Antigenic and virulence properties of *Pasteurella haemolytica* leukotoxin mutants. *Infect. Immun.*, **63**, 1033-1039.
- [249] **Pijoan, C., Lastra, A., Ramirez, C. und Leman, A.D.** (1984). Isolation of toxigenic strains of *Pasteurella multocida* from lungs of pneumonic swine. *J. Am. Vet. Med. Assoc.*, **185**, 522-523.
- [250] **Pijoan, C. und Trigo, F.** (1990). Bacterial adhesion to mucosal surfaces with special reference to *Pasteurella multocida* isolates from atrophic rhinitis. *Can. J. Vet. Res.*, **54 Suppl**, 16-21.

- [251] **Poermadjaja, B. und Frost, A.** (2000). Phagocytic uptake and killing of virulent and avirulent strains of *Pasteurella multocida* of capsular serotype A by chicken macrophages. *Vet. Microbiol.*, **72**, 163-171.
- [252] **Pohl, S.**, DNA relatedness among members of *Haemophilus*, *Pasteurella* and *Actinobacillus.*, in *Haemophilus, Pasteurella and Actinobacillus.*, **M. Kilian, W. Frederiksen, and E.L. Biberstein**, Editors. 1981, Academic Press: London. p. 245-253.
- [253] **Potter, A.A., Ready, K. und Gilchrist, J.** (1988). Purification of fimbriae from *Pasteurella haemolytica* A-1. *Microb. Pathog.*, **4**, 311-316.
- [254] **Potter, A.A., Schryvers, A.B., Ogunnariwo, J.A., Hutchins, W.A., Lo, R.Y. und Watts, T.** (1999). Protective capacity of the *Pasteurella haemolytica* transferrin-binding proteins TbpA and TbpB in cattle. *Microb. Pathog.*, **27**, 197-206.
- [255] **Potter, M.D. und Lo, R.Y.** (1995). Cloning and characterization of a gene from *Pasteurella haemolytica* A1 involved in lipopolysaccharide biosynthesis. *FEMS Microbiol. Lett.*, **129**, 75-81.
- [256] **Potter, M.D. und Lo, R.Y.** (1996). Cloning and characterization of the *galE* locus of *Pasteurella haemolytica* A1. *Infect. Immun.*, **64**, 855-860.
- [257] **Pouedras, P., Andre, P.M., Donnio, P.Y. und Avril, J.L.** (1992). Cleavage of immunoglobulin A1, A2 and G by proteases from clinical isolates of *Pasteurella multocida*. *J. Med. Microbiol.*, **37**, 128-132.
- [258] **Poulsen, K., Brandt, J., Hjorth, J.P., Thogersen, H.C. und Kilian, M.** (1989). Cloning and sequencing of the immunoglobulin A1 protease gene (*iga*) of *Haemophilus influenzae* serotype b. *Infect. Immun.*, **57**, 3097-3105.
- [259] **Pruimboom, I.M., Rimler, R.B. und Ackermann, M.R.** (1999). Enhanced adhesion of *Pasteurella multocida* to cultured turkey peripheral blood monocytes. *Infect. Immun.*, **67**, 1292-1296.
- [260] **Pruimboom, I.M., Rimler, R.B., Ackermann, M.R. und Brogden, K.A.** (1996). Capsular hyaluronic acid-mediated adhesion of *Pasteurella multocida* to turkey air sac macrophages. *Avian Dis.*, **40**, 887-893.
- [261] **Pullinger, G.D., Adams, T.E., Mullan, P.B., Garrod, T.I. und Lax, A.J.** (1996). Cloning, expression, and molecular characterization of the dermonecrotic toxin gene of *Bordetella* spp. *Infect. Immun.*, **64**, 4163-4171.
- [262] **Pullinger, G.D., Bevir, T. und Lax, A.J.** (2004). The *Pasteurella multocida* toxin is encoded within a lysogenic bacteriophage. *Mol. Microbiol.*, **51**, 255-269.
- [263] **Pullinger, G.D., Sowdhamini, R. und Lax, A.J.** (2001). Localization of functional domains of the mitogenic toxin of *Pasteurella multocida*. *Infect. Immun.*, **69**, 7839-7850.

- [264] **Purdy, C.W., Straus, D.C., Struck, D. und Foster, G.S.** (1993). Efficacy of *Pasteurella haemolytica* subunit antigens in a goat model of pasteurellosis. *Am. J. Vet. Res.*, **54**, 1637-1647.
- [265] **Raetz, C.R. und Whitfield, C.** (2002). Lipopolysaccharide endotoxins. *Annu. Rev. Biochem.*, **71**, 635-700.
- [266] **Ramirez-Romero, R. und Brogden, K.A.** (2000). The potential role of the Arthus and Shwartzman reactions in the pathogenesis of pneumonic pasteurellosis. *Inflamm. Res.*, **49**, 98-101.
- [267] **Ramirez-Romero, R., Brogden, K.A., Gallup, J.M., Dixon, R.A. und Ackermann, M.R.** (2000). Reduction of pulmonary mast cells in areas of acute inflammation in calves with *Mannheimia (Pasteurella) haemolytica* pneumonia. *J. Comp. Pathol.*, **123**, 29-35.
- [268] **Ratledge, C. und Dover, L.G.** (2000). Iron metabolism in pathogenic bacteria. *Annu. Rev. Microbiol.*, **54**, 881-941.
- [269] **Rhoades, K.R. und Rimler, R.B.** (1990). Virulence and toxigenicity of capsular serogroup D *Pasteurella multocida* strains isolated from avian hosts. *Avian Dis.*, **34**, 384-388.
- [270] **Rimler, R.B.** (1990). Comparisons of *Pasteurella multocida* lipopolysaccharides by sodium dodecyl sulfate-polyacrylamide gel electrophoresis to determine relationship between group B and E hemorrhagic septicemia strains and serologically related group A strains. *J. Clin. Microbiol.*, **28**, 654-659.
- [271] **Rimler, R.B.** (1987). Cross-protection factor(s) of *Pasteurella multocida*: passive immunization of turkeys against fowl cholera caused by different serotypes. *Avian Dis.*, **31**, 884-887.
- [272] **Rimler, R.B., Angus, R.D. und Phillips, M.** (1989). Evaluation of the specificity of *Pasteurella multocida* somatic antigen-typing antisera prepared in chickens, using ribosome-lipopolysaccharide complexes as inocula. *Am. J. Vet. Res.*, **50**, 29-31.
- [273] **Rimler, R.B. und Rhoades, K.R.** (1987). Serogroup F, a new capsule serogroup of *Pasteurella multocida*. *J. Clin. Microbiol.*, **25**, 615-618.
- [274] **Roberts, I.S.** (1996). The biochemistry and genetics of capsular polysaccharide production in bacteria. *Annu. Rev. Microbiol.*, **50**, 285-315.
- [275] **Rocke, T.E., Smith, S.R., Miyamoto, A. und Shadduck, D.J.** (2002). A serotype-specific polymerase chain reaction for identification of *Pasteurella multocida* serotype 1. *Avian Dis.*, **46**, 370-377.
- [276] **Rolle, M. und Mayr, A.**, Bakterielle Krankheiten der Tiere, in *Medizinische Mikrobiologie, Infektions- und Seuchenlehre*, **H.-J. Selbitz**, Editor. 2002, Enke Verlag: Stuttgart. p. 492-499.

- [277] **Rosner, H., Grimmecke, H.D., Knirel, Y.A. und Shashkov, A.S.** (1992). Hyaluronic acid and a (1----4)-beta-D-xylan, extracellular polysaccharides of *Pasteurella multocida* (Carter type A) strain 880. *Carbohydr. Res.*, **223**, 329-333.
- [278] **Rowe, H.A., Knox, D.P., Poxton, I.R. und Donachie, W.** (1997). Divergent activity and function of superoxide dismutases in *Pasteurella haemolytica* serotypes A1 and A2 and *Pasteurella trehalosi* serotype T10. *FEMS Microbiol. Lett.*, **150**, 197-202.
- [279] **Roy, S., Das, A.B., Ghosh, A.N. und Biswas, T.** (1994). Purification, pore-forming ability, and antigenic relatedness of the major outer membrane protein of *Shigella dysenteriae* type 1. *Infect. Immun.*, **62**, 4333-4338.
- [280] **Ruffolo, C.G. und Adler, B.** (1996). Cloning, sequencing, expression, and protective capacity of the *oma87* gene encoding the *Pasteurella multocida* 87-kilodalton outer membrane antigen. *Infect. Immun.*, **64**, 3161-3167.
- [281] **Ruffolo, C.G., Tennent, J.M., Michalski, W.P. und Adler, B.** (1997). Identification, purification, and characterization of the type 4 fimbriae of *Pasteurella multocida*. *Infect. Immun.*, **65**, 339-343.
- [282] **Ruoslahti, E.** (1996). RGD and other recognition sequences for integrins. *Annu. Rev. Cell. Dev. Biol.*, **12**, 697-715.
- [283] **Ryals, P.E., Nsofor, M.N., Watt, J.M. und Champlin, F.R.** (1998). Relationship between serotype A encapsulation and a 40-kDa lipoprotein in *Pasteurella multocida*. *Curr. Microbiol.*, **36**, 274-277.
- [284] **Ryu, H.I. und Kim, C.J.** (2000). Immunologic reactivity of a lipopolysaccharide-protein complex of type A *Pasteurella multocida* in mice. *J. Vet. Sci.*, **1**, 87-95.
- [285] **Saadati, M., Gibbs, H.A., Parton, R. und Coote, J.G.** (1997). Characterisation of the leukotoxin produced by different strains of *Pasteurella haemolytica*. *J. Med. Microbiol.*, **46**, 276-284.
- [286] **Saban, R., Broadstone, R.V., Haak-Frendscho, M., Skoyen, S., Fialkowski, J., Maheswaran, S.K., Bjorling, D.E. und Czuprynski, C.** (1997). Effects of *Pasteurella haemolytica* leukotoxin and lipopolysaccharide on histamine, prostanoid, and leukotriene release by bovine lung parenchyma in vitro. *Am. J. Vet. Res.*, **58**, 1227-1231.
- [287] **Sakano, T., Taneda, A., Okada, M., Ono, M., Hayashi, Y. und Sato, S.** (1992). Toxigenic type A *Pasteurella multocida* as a causative agent of nasal turbinate atrophy in swine. *J. Vet. Med. Sci.*, **54**, 403-407.
- [288] **Sato, Y. und Sato, H.** (1999). Development of acellular pertussis vaccines. *Biologicals*, **27**, 61-69.
- [289] **Schlegel, H.G.**, Die Zelle und ihre Struktur., in *Allgemeine Mikrobiologie*, **H.G. Schlegel**, Editor. 1992, Georg Thieme Verlag: Stuttgart. p. 17-88.

- [290] **Schmid, H.**, Differenzierung von *Pasteurella*-Stämmen von Hunden und Katzen und Untersuchungen über Kapsel-Antigene (Carter) an Isolaten von Wiederkäuern und kleinen Haustieren. Inaugural-Dissertation zur Erlangung des Grades eines Doktors der Veterinärmedizin an der Freien Universität Berlin; Journal-Nr. 1356 (1987).
- [291] **Schroedl, W., Fuerll, B., Reinhold, P., Krueger, M. und Schuett, C.** (2001). A novel acute phase marker in cattle: lipopolysaccharide binding protein (LBP). *J. Endotoxin Res.*, **7**, 49-52.
- [292] **Schulze-Tanzil, G.**, Untersuchungen zum Resistenzverhalten boviner und porciner *Pasteurella*-Isolate unter besonderer Berücksichtigung der Resistenz gegenüber β -Lactam-Antibiotika, Tetracyclinen und Chloramphenicol sowie des Nachweises von Resistenzplasmiden bei ausgewählten Isolaten. Inaugural-Dissertation zur Erlangung eines Doktors der Veterinärmedizin an der Freien Universität Berlin; Journal-Nr. 2268 (1999).
- [293] **Shewen, P.E., Lee, C.W., Perets, A., Hodgins, D.C., Baldwin, K. und Lo, R.Y.** (2003). Efficacy of recombinant sialoglycoprotease in protection of cattle against pneumonic challenge with *Mannheimia (Pasteurella) haemolytica* A1. *Vaccine*, **21**, 1901-1906.
- [294] **Slocombe, R.F., Mulks, M., Killingsworth, C.R., Derksen, F.J. und Robinson, N.E.** (1990). Effect of *Pasteurella haemolytica*-derived endotoxin on pulmonary structure and function in calves. *Am. J. Vet. Res.*, **51**, 433-438.
- [295] **Smith, G.R.** (1961). The characteristics of two types of *Pasteurella haemolytica* associated with different pathological conditions in sheep. *J. Pathol. Bacteriol.*, **81**, 431-440.
- [296] **Smyth, M.G., Sumner, I.G. und Lax, A.J.** (1999). Reduced pH causes structural changes in the potent mitogenic toxin of *Pasteurella multocida*. *FEMS Microbiol. Lett.*, **180**, 15-20.
- [297] **Sneath, P.H. und Stevens, M.** (1990). *Actinobacillus rossii* sp. nov., *Actinobacillus seminis* sp. nov., nom. rev., *Pasteurella bettii* sp. nov., *Pasteurella lymphangitidis* sp. nov., *Pasteurella mairi* sp. nov., and *Pasteurella trehalosi* sp. nov. *Int. J. Syst. Bacteriol.*, **40**, 148-153.
- [298] **Stabel, T.J., Sha, Z. und Mayfield, J.E.** (1994). Periplasmic location of *Brucella abortus* Cu/Zn superoxide dismutase. *Vet Microbiol*, **38**, 307-14.
- [299] **Stevens, P. und Czuprynski, C.** (1995). Dissociation of cytolysis and monokine release by bovine mononuclear phagocytes incubated with *Pasteurella haemolytica* partially purified leukotoxin and lipopolysaccharide. *Can. J. Vet. Res.*, **59**, 110-117.
- [300] **Stevens, P.K. und Czuprynski, C.J.** (1996). *Pasteurella haemolytica* leukotoxin induces bovine leukocytes to undergo morphologic changes consistent with apoptosis in vitro. *Infect. Immun.*, **64**, 2687-2694.

- [301] **Straus, D.C., Jolley, W.L. und Purdy, C.W.** (1993). Characterization of neuraminidases produced by various serotypes of *Pasteurella haemolytica*. *Infect. Immun.*, **61**, 4669-4674.
- [302] **Straus, D.C. und Purdy, C.W.** (1995). Extracellular neuraminidase production by *Pasteurella* species isolated from infected animals. *Curr. Microbiol.*, **31**, 312-315.
- [303] **Sun, Y., Clinkenbeard, K.D., Clarke, C., Cudd, L., Highlander, S.K. und Dabo, S.M.** (1999). *Pasteurella haemolytica* leukotoxin induced apoptosis of bovine lymphocytes involves DNA fragmentation. *Vet. Microbiol.*, **65**, 153-166.
- [304] **Sun, Y., Clinkenbeard, K.D., Cudd, L.A., Clarke, C.R. und Clinkenbeard, P.A.** (1999). Correlation of *Pasteurella haemolytica* leukotoxin binding with susceptibility to intoxication of lymphoid cells from various species. *Infect. Immun.*, **67**, 6264-6269.
- [305] **Sun, Y., Clinkenbeard, K.D., Ownby, C.L., Cudd, L., Clarke, C.R. und Highlander, S.K.** (2000). Ultrastructural characterization of apoptosis in bovine lymphocytes exposed to *Pasteurella haemolytica* leukotoxin. *Am. J. Vet. Res.*, **61**, 51-56.
- [306] **Tabatabai, L.B. und Zehr, E.S.** (2004). Identification of five outer membrane-associated proteins among cross-protective factor proteins of *Pasteurella multocida*. *Infect. Immun.*, **72**, 1195-1198.
- [307] **Tatum, F.M., Briggs, R.E., Sreevatsan, S.S., Zehr, E.S., Ling Hsuan, S., Whiteley, L.O., Ames, T.R. und Maheswaran, S.K.** (1998). Construction of an isogenic leukotoxin deletion mutant of *Pasteurella haemolytica* serotype 1: characterization and virulence. *Microb. Pathog.*, **24**, 37-46.
- [308] **Thomas, W., Pullinger, G.D., Lax, A.J. und Rozengurt, E.** (2001). *Escherichia coli* cytotoxic necrotizing factor and *Pasteurella multocida* toxin induce focal adhesion kinase autophosphorylation and Src association. *Infect. Immun.*, **69**, 5931-5935.
- [309] **Tong, H.H., Blue, L.E., James, M.A. und DeMaria, T.F.** (2000). Evaluation of the virulence of a *Streptococcus pneumoniae* neuraminidase-deficient mutant in nasopharyngeal colonization and development of otitis media in the chinchilla model. *Infect. Immun.*, **68**, 921-924.
- [310] **Townsend, K.M., Boyce, J.D., Chung, J.Y., Frost, A.J. und Adler, B.** (2001). Genetic organization of *Pasteurella multocida* *cap* Loci and development of a multiplex capsular PCR typing system. *J. Clin. Microbiol.*, **39**, 924-929.
- [311] **Townsend, K.M., Frost, A.J., Lee, C.W., Papadimitriou, J.M. und Dawkins, H.J.** (1998). Development of PCR assays for species- and type-specific identification of *Pasteurella multocida* isolates. *J. Clin. Microbiol.*, **36**, 1096-1100.
- [312] **Townsend, K.M., Hanh, T.X., O'Boyle, D., Wilkie, I., Phan, T.T., Wijewardana, T.G., Trung, N.T. und Frost, A.J.** (2000). PCR detection and analysis of *Pasteurella multocida* from the tonsils of slaughtered pigs in Vietnam. *Vet. Microbiol.*, **72**, 69-78.
- [313] **Veit, H.P., Wise, D.J., Carter, G.R. und Chengappa, M.M.** (1998). Toxin production by *Pasteurella granulomatis*. *Ann. N. Y. Acad. Sci.*, **849**, 479-484.

- [314] **Veken, J.W., Oudega, B., Luirink, J. und De Graaf, F.K.** (1994). Binding of bovine transferrin by *Pasteurella multocida* serotype B:2,5, a strain which causes haemorrhagic septicaemia in buffalo and cattle. *Microb. Letters.*, **115**, 253-258.
- [315] **Vimr, E.R.** (1994). Microbial sialidases: does bigger always mean better? *Trends Microbiol.*, **2**, 271-277.
- [316] **Walmrath, D., Ghofrani, H.A., Rosseau, S., Schutte, H., Cramer, A., Kaddus, W., Grimminger, F., Bhakdi, S. und Seeger, W.** (1994). Endotoxin "priming" potentiates lung vascular abnormalities in response to *Escherichia coli* hemolysin: an example of synergism between endo- and exotoxin. *J. Exp. Med.*, **180**, 1437-1443.
- [317] **Wang, Z., Clarke, C.R. und Clinkenbeard, K.D.** (1999). Role of phospholipase D in *Pasteurella haemolytica* leukotoxin-induced increase in phospholipase A(2) activity in bovine neutrophils. *Infect. Immun.*, **67**, 3768-3772.
- [318] **Ward, C.K., Lumbley, S.R., Latimer, J.L., Cope, L.D. und Hansen, E.J.** (1998). *Haemophilus ducreyi* secretes a filamentous hemagglutinin-like protein. *J. Bacteriol.*, **180**, 6013-6022.
- [319] **Ward, P.N., Higgins, T.E., Murphy, A.C., Mullan, P.B., Rozengurt, E. und Lax, A.J.** (1994). Mutation of a putative ADP-ribosylation motif in the *Pasteurella multocida* toxin does not affect mitogenic activity. *FEBS Lett.*, **342**, 81-84.
- [320] **Watt, M.A., Mellors, A. und Lo, R.Y.** (1997). Comparison of the recombinant and authentic forms of the *Pasteurella haemolytica* A1 glycoprotease. *FEMS Microbiol. Lett.*, **147**, 37-43.
- [321] **Weiser, J.N. und Gotschlich, E.C.** (1991). Outer membrane protein A (OmpA) contributes to serum resistance and pathogenicity of *Escherichia coli* K-1. *Infect. Immun.*, **59**, 2252-2258.
- [322] **Welch, R.A., Bauer, M.E., Kent, A.D., Leeds, J.A., Moayeri, M., Regassa, L.B. und Swenson, D.L.** (1995). Battling against host phagocytes: the wherefore of the RTX family of toxins? *Infect. Agents Dis.*, **4**, 254-272.
- [323] **White, D.J., Jolley, W.L., Purdy, C.W. und Straus, D.C.** (1995). Extracellular neuraminidase production by a *Pasteurella multocida* A:3 strain associated with bovine pneumonia. *Infect. Immun.*, **63**, 1703-1709.
- [324] **Whiteley, L.O., Maheswaran, S.K., Weiss, D.J. und Ames, T.R.** (1991). Alterations in pulmonary morphology and peripheral coagulation profiles caused by intratracheal inoculation of live and ultraviolet light-killed *Pasteurella haemolytica* A1 in calves. *Vet. Pathol.*, **28**, 275-285.
- [325] **Whiteley, L.O., Maheswaran, S.K., Weiss, D.J. und Ames, T.R.** (1990). Immunohistochemical localization of *Pasteurella haemolytica* A1-derived endotoxin, leukotoxin, and capsular polysaccharide in experimental bovine *Pasteurella* pneumonia. *Vet. Pathol.*, **27**, 150-161.

- [326] **Whiteley, L.O., Maheswaran, S.K., Weiss, D.J., Ames, T.R. und Kannan, M.S.** (1992). *Pasteurella haemolytica* A1 and bovine respiratory disease: pathogenesis. *J. Vet. Intern. Med.*, **6**, 11-22.
- [327] **Wilkie, B.N. und Markham, R.J.** (1981). Bronchoalveolar washing cells and immunoglobulins of clinically normal calves. *Am. J. Vet. Res.*, **42**, 241-243.
- [328] **Wilson, B.A., Zhu, X., Ho, M. und Lu, L.** (1997). *Pasteurella multocida* toxin activates the inositol triphosphate signaling pathway in *Xenopus* oocytes via G(q)alpha-coupled phospholipase C-beta1. *J. Biol. Chem.*, **272**, 1268-1275.
- [329] **Wilson, C.F., Sutherland, A.D., Inglis, L. und Donachie, W.** (1992). Characterisation and biological activity of monoclonal antibodies specific for *Pasteurella haemolytica* A1 capsule and lipopolysaccharide. *Vet. Microbiol.*, **31**, 161-168.
- [330] **Wilson, M.A., Morgan, M.J. und Barger, G.E.** (1993). Comparison of DNA fingerprinting and serotyping for identification of avian *Pasteurella multocida* isolates. *J. Clin. Microbiol.*, **31**, 255-259.
- [331] **Yang, Y., Thomas, W.R., Chong, P., Loosmore, S.M. und Klein, M.H.** (1998). A 20-kilodalton N-terminal fragment of the D15 protein contains a protective epitope(s) against *Haemophilus influenzae* type a and type b. *Infect. Immun.*, **66**, 3349-3354.
- [332] **Yates, W.D., Stockdale, P.H., Babiuk, L.A. und Smith, R.J.** (1983). Prevention of experimental bovine pneumonic pasteurellosis with an extract of *Pasteurella haemolytica*. *Can. J. Comp. Med.*, **47**, 250-256.
- [333] **Yoo, H.S., Maheswaran, S.K., Lin, G., Townsend, E.L. und Ames, T.R.** (1995). Induction of inflammatory cytokines in bovine alveolar macrophages following stimulation with *Pasteurella haemolytica* lipopolysaccharide. *Infect. Immun.*, **63**, 381-388.
- [334] **Yoo, H.S., Maheswaran, S.K., Srinand, S., Ames, T.R. und Suresh, M.** (1995). Increased tumor necrosis factor-alpha and interleukin-1 beta expression in the lungs of calves with experimental pneumonic pasteurellosis. *Vet. Immunol. Immunopathol.*, **49**, 15-28.
- [335] **Yu, R. und Schryvers, A.B.** (1994). Transferrin receptors on ruminant pathogens vary in their interaction with the C-lobe and N-lobe of ruminant transferrins. *Can. J. Microbiol.*, **40**, 532-540.
- [336] **Yu, R.H., Gray-Owen, S.D., Ogunnariwo, J. und Schryvers, A.B.** (1992). Interaction of ruminant transferrins with transferrin receptors in bovine isolates of *Pasteurella haemolytica* and *Haemophilus somnus*. *Infect. Immun.*, **60**, 2992-2994.
- [337] **Zywietz, A., Gohla, A., Schmelz, M., Schultz, G. und Offermanns, S.** (2001). Pleiotropic effects of *Pasteurella multocida* toxin are mediated by Gq- dependent and - independent mechanisms. involvement of Gq but not G11. *J. Biol. Chem.*, **276**, 3840-3845.