

Literaturverzeichnis

1. Arulanandam,A.R., P.Moingeon, M.F.Concino, M.A.Recny, K.Kato, H.Yagita, S.Koyasu, and E.L.Reinherz. 1993. A soluble multimeric recombinant CD2 protein identifies CD48 as a low affinity ligand for human CD2: divergence of CD2 ligands during the evolution of humans and mice. *J. Exp. Med.* 177:1439-1450.
2. Astoul,E., C.Edmunds, D.A.Cantrell, and S.G.Ward. 2001. PI 3-K and T-cell activation: limitations of T-leukemic cell lines as signaling models. *Trends Immunol.* 22:490-496.
3. Bach,M., G.Winkelmann, and R.Luhrmann. 1989. 20S small nuclear ribonucleoprotein U5 shows a surprisingly complex protein composition. *Proc. Natl. Acad. Sci. U. S. A* 86:6038-6042.
4. Bachmann,M.F., M.Berner, and M.Kopf. 1999. CD2 sets quantitative thresholds in T cell activation. *J. Exp. Med.* 190:1383-1392.
5. Badour,K., J.Zhang, F.Shi, M.K.McGavin, V.Rampersad, L.A.Hardy, D.Field, and K.A.Siminovitch. 2003. The Wiskott-Aldrich syndrome protein acts downstream of CD2 and the CD2AP and PSTPIP1 adaptors to promote formation of the immunological synapse. *Immunity.* 18:141-154.
6. Badour,K., J.Zhang, and K.A.Siminovitch. 2004. Involvement of the Wiskott-Aldrich syndrome protein and other actin regulatory adaptors in T cell activation. *Semin. Immunol.* 16:395-407.
7. Baumgarth,N. and M.Roederer. 2000. A practical approach to multicolor flow cytometry for immunophenotyping. *J. Immunol. Methods* 243:77-97.

8. Behrens,S.E. and R.Luhrmann. 1991. Immunoaffinity purification of a [U4/U6.U5] tri-snRNP from human cells. *Genes Dev.* 5:1439-1452.
9. Bell,G.M., J.B.Bolen, and J.B.Imboden. 1992. Association of Src-like protein tyrosine kinases with the CD2 cell surface molecule in rat T lymphocytes and natural killer cells. *Mol. Cell Biol.* 12:5548-5554.
10. Bell,G.M., J.Fargnoli, J.B.Bolen, L.Kish, and J.B.Imboden. 1996. The SH3 domain of p56lck binds to proline-rich sequences in the cytoplasmic domain of CD2. *J. Exp. Med.* 183:169-178.
11. Beyers,A.D., L.L.Spruyt, and A.F.Williams. 1992. Multimolecular associations of the T-cell antigen receptor. *Trends Cell Biol.* 2:253-255.
12. Bhardwaj,V., V.Kumar, H.M.Geysen, and E.E.Sercarz. 1993. Degenerate recognition of a dissimilar antigenic peptide by myelin basic protein-reactive T cells. Implications for thymic education and autoimmunity. *J. Immunol.* 151:5000-5010.
13. Bissonnette,R., K.Papp, Y.Poulin, G.Lauzon, L.Aspeslet, R.Huizinga, P.Mayo, R.T.Foster, R.W.Yatscoff, and W.P.Maksymowych. 2006. A randomized, multicenter, double-blind, placebo-controlled phase 2 trial of ISA247 in patients with chronic plaque psoriasis. *J. Am. Acad. Dermatol.* 54:472-478.
14. Boussiotis,V.A., G.J.Freeman, J.D.Griffin, G.S.Gray, J.G.Gribben, and L.M.Nadler. 1994. CD2 is involved in maintenance and reversal of human alloantigen-specific clonal anergy. *J. Exp. Med.* 180:1665-1673.
15. Brehm,M.A., A.K.Pinto, K.A.Daniels, J.P.Schneck, R.M.Welsh, and L.K.Selin. 2002. T

- cell immunodominance and maintenance of memory regulated by unexpectedly cross-reactive pathogens. *Nat. Immunol.* 3:627-634.
16. Bretscher,P. and M.Cohn. 1970. A theory of self-nonself discrimination. *Science* 169:1042-1049.
17. Bretscher,P.A. 1999. A two-step, two-signal model for the primary activation of precursor helper T cells. *Proc. Natl. Acad. Sci. U. S. A* 96:185-190.
18. Bullens,D.M., K.Rafiq, L.Charitidou, X.Peng, A.Kasran, P.A.Warmerdam, S.W.Van Gool, and J.L.Ceuppens. 2001. Effects of co-stimulation by CD58 on human T cell cytokine production: a selective cytokine pattern with induction of high IL-10 production. *Int. Immunol.* 13:181-191.
19. Burnet,F.M. 1962. The immunological significance of the thymus: an extension of the clonal selection theory of immunity. *Australas. Ann. Med.* 11:79-91.
20. Chan,S.M., J.A.Olson, and P.J.Utz. 2006. Single-cell analysis of siRNA-mediated gene silencing using multiparameter flow cytometry. *Cytometry A* 69:59-65.
21. Chang,H.C., P.Moingeon, P.Lopez, H.Krasnow, C.Stebbins, and E.L.Reinherz. 1989. Dissection of the human CD2 intracellular domain. Identification of a segment required for signal transduction and interleukin 2 production. *J. Exp. Med.* 169:2073-2083.
22. Chang,H.C., P.Moingeon, R.Pedersen, J.Lucich, C.Stebbins, and E.L.Reinherz. 1990. Involvement of the PPPGHR motif in T cell activation via CD2. *J. Exp. Med.* 172:351-355.
23. Chiba,K., H.Matsuyuki, Y.Maeda, and K.Sugahara. 2006. Role of sphingosine 1-

- phosphate receptor type 1 in lymphocyte egress from secondary lymphoid tissues and thymus. *Cell Mol. Immunol.* 3:11-19.
24. Chicz,R.M., R.G.Urban, J.C.Gorga, D.A.Vignali, W.S.Lane, and J.L.Strominger. 1993. Specificity and promiscuity among naturally processed peptides bound to HLA-DR alleles. *J. Exp. Med.* 178:27-47.
25. Dancey,J.E. 2005. Inhibitors of the mammalian target of rapamycin. *Expert. Opin. Investig. Drugs* 14:313-328.
26. Davis,M.M., J.J.Boniface, Z.Reich, D.Lyons, J.Hampl, B.Arden, and Y.Chien. 1998a. Ligand recognition by alpha beta T cell receptors. *Annu. Rev. Immunol.* 16:523-544.
27. Davis,S.J., S.Ikemizu, M.K.Wild, and P.A.van der Merwe. 1998b. CD2 and the nature of protein interactions mediating cell-cell recognition. *Immunol. Rev.* 163:217-236.
28. Dustin,M.L. 2001. Role of adhesion molecules in activation signaling in T lymphocytes. *J. Clin. Immunol.* 21:258-263.
29. Dustin,M.L., M.W.Olszowy, A.D.Holdorf, J.Li, S.Bromley, N.Desai, P.Widder, F.Rosenberger, P.A.van der Merwe, P.M.Allen, and A.S.Shaw. 1998. A novel adaptor protein orchestrates receptor patterning and cytoskeletal polarity in T-cell contacts. *Cell* 94:667-677.
30. Echeverri,C.J. and N.Perrimon. 2006. High-throughput RNAi screening in cultured cells: a user's guide. *Nat. Rev. Genet.* 7:373-384.
31. Eibert,S.M., K.H.Lee, R.Pipkorn, U.Sester, G.H.Wabnitz, T.Giese, S.C.Meuer, and Y.Samstag. 2004. Cofilin peptide homologs interfere with immunological synapse

- formation and T cell activation. *Proc. Natl. Acad. Sci. U. S. A* 101:1957-1962.
32. Evavold,B.D., J.Sloan-Lancaster, K.J.Wilson, J.B.Rothbard, and P.M.Allen. 1995. Specific T cell recognition of minimally homologous peptides: evidence for multiple endogenous ligands. *Immunity*. 2:655-663.
33. Freund,C., R.Kuhne, H.Yang, S.Park, E.L.Reinherz, and G.Wagner. 2002. Dynamic interaction of CD2 with the GYF and the SH3 domain of compartmentalized effector molecules. *EMBO J.* 21:5985-5995.
34. Friedl,P., A.T.den Boer, and M.Gunzer. 2005. Tuning immune responses: diversity and adaptation of the immunological synapse. *Nat. Rev. Immunol.* 5:532-545.
35. Friedl,P. and J.Storim. 2004. Diversity in immune-cell interactions: states and functions of the immunological synapse. *Trends Cell Biol.* 14:557-567.
36. Fujino,M., N.Funeshima, Y.Kitazawa, H.Kimura, H.Amemiya, S.Suzuki, and X.K.Li. 2003. Amelioration of experimental autoimmune encephalomyelitis in Lewis rats by FTY720 treatment. *J. Pharmacol. Exp. Ther.* 305:70-77.
37. Fukai,I., R.E.Hussey, R.Sunder-Plassmann, and E.L.Reinherz. 2000. A critical role for p59(fyn) in CD2-based signal transduction. *Eur. J. Immunol.* 30:3507-3515.
38. Gallucci,S. and P.Matzinger. 2001. Danger signals: SOS to the immune system. *Curr. Opin. Immunol.* 13:114-119.
39. Ganpule,G., R.Knorr, J.M.Miller, C.P.Carron, and M.L.Dustin. 1997. Low affinity of cell surface lymphocyte function-associated antigen-1 (LFA-1) generates selectivity for cell-cell interactions. *J. Immunol.* 159:2685-2692.

40. Gassmann,M., K.E.Amrein, N.A.Flint, B.Schraven, and P.Burn. 1994. Identification of a signaling complex involving CD2, zeta chain and p59fyn in T lymphocytes. *Eur. J. Immunol.* 24:139-144.
41. Ghosh,P., M.A.Buchholz, S.Yano, D.Taub, and D.L.Longo. 2002. Effect of rapamycin on the cyclosporin A-resistant CD28-mediated costimulatory pathway. *Blood* 99:4517-4524.
42. Gollob,J.A., J.Li, H.Kawasaki, J.F.Daley, C.Groves, E.L.Reinherz, and J.Ritz. 1996. Molecular interaction between CD58 and CD2 counter-receptors mediates the ability of monocytes to augment T cell activation by IL-12. *J. Immunol.* 157:1886-1893.
43. Grakoui,A., S.K.Bromley, C.Sumen, M.M.Davis, A.S.Shaw, P.M.Allen, and M.L.Dustin. 1999. The immunological synapse: a molecular machine controlling T cell activation. *Science* 285:221-227.
44. Green,J.M., V.Karpitskiy, S.L.Kimzey, and A.S.Shaw. 2000. Coordinate regulation of T cell activation by CD2 and CD28. *J. Immunol.* 164:3591-3595.
45. Gresch,O., F.B.Engel, D.Nesic, T.T.Tran, H.M.England, E.S.Hickman, I.Korner, L.Gan, S.Chen, S.Castro-Obregon, R.Hammermann, J.Wolf, H.Muller-Hartmann, M.Nix, G.Siebenkotten, G.Kraus, and K.Lun. 2004. New non-viral method for gene transfer into primary cells. *Methods* 33:151-163.
46. Grogan,J.L., A.Kramer, A.Nogai, L.Dong, M.Ohde, J.Schneider-Mergener, and T.Kamradt. 1999. Cross-reactivity of myelin basic protein-specific T cells with multiple microbial peptides: experimental autoimmune encephalomyelitis induction in TCR transgenic mice. *J. Immunol.* 163:3764-3770.

47. Gunzer,M., A.Schafer, S.Borgmann, S.Grabbe, K.S.Zanker, E.B.Brocker, E.Kampgen, and P.Friedl. 2000. Antigen presentation in extracellular matrix: interactions of T cells with dendritic cells are dynamic, short lived, and sequential. *Immunity*. 13:323-332.
48. Hagerty,D.T. and P.M.Allen. 1995. Intramolecular mimicry. Identification and analysis of two cross-reactive T cell epitopes within a single protein. *J. Immunol.* 155:2993-3001.
49. Hahn,W.C. and B.E.Bierer. 1993. Separable portions of the CD2 cytoplasmic domain involved in signaling and ligand avidity regulation. *J. Exp. Med.* 178:1831-1836.
50. Hannon,G.J. and J.J.Rossi. 2004. Unlocking the potential of the human genome with RNA interference. *Nature* 431:371-378.
51. Hartmuth,K., H.Urlaub, H.P.Vornlocher, C.L.Will, M.Gentzel, M.Wilm, and R.Luhrmann. 2002. Protein composition of human prespliceosomes isolated by a tobramycin affinity-selection method. *Proc. Natl. Acad. Sci. U. S. A* 99:16719-16724.
52. Heidenreich,O., J.Krauter, H.Riehle, P.Hadwiger, M.John, G.Heil, H.P.Vornlocher, and A.Nordheim. 2003. AML1/MTG8 oncogene suppression by small interfering RNAs supports myeloid differentiation of t(8;21)-positive leukemic cells. *Blood* 101:3157-3163.
53. Hemmer,B., B.T.Fleckenstein, M.Vergelli, G.Jung, H.McFarland, R.Martin, and K.H.Wiesmuller. 1997. Identification of high potency microbial and self ligands for a human autoreactive class II-restricted T cell clone. *J. Exp. Med.* 185:1651-1659.
54. Holter,W., M.Schwarz, A.Cerwenka, and W.Knapp. 1996. The role of CD2 as a regulator of human T-cell cytokine production. *Immunol. Rev.* 153:107-122.
55. Howard,F.D., P.Moingeon, U.Moebius, D.J.McConkey, B.Yandava, T.E.Gennert, and

- E.L.Reinherz. 1992. The CD3 zeta cytoplasmic domain mediates CD2-induced T cell activation. *J. Exp. Med.* 176:139-145.
56. Hunt,D.F., H.Michel, T.A.Dickinson, J.Shabanowitz, A.L.Cox, K.Sakaguchi, E.Appella, H.M.Grey, and A.Sette. 1992. Peptides presented to the immune system by the murine class II major histocompatibility complex molecule I-Ad. *Science* 256:1817-1820.
57. Huppa,J.B. and M.M.Davis. 2003. T-cell-antigen recognition and the immunological synapse. *Nat. Rev. Immunol.* 3:973-983.
58. Huppi,K., S.E.Martin, and N.J.Caplen. 2005. Defining and assaying RNAi in mammalian cells. *Mol. Cell* 17:1-10.
59. Ishii,K.J., K.Suzuki, C.Coban, F.Takeshita, Y.Itoh, H.Matoba, L.D.Kohn, and D.M.Klinman. 2001. Genomic DNA released by dying cells induces the maturation of APCs. *J. Immunol.* 167:2602-2607.
60. Janeway,C.A., Jr. 1992. The immune system evolved to discriminate infectious nonself from noninfectious self. *Immunol. Today* 13:11-16.
61. Janeway,C.A., Jr. 2001. How the immune system works to protect the host from infection: a personal view. *Proc. Natl. Acad. Sci. U. S. A* 98:7461-7468.
62. Kiani,A., A.Rao, and J.Aramburu. 2000. Manipulating immune responses with immunosuppressive agents that target NFAT. *Immunity*. 12:359-372.
63. King,P.D., A.Sadra, J.M.Teng, G.M.Bell, and B.Dupont. 1998. CD2-mediated activation of the Tec-family tyrosine kinase ITK is controlled by proline-rich stretch-4 of the CD2 cytoplasmic tail. *Int. Immunol.* 10:1009-1016.

-
64. Kofler,M., K.Heuer, T.Zech, and C.Freund. 2004. Recognition sequences for the GYF domain reveal a possible spliceosomal function of CD2BP2. *J. Biol. Chem.* 279:28292-28297.
 65. Koyasu,S., T.Lawton, D.Novick, M.A.Recny, R.F.Siliciano, B.P.Wallner, and E.L.Reinherz. 1990. Role of interaction of CD2 molecules with lymphocyte function-associated antigen 3 in T-cell recognition of nominal antigen. *Proc. Natl. Acad. Sci. U. S. A* 87:2603-2607.
 66. Kumar,R., D.S.Conklin, and V.Mittal. 2003. High-throughput selection of effective RNAi probes for gene silencing. *Genome Res.* 13:2333-2340.
 67. Lafferty,K.J. and A.J.Cunningham. 1975. A new analysis of allogeneic interactions. *Aust. J. Exp. Biol. Med. Sci.* 53:27-42.
 68. Laggerbauer,B., S.Liu, E.Makarov, H.P.Vornlocher, O.Makarova, D.Ingelfinger, T.Achsel, and R.Luhrmann. 2005. The human U5 snRNP 52K protein (CD2BP2) interacts with U5-102K (hPrp6), a U4/U6.U5 tri-snRNP bridging protein, but dissociates upon tri-snRNP formation. *RNA*. 11:598-608.
 69. Lee,K.Y., F.D'Acquisto, M.S.Hayden, J.H.Shim, and S.Ghosh. 2005. PDK1 nucleates T cell receptor-induced signaling complex for NF-kappaB activation. *Science* 308:114-118.
 70. Lee,M. and J.Park. 2006. Regulation of NFAT activation: a potential therapeutic target for immunosuppression. *Mol. Cells* 22:1-7.
 71. Lehle,K., D.E.Birnbaum, and J.G.Preuner. 2005. Predominant inhibition of interleukin-6 synthesis in patient-specific endothelial cells by mTOR inhibitors below a concentration

- range where cell proliferation is affected and mitotic arrest takes place. *Transplant. Proc.* 37:159-161.
72. Li,J., K.Nishizawa, W.An, R.E.Hussey, F.E.Lialios, R.Salgia, R.Sunder-Plassmann, and E.L.Reinherz. 1998. A cdc15-like adaptor protein (CD2BP1) interacts with the CD2 cytoplasmic domain and regulates CD2-triggered adhesion. *EMBO J.* 17:7320-7336.
73. Lin,H., J.E.Hutchcroft, C.E.Andoniou, M.Kamoun, H.Band, and B.E.Bierer. 1998. Association of p59(fyn) with the T lymphocyte costimulatory receptor CD2. Binding of the Fyn Src homology (SH) 3 domain is regulated by the Fyn SH2 domain. *J. Biol. Chem.* 273:19914-19921.
74. Liu,W.S. and C.A.Heckman. 1998. The sevenfold way of PKC regulation. *Cell Signal.* 10:529-542.
75. Loftus,D.J., C.Castelli, T.M.Clay, P.Squarcina, F.M.Marincola, M.I.Nishimura, G.Parmiani, E.Appella, and L.Rivoltini. 1996. Identification of epitope mimics recognized by CTL reactive to the melanoma/melanocyte-derived peptide MART-1(27-35). *J. Exp. Med.* 184:647-657.
76. Lyons,D.S., S.A.Lieberman, J.Hampl, J.J.Boniface, Y.Chien, L.J.Berg, and M.M.Davis. 1996. A TCR binds to antagonist ligands with lower affinities and faster dissociation rates than to agonists. *Immunity.* 5:53-61.
77. Maecker,H.T., A.Rinfret, P.D'Souza, J.Darden, E.Roig, C.Landry, P.Hayes, J.Birungi, O.Anzala, M.Garcia, A.Harari, I.Frank, R.Baydo, M.Baker, J.Holbrook, J.Ottinger, L.Lamoreaux, C.L.Epling, E.Sinclair, M.A.Suni, K.Punt, S.Calarota, S.El Bahi, G.Alter, H.Maila, E.Kuta, J.Cox, C.Gray, M.Altfeld, N.Nougarede, J.Boyer, L.Tussey, T.Tobery,

- B.Bredt, M.Roederer, R.Koup, V.C.Maino, K.Weinhold, G.Pantaleo, J.Gilmour, H.Horton, and R.P.Sekaly. 2005. Standardization of cytokine flow cytometry assays. *BMC. Immunol.* 6:13.
78. Malek,T.R. and A.L.Bayer. 2004. Tolerance, not immunity, crucially depends on IL-2. *Nat. Rev. Immunol.* 4:665-674.
79. Matzinger,P. 2002. The danger model: a renewed sense of self. *Science* 296:301-305.
80. Meuer,S.C., R.E.Hussey, M.Fabbi, D.Fox, O.Acuto, K.A.Fitzgerald, J.C.Hodgdon, J.P.Protentis, S.F.Schlossman, and E.L.Reinherz. 1984. An alternative pathway of T-cell activation: a functional role for the 50 kd T11 sheep erythrocyte receptor protein. *Cell* 36:897-906.
81. Misko,I.S., S.M.Cross, R.Khanna, S.L.Elliott, C.Schmidt, S.J.Pye, and S.L.Silins. 1999. Crossreactive recognition of viral, self, and bacterial peptide ligands by human class I-restricted cytotoxic T lymphocyte clonotypes: implications for molecular mimicry in autoimmune disease. *Proc. Natl. Acad. Sci. U. S. A* 96:2279-2284.
82. Moingeon,P., H.C.Chang, P.H.Sayre, L.K.Clayton, A.Alcover, P.Gardner, and E.L.Reinherz. 1989a. The structural biology of CD2. *Immunol. Rev.* 111:111-144.
83. Moingeon,P., H.C.Chang, B.P.Wallner, C.Stebbins, A.Z.Frey, and E.L.Reinherz. 1989b. CD2-mediated adhesion facilitates T lymphocyte antigen recognition function. *Nature* 339:312-314.
84. Nishizawa,K., C.Freund, J.Li, G.Wagner, and E.L.Reinherz. 1998. Identification of a proline-binding motif regulating CD2-triggered T lymphocyte activation. *Proc. Natl.*

- Acad. Sci. U. S. A* 95:14897-14902.
85. Nomura,L.E., J.M.Walker, and H.T.Maecker. 2000. Optimization of whole blood antigen-specific cytokine assays for CD4(+) T cells. *Cytometry* 40:60-68.
86. O'Neill,L.A. 2006. Targeting signal transduction as a strategy to treat inflammatory diseases. *Nat. Rev. Drug Discov.* 5:549-563.
87. Pardoll,D.M. 2002. Spinning molecular immunology into successful immunotherapy. *Nat. Rev. Immunol.* 2:227-238.
88. Richardson,N.E., H.C.Chang, N.R.Brown, R.E.Hussey, P.H.Sayre, and E.L.Reinherz. 1988. Adhesion domain of human T11 (CD2) is encoded by a single exon. *Proc. Natl. Acad. Sci. U. S. A* 85:5176-5180.
89. Roederer,M. 2001. Spectral compensation for flow cytometry: visualization artifacts, limitations, and caveats. *Cytometry* 45:194-205.
90. Round,J.L., T.Tomassian, M.Zhang, V.Patel, S.P.Schoenberger, and M.C.Miceli. 2005. Dlg1 coordinates actin polymerization, synaptic T cell receptor and lipid raft aggregation, and effector function in T cells. *J. Exp. Med.* 201:419-430.
91. Sandy,P., A.Ventura, and T.Jacks. 2005. Mammalian RNAi: a practical guide. *Biotechniques* 39:215-224.
92. Sasada,T., H.Yang, and E.L.Reinherz. 2002. CD2 facilitates differentiation of CD4 Th cells without affecting Th1/Th2 polarization. *J. Immunol.* 168:1113-1122.
93. Schreiber,S.L. and G.R.Crabtree. 1992. The mechanism of action of cyclosporin A and

- FK506. *Immunol. Today* 13:136-142.
94. Schwarz,M., O.Majdic, W.Knapp, and W.Holter. 1995. High-level IL-10 production by monoclonal antibody-stimulated human T cells. *Immunology* 86:364-371.
95. Selvaraj,P., M.L.Plunkett, M.Dustin, M.E.Sanders, S.Shaw, and T.A.Springer. 1987. The T lymphocyte glycoprotein CD2 binds the cell surface ligand LFA-3. *Nature* 326:400-403.
96. Sewell,W.A., M.H.Brown, J.Dunne, M.J.Owen, and M.J.Crumpton. 1986. Molecular cloning of the human T-lymphocyte surface CD2 (T11) antigen. *Proc. Natl. Acad. Sci. U. S. A* 83:8718-8722.
97. Sharpe,A.H. and G.J.Freeman. 2002. The B7-CD28 superfamily. *Nat. Rev. Immunol.* 2:116-126.
98. Skapenko,A., J.Leipe, U.Niesner, K.Devriendt, R.Beetz, A.Radbruch, J.R.Kalden, P.E.Lipsky, and H.Schulze-Koops. 2004. GATA-3 in human T cell helper type 2 development. *J. Exp. Med.* 199:423-428.
99. Smith,K.A. 2004. The quantal theory of how the immune system discriminates between "self and non-self". *Med. Immunol.* 3:3.
100. Tangye,S.G., J.H.Phillips, and L.L.Lanier. 2000. The CD2-subset of the Ig superfamily of cell surface molecules: receptor-ligand pairs expressed by NK cells and other immune cells. *Semin. Immunol.* 12:149-157.
101. Tibaldi,E.V., R.Salgia, and E.L.Reinherz. 2002. CD2 molecules redistribute to the uropod during T cell scanning: implications for cellular activation and immune

- surveillance. *Proc. Natl. Acad. Sci. U. S. A.* 99:7582-7587.
102. Tung,J.W., D.R.Parks, W.A.Moore, L.A.Herzenberg, and L.A.Herzenberg. 2004. New approaches to fluorescence compensation and visualization of FACS data. *Clin. Immunol.* 110:277-283.
103. van Seventer,G.A., Y.Shimizu, and S.Shaw. 1991. Roles of multiple accessory molecules in T-cell activation. *Curr. Opin. Immunol.* 3:294-303.
104. Wakkach,A., F.Cottrez, and H.Groux. 2001. Differentiation of regulatory T cells 1 is induced by CD2 costimulation. *J. Immunol.* 167:3107-3113.
105. Wang,J. and E.L.Reinherz. 2000. Structural basis of cell-cell interactions in the immune system. *Curr. Opin. Struct. Biol.* 10:656-661.
106. Wang,J.H., A.Smolyar, K.Tan, J.H.Liu, M.Kim, Z.Y.Sun, G.Wagner, and E.L.Reinherz. 1999. Structure of a heterophilic adhesion complex between the human CD2 and CD58 (LFA-3) counterreceptors. *Cell* 97:791-803.
107. Wilkins,A.L., W.Yang, and J.J.Yang. 2003. Structural biology of the cell adhesion protein CD2: from molecular recognition to protein folding and design. *Curr. Protein Pept. Sci.* 4:367-373.
108. Wu,W., E.Hodges, J.Redelius, and C.Hoog. 2004. A novel approach for evaluating the efficiency of siRNAs on protein levels in cultured cells. *Nucleic Acids Res.* 32:e17.
109. Wucherpfennig,K.W. 2004. T cell receptor crossreactivity as a general property of T cell recognition. *Mol. Immunol.* 40:1009-1017.

110. Wucherpfennig,K.W., A.Sette, S.Southwood, C.Oseroff, M.Matsui, J.L.Strominger, and D.A.Hafler. 1994. Structural requirements for binding of an immunodominant myelin basic protein peptide to DR2 isotypes and for its recognition by human T cell clones. *J. Exp. Med.* 179:279-290.
111. Wucherpfennig,K.W. and J.L.Strominger. 1995. Molecular mimicry in T cell-mediated autoimmunity: viral peptides activate human T cell clones specific for myelin basic protein. *Cell* 80:695-705.
112. Young,D.A. and C.L.Nickerson-Nutter. 2005. mTOR--beyond transplantation. *Curr. Opin. Pharmacol.* 5:418-423.

Verwendete Lehrbücher

Abbas AK and Lichtman AH. Cellular and Molecular Immunology. 5th ed. Saunders (WB) Co Ltd, 2003

Janeway CA, Travers P und Walport M. Immunologie. 5. Auflage. Spektrum Akademischer Verlag, 2002

Weiß C . Basiswissen Medizinische Statistik. 3., überarbeitete Auflage. Springer-Verlag GmbH, 2001

BD FastImmune CFC Handbook. (<http://www.bdbiosciences.com/pdfs/manuals/23-6563-00.pdf>). BD Biosciences Immunocytometry Systems, 2350 Qume Drive, San Jose, USA