

**Androgenregulierte *PEPP* Homeoboxgene:
Mechanismen der selektiven Androgenrezeptorwirkung**

”The androgen-regulated *PEPP* homeobox genes:
Mechanisms of selective androgen receptor action”

Im Fachbereich Biologie, Chemie, Pharmazie
der Freien Universität Berlin eingereichte
Dissertation

von
Christoph Geserick

Berlin 2002

1. Gutachter: Prof. Dr. Ferdinand Hucho
Institut für Biologie, Chemie, Pharmazie
Freie Universität Berlin

2. Gutachter: Prof. Dr. Peter Donner
Proteinchemie
Schering AG, Berlin

Disputation: *9. April 2003*

TABLE OF CONTENTS

1. INTRODUCTION	1
1.1. General mechanisms of eukaryotic gene transcription	1
1.2. General characteristics of the nuclear receptor family	2
1.3. General characteristics of AR signaling	5
1.3.1. <i>Structure of the AR</i>	5
1.3.2. <i>Cofactors of the AR</i>	7
1.3.3. <i>DNA response elements</i>	8
1.3.3.1. <i>Consensus response elements</i>	8
1.3.3.2. <i>Selectivity of androgen response</i>	8
1.3.4. <i>AR mutations and diseases</i>	9
1.4. The homeobox transcription factor family	11
1.4.1. <i>The PEPP subfamily of the paired-like class of homeobox genes</i>	12
1.4.2. <i>Homeobox response elements and specificity</i>	12
1.5. Aim of current work	14
2. RESULTS	16
2.1. Androgen-selective DNA response elements	16
2.1.1. <i>Non-classical androgen response elements in the murine Pem promoter mediate selective transactivation</i>	16
2.1.1.1. <i>Selective stimulation of the Pem promoter by androgens</i>	16
2.1.1.2. <i>Putative cis-acting elements of the murine Pem promoter</i>	19
2.1.1.3. <i>Pem ARE-1 and Pem ARE-2 are bound by the AR in vitro</i>	19
2.1.1.4. <i>The androgen response of the Pem promoter is mediated by both Pem ARE-1 and Pem ARE-2</i>	20
2.1.2. <i>DNA response elements are modulators of AR action</i>	22
2.1.2.1. <i>DNA elements specify the preferential transcriptional response to AR, PR or GR</i>	22
2.1.2.2. <i>Binding affinity of response elements to AR does not correlate with transactivation potential</i>	24
2.1.2.3. <i>Distinct AR protease digestion patterns result from binding to different response elements</i>	26

2.1.2.4. <i>Mutations in the dimerization box differentially affect AR transactivation potential via different response elements</i>	28
2.1.2.5. <i>The coactivators TIF2 and ARA55 differentially modulate AR activity depending on the response elements</i>	31
2.1.2.6. <i>Sumoylation enzymes modulate AR function in a DNA element-dependent fashion</i>	33
2.1.3. <i>Mechanisms specifying AR, PR, and GR selectivity</i>	35
2.1.3.1. <i>Element-specific synergy effects contribute to receptor selectivity</i>	35
2.1.3.2. <i>Mutations in the PR and GR DBD have a different impact on transactivation potential than the equivalent AR mutations</i>	36
2.2. <i>OTEX, an androgen-regulated human member of the paired-like class of homeobox genes</i>	40
2.2.1. <i>Identification and cloning of OTEX cDNA</i>	40
2.2.2. <i>Sequence analysis of OTEX</i>	42
2.2.3. <i>Chromosomal localization and organization of the OTEX gene</i>	44
2.2.4. <i>Analysis of the putative OTEX promoter</i>	45
2.2.5. <i>Tissue distribution of OTEX transcripts</i>	47
2.2.6. <i>Androgen regulation of OTEX</i>	48
2.2.7. <i>Subcellular localization of OTEX and identification of the NLS</i>	49
2.2.8. <i>Activity of OTEX in one- and two-hybrid assays</i>	51
2.2.9. <i>OTEX inhibits cell proliferation</i>	53
3. DISCUSSION	54
3.1. <i>Pem and OTEX are androgen-regulated homeobox genes belonging to the PEPP subfamily</i>	54
3.1.1. <i>Characterization of the androgen-regulated murine Pem promoter</i>	54
3.1.2. <i>Identification of a human member of the PEPP gene family: OTEX</i>	55
3.1.3. <i>Androgen regulation of human OTEX</i>	56
3.1.4. <i>Possible function of OTEX</i>	57
3.2. <i>DNA response elements are modulators of AR function</i>	60

3.2.1. <i>DNA response elements alter AR conformation</i>	60
3.2.2. <i>The role of the DBD dimerization interface differs depending on the DNA element</i>	62
3.2.3. <i>DNA elements differentially transmit cofactor effects</i>	63
3.3. The modulatory effects of DNA response elements have a different impact on AR, PR and GR function	66
3.4. Outlook	68

4. MATERIALS AND METHODS

4.1. General materials and methods	69
4.1.1. <i>Chemicals and cell culture media</i>	69
4.1.2. <i>Bacterial strains and cell lines</i>	69
4.1.3. <i>Plasmids</i>	70
4.1.4. <i>DNA and protein size standards</i>	70
4.1.5. <i>DNA preparation</i>	70
4.1.6. <i>Commonly used buffers</i>	71
4.1.7. <i>Coomassie staining</i>	71
4.2. Materials and methods used in Results section 2.1.	72
4.2.1. <i>Plasmid construction for receptor studies</i>	72
4.2.2. <i>Cell culture and transactivation assays</i>	72
4.2.3. <i>In vitro translation</i>	73
4.2.4. <i>Preparation of nuclear extracts</i>	73
4.2.5. <i>DNA binding and protease digestion assays</i>	74
4.3. Materials and methods used in Results section 2.2.	75
4.3.1. <i>Identification and cloning of OTEX</i>	75
4.3.2. <i>RT-PCR analysis</i>	76
4.3.3. <i>Construction of OTEX expression plasmids</i>	76
4.3.4. <i>Cell culture and transfections for studies of OTEX</i>	77
4.3.5. <i>Proliferation assays</i>	77

5. SUMMARY

5.1. Summary	78
--------------	----

5.2. Zusammenfassung	79
----------------------	----

6. REFERENCES	80
----------------------	----

7. APPENDIX

7.1. Abbreviations	90
7.2. Publications	92
7.3. Curriculum Vitae	93
7.4. Acknowledgments	94
7.5. Ehrenwörtliche Erklärung	95