

## Literaturverzeichnis

- Adelmann, D., 2001. Känozoische Beckenentwicklung des zentralandinen Puna-Plateaus (NW-Argentinien) - Das Gebiet um den Salar de Antofalla und ein Vergleich zur nördlichen Puna. Berliner Geowissenschaftliche Abhandlungen, A 210, 142 S.
- Ahlbrandt, T.S., Fryberger, S. G., 1981. Sedimentary features and significance of interdune deposits. In: F. G. Ethridge, R. M. Flores (Editors), Modern and Non-marine Depositional Environments. Models and Exploration. Spec. Publ. Soc. econ. Paleont. Mineral., Tulsa, Oklahoma, 293-314.
- Ahlbrandt, T.S., Fryberger, S. G., 1982. Introduction to eolian deposits. In: P.A. Scholle, D. Spearing (Editors), Sandstone Depositional Environments. Spec. Publ. Soc. econ. Paleont. Mineral., Tulsa, Oklahoma, 11-47.
- Ahlfeld, F., 1946. Investigaciones geológicas en la Provincia Sud Lípez, Bolivia. Cuad. Inst. Min. Geol. Universidad Nacional de Tucuman, Argentina, 4(3): 149-162(15): 5-18.
- Ahlfeld, F., 1952. Die Südbolivianische Antimonprovinz. Neues Jahrb. Min. Geol. Pal., 83: 313 - 346.
- Ahlfeld, F., Schneider-Scherbina, 1964. Los yacimientos minerales y de hidrocarburos de Bolivia. Departamento Nacional de Geología (DENAGEO), 5, 388 pgs.
- Allen, J. R. L., 1964. Studies in fluviaatile sedimentation: six cycloths from the Lower Old Red Sandstone, Anglo-Welsh basin. Sedimentology, 3: 163-198.
- Allen, J. R. L., 1970. Studies in fluviaatile sedimentation: a comparison of fining-upward cycloths, with special reference to coarse-member composition and interpretation. Journal of Sedimentary Petrology, 40: 298 - 323.
- Allen, J. R. L., 1982. Sedimentary Structures. Their character and physical basis, Volume 2.- Dev. Sedimentol., 30 B, Amsterdam (Elsevier), 663 pp.
- Allmendinger, R. W., Jordan, T.E., Kay, S.M., Isacks, B.L., 1997. The evolution of the Altiplano-Puna Plateau of the Central Andes. Earth and Planetary Science Annual Review, 25: 139-174.
- Almeida, F. D., Hasui, Y., Brito Neves, B.B., 1976. The Upper Precambrian of South America. Bol. Inst. Geocien. Univ. Sao Paulo, 7: 45-80.
- Almendras-Alarcón, O. D., Baldellón, E. G., Lopez, R., 1997. Hoja Geológica Volcán Ollague/San Agustín 5930/6030. Publicación Servicio Geográfico Militar (SGM).
- Alonso, R. N., Jordan, T. E., Tabbutt, K. T., Vandervoorn, D., 1991. Giant evaporite belts of the Neogene central Andes. Geology, 19: 401 - 404.
- Alonso, R. N., 1999. El Terciario de la Puna salteña., XIV Congreso Geológico Argentino, Salta, Argentinien, 311-316.
- Amos, S., 1994. International Stratigraphic Guide; A Guide to Stratigraphic Classification, Terminology, and Procedure/ International Subcommission on Stratigraphic Classification of IUGS International Commission on Stratigraphy.
- Arandia, J. H., Mariaca, O., 1973. Informe Geológico Final Pozo Vilque-A (VLQ-A), Yacimientos Petrolíferos Fiscales Bolivianos (YPFB), Oruro, Bolivia.
- Aranibar Riguera, O., Martínez, E., Jarandilla, J., Navarro, G., 1995. Bloque Colchani-Corregidores, Yacimientos Petrolíferos Fiscales Bolivianos (YPFB), Santa Cruz, Bolivia.
- Asch, G., Schurr, B., Lüth, S., Belmonte, A., Bohm, M., Bruhn, C., Giese, P., Rietbrock, A., Wigger, P., 2001. Structure and rheology of the upper plate from seismological investigations, Report for the research period 1999-2001, unveröffentlicht, Berlin, Potsdam, 177-209.
- Avila Salinas, W. A., 1996. Ambiente tectónico del volcanismo Ordovicico en Bolivia, Memorias del XII Congreso Geológico de Bolivia, Tarija, Bolivia, 137-143.

- Avila Salinas, W. A., 1991. Petrologic and tectonic evolution of the Cenozoic volcanism in the Bolivian western Andes. In: R.S. Harmon, C. W. Rapela (Editors), *Andean magmatism and its tectonic setting*. Geological Society of America Special Paper 265, Boulder, Colorado, 245-257.
- Baby, P., Rochat, P., Masche, G., Hérail, G., 1997. Neogene shortening contribution to crustal thickening in the back arc of the Central Andes. *Geology*, 25(10): 883 - 886.
- Baby, P., Sempere, T., Oller, J., Barrios, L., Héral, G., Marocco, R., 1990. Un basin en compression d'age oligo-miocène dans le sud de l'Altiplano bolivien. *C. R. Acad. Sci. Paris*, II(311): 341 - 347.
- Bahlburg, H., 1990. The Ordovician basin in the Puna of NW Argentina and N-Chile. Geodynamic evolution from back arc to foreland basin. *Geotektonische Forschungen*, 75: 1-107.
- Beck, S., Zandt, G., Myers, S. C., Wallace, T. C., Silcer, P. G., Drake, L., 1996. Crustal-thickness variations in the Central Andes. *Geology*, 24: 407-410.
- Blair, T. C., Mc Pherson, J. G., 1994. Alluvial Fans and their natural distinction form rivers based on morphology, hydraulic processes, sedimentary processes, and facies assemblages. *Journal of Sedimentary Research*, A 64(3): 450 - 489.
- Blatt, H., 1982. *Sedimentary Petrology*. Freeman & Company, San Francisco, 564 pp.
- Bogdanic, T., 1990. Kontinentale Sedimentation der Kreide und des Altertiärs im Umfeld des subduktionsbedingten Magmatismus in der chilenischen Prökordillere (21°-23°S). *Berliner Geowissenschaftliche Abhandlungen*, A123, 117 S.
- Boll, A., Hernandez, M. R., 1985. Área Tres Cruces (Provincia de Jujuy), Análisis Estratigráfico-Estructural como objetivo exploratorio, Yacimientos Petrolíferos Fiscales (YPF), Argentina, Informe Inedito.
- Boll, A., Hernandez, M. R., 1986. Interpretación estructural del área Tres Cruces. *Boletín de Informaciones Petroleras*, Tercera Epoca III(7): 2-14.
- Bond, G. C., Nickeson, P. A., Kominz, M. A., 1984. Breakup of a supercontinent between 625 Ma and 555 Ma: New evidence and implications for continental histories. *Earth and Planetary Science Letters*, 70: 325-345.
- Bond, M., Lopez, G. M., 1995. Los mamíferos de la Formación Casa Grande (Eoceno) de la Provincia de Jujuy, Republica Argentina. *Ameghiniana*, 32: 301 - 309.
- Brasse, H., Lezaeta, P., Rath, V., Schwalenberg, K., Soyer, W., Haak, V., 2002. The Bolivian Altiplano conductivity anomaly. *Journal of Geophysical Research*, 107 (B5): 10.1029/2001B000391.
- Breitkreuz, C., Zeil, W., 1994. The late Carboniferous to Triassic volcanic belt in northern Chile. In: K.-J. Reutter, E. Scheuber, P. Wigger (Editors), *Tectonics of the Southern Central Andes*. Springer-Verlag, 277-292.
- Brookfield, M. E., 1977. The origin of bounding surfaces in ancient aeolian sandstones. *Sedimentology*, 24: 303-330.
- Buesch, D. C., 1991. Changes in depositional environments resulting from emplacement of a large volume ignimbrite. In: R.V. Fisher, G.A. Smith (Editors), *Sedimentation in Volcanic Settings*. Spec. Publ. Soc. econ. Paleont. Miner., Tulsa, 139-154.
- Cailleux, A., 1942. Les actions éoliennes périglaciaires en Europe. *Mem. Soc. Géol. France*, 46: 1-176.
- Cant, D. J., Walker, R. G., 1978. Fluvial processes and facies sequences in the sandy braided South Saskatchewan River, Canada. *Sedimentology*, 37: 345-355.
- Charrier, R., Reutter, K.-J., 1994. The Purilactis Group of Northern Chile; Boundary Between Arc and Backarc from Late Cretaceous to Eocene. In: K.-J. Reutter, E. Scheuber, P. J. Wigger (Editors), *Tectonics of the southern central Andes: structure and evolution of an active continental margin* (Springer), 189-202.

## 9 Literaturverzeichnis

- Choque, N., Mamani, H., 1997. Carta Geológica de Bolivia: Hoja Geológica San Pablo de Lipez (6228). Servicio Geográfico Militar (SGM) -Serie i-CGB-52 Servicio nacional de Geología y Minería.
- Coira, B., Davidson, J., Mpodozis, C., Ramos, V. A., 1982. Tectonic and magmatic evolution of the Andes of northern Argentina and Chile. *Earth Science Review*, 18: 303-332.
- Collinson, J. D., 1986. Alluvial Sediments. In: H. G. Reading (Editor), *Sedimentary Environments and Facies*. Blackwell Scientific Publications, Oxford, 20-62.
- Collinson, J. D., Thompson, D. B., 1982. *Sedimentary Structures*, London (Allen & Unwin), 194 pp.
- Critelli, S., Ingersoll, R. V., 1994. Sandstone petrology and provenance of the Siwalik Group (northwestern Pakistan and western-southeastern Nepal). *Journal of Sedimentary Research*, A64: 815-823.
- Cruz, Y., 1995. Altiplano-Sur, Sección estructural (unveröffentlicht), Yacimientos Petrolíferos Fiscales Bolivianos (YPFB), Gerencia de Exploración PEAL, Santa Cruz, Bolivia.
- DeCelles, P. G., Giles, K. A., 1996. Foreland Basin Systems. *Basin Research*, 8, 105-123.
- DeCelles, P. G., Horton, B., 2003. Early to middle Tertiary foreland basin development and the history of Andean crustal shortening in Bolivia. *Geological Society of America Bulletin*, 115(1): 58-77.
- Dereims, A., 1906. Geología Nacional: Excusiones científicas 1901-1904- Informe del Ing. Geólogo Alfredo Dereims, miembro de la Mision Topografica en Bolivia, La Paz, Bolivia.
- Dickinson, W. R., 1970. Interpreting detrital modes of graywacke and arkose. *Journal of Sedimentary Petrology*, 40: 695-707.
- Dickinson, W. R., Suczek, C. A., 1979. Plate tectonics and sandstone compositions. *American Association of Petroleum Geologists Bulletin*, 63: 2164-2182.
- Dickinson, W. R., Beard, L. S., Brakenridge, G. R., Erjavec, J. L., Ferguson, R. C., Inman, K. F., Kneppe, R. A., Lindberg, F. A., Ryberg, P. T., 1983. Provenance of North American Phanerozoic sandstones in relation to tectonic setting. *Geological Society of America, Bulletin* 94: 222-235.
- Dickinson, W. R., 1985. Interpreting provenance relations from detrital modes of sandstones. In: G. G. Zuffa (Editor), *Provenance of arenites*. D. Reidel Publishing Company, Dordrecht, Boston, Lancaster, 333-361.
- Dickinson, W. R., 1988. Provenance and Sediment Dispersal in relation to Paleotectonics and Paleogeography of Sedimentary Basins. In: K. L. Kleinspehn, C. Paola (Editors), *New Perspectives in Basin Analysis*. Springer-Verlag, New York, 3 - 25.
- DNG, Rio Mulatos, 1963. Hoja 6234, 67°00'-66°00' Longitude; 20°00'-19°40' Latitude, Dirección Nacional de Geología (DNG).
- Döbel, R., Friedrichsen, H., Hammerschmidt, K., 1992. Implication of 40Ar/39Ar dating of early Tertiary volcanic rocks from the North Chilean Precordillera. *Tectonophysics* 202: 55-81.
- Düll, M., 2001. Sedimentologie der Cayara-Formation in der Camargo-Mulde und geologische Karte der Gegend von Camargo (Bolivien). Diplomarbeit, unveröffentlicht, Freie Universität Berlin, Germany, 73 S.
- Ege, H., 2004. Exhumationsgeschichte des Altiplano und der Ostkordillere Süd-Boliviens anhand von Apatit Spaltspur-Datierungen, Dissertation Thesis unveröffentlicht, Freie Universität Berlin, Germany.
- Egenhoff, S., 2000. Sedimentologie und Beckenentwicklung im Ordovizium in Südbolivien, *Berliner Geowissenschaftliche Abhandlungen*, A 207, 173 S.
- Einsele, G., 2000. *Sedimentary Basins - Evolution, Facies and Sediment Budget*. Springer-Heidelberg, Heidelberg, 792 pp.
- Eisbacher, G. H., 1996. *Einführung in die Tektonik*. Enke, Stuttgart, 374 S.

- Elger, K., 2003. Analysis of deformation and tectonic history of the Southern Altiplano Plateau (Bolivia) and their importance for plateau formation, Scientific Technical Report STR03/05, 151 S.
- England, P., Molnar, P., 1990. Surface Uplift, Uplift of Rocks, and Exhumation of Rocks. *Geology*, 18, 1173–1177.
- Erdtmann, B.-D., Suárez Soruco, R., 1999. The Ordovician tectonostratigraphy of Bolivia, Submitted to 8th International Symposium on Ordovician System, Praga.
- Evernden, J., Kriz, S., Cherroni, C., 1977. Potassion-Argon ages of some Bolivian rocks. *Economic Geology*, 72: 1042 - 1061.
- Fernández-Castro, A., Meave, J., Subieta, T., 1972. Estudio geológico de la región de Lípez, Potosí. *Boletín de la Sociedad Geológica Boliviana*, 18: 69 - 90.
- Fiedler, K., 2001. Die kretazisch-alttertiäre Entwicklung des südlichen Potosí Beckens (Südbolivien). *Berliner Geowissenschaftliche Abhandlungen A*215, 162 S.
- Fischer, R. V., Schmincke, H. U., 1984. Pyroclastic Rocks. Springer-Verlag, Berlin, 472 pp.
- Folk, R. L., 1974. Sandstones; Macropedia, 16: 212-216.
- Ford, M., Williams, E. A., Artoni, A., 1997. Progressive evolution of a fault-related fold pair from growth strata geometries, Sant Llorenç de Morunys, SE Pyrenees. *Journal of Structural Geology*, 19(3-4): 413-441.
- Fornari, M., Risacher, M., Feraud, G., 2001. Dating of paleolakes in the central Altiplano of Bolivia. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 172 (3 - 4): 269 - 282.
- Fowler, C. M. R., 1990. The solid earth: An Introduction to Global Geophysics. Cambridge University Press, 490 pp.
- Füchtbauer, H., 1988. Sedimentäre Ablagerungsräume II. In: H. Füchtbauer (Editor), *Sedimente und Sedimentgesteine*. Schweizerbart'sche Verlagsbuchhandlung, Stuttgart, 865-960.
- Gallinski, M. A., Viramonte, J. G., 1988. The Cretaceous paleorift in northwestern Argentina: A petrologic approach. *Journal of South American Earth Sciences*, 1(4): 329-342.
- Garcia Duarte, R., Almendras, O., Arancibia, A., González, M., 1997. Carta Geológica de Bolivia: Hoja Laguna Corante/Picalto (6227). Servicio Geográfico Militar (SGM), Serie I-CGB, Servicio Nacional de Geología y Minería.
- Gazzi, P., 1966. Le arenite del flysch sopracretaceo dell'Apenino modenese: correlazione con il flysch di Monghidoro. *Mineral. Petrogr., Acta* 16: 69-97.
- Giese, P., Scheuber, E., Schilling, F., Schmitz, M., Wigger, P., 1999. Crustal thickening processes in the Central Andes and the different natures of the Moho-discontinuity. *Journal of South American Earth Sciences*, 12: 201-220.
- Götze, H. J., Kirchner, A., 1997. Gravity field at the South American active margin (20° to 20°S). *Journal of South American Earth Sciences*, 6: 267-287.
- Grant, N. J., Halls, C., Salinas, W. A., Snelling, N., 1979. K-Ar ages of igneous rocks and mineralization in part of the Bolivian Tin Belt, *Econ. Geol.* 74, 838-851.
- Gregory-Wodzicki, K. M., 2000. Uplift History of the Central and Northern Andes: A Review. *Geological Society of America Bulletin*, 112(7), 1091-1105.
- Günther, A., 2001. Strukturgeometrie, Kinematik und Deformationsgeschichte des oberkretazisch-alttertiären magmatischen Bogens (nord-chilenische Prökordillere, 21,7-23°S). Dissertation Thesis unveröffentlicht, Freie Universität Berlin, Germany, 170 S.
- Hampton, B., 2002. Early-middle Tertiary deposition in the Corque syncline, Altiplano Plateau, Bolivia. Master of Science Thesis, Louisiana State University, 124 pp.
- Harms, J. C., Southard, J. B., Walker, R. G., 1982. Structures and sequences in clastic rocks. *Society of Economic Paleontology and Mineralogy, Shourt Course* 9.

- Harms, J. C., Southard, J. B., Spearing, D. B., Walker, R. G., 1975. Depositional environments as interpreted from primary sedimentary structures and stratification sequences. Society of Economic Paleontology and Mineralogy, Shourt Course 2, Tulsa, Oklahoma, 161 pp.
- Harms, J. C., Fahnestock, R. K., 1965. Stratification, bed forms, and flow phenomena (with an example from the Rio Grande). In: G. V. Middleton (Editor), Primary Sedimentary Structures and their Hydrodynamic Interpretation. Spec. Publ. Soc. Econ. Paleontol. Mineral., Tulsa, Oklahoma, 84-115.
- Hartley, A. J., 2003. Andean uplift and climate change. Journal of Geological Society of America, 160: 7 - 10.
- Héral, G., Baby, R., López, M., Oller, J., López, O., Salinas, R., Sempere, T., Beccar, G., Toledo, H., 1990. Structure and kinematic evolution of subandean thrust system of Bolivia. In: ORSTOM (Editor), Premier Symposium International de Géodynamique Andine (ISAG 90), Grenoble, 172-182.
- Héral, G., Baby, P., Aranibar, O., Lavenu, A., Mascle, G., 1997. El Altiplano Norte de Bolivia: Evolución geológica terciaria. In: R. Charrier, P. Aceituno, M. Castro, A. Llanos, L. A. Raggi (Editors), El Altiplano, ciencia y conciencia en los Andes. Simposio internacional. Estudios Altiplanicos. Universidad de Chile 1997, Arica, Chile.
- Héral, G., Baby, P., Soler, P., 1994. El contacto Cordillera Oriental-Altiplano en Bolivia: Evolución tectónica, sediméntaria y geomorfológica durante el mioceno, 7º Congreso Geológico Chileno, Concepcion, Chile, 62-66.
- Héral, G., Oller, J., Baby, P., Soler, P., 1996. Strike-slip faulting, thrusting and related basins in the Cenozoic evolution of the southern branch of the Bolivian Orocline. Tectonophysics, 259: 201 - 212.
- Héral, G., Soler, P., Bonhomme, M., Lizeca, J. L., 1993. Evolution géodynamique du contact Altiplano-Cordillère Orientale au Nord d'Oruro (Bolivie) - Implications sur le déroulement de l'orogénèse andine. C.R. Acad. Sci., 317: 512-522.
- Horne, J. C., Ferm, J. C. Caruccio, F. T., Baganz, B. P., 1978. Depositional models in coal exploration and mine planning in the Appalachian region. American Association of Petroleum Geologists Bulletin, 62: 2379-2411.
- Horton, B. K., DeCelles, P. G., 2001. Modern and ancient fluvial megafans in the foreland basin system of the central Andes, southern Bolivia: implications for drainage network evolution in fold thrust belts. Basin Research, 13: 43 - 63.
- Horton, B. K., 1998. Sediment accumulation on top of the Andean orogenic wedge: Oligocene to late Miocene basins of the Eastern Cordillera, southern Bolivia. Geological Society of America Bulletin, 110(9): 1174 - 1192.
- Horton, B. K., 1999. Erosional control on the geometry and kinematics of thrust belt development in the central Andes. Tectonics, 18: 1292-1304.
- Horton, B. K., Hampton, B. A., LaReau, B. N., Baldellón, E., 2001. Tertiary Provenance History of the Northern and Central Altiplano (Central Andes, Bolivia): A Detrital Record of Plateau-Margin Tectonics. Journal of Sedimentary Research, 72(5): 711-726.
- Horton, B. K., Hampton, B. A., Waanders, G. L., 2001. Paleogene synorogenic sedimentation in the Altiplano plateau and implications for initial mountain building in the central Andes. Geological Society of America Bulletin, 113(11): 1387 - 1400.
- Isacks, B. L., 1988. Uplift of the Central Andean Plateau and bending of the Bolivian Orocline. Journal of Geophysical Research, 93 (B4): 3211-3231.
- IES (Integrated Exploration Systems-GmbH), 1990. Pre-Drilling-Intelligence (PDI) Basin Modeling Software. IES, Juelich, Germany.
- Ingersoll, R. V., Bullard, T., Ford, R., Grimm, J., Pickle, J., Sares, S., 1984. The effect of grain size on the detrital modes: a test of the Gazzi-Dickinson point-counting method. Journal of Sedimentary Petrology, 54: 102-116.

- Ingersoll, R. V.; Busby, C. J., 1995. Tectonics of Sedimentary Basins. Blackwell Scientific, Cambridge. MA.
- Isacks, B. L., 1988. Uplift of the Central Andean Plateau and Bending of the Bolivian Orocline. *Journal of Geophysical Research*, 93(B4), 3211-3231.
- Jackson, R. G., 1975. Hierarchical attributes and a unifying model of bed forms composed of cohesionless material and produced by shearing flow. *Bull. geol. Society of America*, Boulder, Colorado, 86: 1523-1533.
- Jacobshagen, V., Müller, J., Wemmer, K., Ahrend, H., Manotsoglu, E., 2002. Hercynian deformation and metamorphism in the Cordillera Oriental of Southern Bolivia, Central Andes. *Tectonophysics*, 345: 119 - 130.
- James, D. E., 1971. Plate Tectonic Model for the Evolution of the Central Andes. *Geological Society of America Bulletin*, 82: 3325-3346.
- Jarandilla, J., 1988. Informe geológico regional y estratigráfico de detalle en secciones del Altiplano, Cordillera Oriental Centro y Sur. Informe Interno YPFB (GXG-3158), in Suarez Sorucco, R., (Editor), 2000. Compendio de Geología de Bolivia, Revista Técnica de Yacimientos Petrolíferos Fiscales Bolivianos (YPFB), Vol. 18, (1-2).
- Jones, S. J., Frostick, L. E., Astin, T. R., 2001. Braided stream and flood plain architecture: the Rio Vero Formation, Spanish Pyrenees. *Sedimentary Geology*, 139: 229 - 260.
- Jordan, T. E., Allmendinger, R. W., Damanti, J. F., Drake, R. E., 1983. Chronology of Motion in a Complete Thrust Belt: The Precordillera, 30-31°S, Andes Mountains. *Journal of Geology*, 101: 135-156.
- Jordan, T. E., 1995. Retroarc foreland basins. In: R. V. Ingersoll, C. Busby (Editors), *Tectonics of sedimentary basins*. Blackwell Scientific, Cambridge, MA, 330-362.
- Kay, S. M., Coira, B., Viramonte, J., 1994. Young mafic back arc volcanic rocks as indicators of continental lithospheric delamination beneath the Argentine Puna plateau, central Andes. *Journal of Geophysical Research*, 99(B12): 24,323 - 24,339.
- Kennan, L., Lamb, S., Rundle, C., 1995. K-Ar dates from the Altiplano and Cordillera Oriental of Bolivia: Implication for Cenozoic stratigraphy and tectonics. *Journal of South American Earth Sciences*, 8: 163-186.
- Khadkikar, A. S., Chamyal, L. S., Ramesh, R., 2000. The character and genesis of calcrete in Late Quaternary alluvial deposits, Gujarat, western India, and its bearing on the interpretation of ancient climates. *Paleogeography, Palaeoclimatology, Palaeoecology*, 162: 239 - 261.
- Kley, J., Monaldi, C. R., 1998. Tectonic shortening and crustal thickness in the Central Andes: How good is the correlation? *Geology*, 26 (8): 723-726.
- Kocurek, G., 1991. Interpretation of ancient eolian sand dunes. *Annual Review of Earth Planetary Science*, 19: 43-75.
- Koeberling, F. R., 1919. Informe sobre la geología de las propiedades mineras de la compañía Estanifera de Llallagua, Informe interno Compañía Estañifera Llallagua, Llallagua, Bolivia.
- Kraemer, B., 1999. Eine geochemische Traverse quer zum mittelmiozänen magmatischen Bogen im südlichen Bereich der Zentralen Vulkanischen Zone der Anden (ZVZ, 25°-26°30' S - 67°30'-69°W). *Berliner Geowissenschaftliche Abhandlungen*, A 200, 174 S.
- Kußmaul, S., Jordan, L., Ploskonda, E., 1975. Isotopic Ages of Tertiary Volcanic Rocks of SW-Bolivia. *Geologisches Jahrbuch*, B 14: 111-120.
- Lamb, S., Hoke, L., 1997. Origin of the high plateau in the Central Andes, Bolivia, South America, *Tectonics*, 16(4): 623-649.
- Levenhagen, J., 2001. Geologie und Tektonik im Gebiet San Cristóbal-Corregidores, südwestlicher bolivianischer Altiplano (21°S-67°2'). Diplomarbeit, unveröffentlicht, Freie Universität Berlin, Germany, 81 S.

- Lirer, L., Vinci, A., Alberico, I., Gifuni, T., Bellucci, F., Petrosino, P., Tinterri, R., 2001. Occurrence of inter-eruption debris flow and hyperconcentrated flood-flow deposits on Vesuvio volcano, Italy. *Sedimentary Geology*, 139: 151 - 167.
- Lohmann, H., Branisa L., 1962. Estratigrafía y paleontología del Grupo Puca en el sinclinal de Miraflores, Potosí. *Petróleo Boliviano*, 4(2): 9 - 16.
- Mack, G. H., 1984. Exceptions to the relationship between plate tectonics and sandstone composition. *Journal Sedimentary Petrology*, 54: 212 - 220.
- Mader, D., 1983. Evolution of fluvial sedimentation in the Buntsandstein (Lower Triassic) of the Eifel (Germany). *Sedimentary Geology*, 37: 1-84.
- Mader, D., 1985. Braidplain, floodplain and playa-lake, alluvial-fan, aeolian and palaeosol facies composing a diversified lithogenetical sequence in the Permian and Triassic of South Devon (England). In: D. Mader (Editor), *Aspects of Fluvial Sedimentation*. Lecture Notes in Earth Sciences 4, Berlin, 15-64.
- Maksaev, V., 1990. Metallogeny, geological evolution, and thermochronology of the Chilean Andes between latitudes 21° and 26° South, and the origin of major porphyry copper deposits, Dalhousie University, Halifax, Canada, 554 pp.
- Mariaca, O., 1974. Informe geológico final pozos someros Colchani-1; Colchani-2. LAT 08-6-115, (unveröffentlicht), Yacimientos Petrolíferos Fiscales Bolivianos (YPFB), Oruro, Bolivia.
- Marocco, R., Sempere, T., Cirbian, M., Oller, J., 1987. Mise en évidence d'une déformation Paléocène en Bolivie du sud. Sa place dans l'évolution géodynamique des Andes centrales. *C. R. Acad. Sc. Paris*, 304(118): 1139 - 1142.
- Marret, R., Emerman, S. H., 1992. The relations between faulting and mafic magmatism in the Altiplano-Puna plateau (central Andes). *Earth and Planetary Science Letters*, 112: 53 - 59.
- Marret, R. A., Allmendinger, R. W., Alonso, R. N., Drake, R. E., 1994. Late Cenozoic tectonic evolution of the Puna Plateau and adjacent foreland, northwestern Argentine Andes. *Journal of South American Earth Sciences*, 7(2): 179 - 207.
- Marshall, L. G., Sempere, T., Butler, R., 1997. Chronostratigraphy of the mammal-bearing Paleocene of South America. *Journal of South American Earth Sciences*, 10(1): 49 - 70.
- Martínez, C., Soria, E., Uribe, H., Escobar, A., Hinojosa, A., 1994. Estructura y evolución del Altiplano suroccidental. El sistema de cabalgamiento de Uyuni-Khenayani y su relación con la sedimentación terciaria. *Revista Técnica de Yacimientos Petrolíferos Fiscales Bolivianos* (YPFB), 15 (3-4), 245 - 264.
- Martins-Neto, M. A., 1996. Lacustrine fan-deltaic sedimentation in a Proterozoic rift basin: the Sopa-Brumadinho Tectonosequence, southern Brazil. *Sedimentary Geology*, 106: 65 - 96.
- McKee, E. D., 1966. Structures of dunes at White Sands National Monument, New Mexico (and comparison with structures of dunes from other selected areas). *Sedimentology*, 7: 1-69.
- McKee, E. D., 1979. Sedimentary structures in dunes. In: E. D. McKee (Editor), *A Study of Global Sand Seas*. U. S. Geol. Surv. Prof. Pap., Boulder, Colorado, 84-113.
- McQuarrie, N., 2002. The kinematic history of the central Andean fold-thrust belt, Bolivia: implications for building a high plateau. *Geological Society of America-Bulletin*, 114(8): 950-963.
- Mégard, F., 1973. Etude géologique d'une transversale des Andes au niveau du Pérou central. Thèse Doct. Thesi, Etat, U.S.T.L., Montpellier, France, 263 pp.
- Miall, A. D., 1977. A review of the braided-river depositional environment. *Earth Science Review*, 13: 1-62.
- Miall, A. D., 1985. Architectural-element analysis: a new method of facies analysis applied to fluvial deposits. *Earth Science Review*, 22: 261-308.

- Miall, A. D., 1992. The Geology of Fluvial Deposits. In: R. G. Walker, N. P. James (Editors), Facies Models: Response to Sea Level Change. Geol. Assoc. Canada, St. John's Newfoundland, 119-142.
- Miall, A. D., 1996. The Geology of Fluvial Deposits: Sedimentary facies, basin analysis, and petroleum geology, Berlin, Heidelberg, New York (Springer Verlag), 582 pp.
- Miall, A. D., 1999, Principles of sedimentary basin analysis, 3 edition: Springer-Verlag Inc., New York, N. Y., 616 pp.
- Mpodozis, C., Ramos, C. A., 1990. The Andes of Chile and Argentina: Circum Pacific Council for Energy and Mineral Resources. Earth Science Series, 11: 59-90.
- Mpodozis, C., Kay, S. M., 1992. Late Paleozoic to Triassic evolution of the Gondwana margin: Evidence from Chilean Frontal Cordilleran batholiths ( $28^{\circ}$  to  $31^{\circ}$  S). Geological Society of America Bulletin, 104: 999-1014.
- Müller, J., Kley, J., Jacobshagen, V., 2002. Structure and Cenozoic kinematics of the Eastern Cordillera, southern Bolivia ( $21^{\circ}$ ). Tectonics, 21(5): 1037, doi: 10.1029/2001TC001340
- Müller, J. P., 2000. Tektonische Entwicklung und Krustenverkürzung der Ostkordillere Südboliviens ( $20.7\text{--}21.5^{\circ}$ ), Dissertation, unveröffentlicht, Freie Universität Berlin, Germany, 197 S.
- Murphy, J. B., Nance, R. D., 1991. A supercontinent model for the contrasting character of Late Proterozoic Orogenic belts. Geology, 19: 469-472.
- Neef, G., Bottrill, R. S., Cohen, D. R., 1996. Mid and late Devonian arenites deposited by sheet-flood, braided streams and rivers in the northern Barrier Ranges, far western New South Wales, Australia. Sedimentary Geology, 103: 39 - 61.
- Oller-Viramendi, J., 1992. Cuadro cronoestratigráfico de Bolivia, Publicación especial de Yacimientos Petrolíferos Fiscales Bolivianos (YPFB)-GXG, Santa Cruz, Bolivia.
- Olsen, H., 1989. Sandstone-body structures and ephemeral stream processes in the Dinosaur Canyon Member, Moenave Formation (Lower Jurassic), Utah, USA. Sedimentary Geology, 61: 207-221.
- Pacheco-Zuñiga, J., Ramírez, V., 1997. Carta Geológica de Bolivia: Hoja Soniquera (6128). Publicación SGM, Servicio Nacional de Geología y Minería, Bolivia.
- Pardo-Casas, F., Molnar, P., 1987. Relative motion of the Nazca (Farallon) and South American plates since Late Cretaceous time. Tectonics, 6(3): 233 - 248.
- Pascual, R., 1983. Novedosos marsupiales paleógenos de la Formación Pozuelos (Grupo Pastos Grandes) de la Puna, Salta, Argentina. Ameghiniana, 20: 265 - 280.
- Perez-Mendieta, M., 1963. Estudio Geológico del área Sevaruyo-Salar de Uyuni, Provincia Ladislao Cabrera, Oruro. Tesis de Grado Thesis, UMSA, La Paz, 80 pgs.
- Pettijohn, F. J., 1957. Sedimentary rocks. Harper & Row Publ., New York, 718 pp.
- Pettijohn, F. J., 1975. Sedimentary rocks. Harper & Row Publ., New York, 628 pp.
- Pettijohn, F. J., Potter, P. E., Siever, R., 1987. Sand and Sandstone. Springer, Berlin, Heidelberg, New York, 553 pp.
- Quinlan, G. M., Beaumont, C., 1984. Appalachian thrusting, lithospheric flexure, and the Paleozoic stratigraphy of the eastern Interior of North America. Canadian Journal of Earth Sciences, 21: 973-996.
- Reading, H. G., 2002. Sedimentary Environments and Facies, 2nd Edition, Blackwells Scientific Publications, 229-282.
- Retallack, G. J., 1994. Cenozoic dry woodlands without modern analog. Journal of Vertebrate Paleontology, 14, Abstract for the fifty-fourth Annual Meeting Society of Vertebrate Paleontology, Burke Museum, University of Washington, Seattle, Washington, Oct. 1994, 43 A, 19-22.

- Reutter, K.-J., Döbel, R., Bogdanic, T., Kley, J., 1994. Geological map of the Central Andes between 20° and 26°. In: K.-J. Reutter, E. Scheuber, P. J. Wigger (Editors), *Tectonics of the southern Central Andes*. Springer-Verlag, Berlin-Heidelberg.
- Reutter, K.-J., Giese, P., Götze, H.-J., Scheuber, E., Schwab, K., Schwarz, G., Wigger, P., 1988. Structures and crustal development of the Central Andes between 21° and 25°. In: H. Bahlburg, C. Breitkreuz, P. Giese (Editors), *The Southern Central Andes. Lectures Notes in Earth Sciences*, Berlin, 231-261.
- Reutter, K.-J., Scheuber, E., Helmcke, D., 1991. Structural evidence of orogen-parallel strike slip displacements in the Precordillera of northern Chile. *Geologische Rundschau*, 80(1): 135-153.
- Riccardi, A. C., 1987. Cretaceous Paleogeography of Southern South America. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 59: 169 - 195.
- Ridgeway, K. D., DeCelles, P. G., 1993. Petrology of Mid-Cretaceous strike-slip basins in an accretionary orogen, St. Elias Mountains, Yukon Territory, Canada. In: M. J. Johnsson, A. Basu (Editors), *Processes Controlling the Composition of Clastic Sediments*, Boulder, Colorado, Geological Society of America, Special Paper 284, 67-89.
- Risacher, F., Fritz, B., 1991. Geochemistry of Bolivian salars, Lipez, southern Altiplano: Origin of solutes and brine evolution. *Geochimica et Cosmochimica Acta*, 55: 687 - 705.
- Roeder, D., 1988. Andean-age structure of the Eastern Cordillera (Province of La Paz, Bolivia). *Tectonics* 7 (1): 23-39.
- Rubiolo, D. G., 1997. Esquema de evolución tectonosedimentaria para las cuencas cenozoicas de la Cordillera Oriental (22° a 23° lat. S), Argentina. *Acta Geologica Hispanica*, 32: 77 - 92.
- Rust, B. R., Kostner, E. H., 1984. Coarse alluvial deposits. In: R.G. Walker (Editor), *Facies Models. Geosc. Can. reprint Ser.*, Toronto, 53-69.
- Salfity, J. A., Marquillas, R. A., Gardeweg, M., Ramirez, C., Davidson, J., 1985. Correlaciones en el Cretácico Superior del norte de Argentina y Chile, 4º Congreso Geológico Chileno, Actas 4, Antofagasta, Chile, 654-667.
- Salfity, J. A., Marquillas, R. A., 1994. Tectonic and Sedimentary Evolution of the Cretaceous-Eocene Salta Group Basin, Argentina. In: J.A. Salfity (Editor), *Cretaceous tectonics of the Andes*. Vieweg, 266-315.
- Scheffels, B. M., 1990. Lower bound on the amount of crustal shortening in the central Bolivian Andes. *Geology*, 18: 812-815.
- Scherer, C. M. S., 2000. Eolian dunes of the Botucatu Formation (Cretaceous) in southernmost Brazil: morphology and origin. *Sedimentary Geology*, 137: 63 - 84.
- Scheuber, E., Bogdanic, T., Jensen, A., Reutter, K.J., 1994. Tectonic Development of the North Chilean Andes in Relation to Plate Convergence and Magmatism since the Jurassic. In: K.-J. Reutter, E. Scheuber, P. Wigger (Editors), *Tectonics of the Southern Central Andes*, Springer Verlag, Berlin-Heidelberg, 121 - 139.
- Schilling, F., Partzsch, G., Brasse, H. Schwarz, G., 1997. Partial melting below the magmatic arc in the central Andes deduced from geoelectromagnetic field experiments and laboratory data. *Physics of the Earth and Planetary Interiors*, 103: 17-31.
- Schlaginweit, O., 1943. La posición estratigráfica del yacimiento de hierro de Zapla y la difusión del Horizonte Glacial de Zapla en la Argentina y en Bolivia. *Rev. Min.*, 13 (4): 3 - 15.
- Schnurr, W., 2001. Neogene Ignimbrite der südlichen Zentralandes (25°-27°S) und 67°-69°S), Dissertation, unveröffentlicht, Freie Universität Berlin, Germany .
- Selley, R. C., 1985. Ancient Sedimentary Environments - and their sub-surface diagnosis. Chapman & Hall, London, 317 pp.
- Sempere, T., 1994. Kimmeridgian? to Paleocene Tectonic Evolution of Bolivia. In: J.A. Salfity (Editor), *Cretaceous Tectonics of the Andes*, Earth Evolution Science 4, 168 - 213.

- Sempere, T., 1995. Phanerozoic evolution of Bolivia and adjacent regions. In: A. J. Tankard, R. Suárez Sorucco, H. J. Welsink (Editors), *Petroleum Basins of South America*. AAPG, 207 - 230.
- Sempere, T., Butler, R. F., Richards, D. R., Marshall, L. G., Sharp, W., Swisher, C. C., 1997. Stratigraphy and chronology of Upper Cretaceous-lower Paleogene strata in Bolivia and northwest Argentina. *Geological Society of America Bulletin*, 109(6): 709 - 727.
- Sempere, T., Héral, G., Oller, J., Bonhomme, M. G., 1990. Late Oligocene-early Miocene major tectonic crisis and related basins in Bolivia. *Geology*, 18: 946-949.
- Smith, G. A., 1991. Facies sequences and geometries in continental volcanoclastic sediments. In: R. V. Fisher, G. A. Smith (Editors), *Sedimentation in Volcanic Settings*, SEPM Spec. Publ., 109-121.
- Smith, G. A., Landis, C. A., 1995. Intra-Arc Basins. In: R. V. Ingersoll, C. J. Busby (Editors), *Tectonics of Sedimentary Basins*. Blackwell Science, Cambridge, Massachusetts, 263-298.
- Smith, G. S., 1986. Coarse-grained nonmarine volcaniclastic sediment: Terminology and depositional process. *Geological Society of America Bulletin*, 97: 1 - 10.
- Smoot, J.P., Castens-Seidell, B., 1994. Sedimentary features produced by efflorescent salt crust, Saline Valley and Death Valley, California. In: R. W. Renaut, W. M. Last (Editors), *Sedimentology and Geochemistry of Modern and Ancient Saline Lakes*. Spec. Publ. Soc. econ. Paleont. Mineral., Tulsa, 73-90.
- Somoza, R., 1998. Updated Nazca (Farallon)-South America relative motions during the last 40 my: Implications for mountain building in the Central Andean region. *Journal of South American Earth Sciences*, 11: 211 - 215.
- Steckler, M. S., Watts, A. B., 1978. Subsidence of the Atlantic-Type Continental Margin off New York. *Earth and Planetary Science Letters*, 41. 1- 13.
- Steinman, G., 1929. Geologie von Peru. Carl Winters Universitätsbuchhandlung, Heidelberg, 448 S.
- Suárez Soruco, R., 1982. El límite Devónico - Carbónico en la cuenca sudoriental de Bolivia. IGCP-Proj. 42, Resumo de contribuciones: 6, São Paulo, Brasil.
- Suárez Soruco, R., 1983. Síntesis del desarrollo estratigráfico y evolución tectónica de Bolivia durante el Paleozoico Inferior. *Revista Técnica de Yacimientos Petrolíferos Fiscales Bolivianos* (YPFB), 9 (1-4), 223-228, La Paz.
- Suárez Soruco, R., 1999. Bolivia: Late Proterozoic - Early Paleozoic, 4th International Symposium on Andean Geodynamics (ISAG/99), Göttingen, Alemania.
- Suárez Soruco, R., (Ed.) 2000. Compendio de la Geología de Bolivia/Altiplano. *Revista Técnica de Yacimientos Petrolíferos Fiscales Bolivianos* (YPFB), 18 (1-2), Cochabamba, 214 pgs.
- Suttner, L. J., Basu, A., 1981. Climate and the origin of quartz arenites. *Journal of Sedimentary Petrology*, 51: 1235-1246.
- Suttner, L. J., Basu, A., 1985. The effect of grain size on detrital modes: a test of the Gazzi-Dickinson point-Counting method - discussion. *Journal of Sedimentary Petrology*, 55: 616-627.
- Talbot, M. R., Holm, K., Williams, M. A. J., 1994. Sedimentation in low-gradient desert margin systems: A comparison of the Late Triassic of northwest Somerset (England) and the late Quaternary of east-central Australia. In: M.R. Rosen (Editor), *Paleoclimate and Basin Evolution of Playa Systems*. Spec. Pap. geol. Soc. Am., Boulder, CO, 97 - 117.
- Tawackoli, S., Jacobshagen, V., Wemmer, K., Andriessen P., 1996. The Eastern Cordillera of Southern Bolivia: A key region to the Andean backarc uplift and deformation history. In: ORSTOM Troisième symposium international sur la Géodynamique andine (ISAG) (Editor), 3rd International Symposium on Andean Geodynamics, St. Malo - Frankreich, 505-508.
- Tawackoli, S., 1999. Andine Entwicklung der Ostkordillere in der Region Tupiza (Südbolivien). *Berliner Geowissenschaftliche Abhandlungen*, A 203, 116 S.

- Taylor, E. M., 1990. Volcanic History and Tectonic Development of the Central High Cascade Range, Oregon. *Journal of Geophysical Research*, 95 (B 12), 19.611-19.622.
- Tröeng, B., Soria-Escalante, E., Claure, H., Mobarec, R., Murillo, F., 1994. Descubrimiento de basamento precámbrico en la Cordillera Occidental Altiplano de los Andes Bolivianos, *Memorias del XI Congreso Geológico de Bolivia*, 231-237.
- Tröger, W. E., 1967. Optische Bestimmung der gesteinsbildenden Minerale- Teil 2, Teil 2, Stuttgart, 822 S.
- Ugarte G., R., 1995. Anticlinal de Colchani, Corte Geológico Tranversal, ADJ Nr. 4. AC Nr. 5, IAT 32-7-041, Yacimientos Petrolíferos Fiscales Bolivianos (YPFB), Gerencia de Exploración DVGL, Santa Cruz, Bolivia.
- Ugarte G., R., 1997. Informe Geológico Final Pozos Colchani Nr. 1, Nr. 2 (CNI-X1; CNI-X1A), Yacimientos Petrolíferos Fiscales Bolivianos (YPFB), Santa Cruz, Bolivia.
- Uliana, M. A., Biddle, K. T., 1988. Mesozoic, Cenozoic paleogeographic and geodynamic evolution of southern South-America. *Revista Brasileira de Geociencias*, 18(2): 172-190.
- Vargas Cordava, E., 1970. Estudio geológico del área Llallagua (Hoja 6238), Boletín del Servicio Geológico de Bolivia, La Paz, Bolivia.
- Velbel, M. A., 1985. Mineralogically mature sandstones in accretionary prisms. *Journal Sedimentary Petrology*, 55: 685 - 690.
- Victor, P., 2000. Die Entwicklung der Altiplano Westflanke und ihre Bedeutung für die Plateaubildung und Krustenverdickung in N-Chile (20-21°S). *Scientific Technical Report STR00/13*. Geoforschungszentrum, Potsdam, Germany, 89 S.
- Walker, R. G., Cant, D. J., 1984. Sandy fluvial systems. In: R.G. Walker (Editor), *Facies Models*. Geosci. Canada Repr. Ser., Toronto, 1-9.
- Welsink, H., Martínez A., E., Aranibar R., O., Jarandilla N., J., 1992. Marco Estructural y Estratigrafico del Altiplano Sur. Nr. 92-1, ACDI/Yacimientos Petrolíferos Fiscales Bolivianos (YPFB), Santa Cruz, Bolivia.
- Welsink, H. J., Martinez, E., Aranibar, O., Jarandilla, J., 1995. Structural inversion of a Cretaceous rift basin, southern Altiplano, Bolivia. In: A. J. Tankard, R. Suárez Sorucco, H. J. Welsink (Editors), *Petroleum Basins of South America*. AAPG, Tulsa, 305-324.
- Wigger, P., Schmitz, M., Araneda, M., Asch, G., Baldzuhn, S., Giese, P., Heinsohn, W.-D., Martínez, E., Ricardi, E., Rower, P., Viramonte, J., 1994. Variations in the crustal structure of the southern Central Andes deduced from seismic refraction investigations. In: P. Giese, K.-J. Reutter, P. Wigger (Editors), *Tectonics of the Southern Central Andes: Structure and Evolution of an active Continental Margin*. Springer-Verlag, Heidelberg, 23-48.
- Wörner, G., Lezaun, J., Beck, A., Heber, V., Lucassen, F., Zinngrebe, E., Rössling, R., Wilke, H. G., 2000. Precambrian and early Paleozoic evolution of the Andean basement at Belén (northern Chile) and Cerro Uyarani (western Bolivian Altiplano). *Journal of South American Earth Sciences*, 13(8): 717-737.
- Wright, A. E., Bowes, D. R., 1963. Classification of volcanic breccia: a discussion. *Geological Society of America-Bulletin*, 74: 79-86.
- Wright, V. P., Tucker, M. E., 1991. Calcretes: An introduction, in: V. P. Wright, M. E. Tucker (Editors), *Calcretes*. International Association of Sedimentologists Reprint Series, 1 - 22.
- YPFB (Yacimientos Petrolíferos Fiscales Bolivianos), 1992. Mapa Geológico compilado del Altiplano Sur en base a informes de YPFB, unveröffentlicht, YPFB-Santa Cruz, Bolivia.
- YPFB (Yacimientos Petrolíferos Fiscales Bolivianos), 1992. Sección Estructural Balanceada, (Línea 2585-28), (Línea 2592-28), (Línea 10011-60) Escala 1:100.000, Gerencia de Exploración, unveröffentlicht, YPFB-Santa Cruz, Bolivia.

- YPFB (Yacimientos Petrolíferos Fiscales Bolivianos), 1973. Borehole Logs, (Schlumberger) Pozo Vilque: Formation Density Log, Compensated Sonic Log, Induction - Electrical Log, unveröffentlicht, YPFB-Santa Cruz, Bolivia.
- YPFB (Yacimientos Petrolíferos Fiscales Bolivianos), 1974. Borehole Logs, (Schlumberger) Pozo Colchani: Dipmeter, Inducción Resistividad, unveröffentlicht, YPFB-Santa Cruz, Bolivia.
- YPFB (Yacimientos Petrolíferos Fiscales Bolivianos), 1995. Borehole Logs, (Intergas) Pozo Colchani: Mud Log, Registro ADT, Drilling Log, unveröffentlicht, YPFB-Santa Cruz, Bolivia.
- YPFB-Santa Cruz (Yacimientos Petrolíferos Fiscales Bolivianos), 1995. Informe final de perforación Pozo Colchani - X1A (CNI- X1A), unveröffentlicht, YPFB-Santa Cruz, Bolivia.
- Yuan, X., Sobolev, S. V., Kind, R., Oncken, O., Bock, G., Asch, G., Schurr, B., Gräber, F., Rudloff, A., Hanka, W., Wylegalla, K., Tibi, R., Haberlan, C., Rietbock, A., Giese, P., Wigger, P., Roewer, P., Zandt, G., Beck, S., Wallace, T., Pardo, M., Comte, D., 2000. Subduction and collision processes in the Central Andes constrained by converted seismic phases. *Nature*, 408: 958-961.
- Zandt, G., Beck, S. L., Ruppert, S. R., Ammons, C. J., Rock, D., 1996. Anomalous crust of the Bolivian Altiplano. Central Andes: Constrains from broadland regional seismic waveforms. *Geophysical Research Letters*, 23: 1159-1162.
- Zapata, T. R., Allmendinger, R. W., 1996. Growth stratal records of instantaneous and progressive limb rotation in the Precordillera thrust belt and Bermejo basin, Argentina. *Tectonics*, 15(5): 1065-1083.
- Zimmerle, W., 1976. Petrografische Beschreibung und Deutung der erbohrten Schichten. *Geologisches Jahrbuch*, A 27: 91-305.