

IX. Literaturverzeichnis:

1. Aebi M et al.: The internal skeletal fixation system . A new treatment of thoracolumbar fractures and other spinal disorders. Clin Orthop 227 (1988), 30-43.
2. Agazzi S et al.: Posterior lumbar interbody fusion with cages: An indepent review. J Neurosurg 91 (1999), 186-92.
3. Bagby GW: Arthrodesis by the distraction –Compression method using a stainless steel implant. Orthopedics 11 (1988), 931-34.
4. Bennett C, Bendo J: Lumbar pedicular fixation: An Update. Spine 13 (1999), 313-27.
5. Bernhardt M et al.: Posterolateral lumbar and lumbosacral fusion with and without pedicle screw internal fixation. Clin Orthop 284 (1992), 109-15.
6. Blumenthal S, Gill K: Complications of the Wiltse pedicle screw fixation system. Spine 18 (1993), 1867-71.
7. Boden S et al.: Selection of the optimal procedure to achieve lumbar spinal fusion introduction. Spine 20 (Suppl), (1995), 166-77.
8. Boos N et al.: Treatment of severe spondylolisthesis by reduction and pedicular fixation. A 4-6 year follow-up study. Spine 18 (1993), 1655-61.
9. Boucher HH: method of spinal fusion.J Bone Joint Surg 41B (1959), 248.

10. Brantigan J: Pseudarthrosis rate after allograft posterior lumbar interbody fusion with pedicle screw and plate fixation. *Spine* 11 (1994), 1271-80.
11. Brodsky AE: Post-laminectomy and post-fusion stenosis of the lumbar spine. *Clin Orthop* 115 (1976), 130-39.s
12. Brown CH et al.: Complications of pediatric thoracolumbar and lumbar pedicle screws. *Spine* 23 (1998), 1566-71.
13. Chow HK et al.: Effects of short anterior lumbar interbody fusion on biomechanics of neighboring unfused segments. *Spine* 21 (1996), 549-55.
14. Chozick B, Toselli R: Complications of spinal instrumentation. In Weinstein J, Wiesel SW (eds): *The Lumbar Spine*. Saunders, Philadelphia, PA (1990), 257-74.
15. Cloward RB: The treatment of ruptured lumbar intervertebral discs by vertebral body fusion. Indications, operative techniques, after care. *J Neurosurg* 10 (1953), 154-67.
16. Cloward RB: Treatment by laminectomy and posterior interbody fusion. Review of 100 cases. *Clin Orthop* 154 (1981), 74-82.
17. Cloward RB: Posterior lumbar interbody fusions updated. *Clin Orthop* 193 (1985), 16-19.
18. Cotrel Y, Dubousset J: Nouvelle technique d'osteosynthese rachidiose segmentaire par vois postereux. *Rev Chir orthop* 70 (1984), 489.
19. Csecsei G et al.: Posterior Interbody fusion using laminectomy bone and transpedicular screw fixation in the treatment of lumbar spondylolisthesis. *Surg Neurol* 53 (2000), 2-7.

20. Davne SH, Myers DL: Complications of lumbar spine fusion with transpedicular instrumentation. *Spine* 17 (Suppl), (1992), 184-89.
21. DeSaussure RL: Vascular injury coincident to disc surgery. *J Neurosurg* 16 (1959), 222-29.
22. Deyo RA et al.: Morbidity and mortality in association with operations on the lumbar spine : The influence of age, diagnosis and procedure. *J Bone Joint Surg* 74A (1992), 536-43.
23. Deyo RA et al.: Lumbar spine fusion. A cohort study of complications, reoperations and resource use in the medicare population. *Spine* 18 (1993), 1463-70.
24. Dick W: The „Fixateur interne“ as a versatile implant for spine surgery. *Spine* 12 (1987), 882-900.
25. Dickman C et al.: Transpedicular screw-rod fixation of the lumbar spine: operative technique and outcome in 104 cases. *J Neurosurg* 77 (1992), 860-70.
26. Ebraheim NA et al.: Projection of the lumbar pedicle and its morphometric analysis. *Spine* 21 (1996), 1296-1300.
27. Esses SI: The AO spinal internal fixator. *Spine* 14 (1989), 373-78.
28. Esses SI: Complications of posterior surgical approaches to lumbar degenerative disease. *Spine* 8 (1994), 493-500.
29. Fabris D et al.: Surgical treatment of severe L5-S1 spondylolisthesis in children and adolescents: Results of intraoperative reduction, posterior interbody fusion and segmental pedicle fixation. *Spine* 21 (1996), 728-33.

30. Frick H et al.: Spezielle Anatomie Bd.II. Georg Thieme Verlag Stuttgart-New York (1980), 302-414.
31. Frymoyer JW et al.: A comparison of radiographic findings in fusion and non fusion patients ten or more years following lumbar disc surgery. Spine 4 (1979), 435-40.
32. Frymoyer JW et al.: Disc excision and spine fusion in the management of lumbar disc disease: A minimum 10-year followup. Spine 3 (1978), 1-6.
33. Fujita T et al.: Complications of spinal fusion in patients older than 60 years. Spine 11 (1997), 651-63.
34. Glassman S et al.: Salvage of instrumented lumbar fusions complicated by surgical wound infection. Spine 21 (1996), 2163-69.
35. Grob D: Complications and pitfalls of spinal fusion. Spine 6 (1992), 615-27.
36. Grumme T, Kolodziejczyk D (Hrsg.): Komplikationen in der Neurochirurgie Bd.1 Wirbelsäulen -, Schmerz -und Nervenchirurgie, Blackwell Wissenschafts-Verlag GmbH, Berlin (1994), 162-207.
37. Hadra BE: Wiring the spinous process in Potts disease. Trans Amer Orthop Ass 4 (1981), 206.
38. Harms J et al.: Operative Behandlung der Spondylolisthesis durch dorsale Reposition und ventrale Fusion. Orthop Praxis 12 (1985), 996.
39. Harrington PR: Treatment of scoliosis. Correction and internal fixation by spine instrumentation. J Bone Joint Surg 44A (1962), 591.
40. Henle A: Versteifung der Wirbelsäule durch Knochentransplantation. Verh Dtsch Ges Chir 40 (1911), 118.

41. Herring JA, Wenger DR : Early complications in spinal instrumentation. Orthop Trans 6 (1982), 22.
42. Hohmann F, Stürz H: Indication for lumbosacral fusion and reduction in spondylolisthesis. Der Orthopäde 26 (1997), 781-89.
43. Hutter CG: Posterior Intervertebral body fusion: A 25-year study. Clin Orthop 193 (1983), 86-96.
44. Johnson RG, Murphy M: Fusions and transfusions. An analysis of blood loss and autologous replacement during lumbar fusions. Spine 14 (1989), 358-62.
45. Kahn A et al.: A comparison of Luque vs. Harrington techniques in adolescent idiopathic scoliosis. Orthop Trans 7 (1983), 431.
46. Kanwaldeep S, Herkowitz H: Spinal instrumentation in the management of degenerative disorders of lumbar spine. Clin Orthop 335 (1997), 39-53.
47. Kaneda K et al.: Follow-up study of medial facetectomies and posterolateral fusion with instrumentation in unstable degenerative spondylolisthesis. Clin Orthop 203 (1986), 159-67.
48. Katz J: Lumbar spinal fusion, surgical rates, costs, and complications. Spine, 20 (1995), 785-83.
49. King D: Internal fixation for lumbosacral fusion. Amer J Arch Surg 66 (1944), 357.
50. Krismer M, Bauer R: Differenzierte Indikationsstellungen und eigene Ergebnisse in der operativen Behandlung der Spondylolisthese. In: Matzen KA (Hrsg): Wirbelsäulen Chirurgie, Georg Thieme Verlag, Stuttgart-New York (1990), 57-62.

51. Lambotte A: Le traitement de fractures. Edition Masson, Paris (1907).
52. Lange F: Support of the spondylotic spine by means of buried steel bars attached to vertebrae. Amer J orthop Surg 8 (1910), 344.
53. Lee CK: Accelerated degeneration of the segment adjacent to a lumbar fusion. J Bone Joint Surg, 53 (1987), 130-32.
54. Lehmann TR et al.: Long-term follow-up of lower lumbar fusion patients. Spine 12 (1987), 97-10.
55. Leong JC et al.: Long-term results of lumbar intervertebral disc prolapse. Spine 18 (1993), 793-99.
56. Lin PM: Posterior interbody fusion technique: Complications and pitfalls. Clin Orthop 193 (1985), 90-102.
57. Lombardi I et al.: Treatment of degenerative spondylolisthesis. Spine 10 (1985), 821-27.
58. Louis R, Maresca C: Stabilisation chirurgicale avec reduction des spondylolysis et des spondylolisthesis. Int Orthop 1 (1977), 215.
59. Luque ER: Interpeduncular segmental fixation. Clin Orthop 203 (1986), 54-57.
60. Magerl F: Verletzungen der Brust- und Lendenwirbelsäule. Langenbecks Arch Chir 352 (1980), 427.
61. Maguire et al.: Evaluation of intrapedicular screw position using intraoperative evoked electromyography. Spine 20 (1995), 1068-74.

62. Marchesi D et al.: Application and results of the AO internal fixation system in nontraumatic indications. Spine 16 (1991), 162-69.
63. Mardjetko SM et al.: Degenerative lumbar spondylolisthesis. A meta – analysis of literature 1970 – 1993. Spine 19 (1994), 2256-65.
64. Masferrer R et al.: Efficacy of pedicle screw fixation in the treatment of spinal instability and failed back surgery: A 5-year review. J Neurosurg 89 (1998), 371-77.
65. Massie JB et al.: Postoperative posterior spinal wound infections. Clin Orthop 284 (1992), 99-108.
66. Matthiaß HH: Dorsale Repositionsmethoden bei Spondylolisthese. In Matzen KA (Hrsg): Wirbelsäulen chirurgie, Georg Thieme Verlag, Stuttgart-New York (1990), 45-56.
67. Matsuzaki H et al.: Problems and solutions of pedicle screw plate fixation of lumbar spine. Spine 15 (1990), 1159-65.
68. Matzen KA (Hrsg): Wirbelsäulen chirurgie, Georg Thieme Verlag, Stuttgart-New York (1992), 57-62.
69. Metz-Stavenhagen P et al.: Behandlung der Spondylolisthese. Operation in situ oder Repositionsspondylodese. Orthopäde 26 (1997), 796-803.
70. Meyerding HW: Spondylolisthesis. Surg Gynecol Obstet 54(1932), 371-77.
71. McAfee PC: Interbody fusion cages in reconstructive operations on the spine. J Bone Joint Surg 6 (1999), 859-80.

72. McGuire RA, Amundsen GM: The use of primary internal fixation in spondylolisthesis. *Spine* 18 (1993), 1662-72.
73. Mulholland RC: Cages: outcome and complications. *Eur Spine J* 9 (Suppl), (2000), 110-13.
74. Myers BS et al.: Measurement of vertebral cortical integrity during pedicle exploration for intrapedicular fixation. *Spine* 20 (1995), 144-48.
75. Noack W, Kirgis A: Die zweizeitige Operation der lumbalen Instabilität unter Verwendung des fixateur interne und des CD-Instrumentariums mit speziellen Pedikelschrauben. In: Matzen KA (Hrsg): *Wirbelsäulen chirurgie II; Operative Behandlung chronischer Kreuzschmerzen*. Georg Thieme Verlag, Stuttgart-New-York (1992), 222-33.
76. Ohlin A et al.: Complications after transpedicular stabilization of the spine. A survivorship analysis of 163 cases. *Spine* 19 (1994), 2774-79.
77. Okuyama K et al.: Posterior lumbar interbody fusion. A retrospective study of complications after facet joint excision and pedicle screw fixation in 148 cases. *Acta Orthop Scand* 70 (1999), 329-34.
78. Oppel F et al.: Results and complicated course after surgery for lumbar disc herniation. *Adv Neurosurg* 4 (1977), 36-51.
79. Park YK, Chung HS: Instrumental facet fusion for the degenerative lumbar disorders. *Acta Neurochir* 141 (1999), 915-20.
80. Penta M et al.: A long - term assessment of adjacent disc degeneration following anterior lumbar interbody fusion. *Spine* 20 (1995), 743-47.

81. Pihlajamäki H et al.: Complications of transpedicular lumbosacral fixation for non-traumatic disorders. *J Bone Joint Surg* 2 (1997), 183-89.
82. Pinto M: Complications of pedicle screw fixation. *Spine* 6 (1992), 45-54.
83. Pschyrembel. *Klinisches Wörterbuch*. Walter de Gruyter, Berlin - New York 254. Aufl. (1982), 626.
84. Rish BL: A Comparative evaluation of posterior lumbar body fusion for disc disease. *Spine* 10 (1985), 855-57.
85. Rish BL: A critique of posterior lumbar interbody fusion: 12 years` experience with 250 patients. *Surg Neurol* 31 (1989), 281-89.
86. Roche Lexikon Medizin, 4. Auflage, Urban & Schwarzenberg Verlag, München (1999), 934.
87. Roy-Camille R et al.: Internal fixation of the lumbar spine with pedicle screw plating. *Clin Orthop* 203 (1986), 7-17.
88. Schnee CH et al.: Outcome analysis for adults with spondylolisthesis treated with posterolateral fusion and transpedicular screw fixation. *J Neurosurg* 86 (1997), 56-63.
89. Schulze CJ et al.: Clinical relevance of accuracy of pedicle screw placement: A computed tomographic-support analysis. *Spine* 23 (1998), 2215-21.
90. Simchen E et al.: Multivariate analysis of determinants of postoperative wound infection in orthopedic patients. *J Hosp Infect* 5 (1984), 137-46.

91. Sullivan JA, Conner SB: Comparison of Harrington instrumentation and segmental spinal instrumentation in the management of neuromuscular spinal deformity. Spine 7 (1982), 299-304.
92. Turner JA et al.: Patient outcomes after lumbar spinal fusions: a comprehensive literature synthesis. JAMA 268 (1992), 907-11.
93. Vaccaro A, Garfin SR: Internal fixation (pedicle screw fixation) for fusions of the lumbar spine. Spine 20 (1995), 157-65.
94. Wagner UA: Atlas der Pedikelschraubenimplantate. Georg Thieme Verlag 67 (1998), 56-97.
95. Weinstein JN et al.: Spinal pedicle fixation: Reliability and validity of roentgenogram based assessment and surgical factors on successful screw placement. Spine 13 (1988), 1012-18.
96. West JL et al.: Complications of the variable screw plate pedicle screw fixation. Spine 16 (1991), 576-579.
97. Wetzel T, LaRocca H: The failed posterior lumbar interbody fusion. Spine 7 (1991), 839-845.
98. Wilber RR et al.: Postoperative neurological deficits in segmental spinal instrumentation. J Bone Joint Surg Am 66A (1984), 1178-87.
99. Wildförster U: Intraoperative Komplikationen während lumbaler Bandscheibenoperationen. Neurochirurgia 34 (1991) 53-56.

100. Wilkins BF: Separation of the vertebrae with protrusion of hernia between the same-operation-cure. St.Louis Med Surg J 54 (1888), 340-41.
101. Wiltse L: History of pedicle screw fixation of the spine. Spine 6 (1992), 1-10.
102. Young WF et al.: Intraoperative stimulation of pedicle screws. A new method of verification of screw placement. Surg Neurol 44 (1995), 544-547.
103. Yuan HA et al.: A historical cohort study of pedicle screw fixation in thoracic, lumbar and sacral fusions. Spine 19 (Suppl 20), (1994), 2279-96.
104. Zdeblick TA: A prospective, randomized study of lumbar fusion: Preliminary results. Spine 1 (1993), 983-91.
105. Zedkin M, Schaldach H (Hrsg.): Wörterbuch der Medizin. 15. Aufl., Ullstein Mosby GmbH&Co, Berlin (1992), 1143.
106. Zippel H, Hähnel H: Operative Behandlung von Spondylolyse /Spondylolisthesis. In: Matzen KA (Hrsg.): Wirbelsäulen chirurgie, Georg Thieme Verlag, Stuttgart-New York (1990), 63-70.