

8 Literatur

Altschul SF, Gish W, Miller W, Myers EW, Lipman DJ (1990)
Basic local alignment search tool.
J. Mol. Biol. 215, 403-10

Anton DL, Kutney R (1987)
Mechanism of substrate inactivation of *Escherichia coli* s-adenosylmethionine decarboxylase.
Biochemistry 26, 6444-6447

Arabidopsis Genome Initiative (2000)
Analysis of the genome sequence of the flowering plant *Arabidopsis thaliana*.
Nature, 408, 796-815

Asamizu E, Nakamura Y, Sato S, Tabata S (2000)
A large scale analysis of cDNA in *Arabidopsis thaliana*: Generation of 12028 non-redundant expressed sequence tags from normalized and size-selected cDNA libraries.
DNA Research 7, 175-180

Barlow JJ, Mathias AP, Williamson R, Gammack, DB (1963)
A simple method for the quantitative isolation of undegraded high molecular weight ribonucleic acid.
Biochem. Biophys. Res. Commun. 13, 61-66

Benning C, Huang Z-H, Gage DA (1995)
Accumulation of a novel glycolipid and a betaine lipid in cells of *Rhodobacter sphaeroides* grown under phosphate limitation.
Arch. Biochem. Biophys. 317,1, 1-9

Birecka H, Bitoni AJ, McCann PP (1985)
Assaying ornithine and arginine decarboxylases in some plant-species.
Plant Physiol. 79, 509-514

Birner R, Bürgermeister M, Schneiter R, Daum G (2001)
Roles of phosphatidylethanolamine and its several biosynthetic pathways in *Saccharomyces cerevisiae*.
Mol. Biol. Cell 12, 997-1007

Bishop, DG (1983)
Functional Role of Plant Membrane Lipids.
In: Biosynthesis and Function of Plant Lipids, Thomson WW, Mudd JB Gibbs M , eds.
Waverly Press, Baltimore, Maryland

Bohn M, Heinz E, Lüthje S (2001)
Lipid composition and fluidity of plasma membranes isolated from corn (*Zea mays* L.) roots.
Arch. Biochem. Biophys. 387, 35-40

- Boyces DC, Zayed AM, Ascenzi R, McCaskill AJ, Hoffman NE, Davies KR, Gorlach J (2001)
Growth stage-based phenotypic analysis of *Arabidopsis*: A model for high throughput functional genomics in plants.
Plant Cell 13, 1499-1510
- Boynton JE, Gillham NW, Harris EH, Hosler JP, Johnson AM, Jones AR, Randolph-Anderson BL, Robertson D, Klein TM, Shark KB (1988)
Chloroplast transformation in *Chlamydomonas* with high velocity microprojectiles.
Science 240, 1534-1538
- Bradford MM (1976)
A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding.
Anal. Biochem 72, 248-254
- Browse J, Warwick N, Somerville CR, Slack CR (1986)
Fluxes through the prokaryotic and eukaryotic pathways of lipid synthesis in the '16:3' plant *Arabidopsis thaliana*.
Biochem. J. 235, 25-31
- Chuang CF, Meyerowitz EM (2000)
Specific and heritable genetic interference by double-stranded RNA in *Arabidopsis thaliana*.
Proc. Natl. Acad. Sci. USA. 97, 4985-4990
- Clancey CJ, Chang S-C, Dowhan W (1993)
Cloning of a gene (*PSD1*) encoding phosphatidylserine decarboxylase from *Saccharomyces cerevisiae* by complementation of an *Escherichia coli* mutant.
J. Biol. Chem. 268, 24580-24590
- Cohen SN, Chang AC, Boyer HW, Helling RB (1973)
Construction of biologically functional bacterial plasmids in vitro.
Proc. Natl. Acad. Sci. USA 70, 3240-3244
- Copeland WC, Vanderslice P, Robertus JD (1987)
Expression and characterization of *Lactobacillus* 30a histidine decarboxylase in *Escherichia coli*.
Protein Eng. 1, 419-423
- Czempinski K, Frachisse JM, Maurel C, Barbier-Brygoo H, Mueller-Roeber B (2002)
Vacuolar membrane localization of the *Arabidopsis* 'two-pore' K⁺-channel KCO1.
Plant J. 29, 809-820
- Davies BJ (1964)
Disc electrophoresis - II method and application to human serum proteins.
Annals N.Y. Academy Sciences 121, 321
- Delhaize E, Hebb DM, Richards KD, Lin JM, Ryan PR, Gardner RC (1999)
Cloning and expression of a wheat (*Triticum aestivum* L.) phosphatidylserine synthase cDNA. Overexpression in plants alters the composition of phospholipids.
J. Biol. Chem. 274, 7082-7088

- Dörmann P, Hoffmann-Benning S, Balbo I, Benning C (1995)
Isolation and characterization of an *Arabidopsis thaliana* mutant deficient in the thylakoid lipid digalactosyl diacylglycerol.
Plant Cell 7, 1801-1810
- Dowhan W (1997)
Phosphatidylserine Decarboxylases: Pyruvoyl-dependent enzymes from bacteria to mammals.
Methods Enzymol. 280, 81-88
- Dowhan W, Wickner WT, Kennedy EP (1974)
Purification and properties of phosphatidylserine decarboxylase from *Escherichia coli*.
J. Biol. Chem. 249, 3079-3084
- Dutt A, Dowhan W (1977)
Intracellular distribution of enzymes of phospholipid metabolism in several gram-negative bacteria.
J. Bacteriol. 132, 159-65
- Eigenbrode SD, Espelje KE (1995)
Effects of plant epicuticular lipids on insect herbivores.
Ann. Rev. Entomol. 40, 171-194
- Eigenbrode, SD 1996
Influence of plant surface waxes on insect behaviour.
In: Plant cuticles: an integrated functional approach, 201-222, Kerstiens G, ed.
Bios Press, Oxford
- Emanuelsson O, Nielsen H, Brunak S, von Heijne G (2000)
Predicting subcellular localization of proteins based on their N-terminal amino acid sequence.
J. Mol. Biol. 300, 1005-1016
- Folch J (1941)
Brain cephalin, a mixture of phosphatides. Separation from it of phosphatidyl serine, phosphatidyl ethanolamine and a fraction containing an inositol phosphatide.
J. Biol. Chem. 146, 35-44
- Gallagher T, Rozwarski DA, Ernst SR, Hackert ML (1993)
Refined structure of the pyruvoyl-dependent histidine decarboxylase from *Lactobacillus* 30a.
J. Mol. Biol. 230, 516-528
- Gallagher T, Snell EE, Hackert, ML (1989)
Pyruvoyl-dependent histidine decarboxylase: Active site structure and mechanistic analysis.
J. Biol.Chem. 264, 12737-12743
- Galliard T (1968a)
Aspects of lipid metabolism in higher plants—I. Identification and quantitative determination of the lipids in potato tubers.
Phytochemistry 7, 1907-1914

Galliard T (1968b)

Aspects of lipid metabolism in higher plants—II. The identification and quantitative analysis of lipids from the pulp of pre- and post-climacteric apples.

Phytochemistry 7, 1915-1922

Giaever G, Chu AM, Ni L, Connelly C, Riles L, Veronneau S, Dow S, Lucau-Danila A, Anderson K, Andre B, Arkin AP, Astromoff A, El-Bakkoury, M, Bangham R, Benito R, Brachat S, Campanaro S, Curtiss M, Davis K, Deutschbauer A, Entian KD, Flaherty P, Foury F, Garfinkel DJ, Gerstein M, Gotte D, Guldener U, Hegemann JH, Hempel S, Herman Z, Jaramillo DF, Kelly DE, Kelly SL, Kotter P, LaBonte D, Lamb DC, Lan N, Liang H, Liao H, Liu L, Luo C, Lussier M, Mao R, Menard P, Ooi SL, Revuelta JL, Roberts CJ, Rose M, Ross-Macdonald P, Scherens B, Schimmack G, Shafer B, Shoemaker DD, Sookhai-Mahadeo S, Storms RK, Strathern JN, Valle G, Voet M, Volckaert G, Wang CY, Ward TR, Wilhelmy J, Winzeler EA, Yang Y, Yen G, Youngman E, Yu K, Bussey H, Boeke JD, Snyder M, Philippsen P, Davis RW, Johnston M (2002)

Functional profiling of the *Saccharomyces cerevisiae* genome.

Nature 418, 387-391

Goffeau A, Barrell BG, Bussey H, Davis RW, Dujon B, Feldmann H, Galibert F, Hoheisel JD, Jacq C, Johnston M, Louis EJ, Mewes HW, Murakami Y, Philippsen P, Tettelin H, Oliver SG (1996)

Life with 6000 genes.

Science 274, 546-567

Gurr, MI (1980)

The biosynthesis of Triacylglycerols.

In: The Biochemistry of Plants, Volume 4, Lipids: Structure and Function, 205 ff.. Stumpf PK, Conn EE, eds.

Academic Press Inc., New York, London, Toronto, Sydney, San Francisco

Hackert ML, Pegg AE (1998)

Pyruvoyl-dependent enzymes.

In: Comprehensive Biological Catalysis, 201-216, Sinnott, MJ, ed.

Academic Press, New York

Harwood JL (1975)

Lipid synthesis by germinating soya bean.

Phytochemistry 14, 1985-1990

Hawrot E, Kennedy EP (1975)

Biogenesis of membrane lipids: Mutants of *Escherichia coli* with temperature-sensitive phosphatidylserine decarboxylase

Proc. Natl. Acad. Sci. USA 72, 1112-1116

Hawrot E, Kennedy EP (1976)

Conditional lethal phosphatidylserine decarboxylase mutants of *Escherichia coli* - Mapping of the structural gene for phosphatidylserine decarboxylase.

Mol. Gen. Genet. 148, 271-279

- Hawrot E, Kennedy EP (1978)
Phospholipid composition and membrane function in phosphatidylserine decarboxylase mutants of *Escherichia coli*.
J. Biol. Chem. 253, 8213-8220
- Henneberry AL, Wright MM, McMaster CR (2002)
The major sites of cellular phospholipid synthesis and molecular determinants of fatty acid and lipid head group specificity.
Mol. Biol. Cell. 13, 3148–3161
- Higgins D, Thompson J, Gibson T, Thompson JD, Higgins DG, Gibson TJ (1994)
CLUSTAL W: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position-specific gap penalties and weight matrix choice.
Nucleic Acids Res. 22, 4673-4680
- Hong B, Ichida A, Gens S, Pickard B, Harper JF (1999)
Identification of a calmodulin-regulated calcium ATPase in the ER.
Plant Physiol. 119, 1165-1176
- Hovius R, Faber B, Brigot B, Nicolay K, de Kruijff B (1992)
On the mechanism of the mitochondrial decarboxylation of phosphatidylserine.
J. Biol. Chem. 267, 16790-16795
- Huynh QK, Recsei PA, Vaaler GL, Snell EE (1984)
Histidine decarboxylase of *Lactobacillus* 30a. Sequences of the overlapping peptides, the complete alpha chain, and prohistidine decarboxylase.
J. Biol. Chem. 259, 2833-2839
- Huynh QK, Snell EE (1985)
Pyruvoyl-dependent histidine decarboxylases. Comparative sequences of cysteinyl peptides of the enzymes from *Lactobacillus* 30a, *Lactobacillus buchneri* and *Clostridium perfringens*.
J. Biol. Chem. 260, 2794-2797
- Igarashi K, Kaneda M, Yamaji A, Saido TC, Kikkawa U, Ono Y, Inoue K, Umeda M (1995)
A novel phosphatidylserine-binding peptide motif defined by an anti-idiotypic monoclonal antibody. Localization of phosphatidylserine-specific binding sites on protein kinase C and phosphatidylserine decarboxylase.
J. Biol. Chem. 270, 29075-29078
- Jasinska R, Zborowski J, Somerharju P (1993)
Intramitochondrial distribution and transport of phosphatidylserine and its decarboxylation product, phosphatidylethanolamine. Application of pyrene-labeled species.
Biochim. Biophys. Acta, 1152, 161-170
- Johnston SA, Anziano PQ, Shark K, Sanford JC, Butow RA (1988)
Mitochondrial transformation in yeast by bombardment with microprojectiles.
Science 240, 1538-15341

- Jones CE, Brook JM, Buck D, Abell C, Smith AG (1993)
Cloning and sequencing of the *Escherichia coli* *panB* gene, which encodes ketopantoate hydroxymethyltransferase, and overexpression of the enzyme.
J. Bacteriol. 175, 2125-2130
- Kanfer J, Kennedy EP (1964)
Metabolism and function of bacterial lipids. II. Biosynthesis of phospholipids in *Escherichia coli*.
J. Biol. Chem. 239, 1720-1726
- Kay R, Chan A, Daly M, McPherson J (1987)
Duplication of CaMV 35S promoter sequences creates a strong enhancer for plant genes.
Science 236, 1299-1302
- Kennedy, EP Weiss SB (1956)
The function of cytidine coenzymes in the biosynthesis of phospholipides.
J. Biol. Chem. 222, 193-214
- Kevala JH, Kim HY (2001)
Determination of substrate preference in phosphatidylserine decarboxylation by liquid chromatography-electrospray ionization mass spectrometry.
Anal. Biochem. 292, 130-138
- Kitamura H, Wu WI, Voelker DR (2002)
The C2 domain of phosphatidylserine decarboxylase 2 is not required for catalysis but is essential for in vivo function.
J. Biol. Chem. 277, 33720-33726
- Kribben FJ (1964)
Arabidopsis thaliana (L.) HEYNH eine botanische *Drosophila*.
Naturwiss. Rundsch. 17, 139-145
- Krysan PJ, Young JK, Sussman MR (1999)
T-DNA as an Insertional Mutagen in *Arabidopsis*.
Plant Cell 2, 2283-2290
- Krysan PJ, Young JC, Tax F, Sussman MR (1996)
Identification of transferred DNA insertions within *Arabidopsis* genes involved in signal transduction and ion transport.
Proc. Natl. Acad. Sci. USA 93, 8145-8150
- Kuge O, Saito K, Kojima M, Akamatsu Y, Nishijima M (1996)
Post-translational processing of the phosphatidylserine decarboxylase gene product in Chinese hamster ovary cells.
Biochem. J. 319, 33-38
- Lämmli UK (1970)
Cleavage of structural proteins during assembly of the head of bacteriophage T4.
Nature 227, 680-685

- Lamping E, Kohlwein SD, Henry SA, Paltauf F (1991)
Coordinate regulation of phosphatidylserine decarboxylase in *Saccharomyces cerevisiae*.
J. Bacteriol. 173; 6432-6437
- Li Q-X, Dowhan, W (1988)
Structural characterization of *Escherichia coli* phosphatidylserine decarboxylase.
J. Biol. Chem. 263, 11516-11522
- Li Q-X, Dowhan, W (1990)
Studies of the mechanism of formation of the pyruvate prosthetic group of phosphatidylserine decarboxylase from *Escherichia coli*.
J. Biol. Chem. 265, 4111-4115
- Li Q-X, Dowhan, W (1992)
Phosphatidylserine decarboxylase from *Escherichia coli*.
Methods Enzymol. 209, 348-359
- Manoharan K, Chae HS, Cha JM, Cho SH, Shin SH, Cho BH, Lee WS (2000)
Synthesis of phosphatidylserine in carrot cells cultured under carbon-source starvation.
Plant Cell Physiol. 41, 1143-1148
- Marshall MO, Kates M (1973)
Biosynthesis of phosphatidylethanolamine and phosphatidylcholine in spinach leaves.
FEBS Lett. 31, 199-202
- Marshall MO, Kates M (1974)
Biosynthesis of nitrogenous phospholipids in spinach leaves.
Can. J. Biochem. 52, 469-482
- Matsumoto K, Okakda M, Horikoshi Y, Matsuzaki H, Kishi T, Itaya M, Shibuya I (1998)
Cloning, sequencing, and disruption of the *Bacillus subtilis* psd gene coding for phosphatidylserine decarboxylase.
J. Bacteriol. 180, 100-106
- Meinke DW, Cherry JM, Dean C, Rounsley SD, Koornneef M (1998)
Arabidopsis thaliana: A model plant for genome analysis.
Science 282, 662-682
- Meyerowitz EM (1994)
The structure and organization of the *Arabidopsis thaliana* nuclear genome.
In: *Arabidopsis*, Meyerowitz EM, Somerville CR, eds.
Cold Spring Harbor Press, New York
- Millar AA, Wrischer M, Kunst L (1998)
Accumulation of very-long-chain fatty acids in membrane glycerolipids is associated with dramatic alterations in plant morphology.
Plant Cell 11, 1889-1902
- Moore TS (1975)
Phosphatidylserine synthesis in castor bean endosperm.
Plant Physiol. 57, 177-180

- Moore TS (1982)
Phospholipid biosynthesis.
Annu. Rev. Plant Physiol. 33, 235-259
- Moreau P, Bessoule JJ, Mongrand S, Testet E, Vincent P, Cassagne C (1998)
Lipid trafficking in plant cells.
Prog. Lipid Res. 37, 371-91.
- Mudd SH, Datko AH (1989)
Synthesis of ethanolamine and its regulation in *Lemna paucicostata*.
Plant Physiol. 91, 587-597
- Müller F, Frentzen M (2001)
Phosphatidylglycerolphosphate synthases from *Arabidopsis thaliana*.
FEBS Lett. 509, 298-302
- Murata N, Sato N, Takahashi N (1984)
Very-long-chain saturated fatty acids in phosphatidylserine from higher plant tissues.
Biochim. Biophys. Acta 795, 147-150
- Nishida I, Murata N (1996)
Chilling sensitivity in plants and cyanobacteria: The crucial contribution of membrane lipids.
Ann. Rev. Plant Physiol. 47, 541-568
- Nuccio ML, Russell BL, Nolte KD, Rathinasabapathi B, Gage DA, Hanson AD (1998)
The endogenous choline supply limits glycine betaine synthesis in transgenic tobacco expressing choline monooxygenase.
Plant J. 16, 487-496
- Ohlrogge JB, Browse J (1995)
Lipid biosynthesis.
Plant Cell 7, 957-970
- Ornstein L (1964)
Disc Electrophoresis - I Background and Theory.
Annals N Y Academy Sciences 121, 321
- Overmeyer JH, Waechter CJ (1991)
Regulation of phosphatidylserine decarboxylase in *Saccharomyces cerevisiae* by inositol and choline: Kinetics of repression and derepression.
Arch. Biochem. Biophys. 290, 511-516
- Pajunen A, Crozat A, Janne OA, Ihalainen R, Laitinen PH, Stanley B, Madhubala R, Pegg AE (1988)
Structure and regulation of mammalian S-adenosylmethionine decarboxylase.
J. Biol. Chem. 263, 17040-17049

- Paltauf F, Kohlwein SD, Henry SA (1992)
Regulation and compartmentalization of lipid synthesis in yeast.
In: The molecular and cellular biology of the yeast *Saccharomyces cerevisiae*, 415-500,
Jones EW, Pringle JR, Broach JR, eds.
Cold Spring Harbor Laboratory, Cold Spring Harbor, NY
- Pearson WR, Wood T, Zhang Z, Miller W (1997)
Comparison of DNA sequences with protein sequences.
Genomics 46, 24-36
- Pegg AE (1986)
Recent advances in the biochemistry of polyamines in eukaryotes.
Biochem. J. 234, 249–262
- Pishko EJ, Robertus JD (1993)
Site-directed alteration of three active-site residues of a pyruvoyl-dependent histidine decarboxylase.
Biochemistry 32, 4943 - 4948
- Raetz CRH, Kennedy EP (1974)
Partial purification and properties of phosphatidylserine synthetase from *Escherichia coli*.
J. Biol. Chem. 249, 5038-5045
- Recsei PA, Huynh QK, Snell EE (1983)
Conversion of prohistidine decarboxylase to histidine decarboxylase: Peptide chain cleavage by nonhydrolytic serinolysis.
Proc. Natl. Acad. Sci. USA 80, 973-977
- Recsei PA, Snell EE (1973)
Prohistidine decarboxylase from *Lactobacillus* 30a. New type of zymogen.
Biochemistry 12, 365 - 371
- Reeves PH, Coupland G (2001)
Analysis of flowering time control in *Arabidopsis* by comparison of double and triple mutants.
Plant Physiol. 126, 1085-1091
- Rentsch D, Laloi M, Rouhara I, Schmelzer E, Delrot S, Frommer W (1995)
NTR1 encodes a high affinity oligopeptide transporter in *Arabidopsis*.
FEBS Lett. 370, 264-268
- Riley WD, Snell EE (1968)
Histidine decarboxylase of *Lactobacillus* 30a. IV. The presence of covalently bound pyruvate as the prosthetic group.
Biochemistry 7, 3520-3528
- Ritala A, Aspegren K, Kurten U, Salmenkallio-Marttila M, Mannonen L, Hannus R, Kauppinen V, Teeri TH, Enari TM (1994)
Fertile transgenic barley to particle bombardment of immature embryos.
Plant Mol. Biol. 24, 317-325

- Rivera CM, Penner D (1978)
Rapid changes in soybean root membrane lipids with altered temperature.
Phytochemistry 17, 1269-1272
- Rizzolo LJ (1981)
Kinetics and protein subunit interactions of *Escherichia coli* phosphatidylserine decarboxylase in detergent solution.
Biochemistry 20, 868-873
- Rontein D, Nishida I, Tashiro G, Yoshioka K, Wu WI, Voelker DR, Basset G, Hanson AD (2001)
Plants synthesize ethanolamine by direct decarboxylation of serine using a pyridoxal phosphate enzyme.
J. Biol. Chem. 276, 35523-35529
- Rontein D, Basset G, Hanson AD (2002)
Metabolic engineering of osmoprotectant accumulation in plants.
Metab. Eng. 4; 49-54
- Rontein D, Wu W-I, Voelker DR, Hanson AD (2003)
Mitochondrial phosphatidylserine decarboxylase from higher plants. Functional complementation in yeast, localization in plants and overexpression in *Arabidopsis*.
Plant Physiol. 132, 1678-1687
- Ryu SB, Karlsson BH, Ozgen M, Palta JP (1997)
Inhibition of phospholipase D by lysophosphatidylethanolamine, a lipid-derived senescence retardant.
Proc. Natl. Acad. Sci. USA 94, 12717-12721
- Saba JD, Nara F, Bielawska A, Garrett S, Hannun YA (1997)
The BST1 gene of *Saccharomyces cerevisiae* is the sphingosine-1-phosphate lyase.
J. Biol. Chem. 272, 26087-26090
- Sambrook J, Fritsch EF, Maniatis T
Molecular cloning : a laboratory manual.
3. Auflage, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 1989
- Sanger F, Nicklen S, Coulson AR (1977)
DNA sequencing with chain-terminating inhibitors.
Proc. Natl. Acad. Sci. USA 74, 5463-5467
- Satre M, Kennedy EP (1977)
Identification of bound pyruvate essential for the activity of phosphatidylserine decarboxylase of *Escherichia coli*.
J. Biol. Chem 253, 479-483
- Scott AC, Wyatt S, Tsou P-L, Robertson N, Allen NS (1999)
A model system for plant cell biology: GFP imaging in living onion epidermal cells.
BioTechniques 26, 1125-1132

- Shi W, Bogdanov M, Dowhan W, Zusman DR (1993)
The *pss* and *psd* genes are required for motility and chemotaxis in *Escherichia coli*.
J. Bacteriol. 175, 7711-7714
- Shiao YJ, Lupo G, Vance JE (1995)
Evidence that phosphatidylserine is imported into mitochondria via a mitochondria-associated membrane and that the majority of mitochondrial phosphatidylethanolamine is derived from decarboxylation of phosphatidylserine.
J. Biol. Chem. 270, 11190-11198
- Smith RC (1988)
The structure and molecular characterization of L-aspartate ALPHA-decarboxylase.
PHD Thesis
MIT, Boston
- Snell EE, Recsei PA, Misono H (1976)
In: Metabolic interconversion of Enzymes, 213-219, Shaltiel S, ed.
Springer-Verlag, New York
- Sparace SA, Wagner LK, Moore, TS (1981)
Phosphatidylethanolamine synthesis in castor bean endosperm
Plant Physiol. 67, 922-925
- Stanley BA (1995)
S-adenosylmethionine decarboxylase regulation and processing.
In: Polyamines: Regulation and Molecular Interaction, 27-75, Casero, RA, Landes RG, eds.
Georgetown, Texas
- Storey MK, Clay KL, Kutateladze T, Murphy RC, Overduin M, Voelker DR (2001)
Phosphatidylethanolamine has an essential role in *Saccharomyces cerevisiae* that is independent of its ability to form hexagonal phase structures.
J. Biol. Chem. 276, 48539-48548
- Tabor CW, Tabor H. (1987)
The *speEspeD* operon of *Escherichia coli*: formation and processing of a proenzyme form of S-adenosylmethionine decarboxylase.
J. Biol. Chem. 262, 16037-16040
- Trotter PJ, Voelker DR (1995)
Identification of a non-mitochondrial phosphatidylserine decarboxylase activity (PSD2) in the yeast *Saccharomyces cerevisiae*.
J. Biol. Chem. 270, 6062-6070
- Trotter PJ, Pedretti J, Voelker DR (1993)
Phosphatidylserine decarboxylase from *Saccharomyces cerevisiae*. Isolation of mutants, cloning of the gene, and creation of a null allele.
J. Biol. Chem. 268, 21416-21424

- Trotter PJ, Pedretti J, Voelker DR (1995)
Phosphatidylserine decarboxylase 2 of *Saccharomyces cerevisiae* - cloning and mapping of the gene, heterologous expression, and creation of the null allele.
J. Biol. Chem. 270, 6071-60804
- Tyhach RJ, Hawrot E, Satre M, Kennedy EP (1979)
Increased synthesis of phosphatidylserine decarboxylase in a strain of *Escherichia coli* bearing a hybrid plasmid. Altered association of enzyme with the membrane.
J. Biol. Chem. 254, 627-633
- Van Poelje PD (1988)
Kinetics and mechanism of activation of prohistidine decarboxylase.
PhD Thesis, University of Texas, Austin
- Van Poelje PD, Snell EE (1990a)
Pyruvoyl-dependent enzymes.
Annu. Rev. Biochem. 59, 29-59
- Van Poelje PD, Snell EE (1990b)
Cloning, sequencing, expression, and site-directed mutagenesis of the gene from *Clostridium perfringens* encoding pyruvoyl-dependent histidine decarboxylase.
Biochemistry 29, 132 – 139
- Vance DE (2002)
Phospholipid biosynthesis in eukaryotes.
In: Biochemistry of Lipids, Lipoproteins and Membranes, 205-232, Vance DE, Vance JE, eds.
Elsevier Science B.V.
- Vance JE, Aasman EJ, Szarka R (1991)
Brefeldin A does not inhibit the movement of phosphatidylethanolamine from its sites for synthesis to the cell surface.
J. Biol. Chem. 266, 8241-8247
- Vandor SL, Richardson KE (1968)
Incorporation of ethanolamine-1,2-¹⁴C into plant microsomal phospholipids.
Can. J. Biochem. 46, 1309-1315
- Vincent P, Maneta-Peyret L, Sturbois-Balcerzak B, Duvert M, Cassagne C, Moreau P (1999)
One of the origins of plasma membrane phosphatidylserine in plant cells is a local synthesis by a serine exchange activity.
FEBS Lett. 464, 80-84
- Voelker DR (1985)
Disruption of phosphatidylserine translocation to the mitochondria in baby hamster kidney cells.
J. Biol. Chem. 260, 14671-14676
- Voelker DR (1997)
Phosphatidylserine decarboxylase.
Biochim. Biophys. Acta 1348, 236-244

- Voelker DR, Golden, EB (1992)
Phosphatidylserine decarboxylase from rat liver.
Methods Enzymol. 209, 359-365
- Von Orlow M (2000)
Isolation von cDNAs des Lipidstoffwechsels von *Physcomitrella patens*.
Diplomarbeit, FB Biologie, Chemie, Pharmazie, Freie Universität Berlin
- Wallis JG, Browse J (2002)
Mutants of *Arabidopsis* reveal many roles for membrane lipids.
Progress Lipid Res. 41, 254-278
- Wang P, Schuster M, Wang YF, Wong CH (1993)
Synthesis of phospholipid-inhibitor conjugates by enzymic transphosphatidylation with phospholipase D.
Am. Chem. Soc. 115, 10487-104891
- Warner TG, Dennis EA (1975)
Action of the highly purified, membrane-bound enzyme phosphatidylserine decarboxylase *Escherichia coli* toward phosphatidylserine in mixed micelles and erythrocyte ghosts in the presence of surfactant.
J. Biol. Chem. 250, 8004-8009
- Whitman CE, Travis RL (1985)
Phospholipid composition of a plasma membrane-enriched fraction from developing soybean roots.
Plant Physiol. 79, 494-498
- Wu W-I, Voelker DR (2001)
Characterization of phosphatidylserine transport to the locus of phosphatidylserine decarboxylase 2 in permeabilized yeast.
J. Biol. Chem. 276, 7114-7121
- Zborowski J, Dygas A, Wojtczak L (1983)
Phosphatidylserine decarboxylase is located on the external side of the inner mitochondrial membrane.
FEBS Lett. 157, 179-182