

8 Literaturverzeichnis

ADRIAN, R. H. (1956)

The effect of internal and external potassium concentration on the membrane potential of frog muscle.
J Physiol **133**(3): 631-58

AHARONOVITZ, O., KAPUS, A., SZASZI, K., COADY-OSBERG, N.,

JANCELEWICZ, T., ORLOWSKI, J., GRINSTEIN, S. (2001)

Modulation of Na^+/H^+ exchange activity by Cl^- .

Am J Physiol Cell Physiol **281**(1): C133-41

ARMITAGE, F. E., WINGO, C. S. (1994)

Luminal acidification in K-replete OMCDi: contributions of H-K-ATPase and baflomycin-A1-sensitive H-ATPase.

Am J Physiol **267**(3 Pt 2): F450-8

ARONSON, P. S. (1985)

Kinetic properties of the plasma membrane Na^+/H^+ exchanger.

Annu Rev Physiol **47**: 545-60

BEBAS, P., CYMBOROWSKI, B., GIEBULTOWICZ, J. M. (2002)

Circadian rhythm of acidification in insect vas deferens regulated by rhythmic expression of vacuolar $\text{H}^+(\text{-})$ -ATPase.

J Exp Biol **205**(Pt 1): 37-44

BENOS, D. J. (1982)

Amiloride: a molecular probe of sodium transport in tissues and cells.

Am J Physiol **242**(3): C131-45

BEVENSEE, M. O., BASHI, E., SCHLUE, W. R., BOYARSKY, G., BORON, W.

F. (1999)

Shrinkage-induced activation of Na^+/H^+ exchange in rat renal mesangial cells.

Am J Physiol **276**(3 Pt 1): C674-83

BEYENBACH, K. W. (2001)

Energizing epithelial transport with the vacuolar $\text{H}^+(\text{-})$ -ATPase.

News Physiol Sci **16**: 145-51

BEYENBACH, K. W., PANNABECKER, T. L., NAGEL, W. (2000)

Central role of the apical membrane H^+ -ATPase in electogenesis and epithelial transport in Malpighian tubules.

J Exp Biol **203** Pt 9: 1459-68

- BILK, S., HUHN, K., HONSCHA, K. U., PFANNKUCHE, H. GÄBEL, G. (2005)
Functional and molecular evidence for bicarbonate exporting transporters in
the ovine ruminal epithelium.
Proc. Soc. Nutr. Physiol. 14:89
- BOOKSTEIN, C., MUSCH, M. W., XIE, Y., RAO, M. C., CHANG, E. B. (1999)
Regulation of intestinal epithelial brush border Na^+/H^+ exchanger
isoforms, NHE2 and NHE3, in C2bbe cells.
J Membr Biol 171(1): 87-95
- BOS, C. L., RICHEL, D. J., RITSEMA, T., PEPPELENBOSCH, M. P.,
VERSTEEG, H. H. (2004)
Prostanoids and prostanoid receptors in signal transduction.
Int J Biochem Cell Biol 36(7): 1187-205
- BÖTTCHER, A. (2000)
Funktionelle Charakterisierung des Na^+/H^+ -Austauschers an kultivierten
ruminalen Epithelzellen: Einfluss verschiedener extrazellulärer Faktoren und
mögliche Regulationsmechanismen.
Dissertation, Inst. f. Veterinär-Physiologie. Freie Universität Berlin
- BÖTTCHER, A., MARTENS, H., SCHWEIGEL, M. (2000)
Effect of hyperosmolar solutions on the activity of Na^+/H^+ exchange in
cultured ruminal epithelial cells - regulation by cAMP and PGE₂.
Proc. Soc. Nutr. Physiol. 9: 130
- BOYARSKY, G., HANSEN, C., CLYNE, L. A. (1996)
Superiority of in vitro over in vivo calibrations of BCECF in vascular smooth
muscle cells.
Faseb J 10(10): 1205-12
- BRETON, S., NSUMU, N. N., GALLI, T., SABOLIC, I., SMITH, P. J., BROWN,
D. (2000)
Tetanus toxin-mediated cleavage of cellubrevin inhibits proton secretion in
the male reproductive tract.
Am J Physiol Renal Physiol 278(5): F717-25
- BRISSEAU, G. F., GRINSTEIN, S., HACKAM, D. J., NORDSTRÖM, T.,
MANOLSON, M. F., KHINE, A. A., ROTSTEIN, O. D. (1996)
Interleukin-1 increases vacuolar-type H^+ -ATPase activity in murine
peritoneal macrophages.
J Biol Chem 271(4): 2005-11

BUSCHE, R., JEROMIN, A., VON ENGELHARDT, W., RECHKEMMER, G. (1993)

Basolateral mechanisms of intracellular pH regulation in the colonic epithelial cell line HT29 clone 19A.

Pflugers Arch **425**(3-4): 219-24

CABADO, A. G., YU, F. H., KAPUS, A., LUKACS, G., GRINSTEIN, S., ORLOWSKI, J. (1996)

Distinct structural domains confer cAMP sensitivity and ATP dependence to the Na^+/H^+ exchanger NHE3 isoform.

J Biol Chem **271**(7): 3590-9

COUNILLON, L., POUYSSEGUR, J. (2000)

The expanding family of eucaryotic Na^+/H^+ exchangers.

J Biol Chem **275**(1): 1-4

COUNILLON, L., SCHOLZ, W., LANG, H. J., POUYSSEGUR, J. (1993)

Pharmacological characterization of stably transfected Na^+/H^+ antiporter isoforms using amiloride analogs and a new inhibitor exhibiting anti-ischemic properties.

Mol Pharmacol **44**(5): 1041-5

DELVAUX, M., BASTIE, M. J., CHENTOUI, J., CRAGOE, E. J., JR., VAYSSE, N., RIBET, A. (1990)

Amiloride and analogues inhibit Na^+/H^+ exchange and cell proliferation in AR42J pancreatic cell line.

Am J Physiol **259**(5 Pt 1): G842-9

DIRKSEN, G., LIEBICH, H. G., BROSI, G., HAGEMEISTER, H., MAYER, E. (1984)

Morphology of the rumen mucosa and fatty acid absorption in cattle - important factors for health and production.

Zentralbl Veterinarmed A **31** (6), 414-30

DROSE, S., BINDSEIL, K. U., BOWMAN, E. J., SIEBERS, A., ZEECK, A., ALTENDORF, K. (1993)

Inhibitory effect of modified bafilomycins and Concavamycins on P- and V-Type Adenosinetriphosphatases.

Biochemistry **32**:(3902-3906)

EHRENFIELD, J., KLEIN, U. (1997)

The key role of the H^+ V-ATPase in acid-base balance and Na^+ transport processes in frog skin.

J Exp Biol **200** (Pt 2): 247-56

ETSCHMANN, B., HEIPERTZ, K. S., VON DER SCHULENBURG, A.
SCHWEIGEL, M. (2006)

A vH⁺-ATPase is present in cultured sheep ruminal epithelial cells.
Am J Physiol Gastrointest Liver Physiol

ETSCHMANN, B., PRIEßNITZ, J.-L., MARTENS, H. (2005)
Comprehensive functional characterization of the time course of rumen
epithelium adaptation to a high energy diet.
Proc. Soc. Nutr. Physiol. 14:88

FERNANDEZ, R., BOSQUEIRO, J. R., CASSOLA, A. C., MALNIC, G. (1997)
Role of Cl⁻ in electrogenic H⁺ secretion by cortical distal tubule.
J Membr Biol 157(2): 193-201

FERNANDEZ, R., MALNIC, G. (1998)
H⁺ ATPase and Cl⁻ interaction in regulation of MDCK cell pH.
J Membr Biol 163(2): 137-45

FERNANDEZ, R., OLIVEIRA-SOUZA, M., MALNIC, G. (2000)
Na⁺-independent proton secretion in MDCK-C11 cells.
Pflugers Arch 441(2-3): 287-93

FINBOW, M. E., HARRISON, M. A. (1997)
The vacuolar H⁺-ATPase: a universal proton pump of eukaryotes.
Biochem J 324 (Pt 3): 697-712

FISCHER, H., SEELIG, A., BEIER, N., RADDATZ, P., SEELIG, J. (1999)
New drugs for the Na⁺/H⁺ exchanger. Influence of Na⁺ concentration and
determination of inhibition constants with a microphysiometer.
J Membr Biol 168(1): 39-45

FUTAI, M., OKA, T., SUN-WADA, G., MORIYAMA, Y., KANAZAWA, H.,
WADA, Y. (2000)
Luminal acidification of diverse organelles by V-ATPase in animal cells.
J Exp Biol 203 Pt 1: 107-16

GÄBEL, G., ASCHENBACH, J. R., MÜLLER, F. (2002)
Transfer of energy substrates across the ruminal epithelium: implications
and limitations.
Anim Health Res Rev 3(1): 15-30

GÄBEL, G., BUTTER, H., MARTENS, H. (1999)
Regulatory role of cAMP in transport of Na⁺, Cl⁻ and short-chain fatty acids
across sheep ruminal epithelium.
Exp Physiol 84(2): 333-45

- GÄBEL, G., GALFI, P., NEOGRADY, S., MARTENS, H. (1996)
Characterization of Na^+/H^+ exchange in sheep rumen epithelial cells kept in primary culture.
Zentralbl Veterinarmed A **43**(6): 365-75
- GÄBEL, G. SEHESTED, J. (1997)
SCFA transport in the forestomach of ruminants.
Comp Biochem Physiol C **118A**: 367-374
- GÄBEL, G., VOGLER, S., MARTENS, H. (1991)
Short-chain fatty acids and CO_2 as regulators of Na^+ and Cl^- absorption in isolated sheep rumen mucosa.
J. Comp. Physiol. B **161**: 419-426
- GALFI, P., NEOGRADY, S., KUTAS, F. (1981)
Culture of epithelial cells from bovine ruminal mucosa.
Vet Res Commun **4**(4): 295-300
- GERARD, V., ROUZAIRE-DUBOIS, B., DUBOIS, J. M. (1994)
Contribution of a H^+ pump in determining the resting potential of neuroblastoma cells.
J Membr Biol **137**(2): 119-25
- GIGLIONE, C., GROSS, J. D. (1995)
Anion effects on vesicle acidification in Dictyostelium.
Biochem Mol Biol Int **36**(5): 1057-65
- GLUCK, S., CALDWELL, J. (1987)
Immunoaffinity purification and characterization of vacuolar H^+ ATPase from bovine kidney.
J Biol Chem **262**(32): 15780-9
- GLUCK, S. L., NELSON, R. D., LEE, B. S., WANG, Z. Q., GUO, X. L., FU, J. Y., ZHANG, K. (1992)
Biochemistry of the renal V-ATPase.
J Exp Biol **172**: 219-29
- GOSS, G. G., JIANG, L., VANDORPE, D. H., KIELLER, D., CHERNOVA, M. N., ROBERTSON, M., ALPER, S. L. (2001)
Role of JNK in hypertonic activation of Cl^- -dependent Na^+/H^+ exchange in Xenopus oocytes.
Am J Physiol Cell Physiol **281**(6): C1978-90
- GRINSTEIN, S., ROTIN, D., MASON, M. J. (1989)
 Na^+/H^+ exchange and growth factor-induced cytosolic pH changes. Role in cellular proliferation.
Biochim Biophys Acta **988**(1): 73-97

- HARVEY, W. R., WIECZOREK, H. (1997)
Animal plasma membrane energization by chemiosmotic H^+ V-ATPases.
J Exp Biol **200** (Pt 2): 203-16
- HEMING, T. A., TRABER, D. L., HINDER, F., BIDANI, A. (1995)
Effects of baflomycin A₁ on cytosolic pH of sheep alveolar and peritoneal macrophages: evaluation of the pH-regulatory role of plasma membrane V-ATPases.
J Exp Biol **198** (Pt 8): 1711-5
- HOGAN, E. M., DAVIS, B. A., BORON, W. F. (1997)
Intracellular Cl⁻ dependence of Na-H exchange in barnacle muscle fibers under normotonic and hypertonic conditions.
J Gen Physiol **110**(5): 629-39
- HOU, Y., DELAMERE, N. A. (2000)
Studies on H⁽⁺⁾-ATPase in cultured rabbit nonpigmented ciliary epithelium.
J Membr Biol **173**(1): 67-72
- HUHN, K., MÜLLER, F., HONSCHA, K. U., PFANNKUCHE, H., GÄBEL, G. (2003)
Molecular and functional evidence for a Na⁽⁺⁾-HCO₃⁽⁻⁾-cotransporter in sheep ruminal epithelium.
J Comp Physiol [B] **173**(4): 277-84
- JENSEN, L. J., SORENSEN, J. N., LARSEN, E. H., WILLUMSEN, N. J. (1997)
Proton pump activity of mitochondria-rich cells. The interpretation of external proton-concentration gradients.
J Gen Physiol **109**(1): 73-91
- JOHN, N. (1996)
Einfluss des transepithelialen Metabolismus auf die Resorption kurzkettiger Fettsäuren aus dem Retikulorumen von Schafen.
Dissertation, Veterinärphysiologisches Institut. Universität Leipzig
- KANE, P. M., PARRA, K. J. (2000)
Assembly and regulation of the yeast vacuolar H⁽⁺⁾-ATPase.
J Exp Biol **203 Pt 1**: 81-7
- KANE, P. M., SMARDON, A. M. (2003)
Assembly and regulation of the yeast vacuolar H⁺-ATPase.
J Bioenerg Biomembr **35**(4): 313-21

- KARWATOWSKA-PROKOPCZUK, E., NORDBERG, J. A., LI, H. L., ENGLER, R. L., GOTTLIEB, R. A. (1998)
Effect of vacuolar proton ATPase on pH_i, Ca²⁺, and apoptosis in neonatal cardiomyocytes during metabolic inhibition/recovery.
Circ Res **82**(11): 1139-44
- KAUFFOLD, P., VOIGT, J. PIATKOWSKI, B. (1975)
Untersuchungen über den Einfluss von Ernährungsfaktoren auf die Pansenschleimhaut. 1. Mitteilung: Strukturen und Funktionen nach Fütterung extremer Rationen und plötzlichem Futterwechsel.
Arch Tierernahr **25**(4): 247-56
- KAUNITZ, J. D., GUNTHER, R. D., SACHS, G. (1985)
Characterization of an electrogenic ATP and chloride-dependent proton translocating pump from rat renal medulla.
J Biol Chem **260**(21): 11567-73
- KAWASAKI-NISHI, S., NISHI, T., FORGAC, M. (2001)
Yeast V-ATPase complexes containing different isoforms of the 100-kDa α -subunit differ in coupling efficiency and in vivo dissociation.
J Biol Chem **276**(21): 17941-8
- KÖTTKEN, M., LEIPZIGER, J., FISCHER, K. G., NITSCHKE, R., GREGER, R. (1994)
pH regulation in HT₂₉ colon carcinoma cells.
Pflugers Arch **428**: 179-185
- KRAMER, T., MICHELBERGER, T., GURTNER, H., GÄBEL, G. (1996)
Absorption of short-chain fatty acids across ruminal epithelium of sheep.
J Comp Physiol [B] **166**(4): 262-9
- KUWAHARA, M., SASAKI, S., MARUMO, F. (1990)
Cell pH regulation in rabbit outer medullary collecting duct cells: mechanisms of HCO₃⁽⁻⁾-independent processes.
Am J Physiol **259**(6 Pt 2): F902-9
- LIEBICH, H. G., SCHWARZ, M., MAYER, E. (1990)
Funktionelle Morphologie der bovinen Pansenschleimhaut - fütterungsabhängige Regression und Proliferation des kollagenfaserigen Bindegewebes der ruminalen Zotten.
Tierärztliche Umschau(45): 732-739
- MADSEN, K. M., TISHER, C. C. (1985)
Structure-function relationships in H⁺-secreting epithelia.
Fed Proc **44**(11): 2704-9

- MALNIC, G., GEIBEL, J. P. (2000)
Cell pH and H(⁺) secretion by S3 segment of mammalian kidney: role of H(⁺)-ATPase and Cl(⁻).
J Membr Biol **178**(2): 115-25
- MARSHANSKY, V., VINAY, P. (1996)
Proton gradient formation in early endosomes from proximal tubules.
Biochim Biophys Acta **1284**(2): 171-80
- MARTENS, H., GÄBEL, G., STROZYK, H. (1987)
The effect of potassium and the transmural potential difference on magnesium transport across an isolated preparation of sheep rumen epithelium.
Q J Exp Physiol **72**(2): 181-8
- MATTSSON, J. P., VÄÄNÄNEN, K., WALLMARK, B., LORENTZON, P. (1991)
Omeprazole and baflomycin, two proton pump inhibitors: differentiation of their effects on gastric, kidney and bone H(⁺)-translocating ATPases.
Biochim Biophys Acta **1065**(2): 261-8
- MCKINNEY, L. C., MORAN, A. (1995)
Regulation of intracellular pH in J774 murine macrophage cells: H⁺ extrusion processes.
Am J Physiol **268**(1 Pt 1): C210-7
- MERZENDORFER, H., GRAF, R., HUSS, M., HARVEY, W. R., WIECZOREK, H. (1997)
Regulation of proton-translocating V-ATPases.
J Exp Biol **200** (Pt 2): 225-35
- MIYATA, Y., MUTO, S., YANAGIBA, S., ASANO, Y. (2000)
Extracellular Cl(⁻) modulates shrinkage-induced activation of Na(⁺)/H(⁺) exchanger in rat mesangial cells.
Am J Physiol Cell Physiol **278**(6): C1218-29
- MORIYAMA, Y., MAEDA, M., FUTAI, M. (1992)
The role of V-ATPase in neuronal and endocrine systems.
J Exp Biol **172**: 171-8
- MÜLLER, F. (2000)
Einfluss schwacher Säuren auf den intrazellulären pH-Wert oviner Pansenepithelzellen.
Dissertation, Veterinär-Physiologisches Institut. Universität Leipzig

- MÜLLER, F., ASCHENBACH, J. R., GÄBEL, G. (2000)
Role of Na^+/H^+ exchange and HCO_3^- transport in pH_i recovery from intracellular acid load in cultured epithelial cells of sheep rumen.
J Comp Physiol [B] **170**(4): 337-43
- NAKAMURA, S. (2004)
Glucose activates H^+ -ATPase in kidney epithelial cells.
Am J Physiol Cell Physiol **287**(1): C97-105
- NANDA, A., BRUMELL, J. H., NORDSTRÖM, T., KJELDSEN, L., SENGELOV, H., BORREGAARD, N., ROTSTEIN, O. D., GRINSTEIN, S. (1996)
Activation of proton pumping in human neutrophils occurs by exocytosis of vesicles bearing vacuolar-type H^+ -ATPases.
J Biol Chem **271**(27): 15963-70
- NOEL, J., POUYSSEGUR, J. (1995)
Hormonal regulation, pharmacology, and membrane sorting of vertebrate Na^+/H^+ exchanger isoforms.
Am J Physiol **268**(2 Pt 1): C283-96
- NORDSTRÖM, T., GRINSTEIN, S., BRISSEAU, G. F., MANOLSON, M. F., ROTSTEIN, O. D. (1994)
Protein kinase C activation accelerates proton extrusion by vacuolar-type H^+ -ATPases in murine peritoneal macrophages.
FEBS Lett **350**(1): 82-6
- NORDSTRÖM, T., SHRODE, L. D., ROTSTEIN, O. D., ROMANEK, R., GOTO, T., HEERSCHE, J. N., MANOLSON, M. F., BRISSEAU, G. F., GRINSTEIN, S. (1997)
Chronic extracellular acidosis induces plasmalemmal vacuolar type H^+ ATPase activity in osteoclasts.
J Biol Chem **272**(10): 6354-60
- O'DONNELL, M. J., DOW, J. A., HUESMANN, G. R., TUBLITZ, N. J., MADDRELL, S. H. (1996)
Separate control of anion and cation transport in malpighian tubules of *Drosophila Melanogaster*.
J Exp Biol **199**(Pt 5): 1163-75
- ORLOWSKI, J. (1993)
Heterologous expression and functional properties of amiloride high affinity (NHE-1) and low affinity (NHE-3) isoforms of the rat Na/H exchanger.
J Biol Chem **268**(22): 16369-77

- ORLOWSKI, J., GRINSTEIN, S. (2004)
Diversity of the mammalian sodium/proton exchanger SLC9 gene family.
Pflugers Arch **447**(5): 549-65
- PAGE, R. D., MIA, A. J., BUTTAR, S., YORIO, T. (1990)
Adaptive changes of H⁺ secreting cells in the epidermis of the leopard frog
Rana pipiens.
Comp Biochem Physiol C **96**(2): 245-51
- PERAL, M. J., CALONGE, M. L., ILUNDAIN, A. A. (1995)
Cytosolic pH regulation in chicken enterocytes: Na⁽⁺⁾-independent
regulatory cell alkalinization.
Biochim Biophys Acta **1233**(1): 84-8
- PERRY, S. F., BEYERS, M. L., JOHNSON, D. A. (2000)
Cloning and molecular characterisation of the trout (*Oncorhynchus mykiss*)
vacuolar H⁽⁺⁾-ATPase B subunit.
J Exp Biol **203 Pt 3**: 459-70
- PUSHKIN, A., CLARK, I., KWON, T. H., NIELSEN, S., KURTZ, I. (2000)
Immunolocalization of NBC3 and NHE3 in the rat epididymis: colocalization
of NBC3 and the vacuolar H⁺-ATPase.
J Androl **21**(5): 708-20
- RAJENDRAN, V. M., GEIBEL, J., BINDER, H. J. (1995)
Chloride-dependent Na-H exchange. A novel mechanism of sodium
transport in colonic crypts.
J Biol Chem **270**(19): 11051-4
- RINK, T. J., TSIEN, R. Y., POZZAN, T. (1982)
Cytoplasmic pH and free Mg²⁺ in lymphocytes.
J Cell Biol **95**(1): 189-96
- ROUSSA, E., THEVENOD, F., SABOLIC, I., HERAK-KRAMBERGER, C. M.,
NASTAINCZYK, W., BOCK, R., SCHULZ, I. (1998)
Immunolocalization of vacuolar-type H⁺-ATPase in rat submandibular gland
and adaptive changes induced by acid-base disturbances.
J Histochem Cytochem **46**(1): 91-100
- SANGAN, P., RAJENDRAN, V. M., GEIBEL, J. P., BINDER, H. J. (2002)
Cloning and expression of a chloride-dependent Na⁺-H⁺ exchanger.
J Biol Chem **277**(12): 9668-75

SCHWARK, J. R., JANSEN, H. W., LANG, H. J., KRICK, W.,
BURCKHARDT, G., HROPOT, M. (1998)
S3226, a novel inhibitor of Na^+/H^+ exchanger subtype 3 in various cell types.
Pflugers Arch **436**(5): 797-800

SCHWEIGEL, M. (2001)
Charakterisierung des ruminalen Magnesiumtransportes: Influx- und
Effluxsysteme von Pansenepithelzellen in Primärkultur.
Habilitationsschrift, Inst. f. Veterinär-Physiologie. Freie Universität Berlin

SCHWEIGEL, M., ETSCHMANN, B., FROSCHAUER, E., HEIPERTZ, K. S.,
MARTENS, H. (2004a)
Characterization of an ovine vH^+ -ATPase as a new mechanism for the
energetization of ruminal transport process.
ICPD, USA

SCHWEIGEL, M., FREYER, M., LECLERCQ, S., ETSCHMANN, B.,
LODEMANN, U., BÖTTCHER, A., MARTENS, H. (2005)
Luminal hyperosmolarity decreases Na transport and impairs barrier
function of sheep rumen epithelium.
J Comp Physiol [B] **175**(8): 575-91

SCHWEIGEL, M., FROSCHAUER, E., ETSCHMANN, B., MARTENS, H.
(2004b)
Functional and molecular characterization of the vacuolar H^+ -ATPase in
sheep ruminal epithelial cells.
Proc. Soc. Nutr. Physiol. 13:60

SCHWEIGEL, M., MARTENS, H. (2003)
Anion-dependent Mg^{2+} influx and a role for a vacuolar H^+ -ATPase in sheep
ruminal epithelial cells.
Am J Physiol Gastrointest Liver Physiol **285**(1): G45-53

SCHWEIGEL, M., PARK, H. S., ETSCHMANN, B., MARTENS, H. (2006)
Characterization of the Na^+ -dependent Mg^{2+} transport in sheep ruminal
epithelial cells.
Am J Physiol Gastrointest Liver Physiol **290**(1): G56-65

SCHWEIGEL, M., VORMANN, J., MARTENS, H. (2000)
Mechanisms of Mg^{2+} transport in cultured ruminal epithelial cells.
Am J Physiol Gastrointest Liver Physiol **278**(3): G400-8

SELLERS, A. F., DOBSON, A. (1960)
Studies on reticulo-rumen sodium and potassium concentrations and
electrical potentials in sheep.
Res. Vet. Sci.(1): 95-102

- SHEN, Z., KUHLA, S., ZITNAN, R., SEYFERT, H. M., SCHNEIDER, F.,
HAGEMEISTER, H., CHUDY, A., LOHRKE, B., BLUM, J. W.,
HAMMON, H. M., VOIGT, J. (2005)
Intraruminal infusion of n-butyric acid induces an increase of ruminal
papillae size independent of IGF-1 system in castrated bulls.
Arch Anim Nutr **59**(4): 213-25
- SHEN, Z., SEYFERT, H. M., LOHRKE, B., SCHNEIDER, F., ZITNAN, R.,
CHUDY, A., KUHLA, S., HAMMON, H. M., BLUM, J. W., MARTENS, H.,
HAGEMEISTER, H., VOIGT, J. (2004)
An energy-rich diet causes rumen papillae proliferation associated with
more IGF type 1 receptors and increased plasma IGF-1 concentrations in
young goats.
J Nutr **134**(1): 11-7
- SILVIANI, V., COLOMBANI, V., HEYRIES, L., GEROLAMI, A.,
CARTOZOU, G., MARTEAU, C. (1996)
Role of the NHE3 isoform of the Na^+/H^+ exchanger in sodium absorption by
the rabbit gallbladder.
Pflugers Arch **432**(5): 791-6
- SOLEIMANI, M., BOOKSTEIN, C., MCATEER, J. A., HATTABAUGH, Y. J.,
BIZAL, G. L., MUSCH, M. W., VILLEREAL, M., RAO, M. C.,
HOWARD, R. L., CHANG, E. B. (1994)
Effect of high osmolality on Na^+/H^+ exchange in renal proximal tubule cells.
J Biol Chem **269**(22): 15613-8
- SOLEIMANI, M., BOOKSTEIN, C., SINGH, G., RAO, M. C., CHANG, E. B.,
BASTANI, B. (1995)
Differential regulation of Na^+/H^+ exchange and $\text{H}^+(\text{+})$ -ATPase by pH and
 HCO_3^- in kidney proximal tubules.
J Membr Biol **144**(3): 209-16
- STANTON, R. C., BOXER, D. C., SEIFTER, J. L. (1990)
Expression of Na^+/H^+ exchange and ATP-dependent proton extrusion in
growing rat IMCD cells.
Am J Physiol **258**(3 Pt 1): C416-20
- STETSON, D. L., STEINMETZ, P. R. (1983)
Role of membrane fusion in CO_2 stimulation of proton secretion by turtle
bladder.
Am J Physiol **245**(1): C113-20
- SUPLIE, A. (2005)
Untersuchung der Adaptation des Pansenepithels im zeitlichen Verlauf.
Dissertation, Institut für Veterinärphysiologie. Freie Universität Berlin

- SUZUKI, Y. KANEKO, K. (1987)
Acid secretion in isolated guinea pig colon.
Am J Physiol **253**(2 Pt 1): G155-64
- SZABO, E. Z., NUMATA, M., SHULL, G. E., ORLOWSKI, J. (2000)
Kinetic and pharmacological properties of human brain Na^+/H^+ exchanger isoform 5 stably expressed in Chinese hamster ovary cells.
J Biol Chem **275**(9): 6302-7
- THOMAS, J. A., BUCHSBAUM, R. N., ZIMNIAK, A., RACKER, E. (1979)
Intracellular pH measurements in Ehrlich ascites tumor cells utilizing spectroscopic probes generated in situ.
Biochemistry **18**((11)): 2210-8
- TOBEY, N. A., REDDY, S. P., KHALBUSS, W. E., SILVERS, S. M., CRAGOE, E. J., JR. ORLANDO, R. C. (1993)
 Na^+ -dependent and -independent $\text{Cl}^-/\text{HCO}_3^-$ exchangers in cultured rabbit esophageal epithelial cells.
Gastroenterology **104**(1): 185-95
- TOMOCHIKA, K., SHINODA, S., KUMON, H., MORI, M., MORIYAMA, Y., FUTAI, M. (1997)
Vacuolar-type H^+ -ATPase in mouse bladder epithelium is responsible for urinary acidification.
FEBS Lett **404**(1): 61-4
- TSE, M., LEVINE, S., YUN, C., BRANT, S., COUNILLON, L. T., POUYSSEGUR, J., DONOWITZ, M. (1993)
Structure/function studies of the epithelial isoforms of the mammalian Na^+/H^+ exchanger gene family.
J Membr Biol **135**(2): 93-108
- UPPAL, S. K., WOLF, K., MARTENS, H. (2003)
The effect of short chain fatty acids on calcium flux rates across isolated rumen epithelium of hay-fed and concentrate-fed sheep.
J Anim Physiol Anim Nutr (Berl) **87**(1-2): 12-20
- VÄÄNÄNEN, H. K., KARHUKORPI, E. K., SUNDQUIST, K., WALLMARK, B., ROININEN, I., HENTUNEN, T., TUUKKANEN, J., LAKKAKORPI, P. (1990)
Evidence for the presence of a proton pump of the vacuolar H^+ -ATPase type in the ruffled borders of osteoclasts.
J Cell Biol **111**(3): 1305-11

- VAN ADELSBERG, J., AL-AWQATI, Q. (1986)
Regulation of cell pH by Ca^{2+} -mediated exocytotic insertion of H^+ -ATPases.
J Cell Biol **102**(5): 1638-45
- VOLTZ, J. W., WEINMAN, E. J., SHENOLIKAR, S. (2001)
Expanding the role of NHERF, a PDZ-domain containing protein adapter, to
growth regulation.
Oncogene **20**(44): 6309-14
- VON ENGELHARDT, W., BREVES, G. (2000)
Physiologie der Haustiere. Enke Verlag.
ISBN 3-7773-1429-3
- WADSWORTH, S. J., VAN ROSSUM, G. D. (1994)
Role of vacuolar adenosine triphosphatase in the regulation of cytosolic pH
in hepatocytes.
J Membr Biol **142**(1): 21-34
- WAKABAYASHI, S., SHIGEKAWA, M., POUYSSEGUR, J. (1997)
Molecular physiology of vertebrate Na^+/H^+ exchangers.
Physiol Rev **77**(1): 51-74
- WANG, Y., TELFER, W. H. (1998)
Cyclic-AMP-induced water uptake in a moth ovary: inhibition by bafilomycin
and anthracene-9-carboxylic acid.
J Exp Biol **201** (Pt 10): 1627-35
- WEINMAN, E. J., SHENOLIKAR, S. (1993)
Regulation of the renal brush border membrane Na^+/H^+ exchanger.
Annu Rev Physiol **55**: 289-304
- WENG, X. H., HUSS, M., WIECZOREK, H., BEYENBACH, K. W. (2003)
The V-type H^+ -ATPase in Malpighian tubules of *Aedes aegypti*: localization
and activity.
J Exp Biol **206**(Pt 13): 2211-9
- WIECZOREK, H., BROWN, D., GRINSTEIN, S., EHRENFELD, J. HARVEY,
W. R. (1999)
Animal plasma membrane energization by proton-motive V-ATPases.
Bioessays **21**(8): 637-48
- WIECZOREK, H., GRBER, G., HARVEY, W. R., HUSS, M.,
MERZENDORFER, H., ZEISKE, W. (2000)
Structure and regulation of insect plasma membrane H^+ -V-ATPase.
J Exp Biol **203** Pt 1: 127-35

- WOLFFRAM, S., FRISCHKNECHT, R., SCHARRER, E. (1989)
Influence of theophylline on the electrical potential difference and ion fluxes
(Na, Cl, K) across the isolated rumen epithelium of sheep.
Zentralbl Veterinarmed A **36**(10): 755-62
- WU, Q., DELAMERE, N. A. (1997)
Influence of baflomycin A₁ on pH_i responses in cultured rabbit
nonpigmented ciliary epithelium.
Am J Physiol **273**(5 Pt 1): C1700-6
- WU, Q., PIERCE, W. M., JR. DELAMERE, N. A. (1998)
Cytoplasmic pH responses to carbonic anhydrase inhibitors in cultured
rabbit nonpigmented ciliary epithelium.
J Membr Biol **162**(1): 31-8
- YUN, C. H., OH, S., ZIZAK, M., STEPLOCK, D., TSAO, S., TSE, C. M.,
WEINMAN, E. J., DONOWITZ, M. (1997)
cAMP-mediated inhibition of the epithelial brush border Na⁺/H⁺ exchanger,
NHE3, requires an associated regulatory protein.
Proc Natl Acad Sci U S A **94**(7): 3010-5
- YUN, C. H., TSE, C. M., NATH, S., LEVINE, S. L., DONOWITZ, M. (1995)
Structure/function studies of mammalian Na-H exchangers--an update.
J Physiol **482**: 1S-6S
- ZACHOS, N. C., TSE, C. M., DONOWITZ, M. (2005)
Molecular physiology of intestinal N(+) / H(+) exchange.
Annu Rev Physiol **67**: 411-43
- ZEIDEL, M. L., SILVA, P., SEIFTER, J. L. (1986)
Intracellular pH regulation and proton transport by rabbit renal medullary
collecting duct cells. Role of plasma membrane proton adenosine
triphosphatase.
J Clin Invest **77**(1): 113-20
- ZHANG, J., FENG, Y., FORGAC, M. (1994)
Proton conduction and baflomycin binding by the V₀ domain of the coated
vesicle V-ATPase.
J Biol Chem **269**(38): 23518-23