

7. Literaturverzeichnis

1. Abe T, Kawakami Y, Suzuki Y, Gunji A, Fukunaga T. Effects of 20 days bed rest on muscle morphology. *J.Gratit.Physiol* 1997;4:S10-S14.
2. Acworth I, Nicholass J, Morgan B, Newsholme EA. Effect of sustained exercise on concentrations of plasma aromatic and branched-chain amino acids and brain amines. *Biochem.Biophys.Res.Commun.* 1986;137:149-53.
3. Adamopoulos S, Coats AJ, Brunotte F, Arnolda L, Meyer T, Thompson CH et al. Physical training improves skeletal muscle metabolism in patients with chronic heart failure. *J.Am.Coll.Cardiol.* 1993;21:1101-6.
4. Adamson JW, Ludwig H. Predicting the hematopoietic response to recombinant human erythropoietin (Epoetin alfa) in the treatment of the anemia of cancer. *Oncology* 1999;56:46-53.
5. Akechi T, Kugaya A, Okamura H, Yamawaki S, Uchitomi Y. Fatigue and its associated factors in ambulatory cancer patients: a preliminary study. *J.Pain Symptom.Manage.* 1999;17:42-8.
6. Akiyama K, Sutoo D. Rectifying effect of exercise on hypertension in spontaneously hypertensive rats via a calcium-dependent dopamine synthesizing system in the brain. *Brain Res.* 1999;823:154-60.
7. Albanes D, Blair A, Taylor PR. Physical activity and risk of cancer in the NHANES I population. *Am.J.Public Health* 1989;79:744-50.
8. Allen C, Glasziou P, Del Mar C. Bed rest: a potentially harmful treatment needing more careful evaluation. *Lancet* 1999;354:1229-33.
9. Ambrosino N, Paggiaro PL, Roselli MG, Contini V. Failure of resistive breathing training to improve pulmonary function tests in patients with chronic obstructive pulmonary disease. *Respiration* 1984;45:455-9.
10. Andrykowski MA, Brady MJ, Greiner CB, Altmaier EM, Burish TG, Antin JH et al. "Returning to normal" following bone marrow transplantation: outcomes, expectations and informed consent.

Bone Marrow Transplant. 1995;15 :573-81.

11. Andrykowski MA, Henslee PJ, Barnett RL. Longitudinal assessment of psychosocial functioning of adult survivors of allogeneic bone marrow transplantation. *Bone Marrow Transplant.* 1989;4:505-9.
12. Anker SD, Chua TP, Ponikowski P, Harrington D, Swan JW, Kox WJ et al. Hormonal changes and catabolic/anabolic imbalance in chronic heart failure and their importance for cardiac cachexia. *Circulation* 1997;96:526-34.
13. Anker SD, Clark AL, Kemp M, Salsbury C, Teixeira MM, Hellewell PG et al. Tumor necrosis factor and steroid metabolism in chronic heart failure: possible relation to muscle wasting. *J.Am.Coll.Cardiol.* 1997;30:997-1001.
14. Anonymous. Osteoporosis prevention, diagnosis, and therapy. *JAMA* 2001;285:785-95.
15. Arcasoy SM, Kotloff RM. Lung transplantation. *N Engl J Med.* 1999;340:1081-91.
16. Bailey JL, Wang X, Price SR. The balance between glucocorticoids and insulin regulates muscle proteolysis via the ubiquitin-proteasome pathway. *Miner.Electrolyte Metab* 1999;25:220-3.
17. Bailey SP, Davis JM, Ahlbom EN. Neuroendocrine and substrate responses to altered brain 5-HT activity during prolonged exercise to fatigue. *J Appl Physiol* 1993;74:3006-12.
18. Baker F, Wingard JR, Curbow B, Zabora J, Jodrey D, Fogarty L et al. Quality of life of bone marrow transplant long-term survivors. *Bone Marrow Transplant.* 1994;13:589-96.
19. Bamman MM, Hunter GR, Stevens BR, Guilliams ME, Greenisen MC. Resistance exercise prevents plantar flexor deconditioning during bed rest. *Med.Sci.Sports Exer.* 1997;29:1462-8.
20. Bamman MM, Shipp JR, Jiang J, Gower BA, Hunter GR, Goodman A et al. Mechanical load increases muscle IGF-I and androgen receptor mRNA concentrations in humans. *Am.J.Physiol Endocrinol.Metab* 2001;280:E383-E390.
21. Bank AJ, Shammas RA, Mullen K, Chuang PP. Effects of short-term forearm exercise training on resistance vessel endothelial function in normal subjects and patients with heart failure. *J Card Fail.* 1998;4:193-201.

22. Baum M, Liesen H. Sport und Immunsystem. *Deutsches Ärzteblatt* 1998;95:450-3.
23. Belardinelli R, Barstow TJ, Nguyen P, Wasserman K. Skeletal muscle oxygenation and oxygen uptake kinetics following constant work rate exercise in chronic congestive heart failure. *Am.J.Cardiol.* 1997;80:1319-24.
24. Belardinelli R, Georgiou D, Cianci G, Purcaro A. Randomized, controlled trial of long-term moderate exercise training in chronic heart failure: effects on functional capacity, quality of life, and clinical outcome. *Circulation* 1999;99:1173-82.
25. Belardinelli R, Georgiou D, Scocco V, Barstow TJ, Purcaro A. Low intensity exercise training in patients with chronic heart failure. *J.Am.Coll.Cardiol.* 1995;26:975-82.
26. Belman MJ. Exercise in patients with chronic obstructive pulmonary disease. *Thorax* 1993;48:936-46.
27. Belman MJ, Mittman C. Ventilatory muscle training improves exercise capacity in chronic obstructive pulmonary disease patients. *Am.Rev.Respir.Dis.* 1980;121:273-80.
28. Beneke R, Meyer K. Walking performance and economy in chronic heart failure patients pre and post exercise training. *Eur.J.Appl.Physiol.* 1997;75:246-51.
29. Bequet F, Gomez-Merino D, Berthelot M, Guezennec CY. Exercise-induced changes in brain glucose and serotonin revealed by microdialysis in rat hippocampus: effect of glucose supplementation. *Acta Physiol Scand.* 2001;173:223-30.
30. Berglund G, Bolund C, Fornander T, Rutqvist LE, Sjoden PO. Late effects of adjuvant chemotherapy and postoperative radiotherapy on quality of life among breast cancer patients. *Eur.J.Cancer* 1991;27:1075-81.
31. Bernard S, LeBlanc P, Whittom F, Carrier G, Jobin J, Belleau R et al. Peripheral muscle weakness in patients with chronic obstructive pulmonary disease. *Am.J.Respir.Crit Care Med.* 1998;158:629-34.
32. Bernard S, Whittom F, LeBlanc P, Jobin J, Belleau R, Berube C et al. Aerobic and strength training in patients with chronic obstructive pulmonary disease. *Am.J.Respir.Crit Care Med.* 1999;159:896-901.

33. Berry MJ, Adair NE, Sevensky KS, Quinby A, Lever HM. Inspiratory muscle training and whole-body reconditioning in chronic obstructive pulmonary disease. *Am.J.Respir.Crit Care Med.* 1996;153:1812-6.
34. Berry MJ, Rejeski WJ, Adair NE, Zaccaro D. Exercise rehabilitation and chronic obstructive pulmonary disease stage. *Am.J.Respir.Crit Care Med.* 1999;160:1248-53.
35. Berry P, Berry I, Manelfe C. Magnetic resonance imaging evaluation of lower limb muscles during bed rest--a microgravity simulation model. *Aviat.Space.Environ.Med.* 1993;64:212-8.
36. Bertone ER, Willett WC, Rosner BA, Hunter DJ, Fuchs CS, Speizer FE et al. Prospective study of recreational physical activity and ovarian cancer. *J.Natl.Cancer Inst.* 2001;93:942-8.
37. Bigard AX, Boehm E, Veksler V, Mateo P, Anflous K, Ventura-Clapier R. Muscle unloading induces slow to fast transitions in myofibrillar but not mitochondrial properties. Relevance to skeletal muscle abnormalities in heart failure. *J.Mol.Cell Cardiol.* 1998; 30:2391-401.
38. Blanc S, Normand S, Pachiaudi C, Duvareille M, Gharib C. Leptin responses to physical inactivity induced by simulated weightlessness. *Am.J.Physiol Regul.Integr.Comp Physiol* 2000;279:R891-R898.
39. Blesch KS, Paice JA, Wickham R, Harte N, Schnoor DK, Purl S et al. Correlates of fatigue in people with breast or lung cancer. *Oncol.Nurs.Forum* 1991;18,1:81-7.
40. Blomstrand E, Perrett D, Parry-Billings M, Newsholme EA. Effect of sustained exercise on plasma amino acid concentrations and on 5-hydroxytryptamine metabolism in six different brain regions in the rat. *Acta Physiol Scand.* 1989;136:473-81.
41. Bloom JR, Fobair P, Gritz E, Wellisch D, Spiegel D, Varghese A et al. Psychosocial outcomes of cancer: a comparative analysis of Hodgkin's disease and testicular cancer. *J.Clin.Oncol.* 1993;11:979-88.
42. Blumenthal JA, Babyak MA, Moore KA, Craighead WE, Herman S, Khatri P et al. Effects of exercise training on older patients with major depression. *Arch.Intern.Med.* 1999;159:2349-56.
43. Botticelli G, Bacchi MA, Bresciani D, Villa P, Aguzzoli L, Florio P et al. Effect of naltrexone treatment on the treadmill exercise-induced hormone release in amenorrheic women.

J.Endocrinol.Invest. 1992;**15**:839-47.

44. Boyce ML, Robergs RA, Avasthi PS, Roldan C, Foster A, Montner P *et al.* Exercise training by individuals with predialysis renal failure: cardiorespiratory endurance, hypertension, and renal function. *Am.J.Kidney Dis.* 1997;**30**:180-92.
45. Brahm H, Piehl-Aulin K, Saltin B, Ljunghall S. Net fluxes over working thigh of hormones, growth factors and biomarkers of bone metabolism during short lasting dynamic exercise. *Calcif.Tissue Int.* 1997;**60**:175-80.
46. Brown BS, Payne T, Kim C, Moore G, Krebs P, Martin W. Chronic response of rat brain norepinephrine and serotonin levels to endurance training. *J.Appl.Physiol.* 1979;**46**:19-23.
47. Bruera E, Brenneis C, Michaud M, Jackson PI, MacDonald RN. Muscle electrophysiology in patients with advanced breast cancer. *J.Natl.Cancer Inst.* 1988;**80**:282-5.
48. Bruera E, Brenneis C, Michaud M, Rafter J, Magnan A, Tennant A *et al.* Association between asthenia and nutritional status, lean body mass, anemia, psychological status, and tumor mass in patients with advanced breast cancer. *J.Pain Symptom Manage.* 1989;**4**:59-63.
49. Buonocore M, Opasich C, Casale R. Early development of EMG localized muscle fatigue in hand muscles of patients with chronic heart failure. *Arch.Phys.Med.Rehabil.* 1998;**79**:41-5.
50. Byrne A.,Byrne DG. The effect of exercise on depression, anxiety and other mood states: a review. *J.Psychosom.Res.* 1993;**37,6**:565-74.
51. Cambach W, Chadwick-Straver RV, Wagenaar RC, van Keimpema AR, Kemper HC. The effects of a community-based pulmonary rehabilitation programme on exercise tolerance and quality of life: a randomized controlled trial. *Eur.Respir.J.* 1997;**10**:104-13.
52. Canadian Erythropoietin Study Group. Association between recombinant human erythropoietin and quality of life and exercise capacity of patients receiving haemodialysis. *Brit.Med.J.* 1990;**300**:573-8.
53. Carbo N, Lopez-Soriano J, Costelli P, Busquets S, Alvarez B, Baccino FM *et al.* Interleukin-15 antagonizes muscle protein waste in tumour-bearing rats. *Br.J.Cancer* 2000;**83**:526-31.
54. Carlson SL, Brooks WH, Roszman TL. Neurotransmitter-lymphocyte interactions: dual

- receptor modulation of lymphocyte proliferation and cAMP production. *J.Neuroimmunol.* 1989;**24**:155-62.
55. Carney RM, McKevitt PM, Goldberg AP, Hagberg J, Delmez JA, Harter HR. Psychological effects of exercise training in hemodialysis patients. *Nephron* 1983;**33**:179-81.
 56. Carney RM, Templeton B, Hong BA, Harter HR, Hagberg JM, Schechtman KB *et al.* Exercise training reduces depression and increases the performance of pleasant activities in hemodialysis patients. *Nephron* 1987;**47**:194-8.
 57. Carney RM, Templeton B, Hong BA, Harter HR, Hagberg JM, Schechtman KB *et al.* Exercise training reduces depression and increases the performance of pleasant activities in hemodialysis patients. *Nephron* 1987;**47 (3)**:194-8.
 58. Carney RM, Wetzel RD, Hagberg J, Goldberg AP. The relationship between depression and aerobic capacity in hemodialysis patients. *Psychosom.Med.* 1986;**48**:143-7.
 59. Carter R, Nicotra B, Clark L, Zinkgraf S, Williams J, Peavler M *et al.* Exercise conditioning in the rehabilitation of patients with chronic obstructive pulmonary disease. *Arch.Phys.Med.Rehabil.* 1988;**69**:118-22.
 60. Casaburi R. Skeletal muscle function in COPD. *Chest* 2000;**117**:267S-71S.
 61. Casaburi R. Skeletal muscle dysfunction in chronic obstructive pulmonary disease. *Med.Sci.Sports Exerc.* 2001;**33**:S662-S670.
 62. Casaburi R, Patessio A, Ioli F, Zanaboni S, Donner CF, Wasserman K. Reductions in exercise lactic acidosis and ventilation as a result of exercise training in patients with obstructive lung disease [see comments]. *Am.Rev.Respir.Dis.* 1991;**143**:9-18.
 63. Casaburi R, Porszasz J, Burns MR, Carithers ER, Chang RS, Cooper CB. Physiologic benefits of exercise training in rehabilitation of patients with severe chronic obstructive pulmonary disease. *Am.J.Respir.Crit Care Med.* 1997;**155**:1541-51.
 64. Casciari RJ, Fairshter RD, Harrison A, Morrison JT, Blackburn C, Wilson AF. Effects of breathing retraining in patients with chronic obstructive pulmonary disease. *Chest* 1981;**79**:393-8.

65. Casciato DA, Lowitz BB. Manual of Clinical Oncology. New York: Little Brown and Company, 1995.
66. Celli BR. Pulmonary rehabilitation in patients with COPD. *Am.J.Respir.Crit Care Med.* 1995;152:861-4.
67. Chaiyakul P, Reidman D, Pilipovic L, Maher T, Ally A. Further evidence that extracellular serotonin in the rostral ventrolateral medulla modulates 5-HT(1A) receptor-mediated attenuation of exercise pressor reflex. *Brain Res.* 2001;900:186-94.
68. Chaouloff F. Physical exercise and brain monoamines: a review. *Acta Physiol Scand.* 1989;137:1-13.
69. Chaouloff F. Influence of physical exercise on 5-HT1A receptor- and anxiety-related behaviours. *Neurosci.Lett.* 1994;176:226-30.
70. Chaouloff F. Effects of acute physical exercise on central serotonergic systems. *Med.Sci.Sports Exer.* 1997;29:58-62.
71. Chaouloff F, Elghozi JL, Guezennec Y, Laude D. Effects of conditioned running on plasma, liver and brain tryptophan and on brain 5-hydroxytryptamine metabolism of the rat. *Br.J.Pharmacol.* 1985;86:33-41.
72. Chaouloff F, Kennett GA, Serrurier B, Merino D, Curzon G. Amino acid analysis demonstrates that increased plasma free tryptophan causes the increase of brain tryptophan during exercise in the rat. *J.Neurochem.* 1986;46:1647-50.
73. Chaouloff F, Laude D, Elghozi JL. Physical exercise: evidence for differential consequences of tryptophan on 5-HT synthesis and metabolism in central serotonergic cell bodies and terminals. *J.Neural.Transm.* 1989;78:121-30.
74. Chaouloff F, Laude D, Guezennec Y, Elghozi JL. Motor activity increases tryptophan, 5-hydroxyindoleacetic acid, and homovanillic acid in ventricular cerebrospinal fluid of the conscious rat. *J.Neurochem.* 1986;46:1313-6.
75. Chati Z, Mertes PM, Aliot E, Zannad F. Plasma levels of atrial natriuretic peptide and of other vasoconstricting hormones in patients with chronic heart failure: relationship to exercise capacity. *Int.J.Cardiol.* 1996;57:135-42.

76. Chen H, Dukes R, Martin BJ. Inspiratory muscle training in patients with chronic obstructive pulmonary disease. *Am.Rev.Respir.Dis.* 1985;131:251-5.
77. Cider A, Tygesson H, Hedberg M, Seligman L, Wennerblom B, Sunnerhagen KS. Peripheral muscle training in patients with clinical signs of heart failure. *Scand.J.Rehabil.Med.* 1997;29:121-7.
78. Clark A, Rafferty D, Arbuthnott K. Relationship between isokinetic muscle strength and exercise capacity in chronic heart failure. *Int.J.Cardiol.* 1997;59:145-8.
79. Clark CJ, Cochrane L, Mackay E. Low intensity peripheral muscle conditioning improves exercise tolerance and breathlessness in COPD. *Eur.Respir.J.* 1996;9:2590-6.
80. Coats AJ, Adamopoulos S, Radaelli A, McCance A, Meyer TE, Bernardi L et al. Controlled trial of physical training in chronic heart failure. Exercise performance, hemodynamics, ventilation, and autonomic function. *Circulation* 1992; 85:2119-31.
81. Convertino VA, Goldwater DJ, Sandler H. Bedrest-induced peak VO₂ reduction associated with age, gender, and aerobic capacity. *Aviat.Space.Environ.Med.* 1986;57:17-22.
82. Cooper CB. Determining the role of exercise in patients with chronic pulmonary disease. *Med.Sci.Sports Exerc.* 1995;27:147-57.
83. Coppolose R, Schols AM, Baarens EM, Mostert R, Akkermans MA, Janssen PP et al. Interval versus continuous training in patients with severe COPD: a randomized clinical trial. *Eur.Respir.J.* 1999;14:258-63.
84. Cordova F, O'Brien G, Furukawa S, Kuzma AM, Travallie J, Criner GJ. Stability of improvements in exercise performance and quality of life following bilateral lung volume reduction surgery in severe COPD. *Chest* 1997;112:907-15.
85. Cottreau CM, Ness RB, Kriska AM. Physical activity and reduced risk of ovarian cancer. *Obstet.Gynecol.* 2000;96:609-14.
86. Courneya KS, Keats MR, Turner AR. Physical exercise and quality of life in cancer patients following high dose chemotherapy and autologous bone marrow transplantation. *Psychooncology.* 2000;9:127-36.

87. Couser JI, Jr., Guthmann R, Hamadeh MA, Kane CS. Pulmonary rehabilitation improves exercise capacity in older elderly patients with COPD. *Chest* 1995;107:730-4.
88. Craft LL, Landers DM. The effect of exercise on clinical depression and depression resulting from mental illness: a meta-analysis. *J.Sport & Exer.Psych.* 1998;20:339-57.
89. Criner G, Cordova FC, Leyenson V, Roy B, Travallie J, Sudarshan S et al. Effect of lung volume reduction surgery on diaphragm strength. *Am.J Respir.Crit.Care Med* 1998;157:1578-85.
90. Cros N, Muller J, Bouju S, Pietu G, Jacquet C, Leger JJ et al. Upregulation of M-creatine kinase and glyceraldehyde3-phosphate dehydrogenase: two markers of muscle disuse. *Am.J.Physiol* 1999;276:R308-R316.
91. Curt GA, Breitbart W, Cella D, Groopman JE, Horning SJ, Itri LM et al. Impact of cancer-related fatigue on the lives of patients: new findings from the Fatigue Coalition. *Oncologist*. 2000;5:353-60.
92. Curt GA. Fatigue in cancer. *Brit.Med.J.* 2001;322:1560.
93. Davis JM, Bailey SP, Woods JA, Galiano FJ, Hamilton MT, Bartoli WP. Effects of carbohydrate feedings on plasma free tryptophan and branched-chain amino acids during prolonged cycling. *Eur.J.Appl.Physiol.* 1992;65:513-9.
94. de Castro JM, Duncan G. Operantly conditioned running: effects on brain catecholamine concentrations and receptor densities in the rat. *Pharmacol.Biochem.Behav.* 1985;23:495-500.
95. de Groote P, Millaire A, Pigny P, Nugue O, Racadot A, Ducloux G. Plasma levels of atrial natriuretic peptide at peak exercise: a prognostic marker of cardiovascular-related death and heart transplantation in patients with moderate congestive heart failure. *J.Heart Lung Transplant.* 1997;16:956-63.
96. De Luca A, Liantonio A, Pierno S, Desaphy JF, Leoty C, Conte CD. Potential targets for skeletal muscle impairment by hypogravity: basic characterization of resting ionic conductances and mechanical threshold of rat fast- and slow-twitch muscle fibers. *J.Gravit.Physiol* 1998;5:75-6.

97. Debruille C, Luyckx M, Ballester L, Brunet C, Odou P, Dine T *et al.* Serum opioid activity after physical exercise in rats. *Physiol Res.* 1999;48:129-33.
98. Deligiannis A, Kouidi E, Tassoulas E, Gigis P, Tourkantonis A, Coats A. Cardiac effects of exercise rehabilitation in hemodialysis patients. *Int.J.Cardiol.* 1999;70:253-66.
99. Dengel DR, Hagberg JM, Pratley RE, Rogus EM, Goldberg AP. Improvements in blood pressure, glucose metabolism, and lipoprotein lipids after aerobic exercise plus weight loss in obese, hypertensive middle-aged men. *Metabolism* 1998;47:1075-82.
100. Devlen J, Maguire P, Phillips P, Crowther D, Chambers H. Psychological problems associated with diagnosis and treatment of lymphomas. I: Retrospective study. II: Prospective study. *Brit.Med.J.* 1987;295:953-7.
101. Dey S, Singh RH, Dey PK. Exercise training: significance of regional alterations in serotonin metabolism of rat brain in relation to antidepressant effect of exercise. *Physiol Behav.* 1992;52:1095-9.
102. Diesel W, Noakes TD, Swanepoel C, Lambert M. Isokinetic muscle strength predicts maximum exercise tolerance in renal patients on chronic hemodialysis. *Am.J.Kidney Dis.* 1990;16:109-14.
103. Dimeo F. Exercise for cancer patients: a new challenge in sports medicine. *Br.J.Sports Med.* 2000;34:160-1.
104. Dimeo, F. Körperliche Aktivität und Krebs: Eine Übersicht. Deutsche Zeitschrift für Sportmedizin 52(9), 238-244. 2001.
105. Dimeo F, Bertz H, Finke J, Fetscher S, Mertelsmann R, Keul J. An aerobic exercise program for patients with haematological malignancies after bone marrow transplantation. *Bone Marrow Transplant.* 1996;18:1157-60.
106. Dimeo F, Fetscher S, Lange W, Mertelsmann R, Keul J. Effects of aerobic exercise on the physical performance and incidence of treatment-related complications after high-dose chemotherapy. *Blood* 1997;90:3390-4.
107. Dimeo F, Rumberger BG, Keul J. Aerobic exercise as therapy for cancer fatigue. *Med.Sci.Sports Exer.* 1998;30:475-8.

108. Dimeo F, Stieglitz RD, Novelli-Fischer U, Fetscher S, Keul J. Effects of physical activity on the fatigue and psychologic status of cancer patients during chemotherapy. *Cancer* 1999;85:2273-7.
109. Dimeo F, Stieglitz RD, Novelli-Fischer U, Fetscher S, Mertelsmann R, Keul J. Correlation between physical performance and fatigue in cancer patients. *Ann.Oncol.* 1997;8:1251-5.
110. Dimeo F, Tilmann MH, Bertz H, Kanz L, Mertelsmann R, Keul J. Aerobic exercise in the rehabilitation of cancer patients after high dose chemotherapy and autologous peripheral stem cell transplantation. *Cancer* 1997;79:1717-22.
111. Dishman RK, Renner KJ, White-Welkley JE, Burke KA, Bunnell BN. Treadmill exercise training augments brain norepinephrine response to familiar and novel stress. *Brain Res.Bull.* 2000;52:337-42.
112. do Prado LB, do Prado GF, Oliveira AS, Schmidt B, Carvalhaes JT. Histochemical study of the skeletal muscle in children with chronic renal failure in dialysis treatment. *Arg Neuropsiquiatr.* 1998;56:381-7.
113. Dorgan JF, Brown C, Barrett M, Splansky GL, Kreger BE, D'Agostino RB et al. Physical activity and risk of breast cancer in the Framingham Heart Study. *Am.J.Epidemiol.* 1994;139:662-9.
114. Doyne EJ, Ossip-Klein DJ, Bowman ED, Osborn KM, McDougall-Wilson IB, Neimeyer RA. Running versus weight lifting in the treatment of depression. *J.Consult.Clin.Phychol.* 1987;55,5:748-54.
115. Drexler H, Hayoz D, Munzel T, Just H, Zelis R, Brunner HR. Endothelial dysfunction in chronic heart failure. Experimental and clinical studies. *Arzneimittelforschung*. 1994;44:455-8.
116. Drexler H, Riede U, Munzel T, Konig H, Funke E, Just H. Alterations of skeletal muscle in chronic heart failure. *Circulation* 1992;85:1751-9.
117. Droste C, Greenlee MW, Schreck M, Roskamm H. Experimental pain thresholds and plasma beta-endorphin levels during exercise. *Med.Sci.Sports Exer.* 1991;23:334-42.
118. Dubach P, Myers J, Dziekan G, Goebbel U, Reinhart W, Muller P et al. Effect of high

- intensity exercise training on central hemodynamic responses to exercise in men with reduced left ventricular function. *J.Am.Coll.Cardiol.* 1997; **29**:1591-8.
119. Dugan D, Walker R, Monroe DA. The effects of a 9-week program of aerobic and upper body exercise on the maximal voluntary ventilation of chronic obstructive pulmonary disease patients. *J.Cardiolpulm.Rehabil.* 1995; **15**:130-3.
120. Dunn AL, Reigle TG, Youngstedt SD, Armstrong RB, Dishman RK. Brain norepinephrine and metabolites after treadmill training and wheel running in rats. *Med.Sci.Sports Exer.* 1996; **28**:204-9.
121. Dupont-Versteegden EE, Houle JD, Gurley CM, Peterson CA. Early changes in muscle fiber size and gene expression in response to spinal cord transection and exercise. *Am.J.Physiol* 1998; **275**:C1124-C1133.
122. Durozard D, Pimmel P, Baretto S, Caillette A, Labeeuw M, Baverel G et al. 31P NMR spectroscopy investigation of muscle metabolism in hemodialysis patients. *Kidney Int.* 1993; **43**:885-92.
123. Dziekan G, Myers J, Goebbel U, Muller P, Reinhart W, Ratti R et al. Effects of exercise training on limb blood flow in patients with reduced ventricular function. *Am.Heart J.* 1998; **136**:22-30.
124. Edling C, Hellman B, Arvidson B, Johansson G, Andersson J, Hartvig P et al. Positron emission tomography studies of healthy volunteers--no effects on the dopamine terminals and synthesis after short-term exposure to toluene. *Hum.Exp.Toxicol.* 1997; **16**:171-6.
125. Elam M, Svensson TH, Thoren P. Brain monoamine metabolism is altered in rats following spontaneous, long-distance running. *Acta Physiol Scand.* 1987; **130**:313-6.
126. Ellis S, Kirby LC, Greenleaf JE. Lower extremity muscle thickness during 30-day 6 degrees head-down bed rest with isotonic and isokinetic exercise training. *Aviat.Space.Environ.Med.* 1993; **64**:1011-5.
127. Emery CF, Leatherman NE, Burker EJ, MacIntyre NR. Psychological outcomes of a pulmonary rehabilitation program. *Chest* 1991; **100**:613-7.
128. England BK, Price SR. Acidosis and glucocorticoids interact to provoke muscle protein and

amino acid catabolism. *Blood Purif.* 1995;13:147-52.

129. Etnier J, Johnston R, Dagenbach D, Pollard RJ, Rejeski WJ, Berry M. The relationships among pulmonary function, aerobic fitness, and cognitive functioning in older COPD patients. *Chest* 1999;116:953-60.
130. Faggiano P, D'Aloia A, Gualeni A, Giordano A. Relative contribution of resting haemodynamic profile and lung function to exercise tolerance in male patients with chronic heart failure. *Heart* 2001;85:179-84.
131. Ferguson GT, Fernandez E, Zamora MR, Pomerantz M, Buchholz J, Make BJ. Improved exercise performance following lung volume reduction surgery for emphysema. *Am.J Respir.Crit.Care Med* 1998;157:1195-203.
132. Ferreira IM, Verreschi IT, Nery LE, Goldstein RS, Zamel N, Brooks D et al. The influence of 6 months of oral anabolic steroids on body mass and respiratory muscles in undernourished COPD patients. *Chest* 1998;114:19-28.
133. Ferretti G, Antonutto G, Denis C, Hoppeler H, Minetti AE, Narici MV et al. The interplay of central and peripheral factors in limiting maximal O₂ consumption in man after prolonged bed rest. *J.Physiol* 1997;501 (Pt 3) :677-86.
134. Fiacchadori E, Del Canale S, Vitali P, Coffrini E, Ronda N, Guariglia A. Skeletal muscle energetics, acid-base equilibrium and lactate metabolism in patients with severe hypercapnia and hypoxemia. *Chest* 1987;92:883-7.
135. Fitts RH, Riley DR, Widrick JJ. Physiology of a microgravity environment invited review: microgravity and skeletal muscle. *J.Appl.Physiol* 2000;89:823-39.
136. Fitts SS, Guthrie MR, Blagg CR. Exercise coaching and rehabilitation counseling improve quality of life for predialysis and dialysis patients. *Nephron* 1999;82:115-21.
137. Fobair P, Hoppe RT, Bloom J, Cox R, Varghese A, Spiegel D. Psychosocial problems among survivors of Hodgkin's disease. *J.Clin.Oncol.* 1986;4:805-14.
138. Fobair P, Mages NL. Psychosocial morbidity among cancer patient survivors. In Ahmed P, ed. *Coping with cancer*, pp 285-308. New York: Elsevier, 1981.

139. Folkins CH. Effects of physical training on mood. *J.Clin.Psychol.* 1976;32:385-7.
140. Fontana F, Tarsi G, Boschi S, De Iasio R, Monetti N, Bugiardini R. Relationship between plasma endothelin-1 levels and myocardial ischemia induced by exercise testing. *Am.J.Cardiol.* 1997;79:957-9.
141. Forester B, Kornfeld DS, Fleiss JL. Psychotherapy during radiotherapy: effects on emotional and physical distress. *Am.J.Psychiatry* 1985;142:22-7.
142. Forester B, Kornfeld DS, Fleiss JL, Thompson S. Group psychotherapy during radiotherapy: effects on emotional and physical distress. *Am.J.Psychiatry* 1993;150:1700-6.
143. Fortney SM, Turner C, Steinmann L, Driscoll T, Alfrey C. Blood volume responses of men and women to bed rest. *J.Clin.Pharmacol.* 1994;34:434-9.
144. Foster S, Lopez D, Thomas HM. Pulmonary rehabilitation in COPD patients with elevated PCO₂. *Am.Rev.Respir.Dis.* 1988;138:1519-23.
145. Franciosa JA, Park M, Levine TB. Lack of correlation between exercise capacity and indexes of resting left ventricular performance in heart failure. *Am.J.Cardiol.* 1981;47:33-9.
146. Fraser GE, Shavlik D. Risk factors, lifetime risk, and age at onset of breast cancer. *Ann.Epidemiol.* 1997;7:375-82.
147. Fukuoka H, Nishimura Y, Haruna M, Suzuki Y, Oyama K, Igawa S et al. Effect of bed rest immobilization on metabolic turnover of bone and bone mineral density. *J.Gravit.Physiol* 1997;4:S75-S81.
148. Furuno K, Goodman MN, Goldberg AL. Role of different proteolytic systems in the degradation of muscle proteins during denervation atrophy. *J.Biol.Chem.* 1990;265:8550-7.
149. Furuno K, Goodman MN, Goldberg AL. Role of different proteolytic systems in the degradation of muscle proteins during denervation atrophy. *J Biol.Chem.* 1990;265:8550-7.
150. Gabay C, Kushner I. Acute-phase proteins and other systemic responses to inflammation. *N Engl.J.Med.* 1999;340:448-54.
151. Gabriel H, Kindermann W. The acute immune response to exercise: what does it mean?

152. Gagnon B, Bruera E. A review of the drug treatment of cachexia associated with cancer. *Drugs* 1998;55:675-88.
153. Georgiou D, Belardinelli R. Exercise and coronary endothelial function. *N Engl J Med*. 2000;343:147-8.
154. Germain P, Guell A, Marini JF. Muscle strength during bedrest with and without muscle exercise as a countermeasure. *Eur J Appl Physiol*. 1995;71:342-8.
155. Gillen CM, Lee R, Mack GW, Tomaselli CM, Nishiyasu T, Nadel ER. Plasma volume expansion in humans after a single intense exercise protocol. *J Appl Physiol* 1991;71:1914-20.
156. Gilliam PE, Spirduso WW, Martin TP, Walters TJ, Wilcox RE, Farrar RP. The effects of exercise training on [³H]-spiperone binding in rat striatum. *Pharmacol Biochem Behav*. 1984;20:863-7.
157. Gimenez M, Servera E, Vergara P, Bach JR, Polu JM. Endurance training in patients with chronic obstructive pulmonary disease: a comparison of high versus moderate intensity. *Arch Phys Med Rehabil*. 2000;81:102-9.
158. Goebbels U, Myers J, Dziekan G, Muller P, Kuhn M, Ratte R et al. A randomized comparison of exercise training in patients with normal vs reduced ventricular function. *Chest* 1998;113:1387-93.
159. Goldberg AP, Geltman EM, Gavin JR, III, Carney RM, Hagberg JM, Delmez JA et al. Exercise training reduces coronary risk and effectively rehabilitates hemodialysis patients. *Nephron* 1986;42:311-6.
160. Goldberg AP, Geltman EM, Gavin JR, III, Carney RM, Hagberg JM, Delmez JA et al. Exercise training reduces coronary risk and effectively rehabilitates hemodialysis patients. *Nephron* 1986;42:311-6.
161. Goldberg AP, Geltman EM, Hagberg JM, Gavin JR, III, Delmez JA, Carney RM et al. Therapeutic benefits of exercise training for hemodialysis patients. *Kidney Int Suppl* 1983;16:S303-S309.

162. Goldberg AP, Geltman EM, Hagberg JM, Gavin JR, III, Delmez JA, Carney RM et al. Therapeutic benefits of exercise training for hemodialysis patients. *Kidney Int Suppl* 1983;16:S303-S309.
163. Goldberg AP, Hagberg J, Delmez JA, Carney RM, McKevitt PM, Ehsani AA et al. The metabolic and psychological effects of exercise training in hemodialysis patients. *Am.J.Clin.Nutr.* 1980;33:1620-8.
164. Goldberg AP, Hagberg JM, Delmez JA, Haynes ME, Harter HR. Metabolic effects of exercise training in hemodialysis patients. *Kidney Int.* 1980;18:754-61.
165. Goldfarb AH, Hatfield BD, Armstrong D, Potts J. Plasma beta-endorphin concentration: response to intensity and duration of exercise. *Med.Sci.Sports Exerc.* 1990;22:241-4.
166. Goldfarb AH, Hatfield BD, Sforzo GA, Flynn MG. Serum beta-endorphin levels during a graded exercise test to exhaustion. *Med.Sci.Sports Exerc.* 1987;19:78-82.
167. Goldfarb AH, Jamurtas AZ. Beta-endorphin response to exercise. An update. *Sports Med.* 1997;24:8-16.
168. Goldfarb AH, Jamurtas AZ, Kamimori GH, Hegde S, Otterstetter R, Brown DA. Gender effect on beta-endorphin response to exercise. *Med.Sci.Sports Exer.* 1998;30:1672-6.
169. Goldspink G. Changes in muscle mass and phenotype and the expression of autocrine and systemic growth factors by muscle in response to stretch and overload. *J.Anat.* 1999;194 (Pt 3):323-34.
170. Goldspink G, Scutt A, Loughna PT, Wells DJ, Jaenicke T, Gerlach GF. Gene expression in skeletal muscle in response to stretch and force generation. *Am.J.Physiol* 1992;262:R356-R363.
171. Gomez-Merino D, Bequet F, Berthelot M, Chennaoui M, Guezennec CY. Site-dependent effects of an acute intensive exercise on extracellular 5-HT and 5-HIAA levels in rat brain. *Neurosci.Lett.* 2001;301:143-6.
172. Gordon A, Tyni-Lenne R, Jansson E, Kaijser L, Theodorsson-Norheim E, Sylven C. Improved ventilation and decreased sympathetic stress in chronic heart failure patients following local

endurance training with leg muscles. *J.Card.Fail.* 1997;3:3-12.

173. Gosselink R, Troosters T, Decramer M. Peripheral muscle weakness contributes to exercise limitation in COPD. *Am.J Respir.Crit.Care Med* 1996;153:976-80.
174. Gosselink R, Troosters T, Decramer M. Exercise training in COPD patients: the basic questions. *Eur.Respir.J.* 1997;10:2884-91.
175. Gottlieb SS, Fisher ML, Freudenberger R, Robinson S, Zietowski G, Alves L et al. Effects of exercise training on peak performance and quality of life in congestive heart failure patients. *J.Card Fail.* 1999;5:188-94.
176. Gray AB, Telford RD, Weidemann MJ. Endocrine response to intense interval exercise. *Eur.J.Appl.Physiol.* 1993;66:366-71.
177. Greenberg DB, Sawicka J, Eisenthal S, Ross D. Fatigue syndrome due to localized radiation. *J.Pain Symptom.Manage.* 1992;7:38-45.
178. Greene MC, Zabetakis PM, Gleim GW, Pasternak FL, Saraniti AJ, Michelis MF et al. Effect of exercise on lipid metabolism and dietary intake in hemodialysis patients. *Proc.Clin.Dial.Transplant.Forum* 1979;9:80-6.
179. Greenleaf J, Kozlowsky S. Physiological consequences of reduced physical activity during bed rest. In Terjung R, ed. *Exerc. Sports Sci. Rev.*, p 84. Philadelphia: Franklin Institute Press, 1982.
180. Greenleaf JE. Intensive exercise training during bed rest attenuates deconditioning. *Med.Sci.Sports Exer.* 1997;29:207-15.
181. Greist JH, Klein MH, Eischens RR, Faris J, Gurman AS, Morgan WP. Running as treatment for depression. *Compr.Psychiatry* 1979;20:41-54.
182. Guezennec CY, Abdelmalki A, Serrurier B, Merino D, Bigard X, Berthelot M et al. Effects of prolonged exercise on brain ammonia and amino acids. *Int.J.Sports Med.* 1998;19:323-7.
183. Guillemin R, Vargo T, Rossier J, Minick S, Ling N, Rivier C et al. beta-Endorphin and adrenocorticotropin are selected concomitantly by the pituitary gland. *Science* 1977;197:1367-9.

184. Gustafsson T, Bodin K, Sylven C, Gordon A, Tyini-Lenne R, Jansson E. Increased expression of VEGF following exercise training in patients with heart failure. *Eur.J.Clin.Invest* 2001;31:362-6.
185. Gustafsson T, Puntschart A, Kaijser L, Jansson E, Sundberg CJ. Exercise-induced expression of angiogenesis-related transcription and growth factors in human skeletal muscle. *Am.J.Physiol* 1999;276:H679-H685.
186. Gustafsson T, Sundberg CJ. Expression of angiogenic growth factors in human skeletal muscle in response to a singular bout of exercise. *Am.J.Physiol Heart Circ.Physiol* 2000;279:H3144-H3145.
187. Gutman RA, Stead WW, Robinson RR. Physical activity and employment status of patients on maintenance dialysis. *N Engl J Med*. 1981;304:309-13.
188. Hagberg JM, Goldberg AP, Ehsani AA, Heath GW, Delmez JA, Harter HR. Exercise training improves hypertension in hemodialysis patients. *Am.J.Nephrol*. 1983;3:209-12.
189. Halle M, Berg A, Garwers U, Baumstark MW, Knisel W, Grathwohl D et al. Influence of 4 weeks' intervention by exercise and diet on low-density lipoprotein subfractions in obese men with type 2 diabetes. *Metabolism* 1999;48:641-4.
190. Hambrecht R, Adams V, Gielen S, Linke A, Mobius-Winkler S, Yu J et al. Exercise intolerance in patients with chronic heart failure and increased expression of inducible nitric oxide synthase in the skeletal muscle. *J Am Coll Cardiol*. 1999;33:174-9.
191. Hambrecht R, Fiehn E, Weigl C, Gielen S, Hamann C, Kaiser R et al. Regular physical exercise corrects endothelial dysfunction and improves exercise capacity in patients with chronic heart failure [see comments]. *Circulation* 1998; 98:2709-15.
192. Hambrecht R, Fiehn E, Yu J, Niebauer J, Weigl C, Hilbrich L et al. Effects of endurance training on mitochondrial ultrastructure and fiber type distribution in skeletal muscle of patients with stable chronic heart failure. *J Am Coll Cardiol*. 1997;29:1067-73.
193. Hambrecht R, Fiehn E, Yu J, Niebauer J, Weigl C, Hilbrich L et al. Effects of endurance training on mitochondrial ultrastructure and fiber type distribution in skeletal muscle of patients with stable chronic heart failure. *J Am Coll Cardiol*. 1997;29:1067-73.

194. Hambrecht R, Gielen S, Linke A, Fiehn E, Yu J, Walther C *et al.* Effects of exercise training on left ventricular function and peripheral resistance in patients with chronic heart failure: A randomized trial. *JAMA* 2000;283:3095-101.
195. Hambrecht R, Niebauer J, Fiehn E, Kalberer B, Offner B, Hauer K *et al.* Physical training in patients with stable chronic heart failure: effects on cardiorespiratory fitness and ultrastructural abnormalities of leg muscles. *J.Am.Coll.Cardiol.* 1995;25:1239-49.
196. Hambrecht R, Niebauer J, Fiehn E, Kalberer B, Offner B, Hauer K *et al.* Physical training in patients with stable chronic heart failure: effects on cardiorespiratory fitness and ultrastructural abnormalities of leg muscles. *J.Am.Coll.Cardiol.* 1995;25:1239-49.
197. Hambrecht R, Schuler G. [Exercise tolerance in patients with heart insufficiency. Exercise in heart insufficiency?]. *Internist (Berl)* 2000;41:269-75.
198. Hann DM, Garovoy N, Finkelstein B, Jacobsen PB, Azzarello LM, Fields KK. Fatigue and quality of life in breast cancer patients undergoing autologous stem cell transplantation: a longitudinal comparative study. *J.Pain Symptom Manage.* 1999;17:311-9.
199. Harbach H, Hell K, Gramsch C, Katz N, Hempelmann G, Teschemacher H. Beta-endorphin (1-31) in the plasma of male volunteers undergoing physical exercise. *Psychoneuroendocrinology* 2000;25:551-62.
200. Harrington D, Anker SD, Chua TP, Webb-Peploe KM, Ponikowski PP, Poole-Wilson PA *et al.* Skeletal muscle function and its relation to exercise tolerance in chronic heart failure. *J.Am.Coll.Cardiol.* 1997;30:1758-64.
201. Haruna Y, Bonde-Petersen F, Takenaka K, Suzuki Y, Kawakubo K, Gunji A. Effects of the renin-angiotensin-aldosterone system on the cardiovascular system during 20-days bed rest. *J.Gratit.Physiol* 1997;4:S62-S68.
202. Hasegawa S, Sato S, Saito S, Suzuki Y, Brunette DM. Mechanical stretching increases the number of cultured bone cells synthesizing DNA and alters their pattern of protein synthesis. *Calcif.Tissue Int.* 1985;37:431-6.
203. Hasselgren PO, Fischer JE. Muscle cachexia: current concepts of intracellular mechanisms and molecular regulation. *Ann.Surg.* 2001;233:9-17.

204. Hattori K, Dias S, Heissig B, Hackett NR, Lyden D, Tateno M et al. Vascular endothelial growth factor and angiopoietin-1 stimulate postnatal hematopoiesis by recruitment of vasculogenic and hematopoietic stem cells. *J.Exp.Med.* 2001;**193**:1005-14.
205. Hattori S, Naoi M, Nishino H. Striatal dopamine turnover during treadmill running in the rat: relation to the speed of running. *Brain Res.Bull.* 1994;**35**:41-9.
206. Heitkamp, H. C. and Bott, M. Kolorektalkarzinome und körperliche Aktivität. Deutsche Ärzteblatt 10, A612-A618. 9-3-2001.
207. Heitkamp HC, Huber W, Scheib K. beta-Endorphin and adrenocorticotrophin after incremental exercise and marathon running--female responses. *Eur.J.Appl.Physiol.* 1996;**72**:417-24.
208. Heitkamp HC, Schmid K, Scheib K. Beta-endorphin and adrenocorticotrophic hormone production during marathon and incremental exercise. *Eur.J.Appl.Physiol Occup.Physiol* 1993;**66**:269-74.
209. Heitkamp HC, Schulz H, Rocker K, Dickhuth HH. Endurance training in females: changes in beta-endorphin and ACTH. *Int.J.Sports Med.* 1998;**19**:260-4.
210. Hensley M, Coughlan JL, Gibson P. Lung volume reduction surgery for diffuse emphysema. *Cochrane.Database.Syst.Rev.* 2000;CD001001.
211. Heyes MP, Garnett ES, Coates G. Nigrostriatal dopaminergic activity is increased during exhaustive exercise stress in rats. *Life Sci.* 1988;**42**:1537-42.
212. Hickok JT, Morrow GR, McDonald S, Bellg AJ. Frequency and correlates of fatigue in lung cancer patients receiving radiation therapy: implications for management. *J.Pain Symptom.Manage.* 1996;**11**:370-7.
213. Higginbotham MB, Morris KG, Conn EH, Coleman RE, Cobb FR. Determinants of variable exercise performance among patients with severe left ventricular dysfunction. *Am.J.Cardiol.* 1983;**51**:52-60.
214. Hjermstad MJ, Evensen SA, Kvaloy SO, Fayers PM, Kaasa S. Health-related quality of life 1 year after allogeneic or autologous stem-cell transplantation: a prospective study. *J.Clin.Oncol.* 1999;**17**:706-18.

215. Hjermstad MJ, Loge JH, Evensen SA, Kvaloy SO, Fayers PM, Kaasa S. The course of anxiety and depression during the first year after allogeneic or autologous stem cell transplantation. *Bone Marrow Transplant.* 1999;24:1219-28.
216. Hoffmann P, Elam M, Thoren P, Hjorth S. Effects of long-lasting voluntary running on the cerebral levels of dopamine, serotonin and their metabolites in the spontaneously hypertensive rat. *Life Sci.* 1994;54:855-61.
217. Hoffmann P, Terenius L, Thoren P. Cerebrospinal fluid immunoreactive beta-endorphin concentration is increased by voluntary exercise in the spontaneously hypertensive rat. *Regul.Pept.* 1990;28:233-9.
218. Hollmann W, Hettinger T. Sportmedizin: Arbeits- und Trainingsgrundlagen. Stuttgart: Schattauer, 1990.
219. Hollmann W, Struder HK, Herzog H, Fischer HG, Platen P, DeMeirlier K *et al.* Gehirn: Hämodinamische, metabolische und psychische Aspekte bei körperlicher Arbeit. *Dtsch.Ärzteblatt* 1996;93:A-2033-A-2038.
220. Horber FF, Hoppeler H, Scheidegger JR, Grunig BE, Howald H, Frey FJ. Impact of physical training on the ultrastructure of midthigh muscle in normal subjects and in patients treated with glucocorticoids. *J.Clin.Invest.* 1987;79:1181-90.
221. Horber FF, Scheidegger JR, Grunig BE, Frey FJ. Evidence that prednisone-induced myopathy is reversed by physical training. *J.Clin.Endocrinol.Metab* 1985;61:83-8.
222. Howald H, Pette D, Simoneau JA, Uber A, Hoppeler H, Cerretelli P. Effect of chronic hypoxia on muscle enzyme activities. *Int.J.Sports Med.* 1990;11 Suppl 1:S10-S14.
223. Howell SJ, Radford JA, Ryder WD, Shalet SM. Testicular function after cytotoxic chemotherapy: evidence of Leydig cell insufficiency. *J.Clin.Oncol.* 1999;17:1493-8.
224. Howell SJ, Radford JA, Smets EM, Shalet SM. Fatigue, sexual function and mood following treatment for haematological malignancy: the impact of mild Leydig cell dysfunction. *Br.J.Cancer* 2000;82:789-93.
225. Hung J, Goldwater D, Convertino VA, McKillop JH, Goris ML, DeBusk RF. Mechanisms for decreased exercise capacity after bed rest in normal middle-aged men. *Am.J.Cardiol.*

1983;51:344-8.

226. Hutchinson TA, Boyed NF, Feinstein AR. Scientific problems in clinical scales, as demonstrated in the Karnofsky Index of Performance Status. *J.Chron.Diseases* 1978;32:661-6.
227. Irvine D, Vincent L, Graydon JE, Bubela N, Thompson L. The prevalence and correlates of fatigue in patients receiving treatment with chemotherapy and radiotherapy. *Cancer Nurs.* 1994;17(5):367-78.
228. Irvine D, Vincent L, Graydon JE, Bubela N, Thompson L. The prevalence and correlates of fatigue in patients receiving treatment with chemotherapy and radiotherapy. A comparison with the fatigue experienced by healthy individuals. *Cancer Nurs.* 1994;17:367-78.
229. Irvine DM, Vincent L, Graydon JE, Bubela N. Fatigue in women with breast cancer receiving radiation therapy. *Cancer Nurs.* 1998;21:127-35.
230. Ishide T, Hara Y, Maher TJ, Ally A. Glutamate neurotransmission and nitric oxide interaction within the ventrolateral medulla during cardiovascular responses to muscle contraction. *Brain Res.* 2000;874:107-15.
231. Ishikawa S, Miyauchi T, Ueno M, Sagawa K, Sakai S, Ushinohama H et al. Abnormal neurohumoral responses to exercise in patients with heart disease: inhibition of an increase in endothelin-1 production during exercise. *J.Cardiovasc.Pharmacol.* 1998;31 Suppl 1:S406-11:S406-S411.
232. Ishizaki Y, Fukuoka H, Ishizaki T, Katsura T, Nishimura Y, Haruna M et al. Psychological stress induced by 20 days bed rest. *J.Gratit.Physiol* 1997;4:S95-S98.
233. Ishizaki Y, Fukuoka H, Katsura T, Nishimura Y, Kiriyama M, Higurashi M et al. Psychological effects of bed rest in young healthy subjects. *Acta Physiol Scand.SuppI* 1994;616:83-7.
234. Jakobsson P, Jorfeldt L, Brundin A. Skeletal muscle metabolites and fibre types in patients with advanced chronic obstructive pulmonary disease (COPD), with and without chronic respiratory failure. *Eur.Respir.J.* 1990;3:192-6.
235. Jakobsson P, Jorfeldt L, Henriksson J. Metabolic enzyme activity in the quadriceps femoris muscle in patients with severe chronic obstructive pulmonary disease. *Am.J.Respir.Crit Care*

Med. 1995;151:374-7.

236. Janal MN, Colt EW, Clark WC, Glusman M. Pain sensitivity, mood and plasma endocrine levels in man following long-distance running: effects of naloxone. *Pain* 1984;19:13-25.
237. Jette M, Heller R, Landry F, Blumchen G. Randomized 4-week exercise program in patients with impaired left ventricular function. *Circulation* 1991;84:1561-7.
238. Jobin J, Maltais F, Doyon JF, LeBlanc P, Simard PM, Simard AA *et al.* Chronic obstructive pulmonary disease: capillarity and fiber-type characteristics of skeletal muscle. *J.Cardiopulm.Rehabil.* 1998;18:432-7.
239. Johnson PH, Cowley AJ, Kinnear WJ. A randomized controlled trial of inspiratory muscle training in stable chronic heart failure. *Eur.Heart J* 1998;19:1249-53.
240. Kanter MM, Hamlin RL, Unverferth DV, Davis HW, Merola AJ. Effect of exercise training on antioxidant enzymes and cardiotoxicity of doxorubicin. *J.Appl.Physiol.* 1985;59:1298-303.
241. Kashihara H, Haruna Y, Suzuki Y, Kawakubo K, Takenaka K, Bonde-Petersen F *et al.* Effects of mild supine exercise during 20 days bed rest on maximal oxygen uptake rate in young humans. *Acta Physiol Scand.Suppl* 1994;616:19-26.
242. Katz SD, Yuen J, Bijou R, LeJemtel TH. Training improves endothelium-dependent vasodilation in resistance vessels of patients with heart failure. *J.Appl.Physiol* 1997;82:1488-92.
243. Kavanagh T, Myers MG, Baigrie RS, Mertens DJ, Sawyer P, Shephard RJ. Quality of life and cardiorespiratory function in chronic heart failure: effects of 12 months' aerobic training. *Heart* 1996;76:42-9.
244. Kettner-Melsheimer A, Weiss M, Huber W. Physical work capacity in chronic renal disease. *Int.J.Artif.Organs* 1987;10:23-30.
245. Kiilavuori K, Toivonen L, Naveri H, Leinonen H. Reversal of autonomic derangements by physical training in chronic heart failure assessed by heart rate variability. *Eur.Heart J.* 1995;16:490-5.
246. Kiilavuori K, Toivonen L, Naveri H, Leinonen H. Reversal of autonomic derangements by

physical training in chronic heart failure assessed by heart rate variability. *Eur.Heart J* 1995;16:490-5.

247. Kindermann W, Schnabel A, Schmitt WM, Biro G, Cassens J, Weber F. Catecholamines, growth hormone, cortisol, insulin, and sex hormones in anaerobic and aerobic exercise. *Eur.J.Appl.Physiol.* 1982;49:389-99.
248. Kirsten DK, Taube C, Lehnigk B, Jorres RA, Magnussen H. Exercise training improves recovery in patients with COPD after an acute exacerbation. *Respir.Med.* 1998;92:1191-8.
249. Knobel H, Loge JH, Nordoy T, Kolstad AL, Espesvik T, Kvaloy S et al. High level of fatigue in lymphoma patients treated with high dose therapy. *J.Pain Symptom.Manage.* 2000;19:446-56.
250. Koch M, Douard H, Broustet JP. The benefit of graded physical exercise in chronic heart failure. *Chest* 1992;101:231S-5S.
251. Koudi E, Albani M, Natsis K, Megalopoulos A, Gigis P, Guiba-Tziampiri O et al. The effects of exercise training on muscle atrophy in haemodialysis patients. *Nephrol.Dial.Transplant.* 1998;13:685-99.
252. Koudi E, Iacovides A, Iordanidis P, Vassiliou S, Deligiannis A, Ierodiakonou C et al. Exercise renal rehabilitation program: psychosocial effects. *Nephron* 1997;77:152-8.
253. Kraemer RR, Kilgore JL, Kraemer GR, Castracane VD. Growth hormone, IGF-I, and testosterone responses to resistive exercise. *Med.Sci.Sports Exerc.* 1992;24:1346-52.
254. Kraemer WJ, Dziados JE, Marchitelli LJ, Gordon SE, Harman EA, Mello R et al. Effects of different heavy-resistance exercise protocols on plasma beta-endorphin concentrations. *J.Appl.Physiol* 1993;74:450-9.
255. Kraemer WJ, Fleck SJ, Callister R, Shealy M, Dudley GA, Maresh CM et al. Training responses of plasma beta-endorphin, adrenocorticotropin, and cortisol. *Med.Sci.Sports Exerc.* 1989;21:146-53.
256. Kramer JM, Beatty JA, Little HR, Plowey ED, Waldrop TG. Chronic exercise alters caudal hypothalamic regulation of the cardiovascular system in hypertensive rats. *Am.J.Physiol Regul.Integr.Comp Physiol* 2001;280:R389-R397.

257. Kramer JM, Plowey ED, Beatty JA, Little HR, Waldrop TG. Hypothalamus, hypertension, and exercise. *Brain Res.Bull.* 2000;53:77-85.
258. Kugler J, Seelbach H, Kruskemper GM. Effects of rehabilitation exercise programmes on anxiety and depression in coronary patients: a meta-analysis. *Br.J.Clin.Psychol.* 1994;33 (Pt 3):401-10.
259. Kurosawa M, Okada K, Sato A, Uchida S. Extracellular release of acetylcholine, noradrenaline and serotonin increases in the cerebral cortex during walking in conscious rats. *Neurosci.Lett.* 1993;161:73-6.
260. Kutsuzawa T, Shioya S, Kurita D, Haida M, Ohta Y, Yamabayashi H. Muscle energy metabolism and nutritional status in patients with chronic obstructive pulmonary disease. A 31P magnetic resonance study. *Am.J.Respir.Crit Care Med.* 1995;152:647-52.
261. Lacasse Y, Guyatt GH, Goldstein RS. The components of a respiratory rehabilitation program: a systematic overview [see comments]. *Chest* 1997;111:1077-88.
262. Langton D, Jover B, McGrath BP, Ludbrook J. Cardiovascular responses to graded treadmill exercise during the development of doxorubicin induced heart failure in rabbits. *Cardiovasc.Res.* 1990;24:959-68.
263. Larson JL, Covey MK, Wirtz SE, Berry JK, Alex CG, Langbein WE et al. Cycle ergometer and inspiratory muscle training in chronic obstructive pulmonary disease. *Am.J.Respir.Crit Care Med.* 1999;160:500-7.
264. Lawlor DA., Hopker SW. The effectiveness of exercise as an intervention in the management of depression: systematic review and meta-regression analysis of randomised controlled trials. *Brit.Med.J.* 2001;322:763-7.
265. Lee IM, Paffenbarger RS, Jr., Hsieh CC. Physical activity and risk of prostatic cancer among college alumni. *Am.J.Epidemiol.* 1992;135:169-79.
266. Lee IM, Sesso HD, Paffenbarger RS, Jr. Physical activity and risk of lung cancer. *Int.J.Epidemiol.* 1999;28:620-5.
267. Lehmann M, Hasenfuss G, Samek L, Gastmann M. Catecholamine metabolism in heart failure

patients and healthy control subjects. *Arzneimittelforschung*. 1990;40:1310-8.

268. Lehmann M, Huonker M, Dimeo F, Heinz N, Gastmann U, Treis N *et al*. Serum amino acid concentrations in nine athletes before and after the 1993 Colmar ultra triathlon. *Int.J.Sports Med.* 1995;16:155-9.
269. Lennox SS, Bedell JR, Stone AA. The effect of exercise on normal mood. *J.Psychosom.Res.* 1990;34:629-36.
270. Levine BD, Zuckerman JH, Pawelczyk JA. Cardiac atrophy after bed-rest deconditioning: a nonneural mechanism for orthostatic intolerance. *Circulation* 1997;96:517-25.
271. Liu S, Lee IM, Linson P, Ajani U, Buring JE, Hennekens CH. A prospective study of physical activity and risk of prostate cancer in US physicians. *Int.J.Epidemiol.* 2000;29:29-35.
272. Lo CY, Li L, Lo WK, Chan ML, So E, Tang S *et al*. Benefits of exercise training in patients on continuous ambulatory peritoneal dialysis. *Am.J.Kidney Dis.* 1998;32:1011-8.
273. Loge JH, Abrahamsen AF, Ekeberg, Kaasa S. Fatigue and psychiatric morbidity among Hodgkin's disease survivors. *J.Pain Symptom Manage.* 2000;19:91-9.
274. Loge JH, Abrahamsen AF, Ekeberg O, Hannisdal E, Kaasa S. Psychological distress after cancer cure: a survey of 459 Hodgkin's disease survivors. *Br.J.Cancer* 1997;76 :791-6.
275. Lorite MJ, Thompson MG, Drake JL, Carling G, Tisdale MJ. Mechanism of muscle protein degradation induced by a cancer cachectic factor. *Br.J.Cancer* 1998;78:850-6.
276. Loughna P, Goldspink G, Goldspink DF. Effect of inactivity and passive stretch on protein turnover in phasic and postural rat muscles. *J.Appl.Physiol* 1986;61:173-9.
277. Loughna PT,.Brownson C. Two myogenic regulatory factor transcripts exhibit muscle-specific responses to disuse and passive stretch in adult rats. *FEBS Lett.* 1996;390:304-6.
278. MacRae PG, Spirduso WW, Cartee GD, Farrar RP, Wilcox RE. Endurance training effects on striatal D2 dopamine receptor binding and striatal dopamine metabolite levels. *Neurosci.Lett.* 1987;79:138-44.
279. MacRae PG, Spirduso WW, Walters TJ, Farrar RP, Wilcox RE. Endurance training effects on

- striatal D2 dopamine receptor binding and striatal dopamine metabolites in presenescence older rats. *Psychopharmacology (Berl)* 1987;92:236-40.
280. MacVicar MG, Winningham ML, Nickel JL. Effects of aerobic interval training on cancer patients' functional capacity. *Nurs.Res.* 1989;38:348-51.
281. Madden KS, Felten DL. Experimental basis for neural-immune interactions. *Physiol Rev.* 1995;75:77-106.
282. Madsen F, Secher NH, Kay L, Kok-Jensen A, Rube N. Inspiratory resistance versus general physical training in patients with chronic obstructive pulmonary disease. *Eur.J.Respir.Dis.* 1985;67:167-76.
283. Magnusson G, Kaijser L, Sylven C, Karlberg KE, Isberg B, Saltin B. Peak skeletal muscle perfusion is maintained in patients with chronic heart failure when only a small muscle mass is exercised. *Cardiovasc.Res.* 1997;33:297-306.
284. Maillefert JF, Eicher JC, Walker P, Dulieu V, Rouhier-Marcer I, Branly F et al. Effects of low-frequency electrical stimulation of quadriceps and calf muscles in patients with chronic heart failure. *J.Cardiopulm.Rehabil.* 1998;18:277-82.
285. Maillefert JF, Eicher JC, Walker P, Dulieu V, Rouhier-Marcer I, Branly F et al. Effects of low-frequency electrical stimulation of quadriceps and calf muscles in patients with chronic heart failure. *Journal of Cardiopulmonary Rehabilitation* 1998;18:277-82.
286. Maiorana A, O'Driscoll G, Cheetham C, Collis J, Goodman C, Rankin S et al. Combined aerobic and resistance exercise training improves functional capacity and strength in CHF. *J.Appl.Physiol* 2000;88:1565-70.
287. Maisel AS. Beneficial effects of metoprolol treatment in congestive heart failure. Reversal of sympathetic-induced alterations of immunologic function. *Circulation* 1994;90:1774-80.
288. Maltais F, LeBlanc P, Simard C, Jobin J, Berube C, Bruneau J et al. Skeletal muscle adaptation to endurance training in patients with chronic obstructive pulmonary disease. *Am.J Respir.Crit.Care Med* 1996;154:442-7.
289. Maltais F, LeBlanc P, Simard C, Jobin J, Berube C, Bruneau J et al. Skeletal muscle adapta-

- tion to endurance training in patients with chronic obstructive pulmonary disease.
Am.J.Respir.Crit Care Med. 1996;154:442-7.
290. Mancini DM, Walter G, Reichek N, Lenkinski R, McCully KK, Mullen JL *et al.* Contribution of skeletal muscle atrophy to exercise intolerance and altered muscle metabolism in heart failure. *Circulation* 1992;85:1364-73.
291. Mangieri E, Tanzilli G, Barilla F, Ciavolella M, Serafini G, Nardi M *et al.* Isometric handgrip exercise increases endothelin-1 plasma levels in patients with chronic congestive heart failure. *Am.J.Cardiol.* 1997;79:1261-3.
292. Mannix ET, Boska MD, Galassetti P, Burton G, Manfredi F, Farber MO. Modulation of ATP production by oxygen in obstructive lung disease as assessed by 31P-MRS. *J.Appl.Physiol* 1995;78:2218-27.
293. Martinsen EW, Hoffart A, Solberg O. Comparing aerobic with nonaerobic forms of exercise in the treatment of clinical depression: a randomized trial. *Compr.Psychiatry* 1989;30:324-31.
294. Martinsen EW, Medhus A, Sandvik L. Effects of aerobic exercise on depression: a controlled study. *Brit.Med.J.* 1985;291:109.
295. Massie B, Conway M, Yonge R, Frostick S, Ledingham J, Sleight P *et al.* Skeletal muscle metabolism in patients with congestive heart failure: relation to clinical severity and blood flow. *Circulation* 1987;76:1009-19.
296. Massie BM, Conway M, Rajagopalan B, Yonge R, Frostick S, Ledingham J *et al.* Skeletal muscle metabolism during exercise under ischemic conditions in congestive heart failure. Evidence for abnormalities unrelated to blood flow. *Circulation* 1988;78:320-6.
297. Massie BM, Conway M, Yonge R, Frostick S, Sleight P, Ledingham J *et al.* 31P nuclear magnetic resonance evidence of abnormal skeletal muscle metabolism in patients with congestive heart failure. *Am.J.Cardiol.* 1987;60:309-15.
298. Matsumoto A, Hirata Y, Momomura S, Suzuki E, Yokoyama I, Sata M *et al.* Effects of exercise on plasma level of brain natriuretic peptide in congestive heart failure with and without left ventricular dysfunction. *Am.Heart J.* 1995;129:139-45.

299. McGowan RW, Pierce EF, Eastman N, Tripathi HL, Dewey T, Olson K. Beta-endorphins and mood states during resistance exercise. *Percept.Mot.Skills* 1993;76:376-8.
300. McKoy G, Ashley W, Mander J, Yang SY, Williams N, Russell B et al. Expression of insulin growth factor-1 splice variants and structural genes in rabbit skeletal muscle induced by stretch and stimulation. *J.Physiol* 1999;516 (Pt 2):583-92.
301. McNeil C. Cancer fatigue: one drug fails but more are in the pipeline. *J.Natl.Cancer Inst.* 2001;93:892-3.
302. McQuellon RP, Russell GB, Rambo TD, Craven BL, Radford J, Perry JJ et al. Quality of life and psychological distress of bone marrow transplant recipients: the 'time trajectory' to recovery over the first year. *Bone Marrow Transplant*. 1998;21:477-86.
303. Meeusen R,.De Meirleir K. Exercise and brain neurotransmission. *Sports Med*. 1995;20 :160-88.
304. Meeusen R, Smolders I, Sarre S, De Meirleir K, Keizer H, Serneels M et al. Endurance training effects on neurotransmitter release in rat striatum: an in vivo microdialysis study. *Acta Physiol Scand*. 1997;159:335-41.
305. Meyer K. Exercise training in heart failure: recommendations based on current research. *Med.Sci.Sports Exerc*. 2001;33:525-31.
306. Meyer K, Foster C, Georgakopoulos N, Hajric R, Westbrook S, Ellestad A et al. Comparison of left ventricular function during interval versus steady- state exercise training in patients with chronic congestive heart failure. *Am.J.Cardiol*. 1998;82:1382-7.
307. Meyer K, Samek L, Schwaibold M, Westbrook S, Hajric R, Beneke R et al. Intervall training in patients with severe chronic heart failure: analysis and recommendations for exercise procedures. *Med.Sci.Sports Exer*. 1997;29:306-12.
308. Miller TD, Squires RW, Gau GT, Ilstrup DM, Frohnert PP, Sterioff S. Graded exercise testing and training after renal transplantation: a preliminary study. *Mayo Clin.Proc*. 1987;62:773-7.
309. Miller VM,.Vanhoutte PM. Enhanced release of endothelium-derived factor(s) by chronic increases in blood flow. *Am.J.Physiol* 1988;255:H446-H451.

310. Mitch WE. Cellular mechanisms of catabolism activated by metabolic acidosis. *Blood Purif.* 1995; **13**:368-74.
311. Mitch WE. Robert H Herman Memorial Award in Clinical Nutrition Lecture, 1997. Mechanisms causing loss of lean body mass in kidney disease. *Am.J.Clin.Nutr.* 1998; **67**:359-66.
312. Mitch WE. Mechanisms accelerating muscle atrophy in catabolic diseases. *Trans.Am.Clin.Climatol.Assoc.* 2000; **111**:258-69.
313. Mitch WE, Bailey JL, Wang X, Jurkovitz C, Newby D, Price SR. Evaluation of signals activating ubiquitin-proteasome proteolysis in a model of muscle wasting. *Am.J.Physiol* 1999; **276**:C1132-C1138.
314. Mitch WE, Du J, Bailey JL, Price SR. Mechanisms causing muscle proteolysis in uremia: the influence of insulin and cytokines. *Miner.Electrolyte Metab* 1999; **25**:216-9.
315. Mitch WE,.Goldberg AL. Mechanisms of muscle wasting. The role of the ubiquitin-proteasome pathway. *N Engl.J.Med.* 1996; **335**:1897-905.
316. Mitch WE,.Price SR. Mechanisms activated by kidney disease and the loss of muscle mass. *Am.J.Kidney Dis.* 2001; **38**:1337-42.
317. Mock V, Burke MB, Sheehan P, Creaton EM, Winningham ML, McKenney-Tedder S et al. A nursing rehabilitation program for women with breast cancer receiving adjuvant chemotherapy. *Oncol.Nurs.Forum* 1994; **21**:899-907.
318. Mock V, Dow KH, Meares CJ, Grimm PM, Dienemann JA, Haisfield-Wolfe ME et al. Effects of exercise on fatigue, physical functioning, and emotional distress during radiation therapy for breast cancer. *Oncol.Nurs.Forum* 1997; **24**:991-1000.
319. Monga U, Jaweed M, Kerrigan AJ, Lawhon L, Johnson J, Vallbona C et al. Neuromuscular fatigue in prostate cancer patients undergoing radiation therapy. *Arch.Phys.Med.Rehabil.* 1997; **78**:961-6.
320. Moore GE, Bertocci LA, Painter PL. 31P-magnetic resonance spectroscopy assessment of subnormal oxidative metabolism in skeletal muscle of renal failure patients. *J.Clin.Invest* 1993; **91**:420-4.

321. Moore GE, Parsons DB, Stray-Gundersen J, Painter PL, Brinker KR, Mitchell JH. Uremic myopathy limits aerobic capacity in hemodialysis patients. *Am.J.Kidney Dis.* 1993;**22**:277-87.
322. Muller-Werdan U.,Werdan K. Immune modulation by catecholamines--a potential mechanism of cytokine release in heart failure? *Herz* 2000;**25**:271-3.
323. Munoz KA, Satarug S, Tischler ME. Time course of the response of myofibrillar and sarcoplasmic protein metabolism to unweighting of the soleus muscle. *Metabolism* 1993;**42**:1006-12.
324. Murray DR, Irwin M, Rearden CA, Ziegler M, Motulsky H, Maisel AS. Sympathetic and immune interactions during dynamic exercise. Mediation via a beta 2-adrenergic-dependent mechanism. *Circulation* 1992;**86**:203-13.
325. Murray DR, Polizzi SM, Harris T, Wilson N, Michel MC, Maisel AS. Prolonged isoproterenol treatment alters immunoregulatory cell traffic and function in the rat. *Brain Behav.Immun.* 1993;**7**:47-62.
326. Neuhaus D,.Gaehtgens P. Haemorrheology and long term exercise. *Sports Med.* 1994;**18**:10-21.
327. Newsholme EA,.Blomstrand E. Tryptophan, 5-hydroxytryptamine and a possible explanation for central fatigue. *Adv.Exp.Med Biol.* 1995;**384:315-20**:315-20.
328. Niebauer J, Volk HD, Kemp M, Dominguez M, Schumann RR, Rauchhaus M et al. Endotoxin and immune activation in chronic heart failure: a prospective cohort study. *Lancet* 1999;**353**:1838-42.
329. North TC, McCullagh P, Tran ZV. Effect of exercise on depression. *Exerc.Sport Sci.Rev.* 1990;**18**:379-415.
330. Noseda A, Carpiaux JP, Vandeput W, Prigogine T, Schmerber J. Resistive inspiratory muscle training and exercise performance in COPD patients. A comparative study with conventional breathing retraining. *Bull.Eur.Physiopathol.Respir.* 1987;**23**:457-63.
331. Ohtsubo M, Yonezawa K, Nishijima H, Okita K, Hanada A, Kohya T et al. Metabolic abnormality of calf skeletal muscle is improved by localised muscle training without changes in blood

- flow in chronic heart failure. *Heart* 1997;78:437-43.
332. Ojanen M, Lahdensuo A, Laitinen J, Karvonen J. Psychosocial changes in patients participating in a chronic obstructive pulmonary disease rehabilitation program. *Respiration* 1993;60:96-102.
333. Oka RK, De Marco T, Haskell WL, Botvinick E, Dae MW, Bolen K *et al.* Impact of a home-based walking and resistance training program on quality of life in patients with heart failure. *Am.J.Cardiol.* 2000;85:365-9.
334. Okuyama T, Akechi T, Kugaya A, Okamura H, Imoto S, Nakano T *et al.* Factors correlated with fatigue in disease-free breast cancer patients: application of the Cancer Fatigue Scale. *Support.Care Cancer* 2000;8:215-22.
335. Ordway GA, Neufer PD, Chin ER, DeMartino GN. Chronic contractile activity upregulates the proteasome system in rabbit skeletal muscle. *J.Appl.Physiol* 2000;88:1134-41.
336. Oster W, Lindemann A, Riedel D, Cicco NA, Mertelsmann R, Herrmann F. Monokines: stimulatory and inhibitory regulator molecules of myelopoiesis in vitro. *J.Biol.Regul.Homeost.Agents* 1988;2:134-8.
337. Ouchi Y, Kanno T, Okada H, Yoshikawa E, Futatsubashi M, Nobezawa S *et al.* Changes in dopamine availability in the nigrostriatal and mesocortical dopaminergic systems by gait in Parkinson's disease. *Brain* 2001;124:784-92.
338. Paffenbarger RS, Jr., Hyde RT, Wing AL. Physical activity and incidence of cancer in diverse populations: a preliminary report. *Am.J.Clin.Nutr.* 1987;45:312-7.
339. Pagliari R.,Peyrin L. Norepinephrine release in the rat frontal cortex under treadmill exercise: a study with microdialysis. *J.Appl.Physiol.* 1995;78:2121-30.
340. Pagliari R.,Peyrin L. Physical conditioning in rats influences the central and peripheral catecholamine responses to sustained exercise. *Eur.J.Appl.Physiol.* 1995;71:41-52.
341. Painter PL, Nelson-Worel JN, Hill MM, Thornberry DR, Shelp WR, Harrington AR *et al.* Effects of exercise training during hemodialysis. *Nephron* 1986;43:87-92.
342. Patessio A, Carone M, Ioli F, Donner CF. Ventilatory and metabolic changes as a result of

exercise training in COPD patients. *Chest* 1992;101:274S-8S.

343. Pedersen BK,.Hoffman-Goetz L. Exercise and the immune system: regulation, integration, and adaptation. *Physiol Rev.* 2000;80:1055-81.
344. Pedersen BK,.Nieman DC. Exercise immunology: integration and regulation. *Immunol.Today* 1998;19:204-6.
345. Pedersen BK, Steensberg A, Schjerling P. Exercise and interleukin-6. *Curr.Opin.Hematol.* 2001;8:137-41.
346. Pedersen BK,.Toft AD. Effects of exercise on lymphocytes and cytokines. *Br.J.Sports Med.* 2000;34:246-51.
347. Perrone CE, Fenwick-Smith D, Vandernburgh HH. Collagen and stretch modulate autocrine secretion of insulin-like growth factor-1 and insulin-like growth factor binding proteins from differentiated skeletal muscle cells. *J.Biol.Chem.* 1995;270:2099-106.
348. Peters C, Lotzerich H, Niemeier B, Schule K, Uhlenbruck G. Influence of a moderate exercise training on natural killer cytotoxicity and personality traits in cancer patients. *Anticancer Res.* 1994;14:1033-6.
349. Pierce EF, Eastman NW, Tripathi HT, Olson KG, Dewey WL. Plasma beta-endorphin immunoreactivity: response to resistance exercise. *J.Sports Sci.* 1993;11:499-52.
350. Ponikowski P, Chua TP, Piepoli M, Banasiak W, Anker SD, Szelemej R *et al.* Ventilatory response to exercise correlates with impaired heart rate variability in patients with chronic congestive heart failure. *Am.J.Cardiol.* 1998;82:338-44.
351. Price SR, Du JD, Bailey JL, Mitch WE. Molecular mechanisms regulating protein turnover in muscle. *Am.J.Kidney Dis.* 2001;37:S112-S114.
352. Pu CT, Johnson MT, Forman DE, Hausdorff JM, Roubenoff R, Foldvari M *et al.* Randomized trial of progressive resistance training to counteract the myopathy of chronic heart failure. *J.Appl.Physiol* 2001;90:2341-50.
353. Puccio M,.Nathanson L. The cancer cachexia syndrome. *Semin.Oncol.* 1997;24:277-87.

354. Pukkala E, Poskiparta M, Apter D, Vihko V. Life-long physical activity and cancer risk among Finnish female teachers. *Eur.J.Cancer Prev.* 1993;2:369-76.
355. Punzal PA, Ries AL, Kaplan RM, Prewitt LM. Maximum intensity exercise training in patients with chronic obstructive pulmonary disease. *Chest* 1991;100:618-23.
356. Quittan M, Sturm B, Wiesinger GF, Pacher R, Fialka-Moser V. Quality of life in patients with chronic heart failure: a randomized controlled trial of changes induced by a regular exercise program. *Scand.J.Rehabil.Med.* 1999;31:223-8.
357. Radaelli A, Coats AJ, Leuzzi S, Piepoli M, Meyer TE, Calciati A et al. Physical training enhances sympathetic and parasympathetic control of heart rate and peripheral vessels in chronic heart failure. *Clin.Sci.(Colch.)* 1996;91 Suppl:92-4.
358. Radloff LS. A self-report depression scale for research in the general population. *J.Appl.Psychol.Meas.* 1977;1:385-401.
359. Radosevich PM, Nash JA, Lacy DB, O'Donovan C, Williams PE, Abumrad NN. Effects of low- and high-intensity exercise on plasma and cerebrospinal fluid levels of ir-beta-endorphin, ACTH, cortisol, norepinephrine and glucose in the conscious dog. *Brain Res.* 1989;498:89-98.
360. Rajagopalan B, Conway MA, Massie B, Radda GK. Alterations of skeletal muscle metabolism in humans studied by phosphorus 31 magnetic resonance spectroscopy in congestive heart failure. *Am.J.Cardiol.* 1988;62:53E-7E.
361. Rauchhaus M, Coats AJ, Anker SD. The endotoxin-lipoprotein hypothesis. *Lancet* 2000;356:930-3.
362. Reid MB, Li YP. Tumor necrosis factor-alpha and muscle wasting: a cellular perspective. *Respir.Res.* 2001;2:269-72.
363. Reuter I, Engelhardt M, Stecker K, Baas H. Therapeutic value of exercise training in Parkinson's disease. *Med.Sci.Sports Exerc.* 1999;31:1544-9.
364. Ries AL, Kaplan RM, Limberg TM, Prewitt LM. Effects of pulmonary rehabilitation on physiologic and psychosocial outcomes in patients with chronic obstructive pulmonary disease. *Ann.Intern.Med.* 1995;122:823-32.

365. Rooyackers JM, Dekhuijzen PN, Van Herwaarden CL, Folgering HT. Training with supplemental oxygen in patients with COPD and hypoxaemia at peak exercise. *Eur.Respir.J.* 1997;10:1278-84.
366. Röseler E, Aurisch R, Strangfeld D, Precht K, Priem F. Diagnostik leistungsmindernder Veränderungen bei chronisch Nierenkranken. *Nieren- und Hochdruckkrankheiten* 1987;16:7-16.
367. Rossier J, French ED, Rivier C, Ling N, Guillemin R, Bloom FE. Foot-shock induced stress increases beta-endorphin levels in blood but not brain. *Nature* 1977;270:618-20.
368. Roth DL. Acute emotional and psychophysiological effects of aerobic exercise. *Psychophysiology* 1989;26:593-602.
369. Samorajski T, Rolsten C, Przykorska A, Davis CM. Voluntary wheel running exercise and monoamine levels in brain, heart and adrenal glands of aging mice. *Exp.Gerontol.* 1987;22:421-31.
370. San Pedro GS. Pulmonary rehabilitation for the patient with severe chronic obstructive pulmonary disease. *Am.J.Med.Sci.* 1999;318:99-102.
371. Satta A, Migliori GB, Spanevello A, Neri M, Bottinelli R, Canepari M et al. Fibre types in skeletal muscles of chronic obstructive pulmonary disease patients related to respiratory function and exercise tolerance. *Eur.Respir.J.* 1997;10:2853-60.
372. Savage DG, Szydlo RM, Goldman JM. Clinical features at diagnosis in 430 patients with chronic myeloid leukaemia seen at a referral centre over a 16-year period. *Br.J.Haematol.* 1997;96:111-6.
373. Schaufelberger M, Eriksson BO, Grimby G, Held P, Swedberg K. Skeletal muscle fiber composition and capillarization in patients with chronic heart failure: relation to exercise capacity and central hemodynamics. *J.Card.Fail.* 1995;1:267-72.
374. Schedlowski M, Falk A, Rohne A, Wagner TO, Jacobs R, Tewes U et al. Catecholamines induce alterations of distribution and activity of human natural killer (NK) cells. *J.Clin.Immunol.* 1993;13:344-51.

375. Scherer YK.,Schmieder LE. The effect of a pulmonary rehabilitation program on self-efficacy, perception of dyspnea, and physical endurance. *Heart Lung* 1997;**26**:15-22.
376. Schmidt, R. F. and Thews, G. Physiologie des Menschen. 417-425. 1997. Berlin, Springer.
377. Schmidt W, Eckardt KU, Hilgendorf A, Strauch S, Bauer C. Effects of maximal and submaximal exercise under normoxic and hypoxic conditions on serum erythropoietin level. *Int.J.Sports Med.* 1991;**12**:457-61.
378. Schmidt W, Spielvogel H, Eckardt KU, Quintela A, Penalosa R. Effects of chronic hypoxia and exercise on plasma erythropoietin in high-altitude residents. *J.Appl.Physiol.* 1993; **74**:1874-8.
379. Schober O, Meyer GJ, Duden C, Lauenstein L, Niggemann J, Muller JA *et al.* [Amino acid uptake in brain tumors using positron emission tomography as an indicator for evaluating metabolic activity and malignancy]. *ROFO Fortschr.Geb.Rontgenstr.Nuklearmed.* 1987;**147**:503-9.
380. Schobersberger W, Hobisch-Hagen P, Fries D, Wiedermann F, Rieder-Scharinger J, Villiger B *et al.* Increase in immune activation, vascular endothelial growth factor and erythropoietin after an ultramarathon run at moderate altitude. *Immunobiology* 2000; **201**:611-20.
381. Schüle, K. Kölner Konsens. 1992. Mannheim, Landessportbund NW e.V, Deutsche Sporthochschule Köln.
Ref Type: Pamphlet
382. Schulz A, Harbach H, Katz N, Geiger L, Teschemacher H. beta-Endorphin immunoreactive material and authentic beta-endorphin in the plasma of males undergoing anaerobic exercise on a rowing ergometer. *Int.J.Sports Med.* 2000; **21**:513-7.
383. Schwandt HJ, Heyduck B, Gunga HC, Rocker L. Influence of prolonged physical exercise on the erythropoietin concentration in blood. *Eur.J.Appl.Physiol Occup.Physiol* 1991; **63**:463-6.
384. Schwartz AL. Daily fatigue patterns and effect of exercise in women with breast cancer. *Cancer Pract.* 2000; **8**:16-24.
385. Schwartz AL.,Ciechanover A. The ubiquitin-proteasome pathway and pathogenesis of human diseases. *Annu.Rev.Med.* 1999; **50**:57-74.

386. Schwarz L., Kindermann W. Beta-endorphin, catecholamines, and cortisol during exhaustive endurance exercise. *Int.J.Sports Med.* 1989; **10**:324-8.
387. Schwarz L., Kindermann W. Beta-endorphin, adrenocorticotrophic hormone, cortisol and catecholamines during aerobic and anaerobic exercise. *Eur.J.Appl.Physiol Occup.Physiol* 1990; **61**:165-71.
388. Schwarz L., Kindermann W. Changes in beta-endorphin levels in response to aerobic and anaerobic exercise. *Sports Med.* 1992; **13**:25-36.
389. Segar ML, Katch VL, Roth RS, Garcia AW, Portner TI, Glickman SG et al. The effect of aerobic exercise on self-esteem and depressive and anxiety symptoms among breast cancer survivors. *Oncol.Nurs.Forum* 1998; **25**:107-13.
390. Semple PD, Beastall GH, Watson WS, Hume R. Serum testosterone depression associated with hypoxia in respiratory failure. *Clin.Sci.(Lond)* 1980; **58**:105-6.
391. Semple PD, Beastall GH, Watson WS, Hume R. Hypothalamic-pituitary dysfunction in respiratory hypoxia. *Thorax* 1981; **36**:605-9.
392. Sessa WC, Pritchard K, Seyedi N, Wang J, Hintze TH. Chronic exercise in dogs increases coronary vascular nitric oxide production and endothelial cell nitric oxide synthase gene expression. *Circ.Res.* 1994; **74**:349-53.
393. Sheps DS, Koch G, Bragdon EE, Ballenger MN, McMurray RG. The reproducibility of resting and post exercise plasma beta-endorphins. *Life Sci.* 1988; **43**:787-91.
394. Singh NA, Clements KM, Fiatarone MA. A randomized controlled trial of progressive resistance training in depressed elders. *J.Gerontol.A Biol.Sci.Med.Sci.* 1997; **52**:M27-M35.
395. Singh SJ, Smith DL, Hyland ME, Morgan MD. A short outpatient pulmonary rehabilitation programme: immediate and longer-term effects on exercise performance and quality of life. *Respir.Med.* 1998; **92**:1146-54.
396. Smets EM, Visser MR, Willems-Groot AF, Garssen B, Oldenburger F, van Tienhoven G et al. Fatigue and radiotherapy: (A) experience in patients undergoing treatment. *Br.J.Cancer* 1998; **78**:899-906.

397. Smets EM, Visser MR, Willems-Groot AF, Garssen B, Schuster-Uitterhoeve AL, de Haes JC. Fatigue and radiotherapy: (B) experience in patients 9 months following treatment. *Br.J.Cancer* 1998;**78**:907-12.
398. Smets E, Garssen B, Schuster-Uitterhoeve A, de Haes J. Fatigue in cancer patients. *Br.J.Cancer* 1993;**68**:220-4.
399. Smith LL, Anwar A, Fragen M, Rananto C, Johnson R, Holbert D. Cytokines and cell adhesion molecules associated with high-intensity eccentric exercise. *Eur.J.Appl.Physiol* 2000; **82**:61-7.
400. Solomon V, Baracos V, Sarraf P, Goldberg AL. Rates of ubiquitin conjugation increase when muscles atrophy, largely through activation of the N-end rule pathway. *Proc.Natl.Acad.Sci.U.S.A* 1998;**95**:12602-7.
401. Spangenburg EE, Williams JH, Roy RR, Talmadge RJ. Skeletal muscle calcineurin: influence of phenotype adaptation and atrophy. *Am.J.Physiol Regul.Integr.Comp Physiol* 2001;**280**:R1256-R1260.
402. Spinarova L, Toman J, Pospisilova J, Soucek M, Kara T, Steifa M. Humoral response in patients with chronic heart failure. *Int.J.Cardiol.* 1998;**65**:227-32.
403. St Amand J, Okamura K, Matsumoto K, Shimizu S, Sogawa Y. Characterization of control and immobilized skeletal muscle: an overview from genetic engineering. *FASEB J.* 2001; **15**:684-92.
404. Steele IC, McDowell G, Moore A, Campbell NP, Shaw C, Buchanan KD *et al.* Responses of atrial natriuretic peptide and brain natriuretic peptide to exercise in patients with chronic heart failure and normal control subjects. *Eur.J.Clin.Invest.* 1997; **27**:270-6.
405. Stein PN,.Motta RW. Effects of aerobic and nonaerobic exercise on depression and self-concept. *Percept.Mot.Skills* 1992; **74**:78-89.
406. Stephens R, Williams A, McKnight T, Dodd S. Effects of self-monitored exercise on selected blood chemistry parameters of end-stage renal disease patients. *Am.J.Phys.Med.Rehabil.* 1991; **70**:149-53.
407. Stone P, Hardy J, Broadley K, Tookman AJ, Kurowska A, A'Hern R. Fatigue in advanced

- cancer: a prospective controlled cross-sectional study. *Br.J.Cancer* 1999;79:1479-86.
408. Stone P, Hardy J, Huddart R, A'Hern R, Richards M. Fatigue in patients with prostate cancer receiving hormone therapy. *Eur.J.Cancer* 2000;36:1134-41.
409. Stone P, Richards M, A'Hern R, Hardy J. A study to investigate the prevalence, severity and correlates of fatigue among patients with cancer in comparison with a control group of volunteers without cancer [In Process Citation]. *Ann.Oncol.* 2000;11:561-7.
410. Stone P, Richardson A, Ream E, Smith AG, Kerr DJ, Kearney N. Cancer-related fatigue: inevitable, unimportant and untreatable? Results of a multi-centre patient survey. Cancer Fatigue Forum. *Ann.Oncol.* 2000;11:971-5.
411. Strachan AT, Maughan RJ. Platelet serotonin transporter density and related parameters in endurance-trained and sedentary male subjects. *Acta Physiol.Scand.* 1998;163:165-71.
412. Strobel G, Reiss J, Friedmann B, Bartsch P. Effect of repeated bouts of short-term exercise on plasma free and sulphoconjugated catecholamines in humans [In Process Citation]. *Eur.J.Appl.Physiol.* 1998;79:82-7.
413. Struder HK, Hollmann W, Platen P, Donike M, Gotzmann A, Weber K. Influence of paroxetine, branched-chain amino acids and tyrosine on neuroendocrine system responses and fatigue in humans. *Horm.Metab Res.* 1998;30:188-94.
414. Struder HK, Hollmann W, Platen P, Wostmann R, Weicker H, Molderings GJ. Effect of acute and chronic exercise on plasma amino acids and prolactin concentrations and on [³H]ketanserin binding to serotonin2A receptors on human platelets. *Eur.J.Appl.Physiol Occup.Physiol* 1999;79:318-24.
415. Struder HK, Hollmann W, Weicker H, Schiffer T, Weber K. Blood oxygen partial pressure affects plasma prolactin concentration in humans. *Acta Physiol Scand.* 1999;165:265-9.
416. Sullivan MJ, Duscha BD, Klitgaard H, Kraus WE, Cobb FR, Saltin B. Altered expression of myosin heavy chain in human skeletal muscle in chronic heart failure. *Med.Sci.Sports Exer.* 1997;29:860-6.
417. Sullivan MJ, Higginbotham MB, Cobb FR. Exercise training in patients with severe left ventricular dysfunction. Hemodynamic and metabolic effects. *Circulation* 1988;78:506-15.

418. Sumpio BE, Banes AJ, Buckley M, Johnson G, Jr. Alterations in aortic endothelial cell morphology and cytoskeletal protein synthesis during cyclic tensional deformation. *J.Vasc.Surg.* 1988;7:130-8.
419. Sumpio BE, Banes AJ, Levin LG, Johnson G, Jr. Mechanical stress stimulates aortic endothelial cells to proliferate. *J.Vasc.Surg.* 1987;6:252-6.
420. Suzuki K, Yamada M, Kurakake S, Okamura N, Yamaya K, Liu Q et al. Circulating cytokines and hormones with immunosuppressive but neutrophil-priming potentials rise after endurance exercise in humans. *Eur.J.Appl.Physiol* 2000;81:281-7.
421. Suzuki Y, Haruna Y, Kobayashi H, Kawakubo K, Goto S, Gunji A. Effect of a five minutes isokinetic one leg knee extension training on maximal oxygen uptake during 20 days of -6 degrees head-down tilting bed-rest in young male subjects. *J.Gravit.Physiol* 1997;4:123-4.
422. Swerts PM, Kretzers LM, Terpstra-Lindeman E, Verstappen FT, Wouters EF. Exercise reconditioning in the rehabilitation of patients with chronic obstructive pulmonary disease: a short- and long-term analysis. *Arch.Phys.Med.Rehabil.* 1990;71:570-3.
423. Syrjala KL, Chapko MK, Vitalino PP, Cummings C, Sullivan KM. Recovery after allogeneic bone marrow transplantation: prospective study of predictors of long-term physical and psychosocial functioning. *Bone Marrow Transplant.* 1993;11:319-27.
424. Takenaka K, Suzuki Y, Kawakubo K, Haruna Y, Yanagibori R, Kashihara H et al. Cardiovascular effects of 20 days bed rest in healthy young subjects. *Acta Physiol Scand.Supp* 1994;616:59-63.
425. Task Force on DSM-IV, American Psychiatric Association. Diagnostic & Statistical Manual of Mental Disorders DSM-IV-TR (Revised). 2000. American Psychiatric Press.
426. Tawa NE, Jr., Goldberg AL. Suppression of muscle protein turnover and amino acid degradation by dietary protein deficiency. *Am.J.Physiol* 1992;263:E317-E325.
427. Tawa NE, Jr., Odessey R, Goldberg AL. Inhibitors of the proteasome reduce the accelerated proteolysis in atrophying rat skeletal muscles. *J.Clin.Invest* 1997;100:197-203.
428. Tehrani MH, Tate CA, al Dahan MI. Age-related levels of GABA/benzodiazepine binding sites in cerebrum of F-344 rats: effects of exercise. *Neurobiol.Aging* 1995;16:199-204.

429. Tendzegolskis Z, Viru A, Orlova E. Exercise-induced changes of endorphin contents in hypothalamus, hypophysis, adrenals and blood plasma. *Int.J.Sports Med.* 1991;12 :495-7.
430. Testa M, Ennezat PV, Vikstrom KL, Demopoulos L, Gentilucci M, Loperfido F et al. Modulation of vascular endothelial gene expression by physical training in patients with chronic heart failure. *Ital.Heart J.* 2000;1:426-30.
431. Thune I, Brenn T, Lund E, Gaard M. Physical activity and the risk of breast cancer. *N Engl J Med.* 1997;336:1269-75.
432. Thune I, Lund E. Physical activity and the risk of prostate and testicular cancer: a cohort study of 53,000 Norwegian men. *Cancer Causes Control* 1994;5:549-56.
433. Thune I, Lund E. The influence of physical activity on lung-cancer risk: A prospective study of 81,516 men and women. *Int.J.Cancer* 1997;70:57-62.
434. Tisdale MJ. Loss of skeletal muscle in cancer: biochemical mechanisms. *Front Biosci.* 2001;6:D164-D174.
435. Tölle R. Psychiatrie. Heidelberg: Springer, 1988.
436. Tsujinaka T, Fujita J, Ebisui C, Yano M, Kominami E, Suzuki K et al. Interleukin 6 receptor antibody inhibits muscle atrophy and modulates proteolytic systems in interleukin 6 transgenic mice. *J.Clin.Invest* 1996;97:244-9.
437. Tyni-Lenne R, Dencker K, Gordon A, Jansson E, Sylven C. Comprehensive local muscle training increases aerobic working capacity and quality of life and decreases neurohormonal activation in patients with chronic heart failure. *Eur.J.Heart Fail.* 2001;3:47-52.
438. Tyni-Lenne R, Gordon A, Europe E, Jansson E, Sylven C. Exercise-based rehabilitation improves skeletal muscle capacity, exercise tolerance, and quality of life in both women and men with chronic heart failure. *J.Card.Fail.* 1998;4:9-17.
439. Tyni-Lenne R, Gordon A, Jansson E, Bermann G, Sylven C. Skeletal muscle endurance training improves peripheral oxidative capacity, exercise tolerance, and health-related quality of life in women with chronic congestive heart failure secondary to either ischemic cardiomyopathy or idiopathic dilated cardiomyopathy. *Am.J.Cardiol.* 1997;80:1025-9.

440. Tyni-Lenne R, Gordon A, Jensen-Urstad M, Dencker K, Jansson E, Sylven C. Aerobic training involving a minor muscle mass shows greater efficiency than training involving a major muscle mass in chronic heart failure patients. *J.Card Fail.* 1999;5:300-7.
441. Tyni-Lenne R, Gordon A, Sylven C. Improved quality of life in chronic heart failure patients following local endurance training with leg muscles. *J.Card.Fail.* 1996;2:111-7.
442. Uebelhart D, Bernard J, Hartmann DJ, Moro L, Roth M, Uebelhart B et al. Modifications of bone and connective tissue after orthostatic bedrest. *Osteoporos.Int.* 2000;11:59-67.
443. Ulmer HE, Griener H, Schuler HW, Scharer K. Cardiovascular impairment and physical working capacity in children with chronic renal failure. *Acta Paediatr.Scand.* 1978;67:43-8.
444. Urhausen A, Gabriel H, Kindermann W. Blood hormones as markers of training stress and overtraining. *Sports Med.* 1995;20:251-76.
445. van der Ent M, Jeneson JA, Remme WJ, Berger R, Ciampicotti R, Visser F. A non-invasive selective assessment of type I fibre mitochondrial function using ³¹P NMR spectroscopy. Evidence for impaired oxidative phosphorylation rate in skeletal muscle in patients with chronic heart failure. *Eur.Heart J* 1998;19:124-31.
446. van der Wiel HE, Lips P, Nauta J, Netelenbos JC, Hazenberg GJ. Biochemical parameters of bone turnover during ten days of bed rest and subsequent mobilization. *Bone Miner.* 1991;13:123-9.
447. Veale D, Le Fevre K, Pantelis C, de Souza V, Mann A, Sargeant A. Aerobic exercise in the adjunctive treatment of depression: a randomized controlled trial. *J.R.Soc.Med.* 1992;85:541-4.
448. Vescovo G, Serafini F, Dalla LL, Leprotti C, Facchin L, Tenderini P et al. Skeletal muscle myosin heavy chains in heart failure: correlation between magnitude of the isozyme shift, exercise capacity, and gas exchange measurements. *Am.Heart J.* 1998;135:130-7.
449. Vico L, Chappard D, Alexandre C, Palle S, Minaire P, Riffat G et al. Effects of a 120 day period of bed-rest on bone mass and bone cell activities in man: attempts at countermeasure. *Bone Miner.* 1987;2:383-94.
450. Viru A, Tendzegolskis Z. Plasma endorphin species during dynamic exercise in humans.

451. Viru A, Tendzegolskis Z, Smirnova T. Changes of beta-endorphin level in blood during prolonged exercise. *Endocrinol.Exp.* 1990;24:63-8.
452. Visser MR.,Smets EM. Fatigue, depression and quality of life in cancer patients: how are they related? *Support.Care Cancer* 1998;6:101-8.
453. Visser MR.,Smets EM. Fatigue, depression and quality of life in cancer patients: how are they related? *Support Care Cancer* 1998;6:101-8.
454. Vogelzang NJ, Breitbart W, Cella D, Curt GA, Groopman JE, Horning SJ *et al.* Patient, caregiver, and oncologist perceptions of cancer-related fatigue: results of a tripart assessment survey. The Fatigue Coalition. *Semin.Oncol.* 1997;34 (3):4-12.
455. Vogiatzis I, Williamson AF, Miles J, Taylor IK. Physiological response to moderate exercise workloads in a pulmonary rehabilitation program in patients with varying degrees of airflow obstruction. *Chest* 1999;116:1200-7.
456. Wang GJ, Volkow ND, Fowler JS, Franceschi D, Logan J, Pappas NR *et al.* PET studies of the effects of aerobic exercise on human striatal dopamine release. *J.Nucl.Med.* 2000;41:1352-6.
457. Wang J, Wolin MS, Hintze TH. Chronic exercise enhances endothelium-mediated dilation of epicardial coronary artery in conscious dogs. *Circ.Res.* 1993;73:829-38.
458. Wang J, Yi GH, Knecht M, Cai BL, Poposkis S, Packer M *et al.* Physical training alters the pathogenesis of pacing-induced heart failure through endothelium-mediated mechanisms in awake dogs. *Circulation* 1997;96:2683-92.
459. Waters R, Yakura J. Energy expenditure of normal and abnormal ambulation. In Smidt GL, ed. *Gait and Rehabilitation.*, pp 65-96. New York: Churchill Livingstone, 1990.
460. Weicker H,Struder HK. Influence of exercise on serotonergic neuromodulation in the brain. *Amino.Acids* 2001;20:35-47.
461. Weintraub H, Tapscott SJ, Davis RL, Thayer MJ, Adam MA, Lassar AB *et al.* Activation of muscle-specific genes in pigment, nerve, fat, liver, and fibroblast cell lines by forced expres-

sion of MyoD. *Proc.Natl.Acad.Sci.U.S.A* 1989;**86**:5434-8.

462. Werner C, Werdan K, Ponicke K, Brodde OE. Impaired beta-adrenergic control of immune function in patients with chronic heart failure: reversal by beta1-blocker treatment. *Basic Res.Cardiol.* 2001;**96**:290-8.
463. White RJ, Rudkin ST, Ashley J, Stevens VA, Burrows S, Poundsford JC et al. Outpatient pulmonary rehabilitation in severe chronic obstructive pulmonary disease. *J.R.Coll.Physicians Lond* 1997;**31**:541-5.
464. Wielenga RP, Huisveld IA, Bol E, Dunselman PH, Erdman RA, Baselier MR et al. Safety and effects of physical training in chronic heart failure. Results of the Chronic Heart Failure and Graded Exercise study (CHANGE). *Eur.Heart J.* 1999;**20**:872-9.
465. Wiener DH, Fink LI, Maris J, Jones RA, Chance B, Wilson JR. Abnormal skeletal muscle bioenergetics during exercise in patients with heart failure: role of reduced muscle blood flow. *Circulation* 1986;**73**:1127-36.
466. Wijkstra PJ, Ten Vergert EM, van Altena R, Otten V, Kraan J, Postma DS et al. Long term benefits of rehabilitation at home on quality of life and exercise tolerance in patients with chronic obstructive pulmonary disease. *Thorax* 1995;**50**:824-8.
467. Wijkstra PJ, van der Mark TW, Kraan J, van Altena R, Koeter GH, Postma DS. Effects of home rehabilitation on physical performance in patients with chronic obstructive pulmonary disease (COPD). *Eur.Respir.J.* 1996;**9**:104-10.
468. Willenheimer R, Erhardt L, Cline C, Rydberg E, Israelsson B. Exercise training in heart failure improves quality of life and exercise capacity. *Eur.Heart J* 1998;**19** :774-81.
469. Willenheimer R, Rydberg E, Cline C, Broms K, Hillberger B, Oberg L et al. Effects on quality of life, symptoms and daily activity 6 months after termination of an exercise training programme in heart failure patients. *Int.J.Cardiol.* 2001;**77**:25-31.
470. Williams A, Sun X, Fischer JE, Hasselgren PO. The expression of genes in the ubiquitin-proteasome proteolytic pathway is increased in skeletal muscle from patients with cancer. *Surgery* 1999;**126**:744-9.

471. Williams JM,.Getty D. Effects of levels of exercise on psychological mood states, physical fitness, and plasma beta-endorphin. *Percept.Mot.Skills* 1986;**63**:1099-105.
472. Willoughby DS, Priest JW, Jennings RA. Myosin heavy chain isoform and ubiquitin protease mRNA expression after passive leg cycling in persons with spinal cord injury. *Arch.Phys.Med.Rehabil.* 2000;**81**:157-63.
473. Wilmore JH, Costill DL. Physiology of Sports and Exercise. Champaign,IL: Human Kinetics, 1994.
474. Winningham, M. L. Effects of a bycicle ergometry program on functional capacity and feelings of control of patients with breast cancer. 1983. The Ohio State University, Columbus, OH.
Ref Type: Thesis/Dissertation
475. Winningham ML. The role of exercise in cancer therapy. In Watson R, Eisinger M, eds. *Exercise and Disease.*, pp 63-70. Boca Raton: CRC Press, 1992.
476. Winningham ML,.MacVicar MG. The effect of aerobic exercise on patient reports of nausea. *Oncol.Nurs.Forum* 1988;**15**:447-50.
477. Winningham ML, MacVicar MG, Bondoc M, Anderson JI, Minton JP. Effect of aerobic exercise on body weight and composition in patientst with breast cancer on adjuvant chemotherapy. *Oncol.Nurs.Forum* 1989;**16**:683-9.
478. Winningham ML, Nail LM, Barton Burke M, Brophy L, Cimprich B, Jones L *et al.* Fatigue and the cancer experience: the state of the knowledge. *Oncol.Nurs.Forum* 1994;**21**:23-36.
479. Wirz-Justice A,.Van den Hoofdakker RH. Sleep deprivation in depression: what do we know, where do we go? *Biol.Psychiatry* 1999;**46**:445-53.
480. Withers NJ, Rudkin ST, White RJ. Anxiety and depression in severe chronic obstrucive pulmonary disease: the effects of pulmonary rehabilitation. *J.Cardiopulm.Rehabil.* 1999;**19**:362-5.
481. Xu L, Poole DC, Musch TI. Effect of heart failure on muscle capillary geometry: implications for O₂ exchange. *Med.Sci.Sports Exer.* 1998;**30**:1230-7.
482. Yamada M, Suzuki K, Kudo S, Totsuka M, Nakaji S, Sugawara K. Raised plasma G-CSF and

- IL-6 after exercise may play a role in neutrophil mobilization into the circulation. *J.Appl.Physiol* 2002;**92**:1789-94.
483. Yan Z, Biggs RB, Booth FW. Insulin-like growth factor immunoreactivity increases in muscle after acute eccentric contractions. *J.Appl.Physiol* 1993;**74**:410-4.
484. Yanagibori R, Suzuki Y, Kawakubo K, Kondo K, Iwamoto T, Itakura H *et al.* The effects of 20 days bed rest on serum lipids and lipoprotein concentrations in healthy young subjects. *J.Gratit.Physiol* 1997;**4**:S82-S90.
485. Yanagibori R, Suzuki Y, Kawakubo K, Makita Y, Gunji A. Carbohydrate and lipid metabolism after 20 days of bed rest. *Acta Physiol Scand.Supp*l 1994;**616**:51-7.
486. Yang S, Alnaqeeb M, Simpson H, Goldspink G. Cloning and characterization of an IGF-1 isoform expressed in skeletal muscle subjected to stretch. *J.Muscle Res.Cell Motil*. 1996;**17**:487-95.
487. Yao T, Andersson S, Thoren P. Long-lasting cardiovascular depressor response following sciatic stimulation in spontaneously hypertensive rats. Evidence for the involvement of central endorphin and serotonin systems. *Brain Res*. 1982;**244**:295-303.
488. Yaroshenko YY, Zorban YG, Kuznetsov NK, Kakurin AG, Popov VK, Yazulin VL. Changes in thyroid hormones and lipids in endurance trained volunteers during acute and rigorous bed rest conditions. *Wien.Klin.Wochenschr*. 1998;**110**:225-31.
489. Zerwekh JE, Rumj LA, Gottschalk F, Pak CY. The effects of twelve weeks of bed rest on bone histology, biochemical markers of bone turnover, and calcium homeostasis in eleven normal subjects. *J.Bone Miner.Res*. 1998;**13**:1594-601.
490. Zorbas YG, Ivanov AA, Madvedev SN, Kakurin AG. Physiological effects of acute and ordinary bed rest conditions on endurance trained volunteers. *Acta Astronaut*. 1999;**45**:171-6.
491. Zorbas YG, Verentsov GE, Abratov NI. Mineralization of human bone tissue under hypokinesia and physical exercise with calcium supplements. *Acta Astronaut*. 1989;**19**:347-51.