

# Literaturverzeichnis

- [1] J. P. Aimé, G. Couturier, R. Boisgard, and L. Nony, *Relationship between the non linear dynamic behaviour of an oscillating tip-microlever system and the contrast at the atomic scale*, Appl. Sur. Sci. **140**, 333 (1999).
- [2] AIXTRON AG (Kackertstr. 15-17, 52072 Aachen, Germany).
- [3] T. R. Albrecht, P. Grütter, D. Horne, and D. Rugar, *Frequency modulation detection using high-Q cantilevers for enhanced microscope sensitivity*, J. Appl. Phys. **69**, 668 (1991).
- [4] W. Allers, A. Schwarz, U. D. Schwarz, and R. Wiesendanger, *Dynamic scanning force microscopy at low temperatures on a van der Waals surface: graphite (0001)*, Appl. Sur. Sci. **140**, 376 (1999).
- [5] A. Aruchamy, ed., *Photoelectrochemistry and Photovoltaics of Layered Semiconductors*, Kluwer Academic Press, Netherlands (1992).
- [6] C. Barth, *Dynamische Kraftmikroskopie an reinen und gasdosierten Fluoridoberflächen*, Diplomarbeit, Freie Universität Berlin (1998).
- [7] A. Bauknecht, *CuGaSe<sub>2</sub> für die Anwendung in der Photovoltaik: Metallorganische Gasphasenepitaxie und optische Charakterisierung*, Dissertation (in Bearbeitung), Freie Universität Berlin (1999).
- [8] A. Bauknecht, U. Blieske, T. Kampschulte, J. Albert, H. Sehnert, M. C. Lux-Steiner, A. Klein, and W. Jaegermann, *Band offsets and the ZnSe/CuGaSe<sub>2</sub> (001) heterointerface*, Appl. Phys. Lett. **74**(8), 1099 (1999).
- [9] D. L. Baulch, C. J. Cobos, R. A. Cox, C. Esser, P. Frank, T. Just, J. A. Kerr, M. J. Pilling, J. Troe, R. W. Walker, and L. Warnatz, *Evaluated Kinetic Data for Combustion Modelling*, J. Phys. Chem. Ref. Data **21**, 411 (1981).
- [10] D. L. Baulch, J. Duxbury, S. J. Grant, , and D. C. Montague, *Evaluated Kinetic Data for High Temperature Reactions*, J. Phys. Chem. Ref. Data **10**(1), 1 (1981).
- [11] S. Belaidi, P. Girard, and G. Leveque, *Electrostatic forces acting on the tip in atomic force microscopy: Modelization and comparison with analytical expressions*, J. Appl. Phys. **81**, 1023 (1997).
- [12] K. Besocke, B. Krahl-Urban, and H. Wagner, *Dipole moments associated with edge atoms; a comparative study on stepped Pt, Au and W surfaces*, Surface Science **68**, 39 (1977).
- [13] G. Binnig, C. Quate, and C. Gerber, *Atomic force microscope*, Phys. Rev. Lett. **56**, 930 (1986).
- [14] G. Binnig, H. Rohrer, C. Gerber, and E. Weibel, *Surface Studies by Scanning Tunneling Microscopy*, Phys. Rev. Lett. **49**, 57 (1982).
- [15] G. Binnig, H. Rohrer, C. Gerber, and E. Weibel, *Tunneling through a controllable vacuum gap*, Appl. Phys. Lett. **40**, 178 (1982).
- [16] M. Böhmisch, *Herstellung und Charakterisierung individueller mesoskopischer Strukturen mit Rastersondenmethoden*, Dissertation, Universität Konstanz, Hartung-Gorre Verlag Konstanz (1998).
- [17] M. Böhmisch, F. Burmeister, A. Rettenberger, J. Zimmermann, J. Boneberg, and P. Leiderer, *Atomic Force Microscope Based Kelvin Probe Measurements: Application to an Electrochemical Reaction*, J. Phys. Chem. B **101**, 10162 (1997).
- [18] P. M. Bridger, Z. Z. Bandić, E. C. Piquette, and T. C. McGill, *Measurement of induced surface charges, contact potentials and surface states in GaN by electric force microscopy*, Appl. Phys. Lett. **74**(23), 3522 (1999).
- [19] P. M. Bridger, Z. Z. Bandić, E. C. Piquette, and T. C. McGill, *Electric force microscopy of induced charges and surface potentials in GaN modified by light and strain*, J. Vac. Sci. Technol. B **17**(4), 1750 (1999).
- [20] L. J. Brillson and D. W. Kruger, *Photovoltage saturation and recombination at Al-GaAs interfacial layers*, Surface Science **102**, 518 (1981).
- [21] R. H. Bube, *Photoelectronic Properties of Semiconductors*, University Press, Cambridge (1992).

- [22] F. Capasso and G. Margaritondo, eds., *Heterojunction Band Discontinuities: Physics and device applications*, North-Holland, Amsterdam (1987).
- [23] M. Contreras, B. Egaas, K. Ramanathan, J. Hiltner, F. Hasoon, and R. Noufi, *Progress Toward 20% Efficiency in Cu(In,Ga)Se<sub>2</sub> Polycrystalline Thin-Film Solar Cells*, Progress in Photovoltaics (p. submitted) (1999).
- [24] M. C. Desjonquères and D. Spanjaard, *Concepts in Surface Physics*, vol. 30 of *Springer series in Surface Science*, Springer-Verlag, Berlin (1993).
- [25] D. DeVecchio and B. Bhushan, *Use of a nanoscale Kelvin probe for detecting wear precursors*, Rev. Sci. Instr. **69**(10), 3618 (1998).
- [26] R. B. Dingle, *Scattering of Electrons and Holes by Charged Donors and Acceptors in Semiconductors*, Phil. Mag. **46**, 831 (1955).
- [27] K. Domanský, Y. Leng, C. C. Williams, J. Janata, and D. Petelenz, *Mapping of mobile charges on insulator surfaces with the electrostatic force microscope*, Appl. Phys. Lett. **63**(11), 1513 (1993).
- [28] C. Domke, M. Heinrich, P. Ebert, and K. Urban, *Oscillating contrast in room-temperature scanning tunneling microscope images of localized charges in III-V semiconductor cleavage surfaces*, J. Vac. Sci. Technol. B **16**, 2825 (1998).
- [29] P. Ebert, *Nano-scale properties of defects in compound semiconductor surfaces*, Surf. Sci. Rep. **33**, 121 (1999).
- [30] L. M. Eng, M. Bammerlin, C. Loppacher, M. Guggisberg, R. Bennewitz, R. Lüthi, E. Meyer, and H. J. Güntherodt, *Surface morphology, chemical contrast, and ferroelectric domains in TGS bulk single crystals differentiated with UHV non-contact force microscopy*, Appl. Sur. Sci. **140**, 253 (1999).
- [31] F. Engelhardt, L. Bornemann, M. Köntges, T. Meyer, J. Parisi, E. Pschorr-Schoberer, B. Hahn, W. Gebhardt, W. Riedl, F. Karg, and U. Rau, *Interface characterization of Cu(In,Ga)Se<sub>2</sub> solar cells containing a new ZnSe buffer layer*, in *2nd WCPSEC, Wien*, (pp. 1153–1156) (1998).
- [32] A. Ennaoui, U. Blieske, and M. C. Lux-Steiner, *13.7%-Efficient Zn(Se,OH)<sub>x</sub>/Cu(In,Ga)(S,Se)<sub>2</sub> thin film Solar Cell*, Prog. Photovoltaics: Research and Application **6**, 447 (1998).
- [33] A. Ennaoui, M. Weber, M. Saad, W. Harneit, M. C. Lux-Steiner, and F. Karg, *Chemical bath deposited Zn(Se,OH)<sub>x</sub> on Cu(In,Ga)(S,Se)<sub>2</sub> for high efficiency thin film solar cells: Growth kinetics, electronic properties, device performance and loss analysis*, Thin Solid Films (p. submitted) (1999).
- [34] G. Eriksson and K. Hack, *ChemSage - a computer program for the calculation of complex chemical equilibria*, Metallurgical Transactions B **21B**, 1013 (1990).
- [35] L. P. Ford, P. Blowers, and R. I. Masel, *Role of steps and kinks in catalytic activity*, J. Vac. Sci. Technol. A **17**(4), 1705 (1999).
- [36] T. M. Friedlmeier, D. Braunger, D. Hariskos, M. Kaiser, H. N. Wanka, and H. W. Schock, *Nucleation and growth of the CdS buffer layer on Cu(In,Ga)Se<sub>2</sub> thin films*, in *25th IEEE PVSC, Washington*, (p. 845) (1996).
- [37] W. Fritsch, *Simulation of processes in a Close-Spaced Vapor-Deposition reactor*, Phys. Rev. E (p. submitted for publication) (1999).
- [38] W. Fritsch, *Computer simulation of flow and chemical processes in a close-spaced vapor-transport CVD reactor*, in *2nd Int. Symp. on Computational Technology for Fluid/Thermal/Chemical System and Industrial Applications*, Boston, Mass., USA (Aug. 1-5, 1999).
- [39] W. Fuhs and R. Klenk, *Thin-film solar cells-overview*, in *2nd WCPSEC, Wien*, (pp. 381–386) (1998), and references therein.
- [40] S. Fuke, T. Imai, S. Irisawa, and K. Kuwahara, *Iodine-doping effects on the vapor-phase epitaxial growth of ZnSe on GaAs substrates*, J. Appl. Phys. **67**, 247 (1990).
- [41] R. Gay, *Status and prospects for CIS-based photovoltaics*, Solar Energy Materials and Solar Cells **47**, 19 (1997).
- [42] F. J. Giessibl, *Atomic Resolution of the Silicon (111)-(7×7) Surface by Atomic Force Microscopy*, Science **267**, 68 (1995).
- [43] F. J. Giessibl, H. Bielefeldt, S. Hembacher, and J. Mannhart, *Calculation of the optimal imaging parameters for frequency modulation atomic force microscopy*, Appl. Sur. Sci. **140**, 352 (1999).
- [44] F. J. Giessibl and M. Tortonese, *Self-oscillating mode for frequency modulation noncontact atomic force microscopy*, Appl. Phys. Lett. **70**, 2529 (1997).

- [45] B. Goldstein, D. Redfield, D. J. Szostak, and L. A. Carr, *Electrical characterization of solar cells by surface photovoltage*, Appl. Phys. Lett. **39**(3), 258 (1981).
- [46] D. Goren and Y. Nemirovski, *Determination of interface properties between a depleted heteroepitaxial layer and a substrate from capacitance measurements*, J. Appl. Phys. **77**(1), 244 (1995).
- [47] B. Gotsmann, B. Anczykowski, C. Seidel, and H. Fuchs, *Determination of tip-sample interaction forces from measured dynamic force spectroscopy curves*, Appl. Sur. Sci. **140**, 314 (1999).
- [48] G. V. Hansson and R. I. G. Uhrberg, *Photoelectron spectroscopy of surface states on semiconductor surfaces*, Sur. Sci. Rep. **9**, 197 (1988).
- [49] H. W. Hao, A. M. Baró, and J. J. Sáenz, *Electrostatic and contact forces in force microscopy*, J. Vac. Sci. Technol. B **9**(2), 1323 (1991).
- [50] D. Hariskos, M. Ruckh, U. Rühle, T. Walter, H. W. Schock, J. Hedström, and L. Stolt, *A novel cadmium free buffer layer for Cu(In,Ga)Se<sub>2</sub> based solar cells*, Solar Energy Materials and Solar Cells **41/42**, 345 (1996), and reference therein.
- [51] H. Hartmann, R. Mach, and B. Selle, *Wide Gap II-VI Compounds as Electronic Materials*, vol. 9 of *Current Topics in Material Science*, (pp. 1–414), North-Holland, Amsterdam (1982).
- [52] H. Hartmann, R. Mach, and N. Testova, *Vapour phase epitaxy of wide gap II-VI compounds*, J. Cryst. Growth **84**, 199 (1987).
- [53] J. P. den Hartok, *Mechanische Schwingungen*, Springer-Verlag, Berlin, 2nd edn. (1952).
- [54] M. Heinrich, C. Domke, P. Ebert, and K. Urban, *Charged steps on III-V compound semiconductor surfaces*, Phys. Rev. B **53**(16), 10894 (1996).
- [55] A. K. Henning and T. Hochwitz, *Scanning probe microscopy for 2-D semiconductor dopant profiling and device failure analysis*, Mat. Sci. Eng. B **42**, 88 (1996).
- [56] A. K. Henning, T. Hochwitz, J. Slinkman, J. Never, S. Hoffmann, P. Kaszuba, and C. Daghljan, *Two-dimensional surface dopant profiling in silicon using scanning Kelvin probe microscopy*, J. Appl. Phys. **77**, 1888 (1995).
- [57] R. Herberholz, V. Nadenau, U. Rühle, C. Köble, H. Schock, and B. Dimmler, *Prospects of wide-gap chalcopyrites for thin film photovoltaic modules*, Solar Energy Materials and Solar Cells **49**, 227 (1997).
- [58] HERCULAS (EU-Network on High Resolution Electrical Characterization of ULSI and Advanced Semiconductor Devices).
- [59] C. Heske, D. Eich, R. Fink, E. Umbach, T. van Buuren, C. Bostedt, L. J. Terminello, S. Kakar, M. M. Grush, T. A. Callcott, F. J. Himpsel, D. L. Ederer, R. C. C. Perera, W. Riedl, and F. Karg, *Observation of intermixing at the buried CdS/Cu(In,Ga)Se<sub>2</sub> thin film solar cell heterojunction*, Appl. Phys. Lett. **74**(10), 1451 (1999).
- [60] T. Hochwitz, A. K. Henning, C. Levey, C. Daghljan, and J. Slinkman, *Capacitive effects on quantitative dopant profiling with scanned electrostatic force microscopes*, J. Vac. Sci. Technol. B **14**, 457 (1996).
- [61] H. Hölscher, U. D. Schwarz, and R. Wiesendanger, *Calculation of the frequency shift in dynamic force microscopy*, Appl. Sur. Sci. **140**, 344 (1999).
- [62] J. Hölzl and F. K. Schulte, *Solid Surface Physics: Work Function of Metals*, vol. 85 of *Springer Tracts in Modern Physics*, chap. 1, (pp. 1–150), Springer-Verlag (1979).
- [63] J. W. Hong, D. S. Kahng, J. C. Shin, H. J. Kim, and Z. G. Khim, *Detection and control of ferroelectric domains by an electrostatic force microscope*, J. Vac. Sci. Technol. B **16**(6), 2942 (1998).
- [64] M. Hoummady, E. Farnault, T. Yahiro, and H. Kawakatsu, *Simultaneous optical detection techniques, interferometry, and optical beam deflection for dynamic mode control of scanning force microscopy*, J. Vac. Sci. Technol. B **15**, 1539 (1997).
- [65] L. Howald, E. Meyer, R. Lüthi, H. Haefke, R. Overney, H. Rudin, and H. J. Güntherodt, *Multifunctional probe microscopy for facile operation in ultrahigh vacuum*, Appl. Phys. Lett. **63**, 117 (1993).
- [66] S. Hudlet, M. S. Jean, B. Roulet, J. Berger, and C. Guthmann, *Electrostatic forces between metallic tip and semiconductor surfaces*, J. Appl. Phys. **77**, 3308 (1995).
- [67] A. Huisjer and J. van Laar, *Work function variations of gallium arsenide cleaved single crystals*, Surface Science **52**, 202 (1975).
- [68] A. Huisjer, J. van Laar, and T. L. van Rooy, *Electronic surface properties of Ga and In containing III-V compounds*, J. Vac. Sci. Technol. A **14**, 894 (1977).
- [69] A. Huisjer, J. van Laar, and T. L. van Rooy, *Electronic surface properties of UHV-cleaved III-V compounds*, Surface Science **62**, 472 (1977).

- [70] J. Israelachvili, *Intermolecular and Surface Forces*, Cambridge University Press, London (1995).
- [71] J. Itoh, Y. Nazuka, S. Kanemaru, T. Inoue, H. Yokoyama, and K. Shimizu, *Microscopic characterization of field emitter array structure and work function by scanning Maxwell-stress microscopy*, J. Vac. Sci. Technol. B **14**, 2105 (1996).
- [72] H. O. Jacobs, H. F. Knapp, S. Müller, and A. Stemmer, *Surface potential mapping: A qualitative material contrast in SPM*, Ultramicroscopy **69**, 39 (1997).
- [73] H. O. Jacobs, P. Leuchtman, O. J. Homan, and A. Stemmer, *Resolution and contrast in Kelvin probe force microscopy*, J. Appl. Phys. **84**, 1168 (1998).
- [74] A. Jäger-Waldau, N. Meyer, T. Weiss, S. Fiechter, M. C. Lux-Steiner, K. Tempelhoff, and W. Richter, *A new approach to grow polycrystalline CuGaSe<sub>2</sub> thin films: CVD with I<sub>2</sub> as transport agent*, Jap. J. Appl. Phys. **37**, 1617 (1998).
- [75] A. Jäger-Waldau, H. J. Muffler, R. Klenk, M. Kirsch, C. Kelch, and M. C. Lux-Steiner, *Gallium Doped ZnO for Thin Film Solar Cells*, Inst. Phys. Conf. Ser. **162**, 565 (1999).
- [76] M. S. Jean, S. Hudlet, C. Guthmann, and J. Berger, *Charge dynamics and time evolution of contact potential studied by atomic force microscopy*, Phys. Rev. B **56(23)**, 15391 (1997).
- [77] J. F. Jia, K. Inoue, Y. Hasegawa, W. S. Yang, and T. Sakurai, *Local work function for Cu(111)-Au surface studied by scanning tunneling microscopy*, J. Vac. Sci. Technol. B **15(6)**, 1861 (1997).
- [78] T. Kampschulte, *MOCVD von ZnSe für Sperrkontakte in Heterosolarzellen auf der Basis von Chalkopyriten*, Dissertation, Freie Universität Berlin (1999).
- [79] L. Kelvin, *Contact electricity of metals*, Phil. Mag. **46**, 82 (1898).
- [80] A. Kikukawa, S. Hosaka, and R. Imura, *Silicon pn junction imaging and characterizations using sensitivity enhanced Kelvin probe force microscopy*, Appl. Phys. Lett. **66**, 3510 (1995).
- [81] A. Kikukawa, S. Hosaka, and R. Imura, *Vacuum compatible high-sensitive Kelvin probe force microscopy*, Rev. Sci. Instr. **67**, 1463 (1996).
- [82] D.-Y. Kim, J. W. Hong, and S.-I. Kwun, *Atomic force microscopy observation of the ferroelectric domain structure on the (010) cleavage surface of K<sub>2</sub>ZnCl<sub>4</sub>*, J. Vac. Sci. Technol. B **16(4)**, 2125 (1998).
- [83] S. Kitamura and H. Iwatsuki, *High resolution imaging of contact potential difference with ultrahigh vacuum noncontact atomic force microscope*, Appl. Phys. Lett. **72(24)**, 3154 (1998).
- [84] S. Kitamura, K. Suzuki, and H. Iwatsuki, *High resolution imaging of contact potential difference using a novel ultrahigh vacuum non-contact atomic force microscope technique*, Appl. Sur. Sci. **140**, 265 (1999).
- [85] S. Kitamura, K. Suzuki, and H. Iwatsuki, *Measurement of Contact Potential Difference using an Ultrahigh Vacuum Noncontact Atomic Force Microscope*, JEOL news **34E(1)**, 53 (1999).
- [86] S.-I. Kitamura and M. Iwatsuki, *Observation of 7×7 Reconstructed Structure on the Silicon (111) Surface using Ultrahigh Vacuum Noncontact Atomic Force Microscopy*, Jap. J. Appl. Phys. **34**, L145 (1995).
- [87] R. Klenk, R. Mauch, R. Schäfler, D. Schmid, and H. W. Schock, *Progress in CuGaSe<sub>2</sub> based thin film solar cells*, in *21st IEEE PVSC*, (p. 1071) (1991).
- [88] O. Knacke, O. Kubaschewski, and H. Hesselmann, eds., *Thermochemical Properties of Inorganic Substances I*, Springer-Verlag, Berlin, 2nd edn. (1991).
- [89] O. Kolosov, A. Gruverman, J. Hatano, K. Takashi, and H. Tokumoto, *Nanoscale Visualization and Control of Ferroelectric Domains by Atomic Force Microscopy*, Phys. Rev. Lett. **74(21)**, 4309 (1995).
- [90] B. Krahl-Urban, E. A. Niekisch, and H. Wagner, *Work function of stepped tungsten single crystal surfaces*, Surface Science **64**, 52 (1977).
- [91] L. Kronik, L. Burstein, M. Leibovitch, Y. Shapira, D. Gal, E. Moons, J. Beier, G. Hodes, D. Cahen, D. Harkos, R. Klenk, and H. W. Schock, *Band diagram of the polycrystalline CdS/Cu(In,Ga)Se<sub>2</sub> heterojunction*, Appl. Phys. Lett. **67(10)**, 1405 (1995).
- [92] L. Kronik, M. Leibovitch, E. Fefer, V. Koberov, and Y. Shapira, *Electronic Characterization of Heterojunctions by Surface Potential Monitoring*, J. Electr. Mat. **24(7)**, 893 (1995).
- [93] L. Kronik, U. Rau, J. F. Guillemoles, D. Braunger, H. W. Schock, and D. Cahen, *Interface redox engineering of Cu(In,Ga)Se<sub>2</sub> - based solar cells: Oxygen, sodium, and chemical bath effects*, Thin Solid Films (p. submitted) (1999).
- [94] Landolt-Börnstein, *Zahlenwerte und Funktionen aus Naturwissenschaft und Technik*, vol. 17h, Springer-Verlag, Berlin (1985).
- [95] M. Leibovitch, L. Kronik, E. Fefer, V. Koberov, and Y. Shapira, *Constructing band diagrams of semiconductor heterojunctions*, Appl. Phys. Lett. **66(4)**, 457 (1995).

- [96] Y. Leng, C. C. Williams, L. C. Su, and G. B. Stringfellow, *Atomic ordering of GaInP studied by Kelvin probe force microscopy*, Appl. Phys. Lett. **66**, 1264 (1995).
- [97] G. Leveque, J. Bonnet, A. Tahraoui, and P. Girard, *Observation of surface potential at nanometer scale by electrostatic force microscopy (EFM) with large signals*, Mat. Sci. Eng. **B51**, 197 (1998).
- [98] H. J. Lewerenz and H. Jungblut, *Photovoltaik*, Springer-Verlag, Berlin (1995).
- [99] D. R. Lide, ed., *Handbook of Chemistry and Physics*, CRC Press, USA, 79th edn. (1998-1999).
- [100] A. Lifshits, A. L. Shluger, and A. L. Rohl, *Contrast mechanism in non-contact SFM imaging of ionic surfaces*, Appl. Sur. Sci. **140**, 287 (1999).
- [101] T. Löher, W. Jaegermann, and C. Pettenkofer, *Formation and electronic properties of the CdS/CuInSe<sub>2</sub> (011) heterointerface studied by synchrotron-induced photoemission*, J. Appl. Phys. **77**(2), 731 (1995).
- [102] R. Lüthi, H. Haefke, K. P. Meyer, L. Howald, and H.-J. Güntherodt, *Surface and domain structures of ferroelectric crystals studied with scanning force microscopy*, J. Appl. Phys. **74**, 7461 (1995).
- [103] S. Magonov and M.-H. Whangbo, *Surface Analysis with STM and AFM*, VCH, Weinheim, Germany (1996).
- [104] Y. Martin, D. W. Abraham, and H. K. Wickramasinghe, *High-resolution capacitance measurement and potentiometry by force microscopy*, Appl. Phys. Lett. **52**, 1103 (1988).
- [105] Y. Martin, C. C. Williams, and H. K. Wickramasinghe, *Atomic force microscope-force mapping and profiling on a sub 100-Å scale*, J. Appl. Phys. **61**, 4723 (1987).
- [106] G. Massé and K. Djessas, *Close-Spaced vapour transport of CuInSe<sub>2</sub>, CuGaSe<sub>2</sub> and Cu(Ga,In)Se<sub>2</sub>*, Thin Solid Films **226**, 254 (1993).
- [107] G. Masse and K. Djessas, *(In,Se)-Cu(In,Ga)Se<sub>2</sub>/SnO<sub>2</sub> thin film heterostructures grown by close-spaced vapor transport*, in *2nd WCPSEC, Wien*, (p. 1169) (1998).
- [108] T. W. Matthes, *Photonenunterstützte Rastertunnelmikroskopie/Spektroskopie auf Halbleitern mit geringer Oberflächenzustandsdichte*, Dissertation, Universität Konstanz, Hartung-Gorre Verlag Konstanz (1997).
- [109] T. W. Matthes, C. Sommerhalter, A. Rettenberger, J. Boneberg, M. C. Lux-Steiner, and P. Leiderer, *Imaging of Dopants in Surface and Sub-Surface Layers of the Transition Metal Dichalcogenides WS<sub>2</sub> and WSe<sub>2</sub> by Scanning Tunneling Microscopy*, Appl. Phys. A **66**, S1007 (1998).
- [110] McClelland, *Atomic Force Microscopy: General Principles and New Implementation*, vol. 6B of *Review of Progress in Quantitative Nondestructive Evaluation*, (p. 1307), Plenum Press, New York (1987).
- [111] N. Meyer, M. Birkholz, D. Fischer, T. Weiss, A. Jäger-Waldau, M. Saad, S. Bleyhl, M. Kunst, and M. C. Lux-Steiner, *Preparation of CuGaSe<sub>2</sub> absorber layers by chemical vapor transport of synthesized CuGaSe<sub>2</sub> bulk material*, in *2nd WCPSEC, Wien*, (p. 684) (1998).
- [112] T. Minobe, T. Uchihashi, T. Tsukamoto, S. Orisaka, Y. Sugawara, and S. Morita, *Distance dependence of noncontact-AFM image contrast on Si(111) $\sqrt{3} \times \sqrt{3}$ -Ag structure*, Appl. Sur. Sci. **140**, 298 (1999).
- [113] Molecular Devices and Tools for Nanotechnology (distributed by Anfatec, Schmidtstr. 63, 08606 Oelsnitz, Germany).
- [114] S. Molitor, P. Güthner, and T. Berghaus, *Contrast inversion in dynamic force microscopy on silicon(111)  $7 \times 7$  and gold(111)  $23 \times \sqrt{3}$* , Appl. Sur. Sci. **140**, 276 (1999).
- [115] W. Mönch, *Semiconductor Surfaces and Interfaces*, Springer Series in Surface Science 26, Springer Verlag, Berlin (1993).
- [116] W. Mönch, *Barrier heights of real Schottky contacts explained by metal-induced gap states and lateral inhomogeneities*, J. Vac. Sci. Technol. B **17**(4), 1867 (1999).
- [117] S. Morita and Y. Sugawara, *Guidelines for the achievement of true atomic resolution with noncontact atomic force microscopy*, Appl. Sur. Sci. **140**, 406 (1999).
- [118] F. Müller, A.-D. Müller, M. Hietschold, and S. Kämmer, *Detecting electrical forces in noncontact atomic force microscopy*, Meas. Sci. Technol. **9**, 734 (1998).
- [119] V. Nadenau, D. Braunger, D. Hariskos, and H. W. Schock, *Characterization and Optimization of CuGaSe<sub>2</sub>/CdS/ZnO Heterojunctions*, in *Inst. Phys. Conf. Ser.*, vol. 152, (p. 955) (1998).
- [120] T. Nakada and A. Kunioka, *Direct evidence of Cd diffusion into Cu(In,Ga)Se<sub>2</sub> thin films during chemical-bath deposition process of CdS films*, Appl. Phys. Lett. **74**(17), 2444 (1999).
- [121] N. Nakagiri, M. Suzuki, K. Okiguchi, and H. Sugimura, *Site discrimination of adatoms in Si(111)- $7 \times 7$  by noncontact atomic force microscopy*, Surface Science **373**, L329 (1997).
- [122] Nanosensors (distributed by L.O.T.-Oriel, Im Tiefen See 58, 64293 Darmstadt, Germany).

- [123] M. W. Nelson, P. G. Schroeder, R. Schlaf, B. A. Parkinson, C. W. Almgren, and A. N. Erickson, *Spatially resolved dopant profiling of patterned Si wafers by bias-applied phase-imaging tapping-mode atomic force microscopy*, Appl. Phys. Lett. **74**(10), 1421 (1999).
- [124] N. W. Nelson, P. G. Schroeder, R. Schlaf, and B. A. Parkinson, *Two-dimensional dopant profiling of patterned Si wafers using phase imaging tapping mode atomic force microscopy with applied biases*, J. Vac. Sci. Technol. B **17**(4), 1353 (1999).
- [125] A. Niemegeers, M. Burgelman, and A. de Vos, *On the CdS/CuInSe<sub>2</sub> conduction band discontinuity*, Appl. Phys. Lett. **67**(6), 843 (1995).
- [126] M. Nonnenmacher, J. Greschner, O. Wolter, and R. Kassing, *Scanning force microscopy with micromachined silicon sensors*, J. Vac. Sci. Technol. B **9**, 1358 (1991).
- [127] M. Nonnenmacher, M. P. O'Boyle, and H. K. Wickramasinghe, *Kelvin probe force microscopy*, Appl. Phys. Lett. **58**, 2921 (1991).
- [128] M. Nonnenmacher, M. P. O'Boyle, and H. K. Wickramasinghe, *Surface investigations with a Kelvin probe force microscope*, Ultramicroscopy **42**, 268 (1992).
- [129] R. M. Nyffenegger, R. M. Penner, and R. Schierle, *Electrostatic force microscopy of silver nanocrystals with nanometer-scale resolution*, Appl. Phys. Lett. **71**, 1878 (1997).
- [130] M. P. O'Boyle, T. T. Hwang, and H. K. Wickramasinghe, *Atomic force microscopy of work functions on the nanometer scale*, Appl. Phys. Lett. **74**(18), 2641 (1999).
- [131] Y. Ohtake, S. Chaisitsak, A. Yamada, and M. Konagai, *Characterization of ZnIn<sub>x</sub>Se<sub>y</sub> Thin Films as a Buffer Layer for High Efficiency Cu(InGa)Se<sub>2</sub> Thin-Film Solar Cells*, Jap. J. Appl. Phys. **37**(1,6A), 3220 (1998).
- [132] Y. Ohtake, K. Kushiya, M. Ichikawa, A. Yamada, and M. Konagai, *Polycrystalline Cu(In,Ga)Se<sub>2</sub> Thin-Film Solar Cells with ZnSe buffer layers*, Jap. J. Appl. Phys. **34**, 5949 (1995).
- [133] L. Olsson, N. Lin, V. Yakimov, and R. Erlandsson, *A method for in situ characterisation of tip shape in ac-mode atomic force microscopy using electrostatic interaction*, J. Appl. Phys. **84**, 4060 (1998).
- [134] Omicron Vakuumphysik GmbH (Idsteiner Str. 78, 65232 Taunusstein, Germany).
- [135] Park Scientific Instruments (distributed by ATOS, Robert-Bosch-Str. 14, 64319 Pfungstadt, Germany).
- [136] R. Pérez, M. C. Payne, I. Štich, and K. Terakura, *Role of covalent Tip-Surface Interactions in noncontact Atomic Force Microscopy on Reactive Surfaces*, Phys. Rev. Lett. **78**, 678 (1997).
- [137] R. Pérez, M. C. Payne, I. Štich, and K. Terakura, *Surface-tip Role interactions in noncontact atomic-force microscopy on reactive surfaces: Si(111)*, Phys. Rev. B **58**, 10835 (1998).
- [138] R. Pérez, I. Stich, M. C. Payne, and K. Teakura, *Chemical interactions in noncontact AFM on semiconductor surfaces: Si(111), Si(100) and GaAs(110)*, Appl. Sur. Sci. **140**, 320 (1999).
- [139] B. Pietzak, C. Sommerhalter, A. Weidinger, B. Nuber, U. Reuther, and A. Hirsch, *Film Growth of C<sub>59</sub>N on layered materials*, in *American Institute of Physics conference proceedings: Molecular Nanostructures* (Edited by H. Kuzmany, J. Fink, M. Mehring, and S. Roth), vol. 442, (pp. 223–226) (1998).
- [140] M. Pirzer, M. C. Lux-Steiner, and E. Bucher, *Influence of Growth Conditions on the Structural, Optical and Electrical Properties of ZnSe Films*, Appl. Phys. A **54**, 455 (1992).
- [141] K. Ramanathan, R. Noufi, J. Granata, and J. W. amd James Kaene, *Prospects for in situ junction formation in CuInSe<sub>2</sub> based Solar Cells*, Solar Energy Materials and Solar cells **55**, 15 (1998).
- [142] K. Ramanathan, H. Wiesner, S. Asher, D. Niles, J. Keane, M. A. Contreras, and R. Noufi, *High efficiency Cu(In,Ga)Se<sub>2</sub> thin film solar cells without intermediate buffer layers*, in *2nd WCPSEC, Wien*, (pp. 477–481) (1998).
- [143] U. Rau, D. Braunger, R. Herberholz, H. W. Schock, J. F. Guilemoles, L. Kronik, and D. Cahen, *Oxygen and air-annealing effects on the electronic properties of Cu(In,Ga)Se<sub>2</sub> films and devices*, J. Appl. Phys. **86**(1), 497 (1999).
- [144] U. Rau and H. W. Schock, *Electronic properties of Cu(In,Ga)Se<sub>2</sub> heterojunctions solar cells - recent achievements, current understanding, and future challenges*, Appl. Phys. A **69**, 131 (1999), and references therein.
- [145] A. Rettenberger, *Selbstorganisiertes Wachstum metallischer Nanostrukturen auf Schichtgitterhalbleitern*, Dissertation, Universität Konstanz, Hartung-Gorre Verlag Konstanz (1998).
- [146] A. Rumberg, Hahn-Meitner-Institut Berlin, pers. Mitteilung (1999).
- [147] A. Rumberg, C. Sommerhalter, A. Jäger-Waldau, and M. C. Lux-Steiner, *Chemical Vapour Deposition of ZnSe for Application in CIGS Thin-Film Solar Cells*, Thin Solid Films (p. accepted) (1999).

- [148] M. Saad, *Solarzellen auf der Basis von Kupfergalliumdiselenid*, Dissertation, Universität Konstanz, Hartung-Gorre Verlag Konstanz (1995).
- [149] D. Sarid and V. Elings, *Review of scanning force microscopy*, J. Vac. Sci. Technol. B **9**(2), 431 (1991), and references therein.
- [150] N. Sasaki and M. Tsukada, *Theory for the effect of the tip-surface interaction potential on atomic resolution in forced vibration system of noncontact AFM*, Appl. Sur. Sci. **140**, 339 (1999).
- [151] F. Saurenbach and B. D. Terris, *Imaging of ferroelectric domain walls by force microscopy*, Appl. Phys. Lett. **56**(17), 1703 (1990).
- [152] R. Scheer, *Surface and interface properties of Cu-chalcopyrite semiconductors and devices*, Trends in Vacuum Science and Technology **2**, 77 (1997), and references therein.
- [153] C. Schönberger and S. F. Alvarado, *Observation of single Charge Carriers by Force Microscopy*, Phys. Rev. Lett. **65**(25), 3162 (1990).
- [154] A. Schwarz, W. Allers, U. D. Schwarz, and R. Wiesendanger, *Simultaneous imaging of the In and As sublattice on InAs(110)-(1×1) with dynamic scanning force microscopy*, Appl. Sur. Sci. **140**, 293 (1999).
- [155] G. Schwarz, pers. Mitteilung, FU-Berlin (1999).
- [156] R. Smoluchowski, *Anisotropy of the Electronic Work Function of Metals*, Phys. Rev. **60**, 661 (1941).
- [157] I. Y. Sokolov, G. S. Henderson, and F. J. Wicks, *The contrast mechanism for true atomic resolution by AFM in non-contact mode: quasi-non-contact mode?*, Surface Science **381**, L558 (1997).
- [158] I. Y. Sokolov, G. S. Henderson, and F. J. Wicks, *Pseudo-non-contact AFM imaging*, Appl. Sur. Sci. **140**, 362 (1999).
- [159] C. Sommerhalter, *Photovoltaische Eigenschaften von nanostrukturierten Schichtgitterhalbleitern*, Diplomarbeit, Universität Konstanz (1996).
- [160] C. Sommerhalter, T. W. Matthes, J. Boneberg, M. C. Lux-Steiner, and P. Leiderer, *Tunneling spectroscopy on semiconductors with a low surface state density*, J. Vac. Sci. Technol. B **15**(6), 1876 (1997).
- [161] C. Sommerhalter, T. W. Matthes, J. Boneberg, M. C. Lux-Steiner, and P. Leiderer, *Investigation of Acceptors in p-type WS<sub>2</sub> by Standard and Photo-Assisted Scanning Tunneling Microscopy/Spectroscopy*, Appl. Sur. Sci. **144-145**, 564 (1999).
- [162] C. Sommerhalter, B. Pietzak, M. C. Lux-Steiner, B. Nuber, U. Reuther, and A. Hirsch, *Noncontact UHV-AFM investigations of the growth of C<sub>59</sub>N films on layered materials*, Surface Science **433/434**, 486 (1999).
- [163] W. F. Stokey, *Shock and Vibration Handbook*, McGraw-Hill book company, New York, 3rd edn. (1961).
- [164] J. A. Stroscio and W. J. Kaiser, eds., *Scanning Tunneling Microscopy*, vol. 27 of *Methods of Experimental Physics*, Academic Press, Inc., USA (1993).
- [165] Y. Sugawara, T. Uchihashi, M. Abe, and S. Morita, *True atomic resolution imaging of surface structure and surface charge on GaAs(110)*, Appl. Sur. Sci. **140**, 371 (1999).
- [166] S. Sze, *Physics of Semiconductor Devices*, Wiley Interscience Publication, New York, 2nd edn. (1991).
- [167] B. D. Terris, J. E. Stern, D. Rugar, and H. J. Mamin, *Contact Electrification Using Force Microscopy*, Phys. Rev. Lett. **63**(24), 2669 (1989).
- [168] M. Toplak, *Chemische Gasphasendeposition von Zinkselenidschichten für die Anwendung als Pufferschicht in Chalkopyrit-Dünnschicht solarzellen*, Diplomarbeit, Freie Universität Berlin (1998).
- [169] G. B. Turner, R. J. Schwarz, and J. L. Gray, *Band discontinuity and bulk vs. interface recombination in CdS/CuInSe<sub>2</sub> solar cells*, in *IEEE PVSC, Las Vegas*, (p. 1457) (1988).
- [170] T. Uchihashi, M. Ohta, Y. Sugawara, Y. Yanase, T. Sigematsu, M. Suzuki, and S. Morita, *Development of ultrahigh vacuum-atomic force microscopy with frequency modulation detection and its application to electrostatic force measurement*, J. Vac. Sci. Technol. B **15**, 1543 (1997).
- [171] H. Ueyama, M. Ohta, Y. Sugawara, and S. Morita, *Atomically Resolved InP(110) Surface Observed with Noncontact Ultrahigh Vacuum Atomic Force Microscopy*, Jap. J. Appl. Phys. **34**, L1086 (1995).
- [172] O. Vatel and M. Tanimoto, *Kelvin probe force microscopy for potential distribution measurement of semiconductor devices*, J. Appl. Phys. **77**, 2358 (1995).
- [173] T. Wada, S. Hayashi, Y. Hashimoto, S. Nishiwaki, T. Sato, T. Negami, and M. Nishitani, *High Efficiency Cu(In,Ga)Se<sub>2</sub> Solar Cells with improved CIGS surface*, in *2nd WCPSEC, Wien*, (pp. 403–407) (1998).
- [174] H. Wagner, *Solid Surface Physics: Physical and Chemical Properties of Stepped Surfaces*, vol. 85 of *Springer Tracts in Modern Physics*, chap. 2, (pp. 151–221), Springer-Verlag (1979).
- [175] K. Wandelt, *The local work function: Concept and implications*, Appl. Sur. Sci. **111**, 1 (1997).

- [176] J. M. R. Weaver and D. W. Abraham, *High resolution atomic force microscopy potentiometry*, J. Vac. Sci. Technol. B **9**, 1559 (1991).
- [177] R. Wiesendanger, *Scanning Probe Microscopy and Spectroscopy: Methods and Applications*, Cambridge University Press, Cambridge, Great Britain (1994).
- [178] M. Yasutake, D. Aoki, and M. Fujihira, *Surface potential measurements using the Kelvin probe force microscope*, Thin Solid Films **273**, 279 (1996).
- [179] J.-B. Yoo, A. L. Fahrenbruch, and R. H. Bube, *Effect of a thin intermediate zinc selenide layer on the properties of CuInSe<sub>2</sub> solar cells*, Solar Cells **31**, 171 (1991).
- [180] G. Zavala, J. H. Fendler, and S. Trolier-McKinstry, *Characterization of ferroelectric lead zirconate titanate films by scanning force microscopy*, J. Appl. Phys. **81**, 7480 (1997).
- [181] W. A. Zisman, *A new method of measuring contact potential differences in metals*, Rev. Sci. Instr. **3**, 367 (1932).