

References

1. Ah-Fat FG, Sharma MC, Majid MA, McGalliard JN, Wong D: Trends in vitreoretinal surgery at a tertiary referral centre: 1987 to 1996, *Br J Ophthalmol* 1999; 83:396–398
2. American Academy of Ophthalmology: The repair of rhegmatogenous retinal detachment, *Ophthalmology* 1990; 97:1562–1572
3. Bartz-Schmidt KU, Kirchhof B, Heimann K: Primary vitrectomy for pseudophakic retinal detachment, *Br J Ophthalmol* 1996; 80:346–349
4. Benson WE, Chan P, Sharma S, Snyder WB, Bloome MA, Birch DG: Current popularity of pneumatic retinopexy, *Retina* 1999; 19:238–241
5. Bovey EH, Gonvers M, Sahli O: Surgical treatment of retinal detachment in pseudophakia: comparison between vitrectomy and scleral buckling, *Klin Monatsbl Augenheilkd* 1998; 212:314–317
6. Brazitikos PD, D' Amico DJ, Tsinopoulos IT, Stangos NT: Primary vitrectomy with perfluoro-n-octane use in the treatment of pseudophakic retinal detachment with undetected retinal breaks, *Retina* 1999; 19:103–109
7. Campo RV, Sipperley JO, Sneed SR, Park DW, Dugel PU, Jacobsen J, Flindall RJ: Pars plana vitrectomy without scleral buckle for pseudophakic retinal detachments, *Ophthalmology* 1999;106:1811–1815; discussion 1816
8. Desai UR, Strassman IB: Combined pars plana vitrectomy and scleral buckling for pseudophakic and aphakic retinal detachments in which a break is not seen preoperatively, *Ophthalmic Surg Lasers* 1997; 28:718–722
9. Devenyi RG, de Carvalho Nakamura H: Combined scleral buckle and pars plana vitrectomy as a primary procedure for pseudophakic retinal detachments, *Ophthalmic Surg Lasers* 1999; 30:615–618
10. Garry DS, Chignell AH, Franks WA, Wong D: Pars plana vitrectomy for the treatment of rhegmatogenous retinal detachment uncomplicated by advanced proliferative vitreoretinopathy, *Br J Ophthalmol* 1993; 77:199–203
11. Hakin KN, Lavin MJ, Leaver PK: Primary vitrectomy for rhegmatogenous retinal detachment, *Graefe's Arch Clin Exp Ophthalmol* 1993; 231:344–346

12. Heimann H, Bornfeld N, Friedrichs W, Helbig H, Kellner U, Korra A, Foerster MH: Primary vitrectomy without scleral buckling for rhegmatogenous retinal detachment, Graefe's Arch Clin Exp Ophthalmol 1996; 234:561–568
13. Hoeing C, Kampik A, Heidenkummer HP: Results of pars plana vitrectomy with intraocular SF-6 gas tamponade in complicated retinal detachment, Ophthalmologe 1994; 91:312–318
14. Hoeing C, Heidenkummer HP, Kampik A: Primary vitrectomy in rhegmatogenous retinal detachment, Ophthalmologe 1995; 92:668–671
15. Leaver PK: Trends in vitreoretinal surgery—time to stop and think, Br J Ophthalmol 1999; 83:385–386
16. Machemer R: Reminiscences after 25 years of pars plana vitrectomy, Am J Ophthalmol 1995;119:505–510
17. Machemer R, Buettner H, Norton EW, Parel JM: Vitrectomy: a pars plana approach, Trans Am Acad Ophthalmol Otolaryngol 1971; 75:813–820
18. Newman DK, Burton RL: Primary vitrectomy for pseudophakic and aphakic retinal detachments, Eye 1999; 13:635–639
19. Oshima Y, Emi K, Motokura M, Yamanishi S: Survey of surgical indications and results of primary pars plana vitrectomy for rhegmatogenous retinal detachments, Jpn J Ophthalmol 1999; 43:120–126
20. Sasaki K, Ideta H, Yonemoto J, Tanaka S, Hirose A, Oka C: Epidemiologic characteristics of rhegmatogenous retinal detachment in Kumamoto, Japan. Graefe's Arch Clin Exp Ophthalmol 1995; 233:772–776
21. Sullivan PM, Luff AJ, Aylward GW: Results of primary retinal reattachment surgery: a prospective audit, Eye 1997; 11:869–871
22. Toernquist R, Stenkula S, Tornquist P: Retinal detachment. A study of a population-based patient material in Sweden 1971–1981. I. Epidemiology, Acta Ophthalmol (Copenh) 1987;65:213–222
23. Klöti R: Amotio-Chirurgie ohne Skleraeindellung. Primaere Vitrektomie, Klin Monatsbl Augenheilkd 1983;182:474-478
24. Minihan M, Tanner V, Williamson TH: Primary rhegmatogenous retinal detachment: 20 years of change, Br J Ophthalmol 2001;85:546-548

25. Yang CM: PPV in the treatment of combined rhegmatogenous retinal detachment and choroidal detachment in aphakic or pseudophakic eyes, *Ophthalmic Surg Lasers*. 1997;28: 288-293
26. Loo A, Fitt AW, Ramchandani M, Kirkby GR: Pars plana vitrectomy with silicone oil in the management of combined rhegmatogenous retinal detachment and choroidal detachment, *Eye* 2001;15: 612-615
27. Ferrone PJ, Trese MT, Lewis H: Vitreoretinal surgery for complications of congenital retinoschisis, *Am J Ophthalmol*. 1997;123: 742-747
28. Barrie T, Kleissig I, Heimann H, Holz ER, Mieler WF: Repair of a primary rhegmatogenous retinal detachment, *Br J Ophthalmol* 2003; 87: 782-790
29. MacCumber MW, Pack KH, Civantos JM, Greenberg JB: Preservation of anterior capsule during vitrectomy and lensectomy for retinal detachment with proliferative vitreoretinopathy, *Ophthalmology* 2002;109: 329-333
30. Heimann H, Hellmich M, Bornfeld N, Bartz-Schmidt KU, Hilgers RD, Foerster MH: Scleral buckling versus primary vitrectomy in rhegmatogenous retinal detachment (SPR Study): Design issues and implications, *Graefe's Arch Clin Exp Ophthalmol* 2001; 239: 567-574
31. The Classification of retinal detachment with proliferative vitreoretinopathy: Retina Society Terminology Committee, *Ophthalmology* 1983; 90: 121-5
32. Brazitikos PD: The expanding role of primary pars plana vitrectomy in the treatment of rhegmatogenous noncomplicated retinal detachment, *Sem Ophthalmol* 2000;15:65–77
33. Gastaud P, Rouhette H, Negre F, et al.: Place of “exploratory vitrectomy” in the treatment of retinal detachment without proliferative vitreoretinopathy, *J Fr Ophtalmol* 2000; 23: 482–7
34. Pournaras CJ, Donati G, Sekkat L, et al.: Pseudophakic retinal detachment:treatment by vitrectomy and scleral buckling. Pilot study, *J Fr Ophtalmol* 2000; 23:1006–11
35. Speicher MA, Fu AD, Martin JP, et al.: Primary vitrectomy alone for repair of retinal detachments following cataract surgery, *Retina* 2000; 20:459–64
36. Tanner V, Minihan M, Williamson TH: Management of inferior retinal breaks during pars plana vitrectomy for retinal detachment, *Br J Ophthalmol* 2001; 85:480–2.
37. Escoffery RF, Olk RJ, Grand MG, Boniuk I: Vitrectomy without scleral buckling for primary rhegmatogenous retinal detachment, *Am J Ophthalmol* 1985; 99:275-81

38. Van Effenterre G, Haut J, Larricart P, et al.: Gas tamponade as a single technique in the treatment of retinal detachment: is vitrectomy needed? A comparative study of 120 cases, *Graefes Arch Clin Exp Ophthalmol* 1987; 225:254–8
39. Girard P, Karpouzas I.: Vitrectomy in the treatment of simple retinal detachment, *J Fr Ophtalmol* 1995;18:188–93
40. Sharma T, Gopal L, Badrinath SS: Primary vitrectomy for rhegmatogenous retinal detachment associated with choroidal detachment, *Ophthalmology* 1998;105:2282–5
41. Miki D, Hida T, Hotta K, et al.: Comparison of scleral buckling and vitrectomy for retinal detachment resulting from flap tears in superior quadrants, *Jpn J Ophthalmol* 2000; 45:187–91
42. El-Asrar AM: Primary vitrectomy for bullous rhegmatogenous retinal detachments due to complex breaks, *Eur J Ophthalmol* 1997; 7:322–6
43. Hoerauf H, Roider J, Herboth T, et al.: Outcome after vitrectomy in rhegmatogenous retinal detachment and dense vitreous opacities, *Klin Monatsbl Augenheilkd* 1997;211:369–74
44. Schmidt JC, Rodrigues EB, Hoerle S, Meyer CH, Kroll P: Primary vitrectomy in complicated rhegmatogenous retinal detachment- a survey of 205 eyes, *Ophthalmologica* 2003; 217: 387-392
45. Girard P, Karpouzas I: Pseudophakic retinal detachment: anatomic and visual results, *Grafe's Arch Clin Exp Ophthalmol* 1995; 233: 324-330
46. Michels RG, Wilkinson CP, Rice TA: Vitreous surgery, In: Klein EA (ed) *Retinal detachment*. Mosby, St. Louis, 1990: pp 761-888
47. Scott IU, Murray TG, Flynn HW, Feuer WJ et al.: Outcomes and complications associated with giant retinal tear management using Perfluoro-n-octane, *Ophthalmology* 2002;109: 1828-1833
48. Wong D, Billington BM, Chignell AH: Pars plana vitrectomy for retinal detachment with unseen retinal holes, *Graefe's Arch Clin Exp Ophthalmol* 1987;225:269–271
49. Oshima Y, Yamanishi S, Sawa M, Motokura M, Harino S, Emi K: Two-year follow-up study comparing primary vitrectomy with scleral buckling for macular-off rhegmatogenous retinal detachment, *Jpn J Ophthalmol* 2000; 44: 538-549
50. Griffith RD, Ryan EA, Hilton GE: Primary retinal detachments without apparent break, *Am. J. Ophthalmol* 1976; 81: 420-27

51. Crich MD, Chignell AH: Treatment of rhegmatogenous detachment without apparent holes, *Trans. Ophthalmic Soc. UK* 1977; 97: 272-4
52. Norton EWD: Retinal detachment in aphakia, *Am. J. Ophthalmol.* 1964; 58: 111-24
53. Craig MG, Sanders RS, Brown GC et al.: Pseudophakic retinal detachments, *Ophthalmology*. 1992; 99: 257-62
54. Kocaoglan H, Uenlue N, Acar MA, Sargin M, Aslan BS, Duman S: Management of rhegmatogenous retinal detachment without detectable breaks, *Clinical and Experimental Ophthalmology* 2002; 30: 415-418
55. Okada K, Sakata H, Mizote H, et al.: Postoperative posterior retinal holes after pars plana vitrectomy for primary retinal detachment, *Retina* 1997;17:99–104
56. Richardson EC, Verma S, Green WT, Woon H, Chignell AH: Primary vitrectomy for rhegmatogenous retinal detachment: an analysis of failure, *Eur J Ophthalmol.* 2000;10:160-166
57. Steinberg RH, Wood I: Pigment epithelia cell ensheathment of cone outer segments in the retina of the domestic cat, *Proc R Soc Lond* 1974; B.187:461-478
58. Anand R, Tasman WS: Nonrhegmatogenous retinal detachment. In: Ryan SJ, Wilkinson CP (eds), *Retina*. Mosby: St Louis, 2001: 3rd edn, Vol 3, pp 2076-2099
59. Li X, Wang J, Zhao J, Li Z, et al.: Incidence and epidemiological characteristics of rhegmatogenous retinal detachment in Beijing, China (Beijing rhegmatogenous retinal detachment study group), *Ophthalmology* 2003; 110: 2413-2417
60. Rowe JA, Erie JC, Baratz KH, Hodge DO, Gray DT, Butterfield L, Robertson DM: Retinal detachment in Osmsted country, Minnesota,1976 through 1995, *Ophthalmology* 1999; 106: 154-159
61. Ghazi NG, Green WR: Pathology and pathogenesis of retinal detachment, *Eye* 2002; 16:411-421
62. Bardbury MJ, Landers MB: Pathogenetic mechanisms of the retina detachment, In: Ryan SJ, Wilkinson CP (eds). *Retina*. Mosby: St Louis, 2001: 3rd edn, Vol 3, pp 1987-1993
63. Byer NE: Changes in prognosis of lattice degeneration of the retina, *Tr Am Acad Ophth and Otol* 1974; 78: 114-125
64. Green WR, Sebag J: Vitreoretinal interface, In: Ryan SJ, Wilkinson CP (eds). *Retina*. Mosby: St Louis, 2001, 3rd edn, Vol 3, pp 1882-1960

65. Byer NE: Clinical study of retinal breaks, *Trans Am Acad Ophthalmol and Otolaryngol* 1967; 71: 461-473
66. Coonan P, Fung WE, Webster RG Jr, et al.: The incidence of retinal detachment following extracapsular cataract extraction. A ten-year study, *Ophthalmology* 1985; 92: 1096-101
67. Kraff MC, Sanders DR: Incidence of retinal detachment following posterior chamber intraocular lens surgery, *J Cataract Refract Surg* 1990; 16: 1477-80
68. Smith PW, Stark WJ, Maumenee AE, et al.: Retinal detachment after extracapsular cataract extraction with posterior chamber intraocular lens, *Ophthalmology* 1987; 94: 495-504
69. Friedman ES, D'amico DJ: Vitrectomy alone for the management of uncomplicated recurrent retinal detachments, *Retina* 1995; 15: 469-474
70. Holekamp NM, Grand MG: Vitrectomy for the management of recurrent retinal detachments, *Curr Opin Ophthalmol* 1997; 8: 44-49
71. Scott IU, Flynn Jr HW, Smiddy WE, Murray TG, Moore JK, Lemus DR, Feuer WJ: Clinical features and outcomes of pars plana vitrectomy in patients with retained lens fragments, *Ophthalmology* 2003; 110: 1567-1572
72. Stefaniotou M, Aspiotis M, Pappa C, Eftaxias V, Psilias K: Timing of dislocated nuclear fragment management after cataract surgery, *J Cataract Refract Surg* 2003; 29: 1985-88
73. Chignell AH, Wong D: Management of vitreoretinal disease: A surgical approach. In: pars plana vitrectomy for other conditions without RRD, Springer,1999: pp: 181-189
74. Chignell AH, Wong D: Management of vitreoretinal disease: A surgical approach, In: pars plana vitrectomy (PPV): Basic set-up. Springer,1999: pp: 127
75. Bonnet M: The development of severe proliferative vitreoretinopathy after retinal detachment surgery. Grade B: a determining risk factor, *Graefes Arch Clin Exp Ophthalmol* 1988; 226:201-5
76. Yoshino Y, Ideta H, Nagasaki H, Uemura A: Comparative study of clinical factors predisposing patients to proliferative vitreoretinopathy, *Retina* 1989;9:97-100
77. Kauffmann DJ, van Meurs JC, Mertens DA, et al.: Cytokines in vitreous humor: interleukin-6 is elevated in proliferative vitreoretinopathy, *Invest Ophthalmol Vis Sci* 1994;35:900-6
78. Limb GA, Little BC, Meager A, et al.: Cytokines in proliferative vitreoretinopathy, *Eye* 1991;5:686 -93

79. Kosnosky W, Li TH, Pakalnis VA, et al.: Interleukin-1-b changes the expression of metalloproteinases in the vitreous humor and induces membrane formation in eyes containing preexisting retinal holes, *Invest Ophthalmol Vis Sci* 1994;35: 4260–7
80. Girard P, Mimoun G, Karpouzas I, Montefiore G: Clinical risk factors for proliferative vitreoretinopathy after retinal detachment surgery, *Retina* 1994;14:417–24
81. Cowley M, Conway BP, Campochiaro PA, et al.: Clinical risk factors for proliferative vitreoretinopathy, *Arch Ophthalmol* 1989; 107: 1147-51.
82. Chignell AH, Fison LG, Davies EW, et al.: Failure in retinal detachment surgery, *Br J Ophthalmol* 1973;57:525–30
83. Bonnet M: Clinical risk factors of vitreoretinal proliferation in rhegmatogenous retinal detachment [review], *J Fr Ophthalmol* 1994;17:530–40
84. Lambrou FH, Burke JM, Aaberg TM: Effect of silicone oil on experimental traction retinal detachment, *Arch Ophthalmol* 1987; 105: 1269-72
85. Lewis H, Burke JM, Abrams GW, et al.: Perisilicone proliferation after vitrectomy for proliferative vitreoretinopathy, *Ophthalmology* 1988; 95: 583-91
86. Kon CH, Asaria RH, Occleston NL, Khan PT, Aylward GW: Risk factors for proliferative vitreoretinopathy after primary vitrectomy: a prospective study, *Br J Ophthalmol* 2000;84: 506–11
87. Asaria RHY, Kon CH, Bunce C, et al.: How to predict proliferative vitreoretinopathy: A prospective study, *Ophthalmology* 2001;108:1184–86
88. Nagasaki H, Shinagawa K, Mochizuki M:Risk factors for proliferative vitreoretinopathy, *Prog.Retin.Eye Res.* 1998;17: 77-98
89. Paster JC, de la Rua RE, Martin F: Proliferative vitreoretinopathy: Risk factors and pathobiology, *Prog.Retin.Eye Res.* 2002; 21: 127-144
90. Margherio RM, Margherio AR: Epiretinal membrane. In: Albert DM, Jakobiec FA, eds. *Principles and practice of ophthalmology*, Philadelphia: W. B. Saunders. 2000: Vol. 3, 2103-10
91. McDonald HR, Johnson RN, Ai E, Schatz H: Macular epiretinal membranes, In: Ryan SJ, Wilkinson CP (eds). *Retina*. Mosby: St Louis, 2001: 3rd edn, Vol 3, pp 2531-46
92. Sheard RM, Sethi C, Gregor Z: Acute macular pucker, *Ophthalmology* 2003;110:1178-84
93. Wilson DJ, Green WR: Histopathologic study of the effect of retinal detachment on 49 eyes obtained postmortem, *Am J Ophthalmol* 1987; 103: 167-79

94. Uemura A, Ideta H, Nagasaki H, et al.: Macular pucker after retinal detachment surgery, *Ophthalmic Surg* 1992; 23:116-9
95. Cox MS, Azen SP, Barr CC, et al.: Macular pucker after successful surgery for proliferative vitreoretinopathy. Silicone study report 8, *Ophthalmology* 1995;102:1884-91
96. Crafoord S, Jemt M, Carlsson JO, et al.: Long-term results of macular pucker surgery, *Acta Ophthalmol Scand* 1997; 75: 85-8
97. Kumar A, Nainiwal S, Choudhary I, Tewari HK, Verma LK: Role of daunorubicin in inhibiting proliferative vitreoretinopathy after retinal detachment surgery, *Clin Experiment Ophthalmol.* 2002; 30: 348-51
98. Asaria RHY, Kon CH, Bunce C, et al.: Adjuvant 5-fluorouracil and heprain prevents proliferative vitreoretinopathy: Results from a randomized, double-blind, controlled clinical trial, *Ophthalmology* 2001;108:1179–83
99. Scott IU, Murray TG, Flynn HW, Smiddy WE, Feuer WJ et al.: Outcomes and complications associated with Perfluoro-n-octane and perfluoroperhydrophenanthrene in complex retinal detachment repair, *Ophthalmology* 2000; 107: 860-865
100. Yoshida A, Ogasawara H, Jalkh AE, et al.: Retinal detachment after cataract surgery. Surgical results, *Ophthalmology* 1992; 99:460-5
101. Lois N, Wong D, Pseudophakic retinal detachment, *Surv Ophthalmol* 2003; 48:467-487
102. Scott IU, Flynn HW, Murray TG, Feuer WJ et al.: Outcomes of surgery for retinal detachment associated with proliferative vitreoretinopathy using Perfluoro-n-octane: A multicenter study, *Ophthalmology* 2003; 136: 454-463
103. Berrod JP, Sautiere B, Robot P, Raspiller A: Retinal detachment after cataract surgery, *Int Ophthalmol* 1997; 20: 301-8
104. Ross WH: Visual recovery after macular-off retinal detachment, *Eye* 2002; 16: 440-446
105. Ross WH, Kozy DW: Visual recovery in macular-off rhegmatogenous retinal detachment, *Ophthalmolgy* 1998; 105: 2149-2153
106. Burton TC: Recovery of visual acuity after retinal detachment involving the macula, *Trans Am Ophthalmol Soc* 1982; 80: 475
107. Hagimura N et al.: Optical coherence tomography of the neurosensory retina in rhegmatogenous retinal detachment, *Am J Ophthalmol* 2000; 129:186-190

108. Kusaka S, Toshino A, Ohashi Y, Sahaue E: Long-term visual recovery after scleral buckling for macular-off retinal detachments, *Jpn J Ophthalmol* 1998; 42:218-222
109. Scott JD: Future perspectives in primary retinal detachment repair, *Eye* 2002;16:349-352.
110. Custodis E: Beobachtungen bei der diathermischen Behandlung der Netzhautablosung und ein Minweis zur Therapie der Amotio retinae, *Ber Deutsch Ophthalmol Ges.* 1952; 57:227
111. Lincoff HA, Baras I, Mclean J: Modifications to the Custodis procedure for retinal detachment, *Arch Ophthalmol.* 1965; 73: 160
112. Hilton GF, Grizzard WS: Pneumatic retinopexy. A two stage outpatient operation without conjuctival incision, *Ophthalmology* 1986; 93: 626-641
113. Machemer R, Aaberg TM, Freeman HM, Irvine AR,Lean JS, Michels RM: An updated classification of retinal detachment with proliferative vitreoretinopathy, *Am J Ophthalmol* 1991; 112: 159-165
114. Haddad WM, Monin C, Morel C, Larricart P, Quesnot S, Ameline B, et al.: Retinal detachment after phakoemulsification: A study of 114 cases, *Am J Ophthalmol* 2002; 133:630-638
115. Bacon AS, Davison CR, Patel BC, et al.: Infective endophthalmitis following vitreoretinal surgery, *Eye* 1993; 7: 529-534
116. Melberg NS, Thomas MA: Visual field loss after pars plana vitrectomy with air/fluid exchange, *Am J Ophthalmol.* 1995; 120:386-388
117. Thompson JA, Snead MP, Billington BM, Barrie T, Thompson JR, Sparrow JM: National audit of the outcome of primary surgery for rhegmatogenous retinal detachment. Clinical outcomes, *Eye* 2002; 16: 771-777
118. Girard P, Karpouzas I, Saade G: Macular fibrosis after surgery of retinal detachment, *J Fr Ophthalmol.* 1996; 19: 335-40
119. Cater JB, Michels RG, Glaser BM, et al.: Iatrogenic retinal breaks complicating pars plana vitrectomy, *Ophthalmology*. 1990; 97: 1114-1119