

## 7 Literaturverzeichnis

1. **Adler, K.; Craighead, J.; Vallyathan, N.; Evans, J. (1981):** Actin-containing cell in human pulmonary fibrosis. *Am J Pathol.* 102: 417-437.
2. **Aglietti, P.; Buzzi, R.; D'Andria, S.; Zaccherotti, G. (1993):** Patellofemoral problems after intraarticular anterior cruciate ligament reconstruction. *Clin Orthop.*, (288): 195-204.
3. **Amiel, D.; Akeson, W.H.; Harwood, F.L.; Frank, C.B. (1983):** Stress deprivation effect on metabolic turnover of the medial collateral ligament collagen. A comparison between nine- and 12-week immobilization. *Clin Orthop Relat Res.*, (172): 265-70.
4. **Amiel, D.; Frank, C.; Harwood, F.; Fronek, J.; Akeson, W. (1984):** Tendons and ligaments: a morphological and biochemical comparison. *J Orthop Res.* 1(3): 257-65.
5. **Amiel, D.; Kleiner, J.B.; Roux, R.D.; Harwood, F.L.; Akeson, W.H. (1986):** The phenomenon of "ligamentization": anterior cruciate ligament reconstruction with autogenous patellar tendon. *J Orthop Res.* 4(2): 162-72.
6. **Andersson, C.; Odensten, M.; Gillquist, J. (1991):** Knee function after surgical or nonsurgical treatment of acute rupture of the anterior cruciate ligament: a randomized study with a long-term follow-up period. *Clin Orthop.*, (264): 255-63.
7. **Andrews, M.; Noyes, F.R.; Barber-Westin, S.D. (1994):** Anterior cruciate ligament allograft reconstruction in the skeletally immature athlete. *Am J Sports Med.* 22(1): 48-54.
8. **Arnoczky, S.P. (1983):** Anatomy of the anterior cruciate ligament. *Clin Orthop.*, (172): 19-25.

9. **Arnoczky, S.P.; Rubin, R.M.; Marshall, J.L. (1979):** Microvasculature of the cruciate ligaments and its response to injury. An experimental study in dogs. *J Bone Joint Surg Am.* 61(8): 1221-9.
10. **Arnoczky, S.P.; Warren, R.F.; Ashlock, M.A. (1986):** Replacement of the anterior cruciate ligament using a patellar tendon allograft. An experimental study. *J Bone Joint Surg Am.* 68(3): 376-85.
11. **Baumgartl, F. (1964):** Verletzungen der Kreuzbänder. *Das Kniegelenk, ed. Baumgartl, F.*
12. **Bhathal, P.S. (1972):** Presence of modified fibroblasts in cirrhotic livers in man. *Pathology.* 4: 139-144.
13. **Bircher, E. (1921):** Die Arthroendoskopie. *Zentralbl Chir.* 48: 1460-1461.
14. **Bircher, E. (1930):** Über Kreuzbandverletzungen. *Zentralbl Chir.* 57: 2207.
15. **Blauth, M.; Harms, D.; Schmidt, D.; Blauth, W. (1984):** Light- and electron-microscopic studies in congenital pseudarthrosis. *Arch Orthop Trauma Surg.* 103(4): 269-77.
16. **Böck, P.; Denk, H. (1989):** Romeis Mikroskopische Technik. 252-261.
17. **Bonnet, A. (1845):** *Traité des maladies des articulations. Baillière, Paris.*
18. **Bonnet, A. (1853):** *Traité de thérapeutique des maladies articulaires. Baillière, Paris:* 354-357.
19. **Bosch, U.; Kasperezyk, W.J. (1993):** The healing process after cruciate ligament repair in the sheep model. *Orthopäde.* 22(6): 366-71.
20. **Brückner, H. (1966):** Eine neue Methode der Kreuzbandplastik. *Chirurg.* 37: 413-414.

21. **Bunker, T.D.; Anthony, P.P. (1995)**: The pathology of frozen shoulder. *J Bone Joint Surg.* 77-B: 677-683.
22. **Buseck, M.S.; Noyes, F.R. (1991)**: Arthroscopic evaluation of meniscal repairs after anterior cruciate ligament reconstruction and immediate motion. *Am J Sports Med.* 19(5): 489-94.
23. **Campbell, W.C. (1936)**: Repair of the ligaments of the knee. *Surg. Gynecol. Obstet.* 62: 964.
24. **Cannon, W.D., Jr.; Vittori, J.M. (1992)**: The incidence of healing in arthroscopic meniscal repairs in anterior cruciate ligament-reconstructed knees versus stable knees. *Am J Sports Med.* 20(2): 176-81.
25. **Chang, S.K.; Egami, D.K.; Shaieb, M.D.; Kan, D.M.; Richardson, A.B. (2003)**: Anterior cruciate ligament reconstruction: allograft versus autograft. *Arthroscopy.* 19(5): 453-62.
26. **Chen, C.H.; Chen, W.J.; Shih, C.H. (1999)**: Arthroscopic anterior cruciate ligament reconstruction with quadriceps tendon-patellar bone autograft. *J Trauma.* 46: 678-682.
27. **Christen, B.; Jakob, R.P. (1992)**: Fractures associated with patellar ligament grafts in cruciate ligament surgery. *J Bone Joint Surg Br.* 74: 617-619.
28. **Claes, L.E.; Ludwig, J.; Margevicius, K.J.; Durselen, L. (1995)**: Biological response to ligament wear particles. *J Appl Biomater.* 6(1): 35-41.
29. **Clancy, W.G., Jr.; Ray, J.M.; Zoltan, D.J. (1988)**: Acute tears of the anterior cruciate ligament. Surgical versus conservative treatment. *J Bone Joint Surg Am.* 70(10): 1483-8.

30. Cole, D.W.; Ginn, T.A.; Chen, G.J.; Smith, B.P.; Curl, W.W.; Martin, D.F.; Poehling, G.G. (2005): Cost comparison of anterior cruciate ligament reconstruction: autograft versus allograft. *Arthroscopy*. 21(7): 786-90.
31. Coons, A.H.; Creech, H.J.; Jones, R.N. (1941): Immunological properties of an antibody containing a fluorescent group. *Proc Soc Exp Biol Med*: 200-202.
32. Corrigan, J.P.; Cashman, W.F.; Brady, M.P. (1992): Proprioception in the cruciate deficient knee. *J Bone Joint Surg Br*. 74(2): 247-50.
33. Corry, I.S.; Webb, J.M.; Clingeleffer, A.J.; Pinczewski, L.A. (1999): Arthroscopic reconstruction of the anterior cruciate ligament. A comparison of patellar tendon autograft and four-strand hamstring tendon autograft. *Am J Sports Med*. 27(4): 444-54.
34. Cross, M.J.; Roger, G.; Kujawa, P.; Anderson, I.F. (1992): Regeneration of the semitendinosus and gracilis tendons following their transection for repair of the anterior cruciate ligament. *Am J Sports Med*. 20(2): 221-3.
35. Dahlstedt, L.; Dalen, N.; Jonsson, U. (1990): Goretex prosthetic ligament vs. Kennedy ligament augmentation device in anterior cruciate ligament reconstruction. A prospective randomized 3-year follow-up of 41 cases. *Acta Orthop Scand*. 61(3): 217-24.
36. Dandy, D.J. (1981): Arthroscopic surgery of the knee, ed. Livingstone, C., Edinburgh, London, New York. 67-68.
37. Daniel, D.M.; Akeson, W.H.; J., O.C.J. (1990): Knee Ligaments - Structure, Function, Injury and Repair. 1 ed, New York: Raven Press. 558.
38. Darnell, J.; Lodish, H.; Baltimore, D. (1990): Molecular Cell Biology, New York: Scientific American Books.

39. **DeLay, B.S.; Smolinski, R.J.; Wind, W.M.; Bowman, D.S. (2001):** Current practices and opinions in ACL reconstruction and rehabilitation. *American Journal of Knee Surgery.* 14: 85-91.
40. **Eberhardt, C.; Jäger, A.; Schwetlick, G.; Rauschmann, M.A. (2002):** Geschichte der Chirurgie des vorderen Kreuzbandes. *Orthopäde.* 31: 702-709.
41. **Engebretsen, L.; Benum, P.; Fasting, O.; Molster, A.; Strand, T. (1990):** A prospective, randomized study of three surgical techniques for treatment of acute ruptures of the anterior cruciate ligament. *Am J Sports Med.* 18(6): 585-90.
42. **Falconiero, R.P.; DiStefano, V.J.; Cook, T.M. (1998):** Revascularization and ligamentization of autogenous anterior cruciate ligament grafts in humans. *Arthroscopy.* 14(2): 197-205.
43. **Faryniarz, D.A.; Chaponnier, C.; Gabbiani, G.; Yannas, I.V.; Spector, M. (1996):** Myofibroblasts in the healing lapine medial collateral ligament: possible mechanisms of contraction. *J Orthop Res.* 14(1): 228-37.
44. **Feagin, J.; Curl, W. (1976):** Isolated tear of the anterior cruciate ligament. 5-year follow-up study. *Am J Sports Med.* 4: 95-100.
45. **Fideler; Vangsness CT, J.; B, L.; C, O.; T, M. (1995):** - Gamma irradiation: effects on biomechanical properties of human. *Am J Sports Med.* 23(5): 643-6.
46. **Fideler, B.M.; Vangsness, C.T., Jr.; Moore, T.; Li, Z.; Rasheed, S. (1994):** Effects of gamma irradiation on the human immunodeficiency virus. A study in frozen human bone-patellar ligament-bone grafts obtained from infected cadavera. *J Bone Joint Surg Am.* 76(7): 1032-5.
47. **Frank, C.B.; Jackson, D.W. (1997):** The science of reconstruction of the anterior cruciate ligament. *J Bone Joint Surg Am.* 79(10): 1556-76.

48. **Freiwald, J.; Engelhardt, M.; Reuter, I.; Gnewuch, A.; Konrad, P. (1998):** Die nervöse Versorgung des Kniegelenks, Sensorische Versorgung - Afferente Fortleitung - Verschaltung - Funktion. *Krankengymnastik.* 50(2): 212-227.
49. **Fu, F.H.; Schulte, K.R. (1996):** Anterior cruciate ligament surgery 1996. State of the art? *Clin Orthop.* (325): 19-24.
50. **Gabbiani, G.; Le Lous, M.; Bailey, A.J.; Bazin, S.; Delaunay, A. (1976):** Collagen and myofibroblasts of granulation tissue. A chemical, ultrastructural and immunologic study. *Virchows Arch B Cell Pathol.* 21: 133-145.
51. **Gabbiani, G.; Majno, G. (1972):** Dupuytren's contracture: fibroblast contraction? An ultrastructural study. *Am J Pathol.* 66: 131-146.
52. **Gabbiani, G.; Ryan, G.B.; Majne, G. (1971):** Presence of modified fibroblasts in granulation tissue and their possible role in wound contraction. *Experientia.* 27(5): 549-50.
53. **Girgis, F.G.; Marshall, J.L.; Monajem, A. (1975):** The cruciate ligaments of the knee joint. Anatomical, functional and experimental analysis. *Clin Orthop.* (106): 216-31.
54. **Goetjes, H. (1913):** Über Verletzungen der Ligamenta cruciata des Kniegelenkes. *Dtsch Z Chir.* 123: 221-289.
55. **Goradia, V.K.; Rochat, M.C.; Kida, M.; Grana, W.A. (2000):** Natural history of a hamstring tendon autograft used for anterior cruciate ligament reconstruction in a sheep model. *Am J Sports Med.* 28(1): 40-6.
56. **Gorschewsky, O.; Browa, A.; Vogel, U.; Stauffer, E. (2002):** Klinisch-histologischer Vergleich des allogenen und autologen Patellarsehnendrittels (Bone-Tendon-Bone) zur Rekonstruktion des vorderen Kreuzbands. *Unfallchirurg.* 105: 703-714.

57. **Grinnel, F.; Zhu, M.; Carlson, M.A.; Abrams, J.M. (1999):** Release of mechanical tension triggers apoptosis of human fibroblasts in a model of regressing granulation tissue. *ORS.* 248: 608-619.
58. **Grüber, J.; Wolter, D.; Lierse, W. (1986):** Der vordere Kreuzbandreflex. *Unfallchirurg.* 89: 551-554.
59. **Halata, Z.; Wagner, C.; Baumann, K.I. (1999):** Sensory nerve endings in the anterior cruciate ligament (Lig. cruciatum anterius) of sheep. *Anat Rec.* 254(1): 13-21.
60. **Hamner, D.L.; Brown, C.H., Jr.; Steiner, M.E.; Hecker, A.T.; Hayes, W.C. (1999):** Hamstring tendon grafts for reconstruction of the anterior cruciate ligament: biomechanical evaluation of the use of multiple strands and tensioning techniques. *J Bone Joint Surg Am.* 81(4): 549-57.
61. **Harner, C.D.; Baek, G.H.; Vogrini, T.M.; Carlin, G.J.; Kashiwaguchi, S.; Woo, S.L. (1999):** Quantitative analysis of human cruciate ligament insertions. *Arthroscopy.* 15(7): 741-9.
62. **Harner, C.D.; Olson, E.; Irrgang, J.J.; Silverstein, S.; Fu, F.H.; Silbey, M. (1996):** Allograft versus autograft anterior cruciate ligament reconstruction: 3- to 5-year outcome. *Clin Orthop,* (324): 134-44.
63. **Harris, A.K.; Stopak, D.; Wild, P. (1981):** Fibroblast traction as a mechanism for collagen morphogenesis. *Nature.* 290(5803): 249-51.
64. **Harris, N.L.; Indelicato, P.A.; Bloomberg, M.S.; Meister, K.; Wheeler, D.L. (2002):** Radiographic and histologic analysis of the tibial tunnel after allograft anterior cruciate ligament reconstruction in goats. *Am J Sports Med.* 30(3): 368-73.
65. **Haus, J.; Halata, Z.; Refior, H.J. (1992):** Proprioception in the anterior cruciate ligament of the human knee joint--morphological bases. A light, scanning and transmission electron microscopy study. *Z Orthop Ihre Grenzgeb.* 130(6): 484-94.

66. **Henne, C.** www.pathologie-online.de. *Fa. DAKO, Hamburg.*
67. **Hey-Groves, E.W. (1917):** Operation for repair of the crucial ligaments. *Lancet.* 2: 674.
68. **Hildebrand, K.A.; Sutherland, C.; Zhang, M. (2004):** Rabbit knee model of post-traumatic joint contractures: the long-term natural history of motion loss and myofibroblasts. *J Orthop Res.* 22(2): 313-20.
69. **Hinz, B.; Mastrangelo, D.; Iselin, C.E.; Chaponnier, C.; Gabbiani, G. (2001):** Mechanical tension controls granulation tissue contractile activity and myofibroblast differentiation. *Am J Pathol.* 159(3): 1009-20.
70. **Hoffmann, F.; Haegle, U. (1993):** Transplantat-Knochen-Verbindung nach Augmentation des vorderen Kreuzbands durch die autologe Semitendinossehne. *Arthroskopie.* 6: 164-168.
71. **Hoffmann, M.W.; Wening, J.V.; Apel, R.; Jungbluth, K.H. (1993):** Repair and reconstruction of the anterior cruciate ligament by the "Sandwich technique". A comparative microangiographic and histological study in the rabbit. *Arch Orthop Trauma Surg.* 112(3): 113-20.
72. **Hoffmann, R.F.; Peine, R.; Bail, H.J.; Sudkamp, N.P.; Weiler, A. (1999):** Initial fixation strength of modified patellar tendon grafts for anatomic fixation in anterior cruciate ligament reconstruction. *Arthroscopy.* 15(4): 392-9.
73. **Hunt, P. (2003):** Elektronenmikroskopische Analyse des Remodeling eines freien sehnentransplantates nach Ersatz des vorderen Kreuzbandes unter lokalem Einfluss von platelet- derived growth factor (PDGF-BB). *Dissertation.* in Centrum für Muskuloskeletale Chirurgie. Charité - Universitätsmedizin Berlin.
74. **Hunt, P.; Rehm, O.; Weiler, A. (2006):** Soft tissue graft interference fit fixation: observations on graft insertion site healing and tunnel remodeling 2 years after ACL reconstruction in sheep. *Knee Surg Sports Traumatol Arthrosc.*

75. **Hunt, P.; Scheffler, S.U.; Unterhauser, F.N.; Weiler, A. (2005)**: A model of soft-tissue graft anterior cruciate ligament reconstruction in sheep. *Arch Orthop Trauma Surg.* 125(4): 238-48.
76. **Hunt, P.; Unterhauser, F.N.; Strobel, M.J.; Weiler, A. (2005)**: Development of a perforated biodegradable interference screw. *Arthroscopy*. 21(3): 258-65.
77. **Ishibashi, Y.; Rudy, T.W.; Livesay, G.A.; Stone, J.D.; Fu, F.H.; Woo, S.L. (1997)**: The effect of anterior cruciate ligament graft fixation site at the tibia on knee stability: evaluation using a robotic testing system. *Arthroscopy*. 13(2): 177-82.
78. **Izquierdo, R., Jr.; Cadet, E.R.; Bauer, R.; Stanwood, W.; Levine, W.N.; Ahmad, C.S. (2005)**: A survey of sports medicine specialists investigating the preferred management of contaminated anterior cruciate ligament grafts. *Arthroscopy*. 21(11): 1348-53.
79. **Jackson; GE, W.; TM, S. (1990)**: - Intraarticular reaction associated with the use of freeze-dried, ethylene. *Am J Sports Med.* 18(1): 1-10.
80. **Jackson, D.W.; Grood, E.S.; Goldstein, J.D.; Rosen, M.A.; Kurzweil, P.R.; Cummings, J.F.; Simon, T.M. (1993)**: A comparison of patellar tendon autograft and allograft used for anterior cruciate ligament reconstruction in the goat model. *Am J Sports Med.* 21(2): 176-85.
81. **Järvelä, T.; Paakkala, T.; Kannus, P.; Järvinen, M. (2001)**: The incidence of patellofemoral osteoarthritis and associated findings 7 years after anterior cruciate ligament reconstruction with a bone-patellar tendon-bone autograft. *Am J Sports Med.* 29(1): 18-24.
82. **Jensen, K.; Klein, W. (1990)**: Probleme und Komplikationen beim künstlichen Kreuzbandsatz. *Arthroscopy*. 3: 15-23.

83. **Johansson, H.; Sjolander, P.; Sojka, P. (1986):** Actions on gamma-motoneurones elicited by electrical stimulation of joint afferent fibres in the hind limb of the cat. *J Physiol.* 375: 137-52.
84. **Johansson, H.; Sjolander, P.; Sojka, P. (1991):** A sensory role for the cruciate ligaments. *Clin Orthop.* (268): 161-78.
85. **Jones, R. (1916):** Disabilities of the knee joint. *BMJ.* 2: 925-932.
86. **Junqueira, L.C.; Carneiro, J.; Schiebler, T.H. (2002):** Histologie: Springer Verlag Berlin.
87. **Kaplan, N.; Wickiewicz, T.L.; Warren, R.F. (1990):** Primary surgical treatment of anterior cruciate ligament ruptures. A long-term follow-up study. *Am J Sports Med.* 18: 354-358.
88. **Kartus, J.; Stener, S.; Lindahl, S.; al., e. (1997):** Factors affecting donor-site morbidity after anterior cruciate ligament reconstruction using bone-patellar tendon-bone autografts. *Knee Surg Sports Traumatol Arthrosc.* 5: 222-228.
89. **Keene, G.C.; Bickerstaff, D.; Rae, P.J.; Paterson, R.S. (1993):** The natural history of meniscal tears in anterior cruciate ligament insufficiency. *Am J Sports Med.* 21(5): 672-9.
90. **Kennedy, J.C.; Weinberg, H.W.; Wilson, A.S. (1974):** The anatomy and function of the anterior cruciate ligament. As determined by clinical and morphological studies. *J Bone Joint Surg Am.* 56(2): 223-35.
91. **Kieser, C.; Jackson, R. (2001):** Severin Nordentoft: The First Arthroscopist. *Arthroscopy.* 17(5): 532-535.
92. **Kirkpatrick, J.S.; Seaber, A.V.; Glisson, R.R.; Bassett, F.H., 3rd (1996):** Cryopreserved anterior cruciate ligament allografts in a canine model. *J South Orthop Assoc.* 5(1): 20-9.

93. **Klein, W.; Jensen, K.U. (1992):** Synovitis and artificial ligaments. *Arthroscopy*. 8(1): 116-24.
94. **Kleipool, A.E.; Zijl, J.A.; Willems, W.J. (1998):** Arthroscopic anterior cruciate ligament reconstruction with bone-patellar tendon-bone allograft or autograft. A prospective study with an average follow up of 4 years. *Knee Surg Sports Traumatol Arthrosc.* 6(4): 224-30.
95. **Kohn, D. (1986):** Arthroscopy in acute injuries of anterior cruciate-deficient knees: fresh and old intraarticular lesions. *Arthroscopy*. 2(2): 98-102.
96. **Kohn, D.; Schneider, G.; Dienst, M.; Rupp, S. (2002):** Diagnostik der Ruptur des vorderen Kreuzbandes. *Orthopäde*. 31: 719-730.
97. **Kustos, T.; Balint, L.; Than, P.; Bardos, T. (2004):** Comparative study of autograft or allograft in primary anterior cruciate ligament reconstruction. *Int Orthop*.
98. **Lane, J.G.; McFadden, P.; Bowden, K.; Amiel, D. (1993):** The ligamentization process: a 4 year case study following ACL reconstruction with a semitendinosis graft. *Arthroscopy*. 9(2): 149-53.
99. **Lange, M. (1949):** Behandlung von Gelenkschäden, in *Unfallorthopädie*, Lange, M., Editor. 1949, Enke: Stuttgart. p. S. 263.
100. **Lindemann, K. (1950):** Über den plastischen Ersatz der Kreuzbänder durch gestielte Sehnenverpflanzung. *Z Orthop Ihre Grenzgeb*. 79: 316-334.
101. **Lobenhoffer, P.; Tscherne, H. (1993):** Die Ruptur des vorderen Kreuzbandes. *Unfallchirurg*. 96: 150-168.
102. **MacDonald, P.B.; Hedden, D.; Pacin, O.; Huebert, D. (1995):** Effects of an accelerated rehabilitation program after anterior cruciate ligament reconstruction with

- combined semitendinosus-gracilis autograft and a ligament augmentation device. *Am J Sports Med.* 23(5): 588-92.
103. **Macey, H.B. (1939):** A new operative procedure for repair of ruptured cruciate ligaments of the knee joint. *Surg Gynecol Obstet.* 69: 108-109.
104. **Malinin, T.I.; Levitt, R.L.; Bashore, C.; Temple, H.T.; Mnaymneh, W. (2002):** A study of retrieved allografts used to replace anterior cruciate ligaments. *Arthroscopy.* 18(2): 163-70.
105. **Masur, S.K.; Dewal, H.S.; Dinh, T.T.; Erenburg, I.; Petridou, S. (1996):** Myofibroblasts differentiate from fibroblasts when plated at low density. *Proc Natl Acad Sci U S A.* 93(4219-4223).
106. **McPherson, G.K.; Mendenhall, H.V.; Gibbons, D.F.; Plenk, H.; Rottmann, W.; Sanford, J.B.; Kennedy, J.C.; Roth, J.H. (1985):** Experimental mechanical and histologic evaluation of the Kennedy ligament augmentation device. *Clin Orthop,* (196): 186-95.
107. **Miyasaka, K.C.; Daniel, D.M.; Stone, M.L.; Hirshman, P. (1991):** The incidence of knee ligament injuries in the general population. *American Journal of Knee Surgery.* 4(1): 3-8.
108. **Mochitate, K.; Pawelek, P.; Grinnell, F. (1991):** Stress relaxation of contracted collagen gels: disruption of actin filament bundles, release of cell surface fibronectin, and down-regulation of DNA and protein synthesis. *ORS.* 193: 198-207.
109. **Muellner, T.; Kaltbrunner, W.; Nikolic, A.; Mittlboeck, M.; Schabus, R.; Vescei, V. (1998):** Shortening of the patella tendon after anterior cruciate ligament reconstruction. *Arthroscopy.* 14: 444-454.
110. **Murray, M.M.; Martin, M.M.; Martin, T.L.; Spector, M. (2000):** Histological changes in the human anterior cruciate ligament after rupture. *J Bone Joint Surg Am.* 82-A(10): 1387-1397.

111. **Murray, M.M.; Spector, M. (1999):** Fibroblast distribution in the anteromedial bundle of the human anterior cruciate ligament: the presence of alpha-smooth muscle actin- positive cells. *J Orthop Res.* 17(1): 18-27.
112. **Murray, M.M.; Weiler, A.; Spindler, K.P. (2004):** Interspecies variation in the fibroblast distribution of the anterior cruciate ligament. *Am J Sports Med.* 32(6): 1484-91.
113. **Nagano, J.; Shino, K.; Maeda, A.; Nakata, K.; Horibe, S. (1996):** The remodelling process of allogeneic and autogenous patellar tendon grafts in rats: a radiochemical study. *Arch Orthop Trauma Surg.* 115(1): 10-6.
114. **Nikolaou, P.K.; Seaber, A.V.; Glisson, R.R.; Ribbeck, B.M.; Bassett, F.H., 3rd (1986):** Anterior cruciate ligament allograft transplantation. Long-term function, histology, revascularization, and operative technique. *Am J Sports Med.* 14(5): 348-60.
115. **Noesberger, B. (1990):** Diagnose der frischen Ruptur und Erscheinungsbild der chronischen vorderen Instabilität, in *Kniegelenk und Kreuzbänder*, Jakob, R.P.; Stäubli, H.U., Editors. 1990, Springer-Verlag: Berlin Heidelberg. p. 145-159.
116. **Noyes, F.R.; Barber-Westin, S.D. (1996):** Revision anterior cruciate ligament surgery: experience from Cincinnati. *Clin Orthop Relat Res.* (325): 116-29.
117. **O'Donoghue, D. (1950):** Surgical treatment of fresh injuries to the major ligaments of the knee. *J Bone Joint Surg Am.* 32: 721-238.
118. **Odensten, M.; Gillquist, J. (1985):** Functional anatomy of the anterior cruciate ligament and a rationale for reconstruction. *J Bone Joint Surg Am.* 67(2): 257-62.
119. **Odensten, M.; Lysholm, J.; Gillquist, J. (1984):** Suture of fresh ruptures of anterior cruciate ligament. A 5-year follow-up. *Acta Orthop Scand.* 55: 270-272.

120. **Ouweleen, K.M.; McElroy, J.J. (1995)**: A unique complication following arthroscopic anterior cruciate ligament reconstruction [see comments]. *Arthroscopy*. 11(2): 225-8.
121. **Papageorgiou, C.D.; Ma, C.B.; Abramowitch, S.D.; Clineff, T.D.; Woo, S.L. (2001)**: A multidisciplinary study of the healing of an intraarticular anterior cruciate ligament graft in a goat model. *Am J Sports Med*. 29(5): 620-6.
122. **Papandrea, P.; Vulpiani, M.C.; Ferretti, A.; Conteduca, F. (2000)**: Regeneration of the semitendinosus tendon harvested for anterior cruciate ligament reconstruction. *Am J Sports Med*. 28(4): 556-561.
123. **Perthes, G. (1926)**: Über die Wiederbefestigung des abgerissenen vorderen Kreuzbandes im Kniegelenk. *Zentralbl Chir*. 53: 866-872.
124. **Petersen, W.; Tillmann, B. (1999)**: Structure and vascularization of the cruciate ligaments of the human knee joint. *Anat Embryol (Berl)*. 200(3): 325-34.
125. **Petersen, W.; Tillmann, B. (2002)**: Anatomie und Funktion des vorderen Kreuzbandes. *Orthopäde*. 31: 710-718.
126. **Petersen, W.; Unterhauser, F.; Pufe, T.; Zantop, T.; Südkamp, N.P.; Weiler, A. (2003)**: The angiogenic peptide vascular endothelial growth factor (VEGF) is expressed during the remodeling of free tendon grafts in sheep. *Arch Orthop Trauma Surg*. 123(4): 168-74.
127. **Peterson, R.K.; Shelton, W.R.; Bomboy, A.L. (2001)**: Allograft versus autograft patellar tendon anterior cruciate ligament reconstruction: A 5-year follow-up. *Arthroscopy*. 17(1): 9-13.
128. **Poehling, G.G.; Curl, W.W.; Lee, C.A.; Ginn, T.A.; Rushing, J.T.; Naughton, M.J.; Holden, M.B.; Martin, D.F.; Smith, B.P. (2005)**: Analysis of outcomes of anterior cruciate ligament repair with 5-year follow-up: allograft versus autograft. *Arthroscopy*. 21(7): 774-85.

129. **Pruss; UB, G.; G, P.; M, K.; M, S.; HJ, M.; A, H.; R, v.V. (2003):** - Peracetic acid-ethanol treatment of allogeneic avital bone tissue. *Ann Transplant.* 8(2): 34-42.
130. **Putz, R.; Pabst, R. (1997):** Sobotta - Atlas der Anatomie des Menschen: *Urban & Schwarzenberg.*
131. **Radford, W.J.P.; Amis, A.A.; Stead, A.C. (1996):** The ovine stifle as a model for human cruciate ligament surgery. *Veterinary and Comparative Orthopaedics and Traumatology.* 9: 134-139.
132. **Riechert, K.; Labs, K.; Lindenhayn, K.; Sinha, P. (2001):** Semiquantitative analysis of types I and III collagen from tendons and ligaments in a rabbit model. *J Orthop Sci.* 6(1): 68-74.
133. **Rispoli, D.M.; Sanders, T.G.; Miller, M.D.; Morrison, W.B. (2001):** Magnetic resonance imaging at different time periods following hamstring harvest for anterior cruciate ligament reconstruction. *Arthroscopy.* 17(1): 2-8.
134. **Robson, A.M. (1903):** Ruptured crucial ligaments and their repair by operation. *Ann Surg.* 37: 716-718.
135. **Roos, H.; Ornell, M.; Gardsell, P.; Lohmander, L.S.; Lindstrand, A. (1995):** Soccer after anterior cruciate ligament injury--an incompatible combination? A national survey of incidence and risk factors and a 7-year follow-up of 310 players. *Acta Orthop Scand.* 66(2): 107-12.
136. **Rosenberg, L.S.; Sherman, M.F. (1992):** Meniscal injury in the anterior cruciate-deficient knee. A rationale for clinical decision-making. *Sports Med.* 13(6): 423-32.
137. **Rosenberg, T.D.; Franklin, J.L.; Baldwin, G.N.; Nelson, K.A. (1992):** Extensor mechanism function after patellar tendon graft harvest for anterior cruciate ligament reconstruction. *Am J Sports Med.* 20(5): 519-25; discussion 525-6.

138. **Rubinstein, R.A., Jr.; Shelbourne, K.D.; VanMeter, C.D.; McCarroll, J.C.; Rettig, A.C. (1994)**: Isolated autogenous bone-patellar tendon-bone graft site morbidity. *Am J Sports Med.* 22(3): 324-7.
139. **Rushton, N.; Dandy, D.J.; Naylor, C.P. (1983)**: The clinical, arthroscopic and histological findings after replacement of the anterior cruciate ligament with carbon-fibre. *J Bone Joint Surg Br.* 65(3): 308-9.
140. **Ryan, G.B.; al., e. (1974)**: Myofibroblasts in human granulation tissue. *Hum Pathol.* 5: 55-67.
141. **Sakane, M.; Fox, R.J.; Woo, S.L.; Livesay, G.A.; Li, G.; Fu, F.H. (1997)**: In situ forces in the anterior cruciate ligament and its bundles in response to anterior tibial loads. *J Orthop Res.* 15(2): 285-93.
142. **Samuelson, T.S.; Drez, D.; Maletis, G.B. (1996)**: Anterior cruciate ligament graft rotation - reproduction of normal graft rotation. *Am J Sports Med.* 24: 67-71.
143. **Scheffler, S.; Chwastek, H.; Schönfelder, V.; Unterhauser, F.; Hunt, P.; Weiler, A. (2005)**: The impact of radiofrequency shrinkage on the mechanical and histologic properties of the elongated anterior cruciate ligament in a sheep model. *Arthroscopy.* 21(8): 923-33.
144. **Scheffler, S.U.; Südkamp, N.P.; Gockenjan, A.; Hoffmann, R.F.; Weiler, A. (2002)**: Biomechanical comparison of hamstring and patellar tendon graft anterior cruciate ligament reconstruction techniques: The impact of fixation level and fixation method under cyclic loading. *Arthroscopy.* 18(3): 304-15.
145. **Schürch, W.; Seemayer, T.A.; Gabbiani, G. (1998)**: The Myofibroblast: A Quarter Century After Its Discovery. *The American Journal of Surgical Pathology.* 22(2): 141-147.
146. **Schutte, M.J.; Dabezies, E.J.; Zimny, M.L.; Happel, L.T. (1987)**: Neural anatomy of the human anterior cruciate ligament. *J Bone Joint Surg [Am].* 69(2): 243-7.

147. **Seemayer, T.A.; Lagace, R.; Schürch, W.; Tremblay, G. (1979):** Myofibroblasts in the stroma of invasive and metastatic carcinoma: a possible host response to neoplasia. *Am J Surg Pathol.* 3: 525-533.
148. **Serini, G.; Gabbiani, G. (1999):** Mechanisms of myofibroblast activity and phenotypic modulation. *ORS.* 250(2): 273-83.
149. **Shelbourne, K.D.; Klootwyk, T.E.; Wilckens, J.H.; De Carlo, M.S. (1995):** Ligament stability two to six years after anterior cruciate ligament reconstruction with autogenous patellar tendon graft and participation in accelerated rehabilitation program. *Am J Sports Med.* 23(5): 575-9.
150. **Shelton, W.R.; Papendick, L.; Dukes, A.D. (1997):** Autograft versus allograft anterior cruciate ligament reconstruction. *Arthroscopy.* 13(4): 446-9.
151. **Shelton, W.R.; Treacy, S.H.; Dukes, A.D.; Bomboy, A.L. (1998):** Use of allografts in knee reconstruction: surgical considerations. *Journal of the American Academy of Orthopaedic Surgeons.* 6(3): 169-175.
152. **Shino, K.; Inoue, M.; Horibe, S.; Hamada, M.; Ono, K. (1990):** Reconstruction of the anterior cruciate ligament using allogeneic tendon. Long-term followup. *Am J Sports Med.* 18(5): 457-65.
153. **Shino, K.; Kawasaki, T.; Hirose, H.; Gotoh, I.; Inoue, M.; Ono, K. (1984):** Replacement of the anterior cruciate ligament by an allogeneic tendon graft. An experimental study in the dog. *J Bone Joint Surg Br.* 66(5): 672-81.
154. **Shino, K.; Kimura, T.; Hirose, H.; Inoue, M.; Ono, K. (1986):** Reconstruction of the anterior cruciate ligament by allogeneic tendon graft. An operation for chronic ligamentous insufficiency. *J Bone Joint Surg Br.* 68(5): 739-46.

155. **Shino, K.; Nakata, K.; Horibe, S.; Inoue, M.; Nakagawa, S. (1993):** Quantitative evaluation after arthroscopic anterior cruciate ligament reconstruction. Allograft versus autograft. *Am J Sports Med.* 21(4): 609-16.
156. **Shino, K.; Oakes, B.W.; Horibe, S.; Nakata, K.; Nakamura, N. (1995):** Collagen fibril populations in human anterior cruciate ligament allografts. Electron microscopic analysis. *Am J Sports Med.* 23(2): 203-8; discussion 209.
157. **Siebold, R.; Buelow, J.-U.; Boes, L.; Ellerman, A. (2002):** Allogene Transplantate zur Rekonstruktion des vorderen Kreuzbandes bei Primär - und Revisionseingriffen. *Zentralbl Chir.* 127: 850-854.
158. **Simank, H.G.; Graf, J.; Schneider, U.; Fromm, B.; Niethard, F.U. (1995):** [Demonstration of the blood supply of human cruciate ligaments using the plastination method]. *Z Orthop Ihre Grenzgeb.* 133(1): 39-42.
159. **Simonian, P.T.; Harrison, S.D.; Cooley, V.J.; Escabedo, E.M.; Deneka, D.A.; Larson, R.V. (1997):** Assessment of morbidity of semitendinosus and gracilis tendon harvest for ACL reconstruction. *Am J Knee Surg.* 10(2): 54-9.
160. **Skalli, O.; Pelte, M.F.; Peclet, M.C.; Gabbiani, G.; Gugliotta, P.; Bussolati, G.; Ravazzola, M.; Orci, L. (1989):** Alpha-smooth muscle actin, a differentiation marker of smooth muscle cells, is present in microfilamentous bundles of pericytes. *J Histochem Cytochem.* 37(3): 315-21.
161. **Sommerlath, K.; Lysholm, J.; Gillquist, J. (1991):** The long-term course after treatment of acute anterior cruciate ligament ruptures. A 9 to 16 year followup. *Am J Sports Med.* 19(2): 156-62.
162. **Stark, J. (1850):** Two cases of ruptured crucial ligaments of the knee-joint. *Med Surg (Edinburgh).* 5: 267-271.
163. **Staubli, H.U.; Schatzmann, L.; Brunner, P.; Rincon, L.; Nolte, L.P. (1996):** Quadriceps tendon and patellar ligament: cryosectional anatomy and structural

- properties in young adults. *Knee Surgery, Sports Traumatology, Arthroscopy.* 4(2): 100-10.
164. **Stein, K.H.; Flenker, H. (1998):** Basiswissen Histologie und Zytologie: *Umschau Zeitschriftenverlag.*
165. **Steinbrück, K. (1987):** Epidemiologie von Sportverletzungen, 15-Jahres-Analyse einer sportorthopädischen Ambulanz. *Sportverl. Sportschad.* 1: 2-12.
166. **Stringham, D.R.; Pelmas, C.J.; Burks, R.T.; Newman, A.P.; Marcus, R.L. (1996):** Comparison of anterior cruciate ligament reconstructions using patellar tendon autograft or allograft. *Arthroscopy.* 12(4): 414-21.
167. **Südkamp, N.P.; Haas, N.P. (2000):** Neue Wege in der Kreuzbandchirurgie. *Chirurg,* (71): 1024-1033.
168. **Tackman, W. (1994):** Das Binde und Stützgewebe, in In: *Auxilium-Repetitorien der Histologie I.* 1994: Berlin. p. 58-89.
169. **Thorson, E.; Rodrigo, J.J.; Vasseur, P.; Sharkey, N.; Heitter, D. (1989):** Replacement of the anterior cruciate ligament. A comparison of autografts and allografts in dogs. *Acta Orthop Scand.* 60(5): 555-60.
170. **Tillmann, B. (1974):** Zur funktionellen Morphologie er Gelenkentwicklung. *Orthop Prax.* 12: 328-342.
171. **Tomasek, J.J.; Gabbiani, G.; Hinz, B.; Chaponnier, C.; Brown, R.A. (2002):** Myofibroblasts and mechano-regulation of connective tissue remodelling. *Nat Rev Mol Cell Biol.* 3(5): 349-63.
172. **Tomasek, J.J.; Haaksama, C.J.; Eddy, R.J.; Vaughan, M.B. (1992):** Fibroblast contraction occurs on release of tension in attached collagen lattices: dependency on an organized actin cytoskeleton and serum. *Anat Rec.* 232: 359-368.

173. **Tomita, F.; Yasuda, K.; Mikami, S.; Sakai, T.; Yamazaki, S.; Tohyama, H. (2001):** Comparisons of intraosseous graft healing between the doubled flexor tendon graft and the bone-Patellar tendon-Bone graft in anterior cruciate ligament reconstruction. *Arthroscopy*. 17(5): 461-76.
174. **Tsuda, E.; Okamura, Y.; Otsuka, H.; Komatsu, T.; Tokuya, S. (2001):** Direct evidence of the anterior cruciate ligament-hamstring reflex arc in humans. *Am J Sports Med.* 29(1): 83-7.
175. **Unterhauser, F.N.; Bail, H.J.; Höher, J.; Haas, N.P.; Weiler, A. (2003):** Endoligamentous revascularization of an anterior cruciate ligament graft. *Clin Orthop*, (414): 276-88.
176. **Verth, Z. (1933):** Aussprache 27. Kongress, 5.-7. Sept. 1932, Mannheim. *Verh Dtsch Orthop Ges*: 268-270.
177. **Victor, J.; Bellemans, J.; Witvrouw, E.; Govaers, K.; Fabry, G. (1997):** Graft selection in anterior cruciate ligament reconstruction--prospective analysis of patellar tendon autografts compared with allografts. *Int Orthop.* 21(2): 93-7.
178. **Vorlat, P.; Verdonk, R.; Arnauw, G. (1999):** Long-term results of tendon allografts for anterior cruciate ligament replacement in revision surgery and in cases of combined complex injuries. *Knee Surg Sports Traumatol Arthrosc.* 7(5): 318-22.
179. **Wallace, M.P.; Howell, S.M.; Hull, M.L. (1997):** In vivo tensile behavior of a four-bundle hamstring graft as a replacement for the anterior cruciate ligament. *J Orthop Res.* 15(4): 539-45.
180. **Warren, R.F. (1990):** Meniscectomy and repair in the anterior cruciate ligament-deficient patient. *Clin Orthop*, (252): 55-63.
181. **Watanabe, M.S.; Takeda, H.; Ikeuchi, H. (1970):** Atlas of arthroscopy, Berlin Heidelberg: Springer.

182. **Weiler, A.; Forster, C.; Hunt, P.; Falk, R.; Jung, T.; Unterhauser, F.N.; Bergmann, V.; Schmidmaier, G.; Haas, N.P. (2004)**: The influence of locally applied platelet-derived growth factor-BB on free tendon graft remodeling after anterior cruciate ligament reconstruction. *Am J Sports Med.* 32(4): 881-91.
183. **Weiler, A.; Hoffmann, R.F.; Bail, H.J.; Rehm, O.; Südkamp, N.P. (2002)**: Tendon healing in a bone tunnel. Part II: Histologic analysis after biodegradable interference fit fixation in a model of anterior cruciate ligament reconstruction in sheep. *Arthroscopy.* 18(2): 124-35.
184. **Weiler, A.; Hoffmann, R.F.; Stahelin, A.C.; Bail, H.J.; Siepe, C.J.; Südkamp, N.P. (1998)**: Hamstring tendon fixation using interference screws: a biomechanical study in calf tibial bone. *Arthroscopy.* 14(1): 29-37.
185. **Weiler, A.; Hoffmann, R.F.; Südkamp, N.P.; Siepe, C.J.; Haas, N.P. (1999)**: Ersatz des vorderen Kreuzbands. Biomechanische Untersuchungen zur Patellar- und Semitendinosussehnenverankerung mit einer Poly (D,L-Laktid)-Interferenzschraube. *Unfallchirurg.* 102(2): 115-23.
186. **Weiler, A.; Peine, R.; Pashmineh-Azar, A.; Abel, C.; Südkamp, N.P.; Hoffmann, R.F. (2002)**: Tendon healing in a bone tunnel. Part I: Biomechanical results after biodegradable interference fit fixation in a model of anterior cruciate ligament reconstruction in sheep. *Arthroscopy.* 18(2): 113-23.
187. **Weiler, A.; Peters, G.; Mäurer, J.; Unterhauser, F.N.; Südkamp, N.P. (2001)**: Biomechanical properties and vascularity of an anterior cruciate ligament graft can be predicted by contrast-enhanced magnetic resonance imaging. A two-year study in sheep. *Am J Sports Med.* 29(6): 751-61.
188. **Weiler, A.; Richter, M.; Schmidmaier, G.; Kandziora, F.; Südkamp, N. (2001)**: The endopearl device increases fixation strength and eliminates construct slippage of hamstring tendon grafts with interference screw fixation. *Arthroscopy.* 17(4): 353-359.

189. **Weiler, A.; Scheffler, S.; Höher, J. (2002)**: Transplantatauswahl für den primären Ersatz des vorderen Kreuzbandes. *Der Orthopäde*. 8: 731-740.
190. **Weiler, A.; Unterhauser, F.N.; Bail, H.J.; Huning, M.; Haas, N.P. (2002)**: Alpha-smooth muscle actin is expressed by fibroblastic cells of the ovine anterior cruciate ligament and its free tendon graft during remodeling. *J Orthop Res*. 20(2): 310-7.
191. **Weimann, A.; Zantop, T.; Rummler, M.; Hassenpflug, J.; Petersen, W. (2003)**: Primary stability of bone-patellar tendon-bone graft fixation with biodegradable pins. *Arthroscopy*. 19(10): 1097-102.
192. **Wilhelm, S.M.; Eisen, A.Z.; Teter, M.; Clark, S.D.; Kronberger, A.; Goldberg, G. (1986)**: Human fibroblast collagenase: glycosylation and tissue-specific levels of enzyme synthesis. *Proc Natl Acad Sci U S A*. 83(11): 3756-60.
193. **Wilk, R.M.; Richmond, J.C. (1993)**: Dacron ligament reconstruction for chronic anterior cruciate ligament insufficiency. *Am J Sports Med*. 21: 374-379.
194. **Woo, S.L.; Sakane, M.; Rudy, T.; Fox, R.; Fu, F. (1997)**: Comparison of bone-patellar tendon-bone versus quadruple-hamstrings tendon, for anterior cruciate (acl) reconstruction. *Trans Orthop Res Soc*. 43: 99.
195. **Yang, L.; al., e. (2001)**: Healing of burn wounds in transgenic mice overexpressing transforming growth factor $\beta$ -1 in the epidermis. *Am J Pathol*. 159: 2147-2157.
196. **Yasuda, K.; Hayashi, K. (1997)**: Remodeling of Tendon Autograft in Ligament Reconstruction, in *Biomechanics: Functional Adaptation and Remodeling*. 1997, Springer: Heidelberg, New York. p. 214-250.
197. **Yasuda, K.; Tsujino, J.; Ohkoshi, Y.; Tanabe, Y.; Kaneda, K. (1995)**: Graft site morbidity with autogenous semitendinosus and gracilis tendons. *Am J Sports Med*. 23(6): 706-14.

198. **Yasuda, K.; Tsujino, J.; Tanabe, Y.; Kaneda, K. (1997)**: Effects of initial graft tension on clinical outcome after anterior cruciate ligament reconstruction. Autogenous doubled hamstring tendons connected in series with polyester tapes. *Am J Sports Med.* 25(1): 99-106.
199. **Yoshiya, S.; Nagano, M.; Kurosaka, M.; Muratsu, H.; Mizuno, K. (2000)**: Graft healing in the bone tunnel in anterior cruciate ligament reconstruction. *Clinical Orthopaedics and Related Research*, (376): 278-86.
200. **Zantop, T.; Welbers, B.; Weimann, A.; Rummler, M.; Hedderich, J.; Musahl, V.; Petersen, W. (2004)**: Biomechanical evaluation of a new cross-pin technique for the fixation of different sized bone-patellar tendon-bone grafts. *Knee Surg Sports Traumatol Arthrosc.* 12(6): 520-7.