

## 6 LITERATURVERZEICHNIS

- Abels, A., & Bischoff, L. (1996): Eocene Incaic orogenic phase in the chilean Precordillera between 25°30'S - 27°30'S related with large block rotations? - *Terra Nostra* **8**/96, 13.
- An, L. - J., Sammis, C. G. (1996): Development of strikes-slip-faults: Shear experiments in granular materials and clay using new technique. - *Journ. of struct. Geol.* Vol. **18**, No. 8, pp. 1061-1077.
- Arabasz, W. J. (1971): Geological and geophysical studies of the Atacama fault zone in northern Chile. Ph. D. Thesis Calif. Inst. Techn., pp. 264.
- Armijo & Thiele (1990): Active faulting in northern Chile: ramp stacking and lateral decoupling along a subduction plate boundary. - *Earth Planet. Sci. Lett.* **98**, 40-61.
- Bahlburg, H. (1986): Paläozoischer Flysch in der nordchilenischen Küstenkordillere: Sedimentologie, Petrographie, Tektonik und Geochemie. Unveröffentl. Dissertation, TU Berlin.
- Bahlburg, H. (1987a): Geochemical Features of Devonian/Carboniferous flysch Greywackes of the North Chilean Coastal Cordillera. - *Zbl. Geol. Paläont.*, Teil **1**, 1987 (7/8), 893-904, Stuttgart.
- Bahlburg, H. (1987b): Sedimentology, petrology and geotectonic significance of the Palaeozoic flysch in the Coastal Cordillera of northern Chile. - *N. Jb. Geol. Paläont. Mh.* 1987 (9), 527-559, Stuttgart.
- Bahlburg, H., Breitkreuz, C., Maletz, J., Moya, M. C. & Salfity, J. A. (1990): The Ordovician sedimentary rocks in the northern Puna of Argentina and Chile: new stratigraphical data based on graptolites. - *News!. Stratigr.* **23**, 69-89.
- Bahlburg, H. & Breitkreuz, C. (1991): The evolution of marginal basins in the southern central Andes of Argentina and Chile during the Palaeozoic. - *Jour. South. Am. Earth Sci.* **4**, 171-188.
- Bebiolka, A., Bartsch, V. & Kramer, W. (1996): Triassische und jurassische, sedimentäre und vulkanogene Entwicklung in der Küstenkordillere von Nord-Chile zwischen 25°20'S und 26°20'S. - *Terra Nostra* **8**/96, 18-19.
- Bebiolka, A. & Kramer, W. (1994): Upper Triassic-Jurassic Volcano-sedimentary series between Taltal and Chañaral, N-Chile. - *Terra Nostra* (14. Geowiss. Lateinamerika-Colloquium) **2**/94, S. a19, Tübingen.
- Bebiolka, A., Ehrlichmann, R., Hillebrandt, A. v., Kossler, A. & Kramer, W. (1995): Sedimentationsprozesse in einem arc-backarc-System unter marinen Bedingungen. -In: Deformationsprozesse in den Anden - Berichtsband des SFB 267, 1993-1995, 705-737.
- Beck, M. E. jr. (1983): On the mechanism of tectonic transport in zones of oblique subduction. - *Tectonophysics* **7**, Nos. 3/4, pp. 403-413.
- Bell, C. M. (1982): The Lower Palaeozoic metasedimentary basement of the coastal range of Chile between 25°30' and 27°S. - *Revista Geologica de Chile* **17**, 21-29.

- Bell, C. M. & Suarez, M. (1994): The sedimentation and tectonics of a marine fan-delta developed on an active continental margin: the triassic San Felix Formation in the Andes of northern Chile. - *Journ. of South American Earth Sciences* **17**, 21-29.
- Berg, K. et al. (1972): Terranes.
- Berg, K., Breitkreuz, C., Damm, K. - W., Pichowiak, S. & Zeil, W. (1983): The North Chilean coast range - an example for the development of an active continental margin. - *Geolog. Rundschau* **72**, 715-731.
- Berg, K. & Breitkreuz, C. (1983): Mesozoische Plutone in der nordchilenischen Küstenkordillere: Petrogenese, Geochronologie, Geochemie und Geodynamik mantelbetonter Magmatite. - *Geotekt. Forsch.* **66**, 1-107.
- Bobenrieth, L. (1980): Geología de los cuadrángulos Cerro Desamparado y Cerro Soldedad, Regiones Tarapacá y Antofagasta. B. Sc. Thesis, Depto. Geología, Univ. Chile, 171 pp., Santiago.
- Bogdanic, T. (1990): Kontinentale Sedimentation der Kreide und des Alttertiärs im Umfeld des subduktionsbedingten Magmatismus in der chilenischen Präkordillere. - *Berl. Geowiss. Abhandlg. A* **123**, pp. 117.
- Boric, R., Diaz, F. & Maksaev, V. (1990): Geología y yacimientos metalíferos de la Región de Antofagasta. - *Servicio Nacional de Geología y Minería Boletín* **40**, 246 pp., Santiago.
- Brandt, U. (1996): Strukturgeologische Untersuchungen zur Klärung der relativen Altersstellung der Deformation triassis-ch-jurassischer Sedimente im Raum Posada de los Hidalgo, 25°48'S, Nordchilenische Küstenkordillere. Unveröffentl. Diplomarbeit, FU Berlin.
- Breitkreuz, C. & Zeil, W. (1984): Geodynamic and magmatic stages on a traverse through the Andes between 20° and 24°S (N Chile, Bolivia, NW Argentina). - *Journ. Geol. Soc.* **141**, 861-868, London.
- Brown, M. (1991): Comparative geochemical interpretation of Permian-Triassic plutonic complexes of the Coastal Range and Altiplano (25°30' to 26°30'S), northern Chile. - In: Harmon, R. S. & Rapela, C. W. (eds.): Andean magmatism and its tectonic setting. Boulder, Colorado, Geological Society of America Special Paper 265.
- Brown, M., Diaz, F. & Grocott, J. (1993): Displacement history of the Atacama fault system 25°00'S - 27°00'S, northern Chile. - *Geol. Soc. Am. Bull.* **105**, 1165-1174.
- Buchelt, M. & Tellez, C. (1988): The Jurassic La Negra Formation in the area of Antofagasta, northern Chile (lithology, petrography, geochemistry). - In: Bahlburg, H., Breitkreuz, C. & Giese, P. (eds.): The southern Central Andes. Lecture Notes in Earth Sciences **17**, 171-182.
- Cecioni, G. (1979): Grupo El Toco, desierto de Atacama, Chile. - *Asoc. geol. Argent. Rev.* **34** (3), 211-223, Buenos Aires.
- Charrier, R. (1979): El Triásico en Chile y regiones adyacentes de Argentina: Una reconstrucción palaeogeográfica y palaeoclimática. Dep. Geol. Geofis. Univ. de Chile, Santiago, *Communicaciones* **26**, 1-37.

- Coira, B., Davidson, J., Mpodozis, C. & Ramos, V. (1982): Tectonic and magmatic evolution of the Andes of northern Argentina and Chile. - *Earth. Sc. Rev.* **18**, 303-332.
- Coney (1989): Evolution of North American Cordilleras.
- Corvalán, J. (1965): Geología. Geografía Económica de Chile, CORFO, 35-82.
- Dalla Salda, L. H., Dalziel, I. W. D., Cingolani, C. A. & Varela, R. (1992): Did the Taconic Appalachians continue into southern South America? - *Geology* **20**, 1059-1062.
- Dallmeyer, R. D., Brown, M., Grocott, J., Taylor, G. K. & Treloar, P. J. (1996): Mesozoic magmatic and tectonic events within the Andean plate boundary zone, 26° - 27°30'S, North Chile: Constraints from  $^{40}\text{Ar}/^{39}\text{Ar}$  Mineral ages. - *Journ. of Geol.* 1996, Vol. **104**, 19-40.
- Daly, M. C. (1989): Correlations between Nazca/Farallon plate kinematics and forearc basin evolution in Ecuador. - *Tectonics* **8**, 769-790.
- Damm, K. - W. & Pichowiak, S. (1981): Geodynamik und Magmengenese in der Küstenkordillere Nordchiles zwischen Taltal und Chañaral. - *Geotektonische Forschungen* **61**, 1-166.
- Darapsky, L. (1900): Das Departement Taltal - Chile. Seine Bodenbildung und seine Schätze. - Dietrich Reimer Verlag (vorm. Ernst Vohsen). Mit 16 Tafeln, 55 Abb. und 14 Kartenbeilagen, Berlin.
- Darwin, C. R. (1876): Geological observations on Volcanic Islands etc. in South America. London, J. Murray.
- Döbel, R., Friedrichsen, H. & Hammerschmidt, K. (1992): Implication of  $^{40}\text{Ar}/^{39}\text{Ar}$  dating of early Tertiary volcanic rocks from the North Chilean Precordillera. - *Tectonophysics* **202**, 55-81.
- Engebretson, D. C., Cox, A. & Gordon, R. G. (1985): Relative motions between oceanic and continental plateaus in the Pacific Basin. *Geol. Soc. Am. Special Paper* 206, 1-59, Boulder.
- Fitch, T. J. (1972): Plate convergence, transcurrent faults and internal deformation adjacent to Southeast Asia and western Pacific. - *J. Geophys. Res.* **77**, 4432-4460.
- Forsythe, R. D. & Chisholm, L. (1994): Palaeomagnetic and structural constraints on rotations in the North Chilean coast ranges. - *Journ. of South American Earth Sciences*, Vol. **7**, Nos. 3/4, p. 279-294.
- Forsythe, R. D., Davidson, J., Mpodozis, C. & Jesinkey, C. (1993): Lower Palaeozoic relative motion of the Arequipa Block and Gondwana; palaeomagnetic evidence from Sierra de Almeida of northern Chile. - *Tectonics*, Vol. **12**, No. 1, p. 219-236.
- García, F. (1959): Informe geológico sobre viaje de reconocimiento a la parte norte de la provincia de Atacama y sur de la provincia de Antofagasta IIG, unpubl. report 13 p.
- García, F. (1967): Geología del Norte Grande de Chile. Simposium sobre el Geosinclinal Andino. - *Soc. Geol. Chile* **3**, 1-138.

- González, G. (1996): Evolución tectonica de la Cordillera de la Costa de Antofagasta (Chile): Con especial referencia a las deformaciones sinmagmáticas del Jurásico-Cretácico inferior. - *Berliner Geowiss. Abh.* A **181**, pp. 111.
- Grocott, J., Brown, M., Dallmeyer, R. D., Taylor, G. K. & Treloar, P. J. (1994): Mechanisms of continental growth in extensional arcs: An example from the Andean plate boundary zone. - *Geology* **22**, 391-394.
- Harrington, H. J. (1961): Geology of parts of Antofagasta and Atacama provinces, northern Chile. - *AAPG Bull.* **45** (2), 169-197, Tulsa.
- Hartley, A. J., Turner, P., Williams, G. D. & Flint, S. (1988): Palaeomagnetism of the Cordillera de la Costa, northern Chile: evidence for local forearc rotation. - *Earth and Planetary Science Letters* **89**, pp. 375-386.
- Hervé, M. (1987a): Movimiento sinistral en el Cretáceo Inferior de la Zona de Falla Atacama al Norte de Paposo (24°S), Chile. - *Revista Geológica de Chile* **31**, 37-42.
- Hervé, M. (1987b): Movimiento normal de la Zona de Falla Atacama, en el Mioceno, Chile. - *Revista Geológica de Chile* **31**, 31-36.
- Hillebrandt, A. v. (1996): Der Westrand des backarc-Beckens im Trias-/Jura-Grenzbereich östlich Antofagasta (Nordchile). - *Terra Nostra* **8/96** (15. Geowiss. Lateinamerika-Colloquium), **10/96**, S. 65, Hamburg.
- Hillebrandt, A. v., Gröschke, M., Prinz, P. & Wilke, H. - G. (1986): Marines Mesozoikum in Nordchile zwischen 21° und 26°S. - *Berliner Geowiss. Abh.* A **66**, 169-190, Berlin.
- Irwin (1972)
- Jaillard, E., Soler, P., Carlier, G. & Mourier, T. (1990): Geodynamic evolution of the northern and central Andes during Early to Middle Mesozoic times: a Tethyan model. - *J. Geol. Soc. London* **147**, 1009-1022.
- Jarrard, R. D. (1986): Relations among subduction parameters. - *Rev. Geophys.*, Vol. **24**, pp. 217-284.
- Keppie, J. D. (1989): Northern Appalachian terranes and their accretionary history. *Geol. Soc. Am. Spec. Paper* **230**, p. 159-192.
- Kley, J. & Reinhard, M. (1994): Geothermal and tectonic evolution of the Eastern Cordillera and the Subandean Ranges of southern Bolivia. - In: Reutter, K. - J., Scheuber, E. & Wigger, P. (eds.): *Tectonics of the southern Central Andes*, 155-170.
- Kramer, W. & Ehrlichmann, R. (1996): Geochemical evolution of Triassic and Jurassic volcanic successions in northern Chile between 20° und 26°30' latitude south. *Andean Geodynamics, Extended abstracts (3. symposium international sur la géodynamique andine)*. S. 593-597, St. Malo.
- Krempler, M. (1996): Untersuchungen zur Klärung der relativen Alter tektonischer Strukturen in triassis-ch-jurassischen Sedimenten der Küstenkordillere Nordchiles im Raum Cerros de Cifuncho - Posada de los Hidalgo 25°46'S. Diplomarbeit FU Berlin.

- Kumpa, M. & Sánchez, M. C. (1988): Geology and sedimentology of the Cambrian Grupo Mesón (NW Argentina). - In: Bahlburg, H., Breitkreuz, C. & Giese, P. (eds): The southern Central Andes: Contributions to structure and evolution of an active continental margin. Lecture notes in Earth Science 17, pp. 39-54.
- Lapidus, D. F. & Winstanley, I. (1990): Collins dictionary of geology. London & Glasgow, 565 S.
- Larson, R. L. & Pitmann, W. C. III (1972): World-wide correlation of Mesozoic magnetic anomalies, and its implications. - *Geol. Society of America Bull.* **83**, p. 3645-3662.
- Levi, B., Mehech, S. & Munizaga, F. (1963): Edades radiometricas y petrografia de granitos Chilenos. - *IIG Bol.* **12**, 42 p.
- Maksaev, V. (1990): Metallogeny, geological evolution, and thermochronology of the Chilean Andes between latitudes 21° and 26° South, and the origin of major porphyry copper deposits. Dalhousie University, Ph. D. thesis, p. 554, Halifax, Canada.
- Marret, R. & Allmendinger, R. W. (1991): Estimations of strain due to brittle faulting: sampling of fault populations. - *J. Struct. Geol.*, Vol. **13**, pp. 735-738.
- Miller, H. (1970): Vergleichende Studien an praemesozoischen Gesteinen Chiles unter besonderer Berücksichtigung ihrer Kleintektonik. - *Geotektonische Forschungen*, Heft **36**, II, 1-64.
- Mortimer, C. (1973): The Cenozoic history of the southern Atacama desert, Chile. - *J. Geol. Soc. London* **129**, pp. 505-526.
- Naranjo, J. A. (1978): Geología del Quadrángulo las Bombas y sector septentrional del Quadrángulo El Salado, Región de Atacama. 117 p. (Fac. Cien. Fis. Mat. Univ. Chile), unpubl. Thesis.
- Naranjo, J. A. & Puig, A. (1984): Hojas Taltal y Chañaral. Serv. Nac. Geol. Min.: Carta Geol. de Chile, No. 62-63, pp. 140, Santiago.
- Nelson, E., Forsythe, R. & Arit, I. (1994): Ridge collision tectonics in terrane development. - *Journ. of S. Am. Earth Sciences*, Vol. **7**, Nos. 3/4, pp. 271-278.
- Noble, D. C., McKee, E. H. & Mégard, F. (1979): Early Tertiary "Incaic" tectonism in the Andes of central Peru. - *Geol. Soc. Am Bull.* **90**, 903-907.
- Nur, A. (1983): Accreted terranes. - *Rev. Geophys. Space Phys.* **21**, p. 1779-1785.
- Ortíz, M. (1960): Descripción litológica de la Formación Pan de Azucar y de las rocas volcánicas subyacentes, Posada de los tres Hidalgos, Taltal. IIG, undokumentierter Bericht, 12 S.
- Otsuki, K. (1989): Empirical relationships among the convergence rate of plates, rollback rate of trench axis and island-arc tectonics: "laws of convergence rates of plates". - *Tectonophysics* **159**, 73-94.
- Otsuki, K., Heki, K. & Yamazaki, T. (1990): New data which support the "laws of convergence rate of plates" proposed by Otsuki. - *Tectonophysics* **172**, 365-368.

- Pichowiak, S. (1994): Early Jurassic to early Cretaceous magmatism in the Coastal Cordillera and the Central Depression of North Chile. - In: Reutter, K. - J., Scheuber, E. & Wigger, P. (eds.): Tectonics of the southern Central Andes, 203-218, Berlin.
- Pichowiak, S., Buchelt, M. & Damm, K. - W. (1990): Mesozoic magmatic activity and tectonic setting in the N-Chile Central Andes Region: Granitoid magma-genesis and relations to volcanic activity during early stages of the Andean Cycle. - In: Kay, S. M. & Rapela, C. W. (eds.): Plutonism from Antarctica to Alaska. Geological Society of America Special Paper 241, p. 127-144, Boulder.
- Pissis, A. (1875): Geografía física de Chile. Paris, Delagrave, 1875.
- Philippi, R.A. (1860): Viaje al desierto de Atacama. Santiago.
- Philippi, R. A. (1860): Hidrografia del Desierto y Vcordilleras de Atacama. - *Rev. de la Dir. de Obras Publ. de Chile*.
- Prinz, P., Wilke, H. G. & Hillebrandt, A. v. (1994): Sediment accumulation and subsidence history in the Mesozoic marginal sea in N-Chile. - In: Reutter, K. - J., Scheuber, E. & Wigger, P. (eds.): Tectonics of the southern Central Andes, 219-232.
- Quinzo, L. A. (1987): Stratigraphische Untersuchungen im Unterjura des Südteils der Provinz Antofagasta in Nord-Chile. Dissertation TU Berlin.
- Ramos, V. A., Jordan, T. E., Allmendinger, R. W., Mpodozis, C., Kay, S. M., Cortés, J. M. & Palma, M. (1986): Palaeozoic terranes of the central Argentine-Chilean Andes. - *Tectonics*, Vol. 5, No. 6, pp. 855-880.
- Reutter, K. - J., Scheuber, E. & Helmcke, D. (1991): Structural evidence of orogen-parallel strike slip displacements in the Precordillera of northern Chile. - *Geol. Rdsch.* 8, 135-153.
- Reutter, K. - J., Charrier, R., Görler, K., Götze, H. - J., Kuhn, D., Reuther, C. - D., Scheuber, E., Schmitz, M. & Wigger, P. (1996): Beitrag zur Krustenstruktur des Salar von Atacama. - *Terra Nostra* 8/96, S. 116.
- Rößling, R. (1989): Petrologie in einem tiefen Stockwerk des jurassischen magmatischen Bogens in der nordchilenischen Küstenkordillere südlich von Antofagasta. - *Berl. Geowiss. Abh.* A 112, 73 pp.
- Rogers, G. (1985): A geochemical traverse across the North Chilean Andes. Ph. D. Thesis, Dept. Earth Sc., Open University, Milton Keynes.
- Rogers, G. & Hawkesworth, C. J. (1989): A geochemical traverse across the North Chilean Andes: evidence for crust generation from the mantle wedge. - *Earth Planet. Sci. Lett.* 91, 271-285.
- Salfity, J. A., Brandan, E. M. , Monaldi, C. R. & Gallardo, E. F. (1984): Tectonica compresiva Cuaternaria en la Cordillera Oriental Argentina, latitud de Tilcara (Jujuy). (X. Congr. Geol. Argent. I), 427-434.
- Scheuber, E. (1987): Geologie der nordchilenischen Küstenkordillere zwischen 24°30' und 25°S - unter besonderer Berücksichtigung duktiler Scherzonen im Bereich des Atacama-Störungssystems. - Unveröffentl. Dissertation, FU Berlin.

- Scheuber, E. (1993): Tektonische Entwicklung des nordchilenischen aktiven Kontinentalrandes: Der Einfluß von Plattenkonvergenz und Rheologie. Unpubl. Habil.-Schrift, Berlin, pp. 147.
- Scheuber, E. & Andriessen, P. A. M. (1990): The kinematic and geodynamic significance of the Atacama fault zone, northern Chile. - *J. Struct. Geol.* **12**, 243-257.
- Scheuber, E. & Reutter, K. - J. (1992): Magmatic arc tectonics in the Central Andes between 21° and 25°S. - *Tectonophysics* **205**, 127-140.
- Scheuber, E., Bogdanic, T., Jensen, A. & Reutter, K. - J. (1994): Tectonic development of the North Chilean Andes in relation to plate convergence and magmatism since the Jurassic. - In: Reutter, K. - J., Scheuber, E. & Wigger, P. (eds.): *Tectonics of the southern Central Andes*, 121-140.
- Scheuber, E., Hammerschmidt, K. & Friedrichsen, H. (1995):  $^{40}\text{Ar}/^{39}\text{Ar}$  and Rb-Sr analysis from ductile shear zones from the Atacama Fault Zone, northern Chile: the age of deformation. - *Tectonophysics* **250**, 61-87.
- Segerstrom, K. (1970): Apollo 7 Photography in Antofagasta Province, Chile - an Interpretation. - *U.S. Geol. Survey Prof. Paper* **700-D**, D10-D17.
- Steinmann, G. (1929): Geologie von Peru. Karl Winter, Heidelberg.
- Stern, C. R. (1991): Role of subduction erosion in the generation of Andean magmas. - *Geology*, Vol. **19**, pp. 78-81.
- Stoerz, G. E. & Eriksen, G. E. (1974): Geology of Salars in northern Chile. - *Geol. Surv. Prof. Pap.* **811**, 913-920.
- Suarez, M. & Bell, C. M. (1992): Triassic rift-related sedimentary basins in northern Chile (24°-29°S). - *Journ. S. Am. Earth Sc.*, Vol. **6**, No. 3, 109-121.
- Suarez, M. & Bell, C. M. (1994): Braided Rivers, Lakes and Sabkhas of the Upper Triassic Cifuncho Formation, Atacama Region, Chile. - *Journ. S. Am. Earth Sc.*, Vol. **7**, No. 1, 25-33.
- Tichelaar, B. W. & Ruff, L. J. (1993): Depth of seismic coupling along subduction zones. - *J. Geophys. Res.* **98** (B2), 2017-2037.
- Ulriksen, C. (1974): Regional geology, geochronology and metallogeny of the Coastal Cordillera of Chile between 25°30' and 26° South. M. Sc. Thesis, Dalhousie University, Canada, 221 pp.
- Wetzel, W. (1927): Beiträge zur Erdgeschichte der mittleren Atacama. - *N. Jb. Min. & Petr.*,
- Wilson, M. (1989): Igneous petrogenesis. Chapman & Hall, London.
- Woodcock, N. H. (1989): The role of strike-slip systems at plate boundaries. - *Phil. Trans. R. Soc. London A* **317**, pp. 13-29.
- Zeil, W. (1960): Zur Geologie der Nordchilenischen Kordilleren. - *Geol. Rdsch.* **50**, 639-673.

Zentilli, M. (1974): Geological evolution and metallogenetic relationships in the Andes of northern Chile between 26° and 29° South. Ph. D. Thesis, Queen's University, Kingston, Ontario, 394 p.

Zonenshayn, L. P., Savostin, L. A. & Sedov, A. P. (1984): Global palaeodynamic reconstructions for the last 160 million years. - *Geotectonics*, Vol. 18, pp. 181-195.