

## 6 Literaturverzeichnis

- 1 Agah R, Pearce JA, Welch AJ, Motamedi M. Rate process model for arterial tissue thermal damage: implications on vessel photocoagulation. *Lasers Surg Med.* 1994;15:176-84
- 2 Arrhenius S. Über die Reaktionsgeschwindigkeit bei der Inversion von Rohrzucker durch Säuren. *Z Phys Chem.* 1889;4:226-48
- 3 Arrhenius S. Immunochemistry. New York: Macmillan, 1907
- 4 Arrhenius S. Immunochemie. *Ergeb Physiol.* 1908;7:480-551
- 5 Ascher PW. Interstitial thermotherapy of brain tumors with Nd:YAG laser under real time MRI control. *SPIE Lasersurgery, Advanced characterization therapeutics and system II* 1990;1200:242-5
- 6 Ascher PW, Ebner F, Stollberger R. MR-guided laser assisted thermotherapy of cerebral BFMN tumors. In: Müller G, Roggan A (Hrsg.): *Laser-Induced Interstitial Thermotherapy*. Bellingham, Washington, USA: SPIE Optical Engineering Press, 1995:377-81
- 7 Bettag M, Kunesch E, Kahn T, Ulrich F, Schmitz F, Bock WJ. Neurological and functional changes after laser-induced interstitial thermotherapy (LITT) of brain tumors. In: Müller G, Roggan A (Hrsg.): *Laser-Induced Interstitial Thermotherapy*. Bellingham, Washington, USA: SPIE Optical Engineering Press, 1995:382-92
- 8 Borelli MJ, Thompson LL, Cain CA, Dewy WC. Time-temperature analysis of cell killing of BHK cell heated at temperatures in the range 43.5 to 57.0 °C. *Int J Rad Onc Biol Phys.* 1990;19:389-99
- 9 Bovie. U. S. Patent No. 1,813,902. Jul. 14, 1931
- 10 Bowman HF. Heat transfer and thermal dosimetry. *J Microwave Power* 1981;16(2):121-33
- 11 Bowman HF. Thermodynamics of tissue heating: modeling and measurement for temperature distribution. In: Nussbaum GH (Hrsg.): *Physical Aspects of Hyperthermia*. New York: American Institute of Hyperthermia, 1982:511-48

- 12 Bowman HF. Estimation of tissue blood flow. In Shitzer A, Eberhart RC (Hrsg.): Heat transfer in medicine and biology. New York: Plenum Press, 1985;1:193-226
- 13 Bown SG. Phototherapie of tumors. World J Surg. 1983;7:700-9
- 14 Buscarini L, Rossi S, Fornari F, Stasi MD, Buscarini E. Laparoscopic ablation of liver adenoma by radiofrequency electrocautery. Gastrointestinal Endoscopy, 1995;41(1):68-70
- 15 Produktblatt CelonLab ENT, Olympus Deutschland GmbH, Wendenstraße 14-18, 20097 Hamburg
- 16 Chang CK, Hendy M, Smith M, Recht M, Welling RE. Radiofrequency ablation of the porcine liver with complete hepatic vascular occlusion. Ann Surg Oncol. 2002;9(6):594-8
- 17 Cosman ER et all. Theoretical Aspects of Radiofrequency Lesions in the Dorsal Root Entry Zone. Neurosurgery. 1984;15(6):945-50
- 18 Cosman ER, Cosman BJ. Methods of Making Nervous System Lesion. in Wilkins RH, Rengachary SS (Hrsg.): Neurosurgery. New York: McGraw-Hill, 1984:2490-99
- 19 D'Arsonval MA. Production des courants de haute fréquence et de grande intensité; leurs effets physiologique. CR Mem Soc Biol (Paris). 1893;5:122-24
- 20 Dewey WC. Failla Memorial Lecture: The search for critical cellular targets damaged by heat. Radiation Research. 1989;120:191-204
- 21 Dewey WC, Freeman ML, Raaphorst GP, et al. Cell biology of hyperthermia and radiation. In Meyn RE, Withers HR (Hrsg.): Radiation Biology in Cancer research. New York: Raven, 1980:589-621
- 22 Diller KR. Analysis of skin burns. In Shitzer A, Eberhart RC (Hrsg.): Heat transfer in medicine and biology. New York: Plenum Press, 1985;2:85-134
- 23 Djavan B, Zlotta AR, Susani M, et al. Transperineal radiofrequency interstitial tumor ablation of the prostate: correlation of magnetic resonance imaging with histopathologic examination. Urology. 1997 ; 50(6):986-93
- 24 Doyen E. Traitement local des cancers accesibles par l'action de la chaleur au-dessus de 55°C. Rev Thér Méd Chir. 1910;77:551,577

- 25 Germer CT, Albrecht D, Boese-Landgraf J, Roggan A, Isbert C. Laser-induced thermotherapy (LITT) in the treatment of colorectal liver metastases - A clinical pilot study. In: Müller G, Roggan A (Hrsg.): Laser-Induced Interstitial Thermotherapy. Bellingham, Washington, USA: SPIE Optical Engineering Press, 1995:393-99
- 26 Gildemeister M. Über die im tierische Körper bei elektrischer Durchströmung entstandenen Gegenkräfte. Pflügers Archiv. 1912;149:389-400
- 27 Goldberg SN, Gazelle GS, Dawson SL, Rittman WJ, Mueller PR, Rosenthal DI. Tissue Ablation with Radiofrequency: Effect of Probe Size, Gauge, Duration, and Temperature on Lesion Volume. Acad Radiol. 1995;2:399-404
- 28 Haemmerich D, Chachati L, Wright AS, Mahvi DM, Lee FT, Webster JG. Hepatic Radiofrequency Ablation With Internally Cooled Probes: Effect of Coolant Temperature on Lesion Size. IEEE Trans Biomed Eng. 2003 Apr;50(4):493-500
- 29 Haendle H, Müller W. A short characterization of the methods of the high-frequency-thermo-therapy (HFTT). Vortrag, BIOS Europe, 1996
- 30 Hänsler J, Neureiter D, Bernatikl T, et al. Hochfrequenzinduzierte Thermotherapie mit perfundierten Nadelapplikatoren - Untersuchungen am VX2-Tumormodell des Kaninchens - erste Ergebnisse. Biomedizinische Technik. 2001;46(1)
- 31 Henriques FCJ, Moritz AR. Studies of thermal injuries. In: The conduction of heat in and through the skin and the temperature attained therein. Am Pathol. 1947;23:531-49
- 32 Hofstetter AG. Laser in der Urologie. Berlin: Springer-Verlag, 1995
- 33 Hunsperger RW, Wyss OAM. Production of localized lesions in nervous tissue by coagulation with high frequency currents. Helv Physiol Pharmacol Acta 1953;11:283-304
- 34 Jacques SL, Newman C, He XY. Thermal coagulation of tissue: Liver studies indicate a distribution of rate parameters not a single rate parameter describes the coagulation process. Proc Annual Winter Meeting of the American Society of Mechanical Engineers, Atlanta, 1991
- 35 Johnson FH, Eyring H, Stover BJ. The theory of rate process in biology and medicine. New York: Wiley & Sons, 1974

- 36 Jung W, Neubrand M, Lüderitz B. Einsatz von Hochfrequenzstrom in der Endoskopie bei Patienten mit Herzschrittmachern. *Endopraxis* 1995;2:22-25
- 37 Kahn T, Bettag M, Harth T, Schwabe B, Schwarzmaier HJ, Modder U. Laser-induced interstitial induced hyperthermia of cerebral tumors with nuclear magnetic resonance tomography control. *Radiologe* 1996 Sep;36(9):713-21.
- 38 Kahn T, Harth T, Schwabe B, Schwarzmaier HJ, Modder U. MR tomographic temperature quantification at 1,5 T in vitro: a comparison of fast T1 maps and a phase sensitive sequence. *Fortschr Röntgenstr* 1997 Aug;167(2):187-93.
- 39 Kim BM. An analysis of the effect of coupling between temperature rise and light distribution in laser irradiated tissue using finite element and Monte Carlo methods. Master of science thesis, University of Texas, 1991
- 40 Livraghi T, Goldberg SN, Monti F, et al. Saline enhanced radio-frequency tissue ablation in the treatment of liver metastases. *Radiology*. 1997 Jan;202(1):205-10.
- 41 Mack MG, Straub R, Eichler K, et al. MR-guided laser-induced thermotherapy in recurrent extrahepatic abdominal tumors. *Eur. Radiol.* 2001;11:2041-46
- 42 Matthewson K, Coleridge-Smith P, O'Sullivan JP. Biological effects of intrahepatic Nd:YAG laser photocoagulation in rats. *Gastroenterology*. 1987;93:550-57
- 43 Mesecke-von Rheinbaben I. Monitoringverfahren zur Überwachung koagulativer Gewebeeffekte der interstitiellen Thermotherapie. Landsberg: ecomed, 2000
- 44 Mostafid AH, Harrison NW, Dawkins GPC. Interstitial radiofrequency therapy of the prostates: results of a pilot study. *J Urol.* 1996 Jun;155(6):1946-8
- 45 Mostafid AH, Harrison NW, Thomas PJ, Fletcher MS. A prospective randomized trial of interstitial radiofrequency therapy versus transurethral resection for the treatment of benign prostatic hyperplasia. *Br J Urol* 1997 Jul;80(1):116-22
- 46 Müller G, Roggan A (Hrsg.). *Laser-Induced Interstitial Thermotherapy*. Bellingham, Washington, USA: SPIE Optical Engineering Press, 1995:382-92

- 47 Müller M, Roggan A. In: MI Treatment for benign prostatic hyperplasia. European Hospital 2003;12(2/03):2
- 48 Mundinger F, Riechert T, Gabriel E. Untersuchungen zu den physikalischen und technischen Voraussetzungen einer dosierten Hochfrequenzkoagulation bei stereotaktischen Hirnoperationen. Zentralblatt für Chirurgie. 1960;19:1051-63
- 49 Muschter R, Hessel S, Hofstetter A, et al. Die interstitielle Laserkoagulation der benignen Prostatahyperplasie. Urologe A. 1993 Jul;32(4):273-81
- 50 Neumann RA, Knobler RM, Leonhartsberger H, Bohler-Sommeregger K, Gebhart W. Histochemical evaluation of the coagulation depth after argon laser impact on port-wine stain. Lasers Surg Med. 1991;11(6):606-15
- 51 Neumann RA, Knobler RM, Pieczkowski F, Gebhart W. Enzyme histochemical analysis of cell viability after argon laser-induced coagulation necrosis of the skin. J Am Acad Dermatol 1991 Dec;25(6 Pt 1):991-8
- 52 Parker DL, Smith V, Sheldon P, Crooks LE, Fussell L. Temperature distribution measurements in two-dimensional NMR imaging. Med Phys. 1983 May-Jun;10(3):321-5
- 53 Patterson E, Scudamore C, Owen D, Nagy A, Buczkowski A. Radiofrequency ablation of porcine liver in vivo: effects of blood flow and treatment time on lesion size. Ann Surg. 1998;227:559-65
- 54 Paulsen K. Endonasale Mikrochirurgie. Stuttgart New York: Thieme Verlag, 1995
- 55 Pennes HH. Analysis of tissue and arterial blood temperatures in resting forearm. J Appl Physiol. 1948;1:93-122
- 56 Pickering JW. Optical properties changes as a result of protein denature in albumen and yolk. J Photochem Photobiol. 1992;16:101-11
- 57 Pschyrembel W. Klinisches Wörterbuch. 257. Aufl., Berlin - New York Walter de Gruyter-Verlag, 1994

- 58 Rastegar S, Motamedi M. A theoretical analysis of dynamic variations of temperature dependant optical properties in the response of laser irradiated tissue. Proc. SPIE 1990;1202:253-59
- 59 Reidenbach H-D. Hochfrequenztechnik und Laser in der Medizin. Berlin: Springer-Verlag, 1983
- 60 Roemer RB. Heat transfer in hyperthermia treatments: basic principles and applications. In: Paliwal BR, Hetzel FW, Dewhirst MW, eds Biological, Physical and Clinical Aspects of Hyperthermia. New York, American Institute of Physics, 1988:210-42
- 61 Roggan A. Dosimetrie thermischer Laseranwendungen in der Medizin - Untersuchung der optischen Gewebeeigenschaften und physikalisch-mathematische Modellentwicklung (Dissertation). In: Müller G, Berlin HP (Hrsg.): Fortschritte in der Lasermesizin Bd. 16, Landsberg: Ecomed Verlag, 1997
- 62 Roggan A, Knappe V, Mack MG, et al. Experimental study and first clinical results with a cooled applicator system for interstitial laser coagulation (LITT). Proc. SPIE 1998;3249:85-93
- 63 Rosenberg B, Kemeny G, Switzer RC, Hamilton TC. Quantitative evidence for protein denaturation as the cause of thermal death. Nature. 1971;323:471-73
- 64 Rosenthal DI, Alexander A, Rosenberg AE, Springfield D. Ablation of osteoid osteomas with a percutaneously placed electrode: A new procedure. Radiology. 1992 Apr;183:29-33
- 65 Rossi S, Stasi MD, Buscarini E, et al. Percutaneaus radiofrequency interstitial thermal ablation in the treatment of small hepatocellular carcinoma. The Cancer Journal from Scientific American. 1995 Mai/Jun;1(1)
- 66 Rossi S, Stasi MD, Buscarini E, et al. Percutaneous RF interstitial thermal ablation in the treatment of hepatic cancer. AJR Am J Roentgenol. 1996 Sep;167(3):759-68
- 67 Schenk JF. Health and Physiological Effects of Human Exposure to Whole-Body Four-Tesla Magnetic Fields during MRI. Annals of the New York Academy of Sciences. New York 1992;649

- 68 Schulman CC, Zlotta AR. Transurethral needle ablation of the prostate for treatment of benign prostatic hyperplasia: early clinical experience. *Urology*. 1995 Jan;45(1):28-33
- 69 Schwab AJ. Begriffswelt der Feldtheorie. 4. Aufl., Berlin – Heidelberg: Springer-Verlag, 1993
- 70 Solbiati L, Ieraze T, Goldberg SN, et al. Percutaneous US-guided radiofrequency tissue ablation of liver metastases: treatment and follow-up in 16 patients. *Radiology*. 1997 Jan;202(1):195-203
- 71 Solbiati L, Goldberg SN, Ieraze T, et al. Hepatic metastases: percutaneous radio-frequency ablation with cooled-tip electrodes. *Radiology*. 1997 Nov;205(2):367-73
- 72 Stein T. Untersuchungen zur Dosimetrie der hochfrequenzstrominduzierten interstitiellen Thermotherapie in bipolarer Technik. Landsberg: ecomed, 2000
- 73 Surowiec A, Stuchly SS, Eidus L, Swarup A. In vitro dielectric properties of human tissues at radiofrequencies. *Phys Med Biol*. 1987;32(5):615-21
- 74 Sweet WH, Mark VH. Unipolar anodal electrolyte lesions in the brain of man and cat: Report of five human cases with electrically produced bulbar or mesencephalic tractotomies. *AMA Arch Neurol Psychiatry* 1953;70:224-34
- 75 Takata AN, Zanevald L, Richter W. Laser-induced thermal damage of skin. USAF School of Aerospace Med., Brooks AFB, TX, Rep. SAM-TR-77-38, 1977
- 76 Tacke J. Perkutane Radiofrequenzablation – klinische Indikationen und Ergebnisse. *Fortschr Röntgenstr*. 2003 Feb; 175(2):156-68
- 77 Thiel C, Fastenmeier K. Minimalinvasive Zerstörung großer Gewebevolumina mit Hochfrequenzstrom. *Biomedizinische Technik*. 1996;41:498-9
- 78 Träger SJ. Hochfrequenzstrominduzierte Thermotherapie maligner Lebertumore, Dissertation Freie Universität Berlin, 2000
- 79 Tucker RD, Hollenhorst MJ. Bipolar electrosurgical devices. *Endosc Surg Allied Technol*. 1993 Apr;1(2):110-3

- 80 Vogl TJ, Mack MG, Müller P, et al. MR-guided laser-induced thermotherapy in tumors of the head and neck region: initial clinical results. *Fortschr Röntgenstr.* 1995 Dec;163(6):505-14.
- 81 Vogl TJ, Müller P, Weinhold N, et al. MR-guided laser-induced thermotherapy (LITT) of liver metastases. In: Müller G, Roggan A (Hrsg.): *Laser-Induced Interstitial Thermotherapy*. Bellingham, Washington, USA: SPIE Optical Engineering Press, 1995:477-92
- 82 Vogl TJ, Weinhold N, Müller P, et al. MR-controlled laser-induced thermotherapy (LITT) of liver metastases: clinical evaluation. *Röntgenpraxis.* 1996;49(7):161-168
- 83 Vogl TJ, Weinhold N, Müller P, et al. Early clinical experience with MR-guided laser-induced thermotherapy (LITT) of liver metastases in preoperative care. *Fortschr Röntgenstr* 1996 May;164(5):413-21.
- 84 Vogl TJ, Mack M, Straub R, Roggan A, Felix R. Percutaneous MRI-guided laser-induced thermotherapy for hepatic metastases for colorectal cancer. *Lancet.* 1997;350:10-12
- 85 Vogl TJ, Mack MG, Straub R, Roggan A, Felix R. Magnetic resonance imaging – guided abdominal interventional radiology: laser-induced thermotherapy of liver metastases. *Endoscopy.* 1997 Aug;29(6):577-83
- 86 Vogl TJ, Weinhold N, Mack MG, et al. Verifizierung der MR-Thermometrie mittels in vivo intraläsionaler fluoroptischer Temperaturmessung für die Laserinduzierte Thermotherapie von Lebermetastasen. *Fortschr Röntgenstr* 1998 Aug;169(2):182-8.
- 87 Welch AJ. The thermal response of laser irradiated tissue. *IEEE Journal of Quantum Electronics.* 1984;20(12):1471-81
- 88 Weber E. *Electromagnetic theory, Static fields and their mapping.* New York: Dover Pub. Inc., 1965
- 89 Westra A, Dewey WC. Variation in sensitivity to heat shock during the cell cycle of Chinese hamster cell in vitro. *Int J Radiation Biol.* 1971;19:467-77
- 90 Yang Y, Welch AJ, Rylander HG. Rate process parameters of Albumen. *Lasers Surg. Med.* 1991;11:188-90

91 Zenev E. Die bipolare Thermotherapie der Nasenmuschel-Hyperplasie: Applikatorerprobung an In-vitro-Gewebe – eine experimentelle Studie. Dissertation Freie Universität Berlin, 1999

92 Zinke O, Brunswig H. Hochfrequenztechnik,. Bnd1, 5. Aufl., Berlin – Heidelberg: Springer-Verlag, 1995

93 Zlotta AR, Peny MO, Matos C, Schulman CC. Transurethral needle ablation of the prostate: clinical experience in patients in urinary acute retention. Br J Urol 1996 Mar;77(3):391-7

94 Zlotta AR, Wildschutz T, Raviv G, et al. Radiofrequency Interstitial Tumor Ablation (RITA) Is a Possible New Modality for Treatment of Renal Cancer: Ex Vivo and in Vivo Experience. J Endourol. 1997 Aug;11(4):251-8

95 Zlotta AR, Djavan B, Matos C, et al. Percutaneous transperineal radiofrequency ablation of prostate tumour: safety feasibility and pathological effects on human prostate cancer. Br J Urol. 1998 Feb;81(2):265-75