

8. List of figures and tables

Figure 1a	Scheme of the general components of a mass spectrometer	p.12
Figure 1 b	Plot of abundance versus time for ions detected in TOF mass spectrometer	p.12
Figure 2	Scheme of the MES procedure	p.13
Figure 3	Scheme illustrating the mechanism of ion exchange	p.17
Figure 4	Scheme of the approximate relationship between V_o , V_t , V_e and molecular weight of sample proteins	p.19
Figure 5	Scheme of steps necessary for identification of proteins using peptide mass fingerprint	p.21
Figure 6	Experiments used for the establishment of MES-assay-system	p.23
Figure 7	Purification schemes of the two fractions (Fraction I and II) with angiotensin-II-generating activity	p.25
Figure 8	Purification scheme of the angiotensin-II-generating Fraction III	p.26
Figure 9	Protein identification experiments	p.27
Figure 10	MALDI-MS spectra of the reaction products of the incubation of immobilized porcine ACE and porcine renal tissue protein extract (KE) with angiotensin-I substrate after different incubation times	p.47
Figure 11a	Diagram of the relative A-II generating activity of ACE in presence and absence of an ACE specific inactivator	p.49
Figure 11b	MALDI-MS spectra of the reaction products of the incubation of immobilized porcine ACE with angiotensin-I in presence and absence of a specific ACE inactivator	p.49
Figure 12a	Fluorescence signal intensities of the reaction product of the conversion of Hip-His-Leu-OH to His-Leu-OH by different amounts of ACE	p.50
Figure 12 b	MES-Signal intensities of the reaction product of the conversion of angiotensin-I to angiotensin-II by different amounts of immobilized ACE	p.50
Figure 13	Maximal A-II-generating activity of an immobilized porcine renal tissue protein extract in the absence and in the presence of different protease inhibitors	p.51

List of figures and tables page 98

Figure 14	Chromatogram of the anion exchange chromatography of porcine renal tissue extract	p.53
Figure 15	Angiotensin-II-generating activities of the anion exchange fraction 6-11 in presence and absence of the protease inhibitors antipain and chymostatin	p.54
Figure 16	Chromatogram of the hydroxyl apatite chromatography of the angiotensin-II-generating fractions 6-9 of anion exchange chromatography	p.56
Figure 17	Chromatogram of the lentil lectin affinity chromatography of the angiotensin-II-generating fraction 1-3 from hydroxyapatite chromatography	p.57
Figure 18	Maximal A-II-generating activity of the immobilized eluates from lectin affinity chromatography in the absence and in the presence of different protease inhibitors	p.58
Figure 19	Chromatogram of the chymostatin-antipain-inhibitor affinity chromatography of the angiotensin-II-generating Fraction A of the lentil lectin chromatography	p.59
Figure 20	Chromatogram of the size exclusion chromatography of the angiotensin-II-generating fraction B of the lentil lectin chromatography	p.60
Figure 21	Calibration curve of the size exclusion chromatography	p.61
Figure 22	Chromatogram of the anion exchange chromatography of porcine renal tissue extract	p.62
Figure 23	Chromatogram of the wheat germ lectin affinity chromatography of the angiotensin-II-generating fraction from the anion exchange chromatography	p.63
Figure 24	Angiotensin-II-generating activities of the anion exchange fraction 6-11 in presence and absence of the protease inhibitors antipain and chymostatin	p.64
Figure 25	Chromatogram of the aprotinin affinity chromatography of the angiotensin-II-generating fraction from the wheat germ lectin chromatography	p.65
Figure 26	Chromatogram of the size exclusion chromatography of Fraction III	p.66

List of figures and tables page 99

Figure 27	Calibration curve of the size exclusion chromatography	p.67
Figure 28	MALDI-MS spectra of the reaction products of the incubation of immobilized Fraction III with angiotensin-I substrate, porcine renin tetradecapeptide substrate, porcine renin tetradecapeptide substrate + renin specific inhibitor	p.68
Figure 29	MALDI-MS spectra of the reaction products of the incubation of immobilized Fraction III with Lys-Bradykinin-Ser-Val-Gln-Val-Ser substrate	p.69
Figure 30	SDS-PAGE of Fraction I	p.71
Figure 31	SDS-PAGE of Fraction III	p.71
Figure 32	Two dimensional electrophoresis of Fraction II	p.72
Figure 33	MALDI-MS spectra of the fingerprint peptides of the 45 kDa protein band of Fraction I	p.73
Figure 34	Chromatogram of the NanoLC of the proteolytic peptides of spot 4, 5 of Fraction II	p.74
Figure 35	Uniprot entry of the matched peptides form the proteolytic digestion of spot 4 and 5 of Fraction II	p.75
Table 1	Overview of the angiotensin-I and angiotensin-II-generating enzymes	p.8
Table 2	Scheme for the sample application buffer for the anion exchange PPS experiments	p.32
Table 3	Results of the anion exchange PPS experiments	p.52
Table 4	Results of the intermediate purification PPS experiments	p.55
Table 5	Results of lentil lectin PPS experiments	p.56
Table 6	Determined elution and calculated partition coefficients (K_{av}) of standard molecules and the sample Fraction II	p.61
Table 7	Determined elution and calculated partition coefficients (K_{av}) of standard molecules and the sample Fraction III	p.66
Table 8	List of the proteolytic peptides of peptides of spot 4 and 5 of Fraction II and their corresponding molecular weights and sequences	p.74

List of figures and tables page 100

Table 9	List of the proteolytic peptides of the HMW protein band of Fraction III (figure 31) and their corresponding molecular weights and sequences	p.76
Table 10	Overview of the peptide metabolism of the kinintensin-system	p. 82