

8. LITERATURVERZEICHNIS

- ABE, F.; ISHIBASHI, N. ; SHIMAMURA, S. (1995)
Effect of administration of bifidobacteria and lactic acid bacteria to newborn calves and piglets.
J. Dairy. Sci. **78**(12): 2838-2846
- AHRENSTEDT, O.; HALLGREN, R. ; KNUTSON, L. (1994)
Jejunal release of prostaglandin E2 in Crohn's disease: relation to disease activity and first-degree relatives.
J. Gastroenterol. Hepatol. **9**(6): 539-543
- ALBILLOS, A. ; DE LA HERA, A. (2002)
Multifactorial gut barrier failure in cirrhosis and bacterial translocation: working out the role of probiotics and antioxidants.
J. Hepatol. **37**(4): 523-526
- ALEXOPOULOS, C.; KARAGIANNIDIS, A.; KRITAS, S. K.; BOSCOS, C.; GEORGOULAKIS, I. E. ; KYRIAKIS, S. C. (2001)
Field evaluation of a bioregulator containing live *Bacillus cereus* spores on health status and performance of sows and their litters.
J. Vet. Med. A Physiol. Pathol. Clin. Med. **48**(3): 137-145
- ANNUK, H.; SHCHEPETOVA, J.; KULLISAAR, T.; SONGISEPP, E.; ZILMER, M. ; MIKELSAAR, M. (2003)
Characterization of intestinal lactobacilli as putative probiotic candidates.
J. Appl. Microbiol. **94**(3): 403-412
- AUSTIC, R. E. (1985)
Development and adaptation of protein digestion.
J. Nutr. **115**(5): 686-697
- BALTES, S. (2002)
Einfluss von Retinoiden auf die Differenzierung und Permeabilität dre Caco-2 Zellkultur als Modell für die gastrointestinale Barriere.
Dissertation, Tierärztliche Hochschule Hannover.
- BARRETT, K. E. (1997)
Bowditch lecture. Integrated regulation of intestinal epithelial transport: intercellular and intracellular pathways.
Am. J. Physiol. **272**(4 Pt 1): C1069-1076
- BARROW, P. (1992)
Probiotics for chicken.
London; Chapman & Hall, 225 - 257

- BOMBA, A.;GANCARCIKOVA, S.;NEMCOVA, R.;HERICH, R.;KASTEL, R.;
 DEPTA, A.;DEMETEROVA, M.;LEDECK, V. ;ZITNAN, R. (1998)
 The effect of lactic acid bacteria on intestinal metabolism and metabolic profile
 in gnotobiotic pigs.
 Dtsch. Tierärztl. Wochenschr. **105**(10): 384-389
- BOTHE, K.;GAEDE, E. A. ;SALEWSKI, A. (1989)
 Optimale Haltungsverhältnisse ersparen den Einsatz von Leistungsförderern.
 Schweine-Zucht und Schweine-Mast **37**(4): 110-112
- BOUDRY, G.;LALLES, J. P.;MALBERT, C. H.;BOBILLIER, E. ;SEVE, B. (2002)
 Diet-related adaptation of the small intestine at weaning in pigs is functional
 rather than structural.
 J. Pediatr. Gastroenterol. Nutr. **34**(2): 180-187
- BRANDAO, R. L.;CASTRO, I. M.;BAMBIRRA, E. A.;AMARAL, S. C.;FIETTO, L. G.;
 TROPIA, M. J.;NEVES, M. J.;DOS SANTOS, R. G.;GOMES, N. C. ;NICOLI, J. R.
 (1998)
 Intracellular signal triggered by cholera toxin in *Saccharomyces boulardii* and
Saccharomyces cerevisiae.
 Appl. Environ. Microbiol. **64**(2): 564-568
- BREVES, G.;WALTER, C.;BURMEISTER, M. ;SCHRÖDER, B. (2000)
 In vitro studies on the effects of *Saccharomyces boulardii* and *Bacillus cereus*
 var. *toyoi* on nutrient transport in pig jejunum.
 J. Anim. Physiol. A Anim. Nutr. **84**(1-2): 9-20
- BROTZ, H. ;SAHL, H. G. (2000)
 New insights into the mechanism of action of lantibiotics--diverse biological
 effects by binding to the same molecular target.
 J. Antimicrob. Chemother. **46**(1): 1-6
- BUDDINGTON, R. K.;ELNIF, J.;PUCHAL-GARDINER, A. A. ;SANGILD, P. T. (2001)
 Intestinal apical amino acid absorption during development of the pig.
 Am. J. Physiol. Regul. Integr. Comp. Physiol. **280**(1): R241-247
- BUTS, J. P.;BERNASCONI, P.;VAN CRAYNEST, M. P.;MALDAGUE, P. ;
 DE MEYER, R. (1986)
 Response of human and rat small intestinal mucosa to oral administration of
Saccharomyces boulardii.
 Pediatr. Res. **20**(2): 192-196
- BUTS, J. P.;DE KEYSER, N. ;DE RAEDEMAEKER, L. (1994)
Saccharomyces boulardii enhances rat intestinal enzyme expression by
 endoluminal release of polyamines.
 Pediatr. Res. **36**(4): 522-527

- BUTS, J. P.;DE KEYSER, N.;MARANDI, S.;HERMANS, D.;SOKAL, E. M.;
CHAE, Y. H.;LAMBOTTE, L.;CHANTEUX, H. ;TULKENS, P. M. (1999)
Saccharomyces boulardii upgrades cellular adaptation after proximal
enterectomy in rats.
Gut **45**(1): 89-96
- CARINA AUDISIO, M.;OLIVER, G. ;APELLA, M. C. (2000)
Protective effect of Enterococcus faecium J96, a potential probiotic strain, on
chicks infected with Salmonella Pullorum.
J. Food Prot. **63**(10): 1333-1337
- CASTAGLIUOLO, I.;LAMONT, J. T.;NIKULASSON, S. T. ;POTHOULAKIS, C. (1996)
Saccharomyces boulardii protease inhibits Clostridium difficile toxin A effects
in the rat ileum.
Infect. Immun. **64**(12): 5225-5232
- CASTAGLIUOLO, I.;RIEGLER, M. F.;VALENICK, L.;LAMONT, J. T.;
POTHOULAKIS, C. (1999)
Saccharomyces boulardii protease inhibits the effects of Clostridium difficile
toxins A and B in human colonic mucosa.
Infect. Immun. **67**(1): 302-307
- CHIVA, M.;SORIANO, G.;ROCHAT, I.;PERALTA, C.;ROCHAT, F.;LLOVET, T.;
MIRELIS, B.;SCHIFFRIN, E. J.;GUARNER, C. ;BALANZO, J. (2002)
Effect of Lactobacillus johnsonii La1 and antioxidants on intestinal flora and
bacterial translocation in rats with experimental cirrhosis.
J. Hepatol. **37**(4): 456-462
- COHEN, M. B.;GUARINO, A.;SHUKLA, R. ;GIANNELLA, R. A. (1988)
Age-related differences in receptors for Escherichia coli heat-stable
enterotoxin in the small and large intestine of children.
Gastroenterology **94**(2): 367-673
- COHEN, M. B.;MOYER, M. S.;LUTTRELL, M. ;GIANNELLA, R. A. (1986)
The immature rat small intestine exhibits an increased sensitivity and
response to Escherichia coli heat-stable enterotoxin.
Pediatr. Res. **20**(6): 555-560
- COLLINS, M. D. ;GIBSON, G. R. (1999)
Probiotics, prebiotics, and synbiotics: approaches for modulating the microbial
ecology of the gut.
Am. J. Clin. Nutr. **69**(5): 1052-1057
- CRAVEN, S. ;WILLIAMS, D. (1997)
Inhibition of Salmonella typhimurium attachment to chicken cecal mucus by
intestinal isolates of Enterobacteriaceae and lactobacilli.
Avian Dis. **41**(3): 548-458

- CRUYWAGEN, C. W.;JORDAAN, I. ;VENTER, L. (1996)
 Effect of *Lactobacillus acidophilus* supplementation of milk replacer on
 preweaning performance of calves.
 J. Dairy Sci. **79**(3): 483-486
- CURRID, A.;ORTEGA, B. ;VALVERDE, M. A. (2003)
 Chloride secretion in a morphologically differentiated human colonic cell line
 that expresses the epithelial Na⁺ channel.
 J. Physiol. **555**(1): 241-250
- CZERUCKA, D.;DAHAN, S.;MOGRABI, B.;ROSSI, B. ;RAMPAL, P. (2000)
Saccharomyces boulardii preserves the barrier function and modulates the
 signal transduction pathway induced in enteropathogenic *Escherichia coli*-
 infected T84 cells.
 Infect. Immun. **68**(10): 5998-6004
- CZERUCKA, D.;NANO, J. L.;BERNASCONI, P. ;RAMPAL, P. (1989)
 Response to cholera toxin of 2 epithelial intestinal cell lines. Effect of
Saccharomyces boulardii.
 Gastroenterol. Clin. Biol. **13**(4): 383-387
- CZERUCKA, D. ;RAMPAL, P. (1999)
 Effect of *Saccharomyces boulardii* on cAMP- and Ca²⁺ -dependent Cl⁻
 secretion in T84 cells.
 Dig. Dis. Sci. **44**(11): 2359-2368
- CZERUCKA, D. ;RAMPAL, P. (2002)
 Experimental effects of *Saccharomyces boulardii* on diarrheal pathogens.
 Microbes Infect. **4**(7): 733-739
- CZERUCKA, D.;ROUX, I. ;RAMPAL, P. (1994)
Saccharomyces boulardii inhibits secretagogue-mediated adenosine 3',5'-
 cyclic monophosphate induction in intestinal cells.
 Gastroenterology **106**(1): 65-72
- DAHAN, S.;DALMASSO, G.;IMBERT, V.;PEYRON, J. F.;RAMPAL, P. ;
 CZERUCKA, D. (2003)
Saccharomyces boulardii interferes with enterohemorrhagic *Escherichia coli*-
 induced signaling pathways in T84 cells.
 Infect. Immun. **71**(2): 766-773
- DARCY-VRILLON, B.;POSHO, L.;MOREL, M. T.;BERNARD, F.;BLACHIER, F.;
 MESLIN, J. C. ;DUEE, P. H. (1994)
 Glucose, galactose, and glutamine metabolism in pig isolated enterocytes
 during development.
 Pediatr. Res. **36**(2): 175-181

- DE SMET, I.;DE BOEVER, P. ;VERSTRAETE, W. (1998)
Cholesterol lowering in pigs through enhanced bacterial bile salt hydrolase activity.
Br. J. Nutr. **79**(2): 185-194
- DEETJEN, P. ;SPECKMANN, E.-J. (1994)
Physiologie
München, Wien, Baltimore; Urban & Schwarzenberg
- EFSA (2004)
Opinion on the Scientific Panel on Additives and Products or Substances used in Animal Feed on the efficacy of product Toyocerin for pigs for fattening.
The EFSA Journal **62**: 1-5
- EHRMANN, M. A.;KURZAK, P.;BAUER, J. ;VOGEL, R. F. (2002)
Characterization of lactobacilli towards their use as probiotic adjuncts in poultry.
J. Appl. Microbiol. **92**(5): 966-975
- EIJSINK, V. G.;AXELSSON, L.;DIEP, D. B.;HAVARSTEIN, L. S.;HOLO, H. ;
NES, I. F. (2002)
Production of class II bacteriocins by lactic acid bacteria; an example of biological warfare and communication.
Antonie Van Leeuwenhoek **81**(1-4): 639-654
- EL-NEZAMI, H.;MYKKANEN, H.;KANKAANPAA, P.;SALMINEN, S. ;AHOKAS, J. (2000)
Ability of Lactobacillus and Propionibacterium strains to remove aflatoxin B, from the chicken duodenum.
J. Food Prot. **63**(4): 549-552
- ERHARD, M. H.;LEUZINGER, K. ;STANGASSINGER, M. (2000)
Untersuchungen zur prophylaktischen Wirkung der Verfütterung eines Probiotikums und von erregerspezifischen Kolostrum- und Dotterantikörpern bei neugeborenen Kälbern.
J. Anim. Physiol. a. Anim. Nutr. **84**: 85 - 94
- ERLWANGER, K. H.;UNMACK, M. A.;GRONDAHL, M. L.;SKADHAUGE, E. ;
THORBOLL, J. E. (1999)
Effect of age on vasoactive intestinal polypeptide-induced short-circuit current in porcine jejunum.
Comp. Biochem. Physiol. A Mol. Integr. Physiol. **124**(1): 29-33
- FABIA, R.;AR'RAJAB, A.;JOHANSSON, M. L.;WILLEN, R.;ANDERSSON, R.;
MOLIN, G. ;BENGMARK, S. (1993)
The effect of exogenous administration of Lactobacillus reuteri R2LC and oat fiber on acetic acid-induced colitis in the rat.
Scand. J. Gastroenterol. **28**(2): 155-162

- FANNING, A. S.; MITIC, L. L. ; ANDERSON, J. M. (1999)
Transmembrane proteins in the tight junction barrier.
J. Am. Soc. Nephrol. **10**(6): 1337-1345
- FREITAG, M.; HENSCHKE, H. U.; SCHULTE-SIENBECK, H. ; REICHELDT, B. (1999)
Biologische effekte konventioneller und alternativer Leistungsförderer.
Krafftutter **2**: 49-57
- FROMM, M.; SCHULZKE, J. D. ; HEGEL, U. (1985)
Epithelial and subepithelial contributions to transmural electrical resistance of intact rat jejunum, in vitro.
Pflügers Arch. **405**(4): 400-402
- FUKUSHIMA, M. ; NAKANO, M. (1995)
The effect of a probiotic on faecal and liver lipid classes in rats.
Br. J. Nutr. **73**(5): 701-710
- FULLER, R. (1989)
Probiotics in man and animals.
J. Appl. Bacteriol. **66**(5): 365-378
- FULLER, R. (1992)
Probiotics. The Scientific Basis.; Chapman & Hall, London.
- GARCIA-URKIA, N.; ASENSIO, A. B.; ZUBILLAGA AZPIROZ, I.;
ZUBILLAGA HUICI, P.; VIDALES, C.; GARCIA-ARENZANA, J. M.; ALDAZABAL, P. ;
EIZAGUIRRE, I. (2002)
Beneficial effects of Bifidobacterium lactis in the prevention of bacterial translocation in experimental short bowel syndrome.
Cir. Pediatr. **15**(4): 162-165
- GEDEK, B. (1986)
Probiotika in der Tierernährung. Wirkungen auf Leistung und Tiergesundheit.
Krafftutter **3**: 80 - 84
- GEDEK, B.; KIRCHGESSNER, M.; WIEHLER, S.; BOTT, A.; EIDELSBURGER, U. ;
ROTH, F. X. (1993)
The nutritive effect of Bacillus cereus as a probiotic in the raising of piglets. 2.
Effect and microbial count, composition and resistance determination of gastrointestinal and fecal microflora.
Arch. Tierernähr. **44**(3): 215-226
- GIONCHETTI, P.; RIZZELLO, F.; HELWIG, U.; VENTURI, A.; LAMMERS, K. M.;
BRIGIDI, P.; VITALI, B.; POGGIOLI, G.; MIGLIOLI, M. ; CAMPIERI, M. (2003)
Prophylaxis of pouchitis onset with probiotic therapy: a double-blind, placebo-controlled trial.
Gastroenterology **124**(5): 1202-1209

- GIONCHETTI, P.;RIZZELLO, F.;VENTURI, A. ;CAMPIERI, M. (2000)
Probiotics in infective diarrhoea and inflammatory bowel diseases.
J. Gastroenterol. Hepatol. **15**(5): 489-493
- GITTER, A. H.;FROMM, M. ;SCHULZKE, J. D. (1998)
Impedance analysis for the determination of epithelial and subepithelial
resistance in intestinal tissues.
J. Biochem. Biophys. Methods **37**(1-2): 35-46
- GOLDIN, B. R. (1990)
Intestinal microflora: metabolism of drugs and carcinogens.
Ann. Med. **22**(1): 43-48
- GÖRKE, B. (2000)
Untersuchung der Schleimhautmorphologie im Dünn- und Dickdarm nach
oraler Applikation von *Saccharomyces boulardii* und *Bacillus cereus* var. *toyoi*
beim Schwein.
Dissertation, Tierärztliche Hochschule Hannover.
- GÖRKE, B. ;LIEBLER-TENORIO, E. (2001)
Probiotics: Is there a scientific basis for their effects?
Dtsch. Tierärztl. Wochenschr. **108**(6): 249-251
- GOTTELAND, M.;CRUCHET, S. ;VERBEKE, S. (2001)
Effect of *Lactobacillus* ingestion on the gastrointestinal mucosal barrier
alterations induced by indometacin in humans.
Aliment. Pharmacol. Ther. **15**(1): 11-17
- GRONDAHL, M. L.;HANSEN, M. B.;LARSEN, I. E. ;SKADHAUGE, E. (1996)
Age and segmental differences in 5-hydroxytryptamine-induced
hypersecretion in the pig small intestine.
J. Comp. Physiol. [B] **166**(1): 21-29
- GRONDAHL, M. L. ;SKADHAUGE, E. (1997)
Effect of mucosal amino acids on SCC and Na and Cl fluxes in the porcine
small intestine.
Comp. Biochem. Physiol. A Physiol. **118**(2): 233-237
- HAHN, P.;TALLER, M. ;CHAN, H. (1988)
Pyruvate carboxylase, phosphate-dependent glutaminase and glutamate
dehydrogenase in the developing rat small intestinal mucosa.
Biol. Neonate **53**(6): 362-366
- HAYDEN, U. L.;GREENBERG, R. N. ;CAREY, H. V. (1996)
Role of prostaglandins and enteric nerves in *Escherichia coli* heat-stable
enterotoxin (STa)-induced intestinal secretion in pigs.
Am. J. Vet. Res. **57**(2): 211-215

- HECHARD, Y. ;SAHL, H. G. (2002)
Mode of action of modified and unmodified bacteriocins from Gram-positive bacteria.
Biochimie **84**(5-6): 545-557
- HEDEMANN, M. S.;HOJSGAARD, S. ;JENSEN, B. B. (2003)
Small intestinal morphology and activity of intestinal peptidases in piglets around weaning.
J. Anim. Physiol. Anim. Nutr. (Berl.) **87**(1-2): 32-41
- HEMLIN, M.;JODAL, M.;LUNDGREN, O.;SJOVALL, H. ;STAGE, L. (1988)
The importance of the subepithelial resistance for the electrical properties of the rat jejunum in vitro.
Acta Physiol. Scand. **134**(1): 79-88
- HIMUKAI, M.;KONNO, T. ;HOSHI, T. (1980)
Age-dependent change in intestinal absorption of dipeptides and their constituent amino acids in the guinea pig.
Pediatr. Res. **14**(11): 1272-1275
- HOFFMANN, A.;PAG, U.;WIEDEMANN, I. ;SAHL, H. G. (2002)
Combination of antibiotic mechanisms in lantibiotics.
Farmaco **57**(8): 685-691
- HOLTUG, K. ;SKADHAUGE, E. (1991)
Ion transport across isolated pig jejunum.
Am. J. Physiol. **260**(2 Pt 1): G220-231
- HUANG, C. H.;QIAO, S. Y.;LI, D. F.;PIAO, X. S. ;REN, J. P. (2004)
Effects of Lactobacilli on the performance, diarrhea incidence, VFA concentration and gastrointestinal microbial flora of weaning pigs.
Asian-Aust. J. Anim. Sci. **17**(3): 401-409
- JADAMUS, A.;VAHJEN, W.;SCHAFER, K. ;SIMON, O. (2002)
Influence of the probiotic strain *Bacillus cereus* var. *toyoi* on the development of enterobacterial growth and on selected parameters of bacterial metabolism in digesta samples of piglets.
J. Anim. Physiol. Anim. Nutr. (Berl.) **86**(1-2): 42-54
- JAHN, H. U.;ULLRICH, R.;SCHNEIDER, T.;LIEHR, R. M.;SCHIEFERDECKER, H. L.;
HOLST, H. ;ZEITZ, M. (1996)
Immunological and trophical effects of *Saccharomyces boulardii* on the small intestine in healthy human volunteers.
Digestion **57**(2): 95-104
- JENNY, B. F.;VANDIJK, H. J. ;COLLINS, J. A. (1991)
Performance and fecal flora of calves fed a *Bacillus subtilis* concentrate.
J. Dairy Sci. **74**(6): 1968-1973

- JIN, L. Z.;HO, Y. W.;ABDULLAH, N.;ALI, M. A. ;JALALUDIN, S. (1996)
Antagonistic effects of intestinal Lactobacillus isolates on pathogens of chicken.
Lett. Appl. Microbiol. **23**(2): 67-71
- JIN, L. Z.;MARQUARDT, R. R. ;ZHAO, X. (2000)
A strain of Enterococcus faecium (18C23) inhibits adhesion of enterotoxigenic Escherichia coli K88 to porcine small intestine mucus.
Appl. Environ. Microbiol. **66**(10): 4200-4204
- KATZ, J. (2003)
Prevention is the best defense: Probiotic prophylaxis of pouchitis.
Gastroenterology **124**(5): 1535-1538
- KENNEDY, R. J.;HOPER, M.;DEODHAR, K.;KIRK, S. J. ;GARDINER, K. R. (2000)
Probiotic therapy fails to improve gut permeability in a hapten model of colitis.
Scand. J. Gastroenterol. **35**(12): 1266-1271
- KIMURA, R. E. (1996)
Neonatal intestinal metabolism.
Clin. Perinatol. **23**(2): 245-263
- KIRCHGESSNER, M.;ROTH, F. X.;EIDELSBURGER, U. ;GEDEK, B. (1993)
The nutritive efficiency of Bacillus cereus as a probiotic in the raising of piglets.
1. Effect on the growth parameters and gastrointestinal environment.
Arch. Tierernahr. **44**(2): 111-121
- KIRCHHELLE, A.;FRUHWEIN, N. ;TOBUREN, D. (1996)
Treatment of persistent diarrhea with S. boulardii in returning travelers.
Results of a prospective study.
Fortschr. Med. **114**(11): 136-140
- KLINKE, R. ;SILBERNAGEL, S. (2001)
Lehrbuch der Physiologie
Stuttgart, New York; Thieme Verlag
- KOS, B.;SUSKOVIC, J.;VUKOVIC, S.;SIMPRAGA, M.;FRECE, J. ;MATOSIC, S. (2003)
Adhesion and aggregation ability of probiotic strain Lactobacillus acidophilus M92.
J. Appl. Microbiol. **94**(6): 981-987
- KRAMMER, M. ;KARBACH, U. (1993)
Antidiarrheal action of the yeast Saccharomyces boulardii in the rat small and large intestine by stimulating chloride absorption.
Z. Gastroenterol. **31**: 73-77

- KYRIAKIS, S.;TSILOYIANNIS, V.;VLEMMAS, J.;SARRIS, K.;TSINAS, A.;
ALEXOPOULOS, C. ;JANSEGGERS, L. (1999)
The effect of probiotic LSP 122 on the control of post-weaning diarrhoea
syndrome of piglets.
Res. Vet. Sci. **67**(3): 223-228
- LARSEN, R.;MERTZ-NIELSEN, A.;HANSEN, M. B.;POULSEN, S. S. ;BINDSLEV, N.
(2001)
Novel modified Ussing chamber for the study of absorption and secretion in
human endoscopic biopsies.
Acta Physiol. Scand. **173**(2): 213-222
- LAURITSEN, K.;LAURSEN, L. S.;BUKHAVE, K. ;RASK-MADSEN, J. (1988)
In vivo profiles of eicosanoids in ulcerative colitis, Crohn's colitis, and
Clostridium difficile colitis.
Gastroenterology **95**(1): 11-17
- LIDBECK, A.;NORD, C. E.;GUSTAFSSON, J. A. ;RAFTER, J. (1992)
Lactobacilli, anticarcinogenic activities and human intestinal microflora.
Eur. J. Cancer Prev. **1**(5): 341-353
- LILLY, D. M. ;STILLWELL, R. H. (1965)
Probiotics: growth promoting factors produced by microorganisms.
Science **147**: 747 -748
- LIM, B. K.;MAHENDRAN, R.;LEE, Y. K. ;BAY, B. H. (2002)
Chemopreventive effect of Lactobacillus rhamnosus on growth of a
subcutaneously implanted bladder cancer cell line in the mouse.
Jpn. J. Cancer Res. **93**(1): 36-41
- LIN, M. Y. ;YEN, C. L. (1999)
Inhibition of lipid peroxidation by Lactobacillus acidophilus and Bifidobacterium
longum.
J. Agric. Food Chem. **47**(9): 3661-3664
- LINDERMAYER, H. ;PROPSTMEIER, G. (2003)
Alternativer Leistungsförderer "BioPLus 2 B" in der Ferkelfütterung.
Schweine-Zucht und Schweine-Mast **5**: 30-33
- LODEMANN, U. (2001)
Transportphysiologische Untersuchungen am isolierten Pansenepithel des
Schafes.
Dissertation, Freie Universität Berlin.
- LU, L. ;WALKER, W. A. (2001)
Pathologic and physiologic interactions of bacteria with the gastrointestinal
epithelium.
Am. J. Clin. Nutr. **73**(6): 1124-1130

- MACK, D. R.;AHRNE, S.;HYDE, L.;WEI, S. ;HOLLINGSWORTH, M. A. (2003)
Extracellular MUC3 mucin secretion follows adherence of Lactobacillus strains to intestinal epithelial cells in vitro.
Gut **52**(6): 827-833
- MACK, D. R.;MICHAEL, S.;WEI, S.;MCDUGALL, L. ;HOLLINGSWORTH, M. A. (1999)
Probiotics inhibit enteropathogenic E. coli adherence in vitro by inducing intestinal mucin gene expression.
Am. J. Physiol. **276**(4 Pt 1): G941-950
- MADEJ, M.;LUNDH, T. ;LINDBERG, J. E. (1999)
Activities of enzymes involved in glutamine metabolism in connection with energy production in the gastrointestinal tract epithelium of newborn, suckling and weaned piglets.
Biol. Neonate **75**(4): 250-258
- MADSEN, K. L.;DOYLE, J. S.;JEWELL, L. D.;TAVERNINI, M. M. ;FEDORAK, R. N. (1999)
Lactobacillus species prevents colitis in interleukin 10 gene-deficient mice.
Gastroenterology **116**(5): 1107-1114
- MANGELL, P.;NEJDFORS, P.;WANG, M.;AHRNE, S.;WESTROM, B.; THORLACIUS, H. ;JEPPSSON, B. (2002)
Lactobacillus plantarum 299v inhibits Escherichia coli-induced intestinal permeability.
Dig. Dis. Sci. **47**(3): 511-516
- MÄNNER, K. ;SPIELER, A. (1997)
Probiotics in piglets - an alternative to traditional growth promoters.
Microecol. Therapy **26**: 243-256
- MATTAR, A. F.;DRONGOWSKI, R. A.;CORAN, A. G. ;HARMON, C. M. (2001)
Effect of probiotics on enterocyte bacterial translocation in vitro.
Pediatr. Surg. Int. **17**(4): 265-268
- MATTAR, A. F.;TEITELBAUM, D. H.;DRONGOWSKI, R. A.;YONGYI, F.; HARMON, C. M. ;CORAN, A. G. (2002)
Probiotics up-regulate MUC-2 mucin gene expression in a Caco-2 cell-culture model.
Pediatr. Surg. Int. **18**(7): 586-590
- MCEWAN, G. T.;SCHOUSBOE, B.;NIELSEN, C. G. ;SKADHAUGE, E. (1990)
Effect of age on the secretory capacity of pig small intestine in vivo and in vitro.
Am. J. Physiol. **259**(3 Pt 1): G474-480

- MCGILLIARD, M. L. ;STALLINGS, C. C. (1998)
 Increase in milk yield of commercial dairy herds fed a microbial and enzyme supplement.
 J. Dairy Sci. **81**(5): 1353-1357
- METCHNIKOFF, E. (1907)
 The prolongation of life.
 London; Heinemann Verlag
- MEZOFF, A. G.;JENSEN, N. J. ;COHEN, M. B. (1991)
 Mechanisms of increased susceptibility of immature and weaned pigs to Escherichia coli heat-stable enterotoxin.
 Pediatr. Res. **29**(5): 424-428
- MIETTINEN, M.;VUOPIO-VARKILA, J. ;VARKILA, K. (1996)
 Production of human tumor necrosis factor alpha, interleukin-6, and interleukin-10 is induced by lactic acid bacteria.
 Infect. Immun. **64**: 5403-5405
- MOHAN, B.;KADIRVEL, R.;NATARAJAN, A. ;BHASKARAN, M. (1996)
 Effect of probiotic supplementation on growth, nitrogen utilisation and serum cholesterol in broilers.
 Br. Poult. Sci. **37**(2): 395-401
- MORRILL, J. L.;MORRILL, J. M.;FEYERHERM, A. M. ;LASTER, J. F. (1995)
 Plasma proteins and a probiotic as ingredients in milk replacer.
 J. Dairy Sci. **78**(4): 902-907
- NAGAOKA, M.;HASHIMOTO, S.;WATANABE, T.;YOKOKURA, T. ;MORI, Y. (1994)
 Anti-ulcer effects of lactic acid bacteria and their cell wall polysaccharides.
 Biol. Pharm. Bull. **17**(8): 1012-1017
- NAHASHON, S. N.;NAKAUE, H. S. ;MIROSH, L. W. (1994)
 Production variables and nutrient retention in single comb White Leghorn laying pullets fed diets supplemented with direct-fed microbials.
 Poult. Sci. **73**(11): 1699-1711
- NEMCOVA, R. (1997)
 Criteria for selection of lactobacilli for probiotic use.
 Vet. Med. (Praha). **42**(1): 19-27
- NOCEK, J. E.;KAUTZ, W. P.;LEEDLE, J. A. ;BLOCK, E. (2003)
 Direct-fed microbial supplementation on the performance of dairy cattle during the transition period.
 J. Dairy Sci. **86**(1): 331-335
- ORRHAGE, K.;SILLERSTROM, E.;GUSTAFSSON, J. A.;NORD, C. E. ;RAFTER, J. (1994)
 Binding of mutagenic heterocyclic amines by intestinal and lactic acid bacteria.
 Mutat. Res. **311**(2): 239-248

- OZAWA, K.;YABU-UCHI, K.;YAMANAKA, K.;YAMASHITA, Y.;NOMURA, S. ;OKU, I. (1983)
Effect of *Streptococcus faecalis* BIO-4R on intestinal flora of weanling piglets and calves.
Appl. Environ. Microbiol. **45**(5): 1513-1518
- PACHA, J. (2000)
Development of intestinal transport function in mammals.
Physiol. Rev. **80**(4): 1633-1667
- PANDA, A. K.;REDDY, M. R.;RAMA RAO, S. V. ;PRAHARAJ, N. K. (2003)
Production performance, serum/yolk cholesterol and immune competence of white leghorn layers as influenced by dietary supplementation with probiotic.
Trop. Anim. Health Prod. **35**(1): 85-94
- PARKER, R. B. (1974)
Probiotics, the other half of the antibiotic story.
Anim. Nutr. Health **29**: 4 - 8
- PASCUAL, M.;HUGAS, M.;BADIOLA, J. I.;MONFORT, J. M. ;GARRIGA, M. (1999)
Lactobacillus salivarius CTC2197 prevents *Salmonella enteritidis* colonization in chickens.
Appl. Environ. Microbiol. **65**(11): 4981-4986
- PERDIGON, G.;DE MACIAS, M.;ALVAREZ, S.;OLIVER, G. ;DE RUIZ HOLGADO, A. (1986)
Effect of perorally administered lactobacilli on macrophage activation in mice.
Infect. Immun. **53**(2): 404-410
- PERDIGON, G.;VINTINI, E.;ALVAREZ, S.;MEDINA, M. ;MEDICI, M. (1999)
Study of the possible mechanisms involved in the mucosal immune system activation by lactic acid bacteria.
J. Dairy Sci. **82**(6): 1108-1114
- PEREZ, M.;BARBER, A. ;PONZ, F. (1997)
Modulation of intestinal paracellular permeability by intracellular mediators and cytoskeleton.
Can. J. Physiol. Pharmacol. **75**(4): 287-292
- PIERIDES, M.;EL-NEZAMI, H.;PELTONEN, K.;SALMINEN, S. ;AHOKAS, J. (2000)
Ability of dairy strains of lactic acid bacteria to bind aflatoxin M1 in a food model.
J. Food Prot. **63**(5): 645-650
- POCHARD, P.;GOSSET, P.;GRANGETTE, C.;ANDRE, C.;TONNEL, A. B.;PESTEL, J. ;MERCENIER, A. (2002)
Lactic acid bacteria inhibit TH2 cytokine production by mononuclear cells from allergic patients.
J. Allergy Clin. Immunol. **110**(4): 617-623

- POLLMANN, D. S.; DANIELSON, D. M. ; PEO, E. R., JR. (1980)
Effects of microbial feed additives on performance of starter and growing-finishing pigs.
J Anim Sci **51**(3): 577-581
- RAFFLE, E. J. (1956)
Yogurt in gastro-enteritis of infancy.
Lancet **2**: 1106 - 1107
- RANTALA, M. ; NURMI, E. (1973)
Prevention of the growth of Salmonella infantis in chicks by the flora of the alimentary tract of chickens.
Br. Poult Sci. **14**(6): 627-630
- RESTA-LENERT, S. ; BARRETT, K. E. (2003)
Live probiotics protect intestinal epithelial cells from the effects of infection with enteroinvasive Escherichia coli (EIEC).
Gut **52**(7): 988-997
- ROLFE, R. (2000)
The role of probiotic cultures in the control of gastrointestinal health.
J. Nutr. **130**(2S Suppl): 396-402
- SAID, H. M.; GREENE, H. L.; MOORE, M. C. ; GHISHAN, F. K. (1987)
Developmental maturation of D-glucose active transport system in rat intestine.
Digestion **36**(4): 195-200
- SCHEFFLER, A. (1984)
Charakterisierung der Wirkung von Pharmaka auf die elektrophysiologischen Parameter gastrointestinaler Epithelgewebe mit einer mikrocomputer-gesteuerten Strom- und Spannungsklemmeinrichtung.
Dissertation, Humboldt-Universität Berlin.
- SCHEUNERT, A. ; TRAUTMANN, A. (1987)
Lehrbuch der Veterinärphysiologie
Berlin, Hamburg; Verlag Paul Parey
- SCHMÖGER, R. (1960)
Bactisubtil zur Behandlung der Ernährungsstörung der Säuglinge und der Dysbakterie bei enteralen Antibiotikagaben.
Münch. Med. Wochenschr.(24): 1213 - 1217
- SEEHOFER, D.; RAYES, N.; SCHILLER, R.; STOCKMANN, M.; MULLER, A. R.; SCHIRMEIER, A.; SCHAEFER, F.; TULLIUS, S. G.; BENGMARK, S. ; NEUHAUS, P. (2004)
Probiotics partly reverse increased bacterial translocation after simultaneous liver resection and colonic anastomosis in rats.
J. Surg. Res. **117**(2): 262-271

- SHU, Q.;QU, F. ;GILL, H. S. (2001)
Probiotic treatment using Bifidobacterium lactis HN019 reduces weanling diarrhea associated with Rotavirus and Echerichia coli infection in a piglet model.
J. Pediatr. Gastroenterol. Nutr. **33**(2): 171-177
- SIMON, O. ;BREVES, G. (2000)
Probiotics - feed additives with uncertain mode of action.
6. Tagung Schweine- und Geflügelernährung, Wittenberg
- STANLEY, V. G.;OJO, R.;WOLDESENBET, S.;HUTCHINSON, D. H. ;KUBENA, L. F. (1993)
The use of Saccharomyces cerevisiae to suppress the effects of aflatoxicosis in broiler chicks.
Poult Sci. **72**(10): 1867-1872
- STEVENS, C. E. (1964)
Transport of sodium and chloride by the isolated rumen epithelium.
Am. J. Physiol. **206**: 1099 - 1105
- STOCKMANN, M.;GITTER, A. H.;SORGENFREI, D.;FROMM, M. ;SCHULZKE, J. D. (1999)
Low edge damage container insert that adjusts intestinal forceps biopsies into Ussing chamber systems.
Pflügers Arch. **438**(1): 107-112
- THELEN, U. (1997)
Einfluss zweier Varianten von Bacillus cereus als Probiotika beim frühentwöhnten Ferkel unter Einbeziehung ernährungsphysiologischer, mikrobiologischer, histologischer und hämatologischer Aspekte.
Dissertation, Justus-Liebig-Universität Gießen.
- THELEN, U. ;PALLAUF, J. (1996)
Wirkung von Bacillus cereus auf die Zusammensetzung der Darmflora beim frühentwöhnten Ferkel.
Proc. Soc. Nutr. Physiol. **5**: 144
- THOREUX, K.;BALAS, D.;BOULEY, C. ;SENEGAS-BALAS, F. (1998)
Diet supplemented with yoghurt or milk fermented by Lactobacillus casei DN-114 001 stimulates growth and brush-border enzyme activities in mouse small intestine.
Digestion **59**(4): 349-359
- TOLOZA, E. M. ;DIAMOND, J. (1992)
Ontogenetic development of nutrient transporters in rat intestine.
Am. J. Physiol. **263**(5 Pt 1): G593-604

- TRAYNOR, T. R.;BROWN, D. R. ;O'GRADY, S. M. (1993)
 Effects of inflammatory mediators on electrolyte transport across the porcine distal colon epithelium.
 J. Pharmacol. Exp. Ther. **264**(1): 61-66
- UNMACK, M. A.;RANGACHARI, P. K. ;SKADHAUGE, E. (2001)
 Effects of isoprostanes and prostanoids on porcine small intestine.
 J. Pharmacol. Exp. Ther. **296**(2): 434-441
- URLINGS, H. A.;MUL, A. J.;VAN 'T KLOOSTER, A. T.;BIJKER, P. G. ;
 VAN LOGTESTIJN, J. G. ;VAN GILS, L. G. (1993)
 Microbial and nutritional aspects of feeding fermented feed (poultry by-products) to pigs.
 Vet. Q. **15**(4): 146-151
- USSING, H. H. ;ZERAHN, K. (1951)
 Active transport of sodium as the source of electric current in the short-circuited isolated frog skin.
 Acta. Physiol. Scand. **23**: 110-127
- VAN WINSEN, R. L.;KEUZENKAMP, D.;URLINGS, B. A.;LIPMAN, L. J. ;
 SNIJDERS, J. A.;VERHEIJDEN, J. H. ;VAN KNAPEN, F. (2002)
 Effect of fermented feed on shedding of Enterobacteriaceae by fattening pigs.
 Vet. Microbiol. **87**(3): 267-276
- VANBELLE, M.;TELLER, E. ;FOCANT, M. (1990)
 Probiotics in animal nutrition: a review.
 Arch. Tierernähr. **40**(7): 543-567
- VIDON, N.;HUCHET, B. ;RAMBAUD, J. C. (1986)
 Influence of *Saccharomyces boulardii* on jejunal secretion in rats induced by cholera toxin.
 Gastroenterol. Clin. Biol. **10**(1): 13-16
- VITINI, E.;ALVAREZ, S.;MEDINA, M.;MEDICI, M.;DE BUDEGUER, M. V. ;
 PERDIGON, G. (2000)
 Gut mucosal immunostimulation by lactic acid bacteria.
 Biocell **24**(3): 223-232
- WATKINS, B. A.;MILLER, B. F. ;NEIL, D. H. (1982)
 In vivo inhibitory effects of *Lactobacillus acidophilus* against pathogenic *Escherichia coli* in gnotobiotic chicks.
 Poult Sci. **61**(7): 1298-1308
- WILLIAMS, P. E.;TAIT, C. A.;INNES, G. M. ;NEWBOLD, C. J. (1991)
 Effects of the inclusion of yeast culture (*Saccharomyces cerevisiae* plus growth medium) in the diet of dairy cows on milk yield and forage degradation and fermentation patterns in the rumen of steers.
 J. Anim. Sci. **69**(7): 3016-3026

- WINCKLER, C.;BREVES, G.;BOLL, M. ;DANIEL, H. (1999)
Characteristics of dipeptide transport in pig jejunum in vitro.
J. Comp. Physiol. [B] **169**(7): 495-500
- WINCKLER, C.;SCHRÖDER, B. ;BREVES, G. (1998)
Effects of *Saccharomyces boulardii*, *Bacillus cereus* var. *caron* and *Bacillus cereus* var. *toyoi* on epithelial transport functions in pig jejunum.
Z. Gastroenterol. **Suppl. 1**: 30-37
- WOOD, I. S. ;TRAYHURN, P. (2003)
Glucose transporters (GLUT and SGLT): expanded families of sugar transport proteins.
Br. J. Nutr. **89**(1): 3-9
- WRIGHT, E. M. (1993)
The intestinal Na⁺/glucose cotransporter.
Annu. Rev. Physiol. **55**: 575-589
- WU, G.;KNABE, D. A.;YAN, W. ;FLYNN, N. E. (1995)
Glutamine and glucose metabolism in enterocytes of the neonatal pig.
Am. J. Physiol. **268**(2 Pt 2): R334-342
- YAN, F. ;POLK, D. B. (2002)
Probiotic bacterium prevents cytokine-induced apoptosis in intestinal epithelial cells.
J. Biol. Chem. **277**(52): 50959-50965