Bibliography

[Abe80]   E. Abe, *Hopf algebras*, University Press, Cambridge, 1980.

[AC92a]   D. Altschuler and A. Coste, *Invariants de rubans et algébres quasi Hopf*, Rencontres de Strasbourg (Strasbourg) (D. Bennequin and M. Rosso, eds.), december 1992.

[AC92b]   D. Altschuler and A. Coste, *Quasi–quantum groups, knots, three–manifolds and topological field theory*, Comm. Math. Phys. **150** (1992), 83–107.

[AFFS98]   A. Yu. Alekseev, L.D. Faddeev, J. Fröhlich, and V. Schomerus, *Representation theory of lattice current algebras*, Comm. Math. Phys. **191** (1998), 31.

[AFS92]   A. Alekseev, L. Faddeev, and M. Semenov-Tian-Shanski, *Hidden quantum groups inside Kac-Moody algebras*, Comm. Math. Phys. **149** (1992), 335.

[AFSV91]   A. Yu. Alekseev, L. D. Faddeev, M. A. Semenov-Tian-Shansky, and A. Yu. Volkov, *The unraveling of the quantum group structure in WZNW theory*, preprint CERN-TH-5981/91, 1991.

[AGS95]   A. Yu. Alekseev, H. Grosse, and V. Schomerus, *Combinatorial quantization of the Hamiltonian Chern Simons theory, I*, Comm. Math. Phys. **172** (1995), 317–358.

[AGS96]   A. Yu. Alekseev, H. Grosse, and V. Schomerus, *Combinatorial quantization of the Hamiltonian Chern Simons theory, II*, Comm. Math. Phys. **174** (1996), 561–604.

[Art65]   E. Artin, *Theorie der Zöpfe*, The collected papers of E. Artin (S. Lang and J.E. Tate, eds.), Addison-Wesley, 1965, (Hamburger Abh. **4** (1925), 47).

[AS96]   A. Yu. Alekseev and V. Schomerus, *Representation theory of Chern Simons observables*, Duke Math. J. **85** (1996), no. 2, 447.

[Bau95]   H. Baumgärtel, *Operator algebraic methods in quantum field theory: a series of lectures*, Akademie Verlag, Berlin, 1995.

[BCM86]   R. J. Blattner, M. Cohen, and S. Montgomery, *Crossed products and inner actions of Hopf algebras*, Trans. AMS **298** (1986), no. 2, 671.

[BdWP94]   F. A. Bais and M. de Wild Propitius, *Quantum groups in the Higgs phase*, Theor. Math. Phys. **98** (1994), 425.

[BF82]   D. Buchholz and K. Fredenhagen, *Locality and the structure of particle states*, CMP **84** (1982), 81–119.

[BL93]   D. Bernard and A. LeClair, *The quantum double in integrable quantum field theory*, Nucl. Phys. **B399** (1993), 709.

[BM85]   R. J. Blattner and S. Montgomery, *A duality theorem for Hopf module algebras*, Journal of Algebra **95** (1985), 153–172.

[BM89]   R. J. Blattner and S. Montgomery, *Crossed products and Galois extensions of Hopf algebras*, Pac. J. Math. **137** (1989), no. 1, 37.

[BMT88]   D. Buchholz, G. Mack, and I. Todorov, *The current algebra on the circle as a germ of local field theories*, Nucl. Phys. B (Proc. Suppl.) **5B** (1988), 20–56.

[BS93]   S. Baaj and G. Skandalis, *Unitaires multiplicatifs et dualité pour les produits croisés de C^*–algebres*, Ann. Sci. ENS **26** (1993), 425.

[BS98]   A. G. Bytsko and V. Schomerus, *Vertex operators - from a toy model to lattice algebras*, Comm. Math. Phys. **191** (1998), 87.

[BW92]   H. Baumgärtel and M. Wollenberg, *Causal nets of operator algebras*, Akademie Verlag, 1992.

[CP94]   V. Chari and A. Pressley, *A guide to quantum groups*, Cambridge University Press, 1994.

[DHR69a]   S. Doplicher, R. Haag, and J. E. Roberts, *Fields, observables and gauge transformations I*, Comm. Math. Phys. **13** (1969), 1.

[DHR69b]   S. Doplicher, R. Haag, and J. E. Roberts, *Fields, observables and gauge transformations II*, Comm. Math. Phys. **15** (1969), 173.

[DHR71]   S. Doplicher, R. Haag, and J. E. Roberts, *Local observables and particle statistics I*, Comm. Math. Phys. **23** (1971), 199.

[DHR74]   S. Doplicher, R. Haag, and J. E. Roberts, *Local observables and particle statistics II*, Comm. Math. Phys. **35** (1974), 49.

[DPR90]   R. Dijkgraaf, V. Pasquier, and P. Roche, *Quasi Hopf algebras, group cohomology and orbifold models*, Nucl. Phys. B **18** (1990), 60, Proc. Suppl.

[DR89a]   S. Doplicher and J. E. Roberts, *Endomorphisms of C^*-algebras, cross products and duality for compact groups*, Ann. Math. **130** (1989), 75.

[DR89b]   S. Doplicher and J. E. Roberts, *A new duality theory for compact groups*, Invent. Math. **98** (1989), 157–218.

[DR90]   S. Doplicher and J. E. Roberts, *Why there is a field algebra with a compact gauge group describing the superselection structure in particle physics*, Comm. Math. Phys. **131** (1990), 51.

[Dri85]   V.G. Drinfeld, *Hopf algebras and the quantum Yang-Baxter equation*, Dokl. Akad. Nauk SSSR **283:5** (1985), 1060–1064, (English transl.: Siviet Math. Dokl. 32 (1985), 254-258).

[Dri86]   V.G. Drinfeld, *Quantum groups*, Proc. Int. Cong. Math. (Berkeley), 1986, p. 798.

[Dri90]   V.G. Drinfeld, *Quasi–Hopf algebras*, Leningrad Math. J. **1** (1990), no. 6, 1419.

[DT86]   Y. Doi and M. Takeuchi, *Cleft comodule algebras for a bialgebra*, Comm. in Alg. **14** (1986), no. 5, 801–817.

[Fad92]   L.D. Fadeev, *Quantum symmetry in conformal field theory by Hamiltonian methods*, New Symmetry Principles in Quantum Field Theory (Cargèse) (J. Fröhlich et al., ed.), Plenum Press, New York, 1992, pp. 159–175.

[FG93]   F. Falceto and K. Gawedszki, *Lattice Wess-Zumino-Witten model and quantum groups*, J. Geom. Phys. **11** (1993), 251.

[FGV94]   J. Fuchs, A. Ganchev, and P. Vecsernyés, *On the quantum symmetry of rational field theories*, Theor. Math. Phys. **98** (19994), 266–276.

[FK93]   J. Fröhlich and T. Kerler, *Quantum groups, quantum categories and quantum field theory*, Lecture Notes in Mathematics, vol. 1542, Springer, Berlin, 1993.

[Fre90]   K. Fredenhagen, *Quantum field theory in low dimensional space time*, Proceedings of the Schladming Winter School 1990 (W. Schweiger H. Mitter, ed.), Springer Proceedings in Physics, 1990.

[Frö88]   J. Fröhlich, *Statistics of fields, the Yang Baxter equation and the theory of knots and links*, Non-perturbative quantum field theory (G. t'Hooft, ed.), Plenum Press, 1988.

[FRS89]   K. Fredenhagen, K.H. Rehren, and B. Schroer, *Superselection sectors with braid group statistics and exchange algebras I. General theory*, CMP (1989), 201.

[FRS92]   K. Fredenhagen, K.H. Rehren, and B. Schroer, *Superselection sectors with braid group statistics and exchange algebras II. Geometric aspects and conformal invariance*, Rev. Math. Phys. special issue (1992), 113.

[Gaw91]   K. Gawedzki, *Classical origin of quantum group symmetries in Wess-Zumino-Witten conformal field theories*, Comm. Math. Phys. **139** (1991), 201.

[GHJ89]   F.M. Goodman, P. de la Harpe, and V.F.R. Jones, *Coxeter graphs and towers of algebras*, Springer, New York, 1989.

[Haa92]   R. Haag, *Local quantum physics*, Springer, Berlin, 1992.

[Här95]   R. Häring, *Reconstruction of weak quasi–Hopf algebras*, q-alg/9504001, 1995.

[HK64]   R. Haag and D. Kastler, *An algebraic approach to quantum field theory*, J. Math. Phys. **3** (1964), 848.

[HNa]   F. Haußer and F. Nill, *Diagonal crossed products by duals of quasi–quantum groups*, q-alg/9708004, to appear in Rev. Math. Physics.

[HNb]   F. Haußer and F. Nill, *Doubles of quasi–quantum groups*, q-alg/9708023, to appear in Comm. Math. Phys.

[Jim85]   M. Jimbo, *A q-difference analogue of $\mathcal{U}(\mathfrak{g})$ and the Yang-Baxter equation*, Lett. Math. Phys. **10** (1985), 63–69.

[Kas90]   D. Kastler, *The algebraic theory of superselection sectors. Introduction and recent results*, World Scientific, 1990.

[Kas95]   C. Kassel, *Quantum groups*, Springer, New York, 1995.

[KR81]   P.P Kulish and N.Yu. Reshetikin, *Quantum linear problem for the sine-Gordon equation and higher representations*, LOMI **101** (1981), 101–110, (English transl.: J. Soviet Math. 23 (1983), 2435-2441).

[KS97]   M. Karowski and R. Schrader, *A lattice model of local algebras of observables and fields with braid group statistics*, Helv. Phys. Acta **70** (1997), 192–246.

[LR88]   R.G. Larson and D.E. Radford, *Finite dimensional cosemisimple Hopf algebras in characteristic 0 are semisimple*, Journal of Algebra **117** (1988), 267–289.

[LS69]   R.G. Larson and M. E. Sweedler, *An associative orthogonal bilinear form for Hopf algebras*, Amer. J. Math. **91** (1969), 75–94.

[Lus93]   G. Lusztig, *Introduction to quantum groups*, Birkhäuser, 1993.

[Mac71]   S. Mac Lane, *Categories for the working mathematician*, Springer, New York, 1971.

[Maj90]   S. Majid, *Quasitriangular Hopf algebras and Yang Baxter equations*, Int. J. Mod. Phys. **A5** (1990), 1.

[Maj92]   S. Majid, *Tannaka–Krein theorem for quasi–Hopf algebras and other results*, Contemp. Math. Phys. **150** (1992), 219–232.

[Maj95]   S. Majid, *Foundations of quantum group theory*, Cambridge University Press, 1995.

[Maj97]   S. Majid, *Quantum double for quasi–Hopf algebras*, q-alg/9701002, 1997.

[MR89]   G. Moore and N. Reshetikhin, *A comment on quantum symmetry in conformal field theory*, Nucl. Phys. **B328** (1989), 557.

[MS90]   G. Mack and V. Schomerus, *Conformal field algebras with quantum symmetry from the theory of superselection sectors*, Comm. Math. Phys. **134** (1990), 139.

[MS92]   G. Mack and V. Schomerus, *Quasi Hopf quantum symmetry in quantum theory*, Nucl. Phys. **B370** (1992), 185.

[Müg98]   M. Müger, *Quantum double actions on operator algebras and orbifold quantum field theories*, CMP **191** (1998), 31.

[Nil]   F. Nill, *Integrals and Fourier transformation for quasi–Hopf algebras*, to appear.

[Nil93]   F. Nill, *Fusion structures from quantum groups II: Why truncation is necessary*, Lett. Math. Phys. **29** (1993), 83–90.

[Nil97]   F. Nill, *On the structure of monodromy algebras and Drinfel'd doubles*, Rev. Math. Phys. **9** (1997), 371–397.

[NS95]   F. Nill and K. Szlachányi, *Quantum chains of Hopf algebras and order-disorder fields with quantum double symmetry*, hep-th/9507174, 1995.

[NS97]   F. Nill and K. Szlachányi, *Quantum chains of Hopf algebras with quantum double cosymmetry*, Comm. Math. Phys. **187** (1997), 159.

[Pas88]   V. Pasquier, *Continuum limit of lattice models built on quantum groups*, Nucl. Phys. **B295** (1988), 491.

[PS89]   V. Pasquier and H. Saleur, *XXZ chain and quantum su(2)*, Fields, Strings, and Critical Phenomena, Les Houches, 1989.

[PS90]   P. Pasquier and H. Saleur, *Common structures between finite systems and conformal field theories through quantum groups*, Nucl. Phys. **B330** (1990), 523.

[RS90]   N. Reshetikhin and F. Smirnov, *Hidden quantum symmetry and integrable perturbations of conformal field theory*, Comm. Math. Phys. **131** (1990), 157.

[RT90]   N.Yu. Reshetikin and V.G. Turaev, *Ribbon graphs and their invariants derived from quantum groups*, Comm. Math. Phys. **127** (1990), 1–26.

[Sch95]   V. Schomerus, *Constructions of field algebras with quantum symmetry from local observables*, Comm. Math. Phys. **169** (1995), 193.

[Skl85]   E.K. Sklyanin, *On an algebra generated by quadratic relations*, Uspekhi Mat. Nauk **40:2 (242)** (1985), 214, in Russian.

[STF79]   E.K. Sklynanin, L.A. Takhtajan, and L.D. Faddeev, *Quantum inverse problem method*, Theoret. Math. Phys. **40** (1979), 688.

[Sto92]   M. Stone (ed.), *Quantum hall effect*, World Scientific, Singapore, 1992.

[SV93]   K. Szlachányi and P. Vescernyés, *Quantum symmetry and braid group statistics in $G-$spin models*, Comm. Math. Phys. **6** (1993), 127.

[Swe69]   M.E. Sweedler, *Hopf algebras*, Benjamin Press, 1969.

[Szl94]   K. Szlachányi, *Chiral decomposition as a source of quantum symmetry in the Ising model*, Rev. Math. Phys. **6** (1994), 649–671.

[Tak89]   L.A. Takhtajan, *Lectures on quantum groups*, Introduction to quantum groups and integrable massive models of quantum field theory (Mo-Liu Ge and Bao-Heng Zhao, eds.), Nankai Lectures on Mathematical Physics, World Scientific, 1989.

[Tur94]   V.G. Turaev, *Quantum invariants of knots and 3−manifolds*, Walter de Gruyter, Berlin, 1994.

[Vec94]   P. Vecsernyés, *On the quantum symmetry of the chiral Ising model*, Nucl. Phys. **B415** (1994), 557.

[WWW52]   J. C. Wick, A. S. Wightman, and E. P. Wigner, *The intrinsic parity of elementary particles*, Phys. Rev. (1952), 101–105.