

## Literatur

- Aharonson, O., N. Schorghofer, und M. F. Gerstell (2003), Slope streak formation and dust deposition rates on Mars, *J. Geophys. Res.*, *108*, 5138, doi:10.1029/2003JE002123.
- Ahnert, F. (1996), *Einführung in die Geomorphologie*, 440 S., Ulmer, Stuttgart.
- Albee, A. L., R. E. Arvidson, F. Palluconi, und T. Thorpe (2001), Overview of the Mars Global Surveyor mission, *J. Geophys. Res.*, *106*, 23,291–23,316.
- Allen, C. C. (1979), Areal distribution of Martian rampart craters, *Icarus*, *39*, 111–123.
- Arvidson, R. E., A. B. Binder, und K. L. Jones (1978), The surface of Mars, *Scientific American*, *238*, 76–89.
- Azimi, C., und P. Desvarreux (1974), A study of one special type of mudflow in the French Alps, *Quarterly Journal of Engineering Geology*, *7*, 329–338.
- Bahlburg, H., und C. Breitkreuz (1998), *Grundlagen der Geologie*, 328 S., Enke, Stuttgart.
- Bailey, R. W., C. L. Forsling, und R. J. Becraft (1934), *Floods and accelerated erosion in northern Utah*, 196 S., United States Department of Agriculture, Miscellaneous Publication.
- Baird, P. D., und W. V. Lewis (1957), The Cairngorm flood 1956, *Scottish Geographical Magazine*, *73*, 91–100.
- Baker, V. R. (1982), *The channels of Mars*, 198 S., Univ. of Tex. Press, Austin.
- Baker, V. R. (1990), Spring sapping and valley network development, in *Groundwater geomorphology*, herausgegeben von C. G. Higgins und D. R. Coates, S. 235–266, Geological Society of America, Special Paper.
- Baker, V. R. (2001), Water and the martian landscape, *Nature*, *412*, 228–236.
- Baker, V. R., und D. J. Milton (1974), Erosion by catastrophic floods on Mars and Earth, *Icarus*, *23*, 27–41.
- Baker, V. R., und D. Nummedal (1978), *The channeled scabland*, NASA Planetary Geology Program, Washington DC.
- Baker, V. R., und J. B. Partridge (1986), Small Martian valleys - Pristine and degraded morphology, *J. Geophys. Res.*, *91*, 3561–3572.
- Baker, V. R., M. H. Carr, V. C. Gulick, C. R. Williams, und M. S. Marley (1992), Channels and valley networks, in *Mars*, herausgegeben von H. H. Kieffer, B. M. Jakosky, C. W. Snyder, und M. S. Matthews, S. 493–522, Univ. of Arizona Press.
- Baldwin, R. B. (1964), Lunar crater counts, *Astron. J.*, *69*, 377–391.
- Batson, R. M., E. M. Eliason, L. A. Soderblom, K. Edwards, und S. S. C. Wu (1991), CD-ROM publication of the Mars digital cartographic data base, *Planetary Geology and Geophysics Program Report*, S. 512–513.
- Becker, R. H., und R. O. Pepin (1984), Nitrogen and light noble gases in Shergotty, *Geochim. Cosmochim. Acta*, *50*, 993–1000.

- Bell, J. F., P. C. Thomas, M. J. Wolff, S. W. Lee, und P. B. James (1997), Mineralogy of the Martian North Polar Sand Sea from 1995 Hubble Space Telescope near-IR observations, *Lunar and Planet. Inst. Conf. Abstracts*, abstract 1757.
- Benn, D. I., und D. J. A. Evans (1998), *Glaciers and Glaciation*, 734 S., Arnold.
- Bertran, P., und J. P. Texier (1994), Structures sédimentaires d'un cône de flets de débris (Vars, Alpes Françaises Méridionales, *Permafrost and Periglacial Processes*, 5, 155–170.
- Bibring, J., Y. Langevin, F. Poulet, A. Gendrin, B. Gondet, M. Berthé, A. Soufflot, P. Drossart, M. Combes, G. Bellucci, V. Moroz, N. Mangold, B. Schmitt, und the OMEGA Team (2004), Perennial water ice identified in the south polar cap of Mars, *Nature*, 428, 627–630.
- Biener, K. K., P. E. Geissler, A. S. McEwen, und C. Leovy (2002), Observations of Martian Dust Devils in MOC Wide Angle Camera Images, *Lunar and Planet. Sci.*, XXXIII, [CD-ROM], abstract 2004.
- Bills, B. G. (1990), The rigid body obliquity history of Mars, *J. Geophys. Res.*, 95, 14,137–14,153.
- Black, R. F. (1976), Periglacial features indicative of permafrost: Ice and soil wedges, *Quat. Res.*, 6, 3–26.
- Blackwelder, E. (1928), Mudflow as a geologic agent in semiarid mountains, *Bulletin of the Geological Society of America*, 39, 465–484.
- Blijenberg, H. (1998), *Rolling Stones? Triggering and frequency of hillslope debris flows in the Bachelard Valley, southern French Alps*, 223 S., Nederlandse Geografische Studies 246.
- Bogard, D. D., und P. Johnson (1983), Martian gases in an antarctic meteorite, *Science*, 221, 651–654.
- Bogucki, D. J. (1977), Debris slide hazards in the Adirondack Province of New York State, *Environmental Geology*, 1, 317–328.
- Bonello, G., J.-P. Bibring, F. Poulet, A. Gendrin, B. Gondet, Y. Langevin, und S. Fonti (2004), Visible and infrared spectroscopy of minerals and mixtures with the OMEGA/MARS-EXPRESS instrument, *Planet. Space Sci.*, 52, 133–140.
- Bonney, T. G. (1902), Moraines and mudstreams in the Alps, *Geological Magazine, Decade 4*, 9, 8–16.
- Bovis, M. J. (1993), Hillslope geomorphology and geotechnique, *Progress in Physical Geography*, 17, 173–189.
- Boynton, W. V., W. C. Feldman, S. W. Squyres, T. H. Prettyman, J. Brückner, L. G. Evans, R. C. Reedy, R. Starr, J. R. Arnold, D. M. Drake, P. A. J. Englert, A. E. Metzger, I. Mitrofanov, J. I. Trombka, C. d'Uston, H. Wänke, O. Gasnault, D. K. Hamara, D. M. Janes, R. L. Marcialis, S. Maurice, I. Mikheeva, G. J. Taylor, R. Tokar, und C. Shinohara (2002), Distribution of Hydrogen in the Near Surface of Mars: Evidence for Subsurface Ice Deposits, *Science*, 297, 81–85.
- Brass, G. W. (1980), Stability of brines on Mars, *Icarus*, 42, 20–28.
- Breed, C. S., J. F. McCauley, und M. J. Grolier (1982), Relict drainages, conical hills, and the eolian veneer in southwest Egypt - Applications to Mars, *J. Geophys. Res.*, 87, 9929–9950.

- Briggs, G. A., W. A. Baum, und J. Barnes (1979), Viking Orbiter imaging observations of dust in the Martian atmosphere, *J. Geophys. Res.*, *84*, 2795–2820.
- Brunsdon, D. (1979), Mass movements, in *Process in Geomorphology*, herausgegeben von C. E. Embelton und J. B. Thornes, S. 130–186, Arnold.
- Burr, D. M., J. A. Grier, A. S. McEwen, und L. P. Keszthelyi (2002a), Repeated Aqueous Flooding from the Cerberus Fossae: Evidence for Very Recently Extant, Deep Groundwater on Mars, *Icarus*, *159*, 53–73.
- Burr, D. M., A. S. McEwen, und S. E. H. Sakimoto (2002b), Recent aqueous floods from the Cerberus Fossae, Mars, *Geophys. Res. Lett.*, *29*, 1013, doi:10.1029/2001GL013345.
- Burt, D. M., und L. P. Knauth (2003), Electrically conducting, Ca-rich brines, rather than water, expected in the Martian subsurface, *J. Geophys. Res.*, *108*, 8026, doi:10.1029/2002JE001862.
- Byrne, S., und A. P. Ingersoll (2003), A Sublimation Model for Martian South Polar Ice Features, *Science*, *299*, 1051–1053.
- Cabrol, N. A., und E. A. Grin (1999), Distribution, classification, and ages of Martian impact crater lakes, *Icarus*, *142*, 160–172.
- Cabrol, N. A., und E. A. Grin (2001), The evolution of lacustrine environments on Mars: Is Mars only hydrologically dormant ?, *Icarus*, *149*, 291–328.
- Cabrol, N. A., und E. A. Grin (2002), The Recent Mars Global Warming (MGW) and/or South Pole Advance (SPA) Hypothesis: Global Geological Evidence and Reasons Why Gullies Could Still be Forming Today, *Lunar and Planet. Sci.*, *XXXIII*, [CD-ROM], abstract 1058.
- Cabrol, N. A., E. A. Grin, H. E. Newsom, R. Landheim, und C. P. McKay (1995), Hydrogeologic evolution of Gale Crater and its relevance to the exobiological exploration of Mars, *Icarus*, *139*, 135–145.
- Cabrol, N. A., E. A. Grin, R. Landheim, R. O. Kuzmin, und R. Greeley (1998), Duration of the Ma’adim Vallis/Gusev Crater hydrogeologic system, Mars, *Icarus*, *133*, 98–108.
- Cabrol, N. A., D. D. Wynn-Williams, D. A. Crawford, und E. A. Grin (2001), Recent Aqueous Environments in Martian Impact Craters: An Astrobiological Perspective, *Icarus*, *154*, 98–112.
- Cailleux, A., und J. Tricart (1950), Une type de solifluction: les coulées boueuses, *Revue de Géographie Physique et Géologie Dynamique*, *1*, 4–46.
- Cantor, B., M. Malin, und K. S. Edgett (2002), Multiyear Mars Orbiter Camera (MOC) observations of repeated Martian weather phenomena during the northern summer season, *J. Geophys. Res.*, *107*, doi:10.1029/2001JE001588.
- Cantor, B. A., P. B. James, M. Caplinger, und M. J. Wolff (2001), Martian dust storms: 1999 Mars Orbiter Camera observations, *J. Geophys. Res.*, *106*, 23,653–23,688.
- Carr, M. H. (1974), The Role of Lava Erosion in the Formation of Lunar Rilles and Martian Channels, *Icarus*, *22*, 1–23.
- Carr, M. H. (1979), Formation of Martian flood features by release of water from confined aquifers, *J. Geophys. Res.*, *84*, 2995–3007.
- Carr, M. H. (1981), *The surface of Mars*, 232 S., Yale Univ. Press, New Haven.

- Carr, M. H. (1995), The Martain drainage system and the origin of valley networks and fretted channels, *J. Geophys. Res.*, *100*, 7479–7507.
- Carr, M. H. (1996), *Water on Mars*, 229 S., Oxford Univ. Press, New York.
- Carr, M. H. (2001), Mars Global Surveyor observations of Martian fretted terrain, *J. Geophys. Res.*, *106*, 23,571–23,594.
- Carr, M. H., und G. D. Clow (1981), Martian channels and valleys - Their characteristics, distribution, and age, *Icarus*, *48*, 91–117.
- Carr, M. H., und J. W. Head (2003), Oceans on Mars: An assessment of the observational evidence and possible fate, *J. Geophys. Res.*, *108*, 5042, doi:10.1029/2002JE001963.
- Carr, M. H., und M. C. Malin (2000), Meter-Scale Characteristics of Martian Channels and Valleys, *Icarus*, *146*, 366–386.
- Carr, M. H., und G. G. Schaber (1977), Martian permafrost features, *J. Geophys. Res.*, *82*, 4039–4054.
- Carr, M. H., L. S. Crumpler, J. A. Cutts, R. Greeley, J. E. Guest, und H. Masursky (1977), Martian impact craters and emplacement of ejecta by surface flow, *J. Geophys. Res.*, *82*, 4055–4065.
- Carson, M. A. (1976), Mass wasting, Slope Development and Climate, in *Geomorphology and Climate*, herausgegeben von E. Derbyshire, S. 101–136, Wiley.
- Carson, M. A., und M. J. Kirkby (1972), *Hillslope form and process*, 475 S., Cambridge Univ. Press, Cambridge.
- Cattermole, P. J. (2001), *Mars - The mystery unfolds*, 186 S., Oxford Univ. Press, New York.
- Chamley, H. (1977), *Sédimentologie*, Dunod, Paris.
- Christensen, P. R. (1983), Eolian intracrater deposits on Mars - Physical properties and global distribution, *Icarus*, *56*, 496–518.
- Christensen, P. R. (1986), Regional dust deposits on Mars - Physical properties, age, and history, *J. Geophys. Res.*, *91*, 3533–3545.
- Christensen, P. R. (2003), Formation of recent martian gullies through melting of extensive water-rich snow deposits, *Nature*, *422*, 45–48.
- Christensen, P. R., D. L. Anderson, S. C. Chase, R. N. Clark, H. H. Kieffer, M. C. Malin, J. C. Pearl, J. Carpenter, N. Bandiera, und F. G. Brown (1992), Thermal emission spectrometer experiment - Mars Observer mission, *J. Geophys. Res.*, *97*, 7719–7734.
- Christensen, P. R., D. L. Anderson, S. C. Chase, R. T. Clancy, R. N. Clark, B. J. Conrath, H. H. Kieffer, R. O. Kuzmin, M. C. Malin, J. C. Pearl, T. L. Roush, und M. D. Smith (1998), Results from the Mars Global Surveyor Thermal Emission Spectrometer, *Science*, *279*, 1692–1698.
- Christensen, P. R., J. L. Bandfield, V. E. Hamilton, S. W. Ruff, H. H. Kieffer, T. N. Titus, M. C. Malin, R. V. Morris, M. D. Lane, R. L. Clark, B. M. Jakosky, M. T. Mellon, J. C. Pearl, B. J. Conrath, M. D. Smith, R. T. Clancy, R. O. Kuzmin, T. Roush, G. L. Mehall, N. Gorelick, K. Bender, K. Murray, S. Dason, E. Greene, S. Silverman, und M. Greenfield (2001), Mars Global Surveyor Thermal Emission Spectrometer experiment: Investigation description and surface science results, *J. Geophys. Res.*, *106*, 23,823–23,872.

- Christensen, P. R., B. M. Jakosky, H. H. Kieffer, M. C. Malin, H. Y. McSween, K. Nealson, G. L. Mehall, S. H. Silverman, S. Ferry, M. Caplinger, und M. Ravine (2004), The Thermal Emission Imaging System (THEMIS) for the Mars 2001 Odyssey Mission, *Space Sci. Rev.*, *110*, 85–130.
- Clark, B. C., und D. C. van Hart (1981), The salts of Mars, *Icarus*, *45*, 370–378.
- Clifford, S. M. (1993), A model for the hydrologic and climatic behavior of water on Mars, *J. Geophys. Res.*, *98*, 10,973–11,016.
- Conway, W. M. (1893), Exploration of the Mustagh Mountains, *Geographical Journal*, *2*, 289–303.
- Conway, W. M. (1894), *Climbing and exploration in the Karakoram - Himalayas*, Unwin, London.
- Corominas, J. (1995), Evidence of basal erosion and shearing as mechanisms contributing the development of lateral ridges in mudslides, mudflows and other flow-like gravitational movements, *Eng. Geol.*, *39*, 45–70.
- Corominas, J., J. Remendo, P. Farias, M. Estevao, J. Zézere, J. Díaz de Terán, R. Dikau, L. Schrott, J. Moya, und A. González (1996), Debris Flow, in *Landslide Recognition: Identification, Movement and Causes*, herausgegeben von R. Dikau, L. Schrott, und M.-L. Ibsen, S. 161–180, Wiley.
- Costa, J. E. (1984), Physical Geomorphology of Debris Flows, in *Developments and Applications of Geomorphology*, herausgegeben von J. E. Costa und P. J. Fleisher, S. 268–317, Springer.
- Costard, F., F. Forget, N. Mangold, und J. P. Peulvast (2002), Formation of Recent Martian Debris Flows by Melting of Near-Surface Ground Ice at High Obliquity, *Science*, *295*, 110–113.
- Costard, F. M. (1988), Thickness of Sedimentary Deposits at the Mouth of Outflow Channels, in *Lunar and Planet. Inst. Conf. Abstracts*, S. 211–212.
- Costard, F. M. (1989), Asymmetric Distribution of Volatiles on Mars, in *Lunar and Planet. Inst. Conf. Abstracts*, S. 187–188.
- Coussot, P., und M. Meunier (1996), Recognition, classification and mechanical description of debris flows, *Earth Science Reviews*, *40*, 209–227.
- Croft, S. K. (1980), Cratering flow fields - Implications for the excavation and transient expansion stages of crater formation, in *Lunar and Planetary Science Conference*, S. 2347–2378.
- Croft, S. K. (1984), Scaling of Complex Craters, in *Lunar and Planet. Inst. Conf. Abstracts*, S. 188–189.
- Curry, R. R. (1966), Observation of Alpine mudflows in the Tenmile Range, Central Colorado, *Geol. Soc. Am. Bull.*, *77*, 771–776.
- Cutts, J. A., und K. R. Blasius (1981), Origin of Martian outflow channels - The eolian hypothesis, *J. Geophys. Res.*, *86*, 5075–5102.
- Cutts, J. A., und R. S. U. Smith (1973), Eolian deposits and dunes on Mars, *J. Geophys. Res.*, *78*, 4139–4154.
- de Graaf, P. J., J. F. de Ruiter, und A. A. A. van Tetering (1993), *De Initiatie van puinstromen. Een onderzoek in het Bachelarddal, Alpes de Haute Provence*, Unpublished report, Utrecht University, Department of Physical Geography.

- De Hon, R. (1992), Martian lake basins and lacustrine plains, *Earth, Moon, and Planets*, *56*, 95–122.
- Easterbrook, D. J. (1999), *Surface Processes and Landforms*, 2nd Aufl., 546 S., Prentice Hall, New York.
- Edgett, K. S. (1997), Aeolian Dunes as Evidence for Explosive Volcanism in the Tharsis Region of Mars, *Icarus*, *130*, 96–114.
- Edgett, K. S., und D. G. Blumberg (1994), Stars and linear dunes on Mars, *Icarus*, *112*, 448–464.
- Edgett, K. S., und P. R. Christensen (1991), The particle size of Martian aeolian dunes, *J. Geophys. Res.*, *96*, 22,765–22,776.
- Edgett, K. S., und P. R. Christensen (1994), Mars aeolian sand: Regional variations among dark-hued crater floor features, *J. Geophys. Res.*, *99*, 1997–2018.
- Edgett, K. S., und N. Lancaster (1993), Volcaniclastic aeolian dunes: Terrestrial examples and application to Martian sands, *J. Arid Environ.*, *25*, 271–297.
- Edgett, K. S., und M. C. Malin (2000), New views of Mars eolian activity, materials, and surface properties: Three vignettes from the Mars Global Surveyor Mars Orbiter Camera, *J. Geophys. Res.*, *105*, 1623–1650.
- Edgett, K. S., und T. J. Parker (1998), "Bright Aeolian Dunes on Mars: Viking Orbiter Observations, *Lunar and Planet. Sci.*, *XXIX*, [CD-ROM], abstract 1338.
- Edgett, K. S., M. C. Malin, R. M. E. Williams, und S. D. Davis (2003), Polar- and Middle-Latitude Martian Gullies: A View from MGS MOC After 2 Mars Years in the Mapping Orbit, *Lunar and Planet. Sci.*, *XXXIV*, [CD-ROM], abstract 1038.
- Eliason, E. M., R. Batson, und A. Manley (1991), Mars Mosaicked Digital Image Model (MDIM) and Digital Terrain Model (DTM), in *NASA PDS CD-ROM Data Set VO1/VO2-M-VIS-5-DIM-V1.0*, Washington, D. C.
- Engelhardt, W. (1984), *Planeten, Monde, Ringsysteme*, 331 S., Birkhäuser, Basel.
- Evans, N., und L. A. Rossbacher (1980), The last picture show: Small-scale patterend ground in Lunae Planum, *Reports of Planetary Geology Program, NASA TM-82385*, S. 376–378.
- Fanale, F. P., J. R. Salvail, W. B. Banerdt, und R. S. Saunders (1982), Mars - The regolith-atmosphere-cap system and climate change, *Icarus*, *50*, 381–407.
- Farmer, C. B. (1976), Liquid Water on Mars, *Icarus*, *28*, 279–289.
- Farmer, C. B., und P. E. Doms (1979), Global seasonal variation of water vapor on Mars and the implications of permafrost, *J. Geophys. Res.*, *84*(13), 2881–2888.
- Farmer, C. B., D. W. Davies, und D. D. Laporte (1976a), Viking: Mars atmospheric water vapor mapping experiment - Preliminary report of results, *Science*, *193*, 776–780.
- Farmer, C. B., D. W. Davies, und D. D. Laporte (1976b), Mars - Northern summer ice cap - Water vapor observations from Viking 2, *Science*, *194*, 1339–1341.
- Feldman, W. C., W. V. Boynton, R. L. Tokar, T. H. Prettyman, O. Gasnault, S. W. Squyres, R. C. Elphic, D. J. Lawrence, S. L. Lawson, S. Maurice, G. W. McKinney, K. R. Moore, und R. C. Reedy (2002), Global Distribution of Neutrons from Mars: Results from Mars Odyssey, *Science*, *297*, 75–78.

- Ferguson, H. M., und B. K. Lucchitta (1984), Dark slope streaks on talus slopes, Mars, *Reports of Planetary Geology Program, NASA TM-86246*, S. 188–190.
- Ferris, J. C., J. M. Dohm, V. R. Baker, und T. Maddock (2002), Dark slope streaks on Mars: Are aqueous processes involved?, *Geophys. Res. Lett.*, 29, doi:10.1029/2002GL014936.
- Fisher, J., M. I. Richardson, S. P. Ewald, A. D. Toigo, und R. J. Wilson (2002), A Survey of Martian Dust Devil Activity Using Mars Global Surveyor Mars Orbiter Camera Images , *AGU Fall Meeting Abstracts*, S. A332+.
- Forsythe, R. D., und J. R. Zimbelman (1995), A case for ancient evaporite basins on Mars, *J. Geophys. Res.*, 100, 5553–5563.
- French, H. M. (1996), *The Periglacial Environment*, 2nd Aufl., 341 S., Addison Wesley Longman, Essex, UK.
- Gaidos, E. J. (2001), NOTE: Cryovolcanism and the Recent Flow of Liquid Water on Mars, *Icarus*, 153, 218–223.
- Gilmore, M. S., und N. Goldenson (2004), Depths and geologic setting of northern hemisphere gullies (and comparison to their southern counterparts), *Lunar and Planet. Sci.*, XXXV, [CD-ROM], abstract 1884.
- Gilmore, M. S., und E. L. Phillips (2002), Role of aquiclude in formation of Martian gullies, *Geology*, 30, 1107–1110.
- Godwin, R. (2000), *Mars - The NASA Mission Report*, 424 S., Apogee Books.
- Gol'din, B. M., und L. S. Lyubashevskiy (1966), Computation of the velocity of mudflows for Crimean rivers, *Soviet Hydrology*, 2, 179–181.
- Gontscharev, E. P. (1962), Sjels in Tadzhikistan, in *Proceedings of the Fifth Symposium on Sjels, Baku*, S. 109–114.
- Grant, J. A., und P. H. Schultz (1987), Possible Tornado-Like Tracks on Mars, *Science*, 238, 883–885.
- Greeley, R., und J. E. Guest (1987), Geologic map of the eastern equatorial region of Mars, *US Geol. Surv. Misc. Invest. Ser.*, I-1802-B.
- Greeley, R., und J. D. Iversen (1985), *Wind as a geological process on Earth, Mars, Venus, and Titan*, 333 S., Cambridge Univ. Press, Cambridge.
- Greeley, R., und R. Leach (1979), "Steam" injection of dust on Mars: Laboratory simulation, *Reports of Planetary Geology Program, NASA TM-80339*, S. 304–307.
- Greeley, R., und S. H. Williams (1994), Dust deposits on Mars: The 'parna' analog, *Icarus*, 110, 165–177.
- Greeley, R., R. Leach, B. White, J. Iversen, und J. B. Pollack (1980), Threshold windspeeds for sand on Mars - Wind tunnel simulations, *Geophys. Res. Lett.*, 7, 121–124.
- Greeley, R., N. Lancaster, S. Lee, und P. Thomas (1992), Martian aeolian processes, sediments, and features, in *Mars*, herausgegeben von H. H. Kieffer, B. M. Jakosky, C. W. Snyder, und M. S. Matthews, S. 730–766, Univ. of Arizona Press.

- Grin, E. A., und N. A. Cabrol (1997), Limnologic analysis of Gusev Crater paleolake, Mars, *Icarus*, 130, 461–474.
- Gulick, V. C., und V. R. Baker (1989), Fluvial valleys and Martian palaeoclimates, *Nature*, 341, 514–516.
- Gulick, V. C., und V. R. Baker (1990), Origin and evolution of valleys on Martian volcanoes, *J. Geophys. Res.*, 95, 14,325–14,344.
- Gulick, V. C., und V. R. Baker (1992), Martian Hydrothermal Systems: Some Physical Considerations, in *Lunar and Planet. Inst. Conf. Abstracts*, vol. 23, S. 463.
- Haberle, R. M., C. P. McKay, J. Schaeffer, N. A. Cabrol, E. A. Grin, A. P. Zent, und R. Quinn (2001), On the possibility of liquid water on present-day Mars, *J. Geophys. Res.*, 106, 23,317–23,326.
- Haberle, R. M., J. R. Murphy, und J. Schaeffer (2003), Orbital change experiments with a Mars general circulation model, *Icarus*, 161, 66–89.
- Haeberli, W., D. Rickenmann, M. Zimmermann, und U. Rösli (1991), Murgänge, in *Ursachenanalyse der Hochwasser 1987, Ergebnisse der Untersuchungen*, herausgegeben von M. der Landeshydrologie und geologie 14, S. 77–88, Mitteilung des Bundesamtes für Wasserwirtschaft 4.
- Hartmann, W. K. (1966a), Early Lunar Cratering, *Icarus*, 5, 406–418.
- Hartmann, W. K. (1966b), Martian Cratering, *Icarus*, 5, 565–576.
- Hartmann, W. K. (1971), Martian Cratering III: Theory of Crater Obliteration, *Icarus*, 15, 410–428.
- Hartmann, W. K. (1977), Relative crater production rates on planets, *Icarus*, 31, 260–276.
- Hartmann, W. K. (1995), Planetary cratering I: Lunar highlands and tests of hypotheses on crater populations, *Meteoritics*, 30, 451–467.
- Hartmann, W. K. (1998), Martian Crater Populations and Obliteration Rates: First Results from Mars Global Surveyor, *Lunar and Planet. Sci.*, XXIX, [CD-ROM], abstract 1115.
- Hartmann, W. K. (1999), Martian cratering VI. Crater count isochrons and evidence for recent volcanism from Mars Global Surveyor, *Meteoritics & Planetary Science*, 34, 167–177.
- Hartmann, W. K. (2001), Martian Seeps and their Relation to Youthful Geothermal Activity, *Space Sci. Rev.*, 96, 405–410.
- Hartmann, W. K., und D. C. Berman (2000), Elysium Planitia lava flows: Crater count chronology and geological implications, *J. Geophys. Res.*, 105, 15,011–15,026.
- Hartmann, W. K., und G. Neukum (2001), Cratering Chronology and the Evolution of Mars, *Space Sci. Rev.*, 96, 165–194.
- Hartmann, W. K., R. G. Strom, S. J. Weidenschilling, K. R. Blasius, A. Woronow, M. R. Dence, R. A. F. Grieve, J. Diaz, C. R. Chapman, E. Shoemaker, und K. J. Jones (1981), Chronology of planetary volcanism by comparative studies of planetary craters, in *Basaltic Volcanism on the Terrestrial Planets*, herausgegeben von B. V. S. Project, S. 1050–1127, Pergamon Press.

- Hauber, E., S. van Gasselt, und R. Jaumann (2002), Morphology and Topography of Fretted Terrain at the Dichotomy Boundary in Tempe Terra, Mars: General Characteristics, *Lunar and Planet. Sci.*, XXXIII, [CD-ROM], abstract 1658.
- Head, J. W., M. Kreslavsky, H. Hiesinger, M. Ivanov, S. Pratt, N. Seibert, D. E. Smith, und M. T. Zuber (1998), Oceans in the past history of Mars: Tests for their presence using Mars Orbiter Laser Altimeter (MOLA) data, *Geophys. Res. Lett.*, 25, 4401–4404.
- Head, J. W., R. Greeley, M. P. Golombek, W. K. Hartmann, E. Hauber, R. Jaumann, P. Masson, G. Neukum, L. E. Nyquist, und M. H. Carr (2001), Geological Processes and Evolution, *Space Sci. Rev.*, 96, 263–292.
- Head, J. W., J. F. Mustard, M. A. Kreslavsky, R. E. Milliken, und D. R. Marchant (2003), Recent ice ages on Mars, *Nature*, 426, 797–802.
- Hecht, M. H. (2002), Metastability of Liquid Water on Mars, *Icarus*, 156, 373–386.
- Heldmann, J. L., und M. T. Mellon (2004), Observations of martian gullies and constraints on potential formation mechanisms, *Icarus*, 168, 285–304.
- Helfenstein, P., und P. J. Mouginis-Mark (1980), Morphology and Distribution of Fractured Terrain on Mars, in *Lunar and Planet. Inst. Conf. Abstracts*, S. 429–431.
- Henseling, R. (1925), *Mars - Seine Rätsel und seine Geschichte*, 80 S., Kosmos, Gesellschaft für Naturfreunde, Franckh'sche Verlagsbuchhandlung, Stuttgart.
- Hess, S. L., R. M. Henry, G. C. Greene, C. B. Leovy, J. E. Tillman, J. A. Ryan, T. E. Chamberlain, H. L. Cole, R. G. Dutton, und W. E. Simon (1976a), Mars climatology from Viking 1 after 20 sols, *Science*, 194, 78–81.
- Hess, S. L., R. M. Henry, G. C. Greene, C. B. Leovy, J. E. Tillman, J. A. Ryan, T. E. Chamberlain, H. L. Cole, R. G. Dutton, und W. E. Simon (1976b), Preliminary meteorological results on Mars from the Viking 1 lander, *Science*, 193, 788–791.
- Hess, S. L., J. L. Mitchell, R. M. Henry, C. B. Leovy, J. E. Tillman, und J. A. Ryan (1976c), Early meteorological results from the Viking 2 lander, *Science*, 194, 1352–1353.
- Hess, S. L., J. A. Ryan, J. E. Tillman, R. M. Henry, und C. B. Leovy (1980), The annual cycle of pressure on Mars measured by Viking landers 1 and 2, *Geophys. Res. Lett.*, 7, 197–200.
- Hétu, B., H. van Steijn, und P. Bertran (1995), Le rôle des coulées de pierres sèches dans la genèse d'un certain type d'éboulis stratifiés, *Permafrost and Periglacial Processes*, 6, 173–194.
- Heuseler, H., R. Jaumann, und G. Neukum (1997), *Die Mars Mission*, 159 S., BLV, München.
- Hiesinger, H., und J. W. Head (2000), Characteristics and origin of polygonal terrain in southern Utopia Planitia, Mars: Results from Mars Orbiter Laser Altimeter and Mars Orbiter Camera data, *J. Geophys. Res.*, 105, 11,999–12,022.
- Higgins, C. G., D. R. Coates, T. L. Péwé, R. A. M. Schmidt, und C. E. Sloan (1990), Permafrost and thermokarst: Geomorphic effects of subsurface water on landforms of cold regions, *Spec. Pap. Geol. Soc. Am.*, 252, 211–218.
- Hoffman, N. (2000), Ideas about the surface runoff features on Mars, *Science*, 290, 711–714.
- Hoffman, N. (2002), Active Polar Gullies on Mars and the Role of Carbon Dioxide, *Astrobiology*, 2, 313–323, doi:10.1089/153110702762027899.

- Hooke, R. L. B. (1987), Mass movements in semi-arid environments and the morphology of alluvial fans, in *Slope Stability*, herausgegeben von M. G. Anderson und K. S. Richards, S. 505–529, Wiley.
- Hörz, F., M. J. Cintala, W. C. Rochelle, und B. Kirk (1999), Collisionally processed rocks on Mars, *Science*, 285, 2105–2107.
- Hovius, N. (1990), Ontstaan van puinstromen. Een onderzoek naar de aard van ontstaansgebieden van puinstromen en naar de manier waarop puinstromen ontstaan, in het zuidelijk deel van de Franse Alpen, *Utrecht University, Department of Physical Geography*.
- Howard, A. D., und C. F. McLane (1988), Erosion of cohesionless sediments by groundwater seepage, *Water Resources Research*, 36, 1659–1674.
- Hsü, K. J. (1975), Catastrophic debris streams (Sturzstrom): Generated by rock fall, *Geological Society of America Bulletin*, 86, 129–140.
- Huguenin, R. L., S. M. Clifford, C. A. Sullivan, und K. J. Miller (1979), Remote sensing evidence for oases on Mars, *Reports of Planetary Geology Program, NASA TM-80339*, S. 208–214.
- Innes, J. L. (1983), Debris flows, *Progress in Physical Geography*, 7, 469–501.
- Ivanov, B. A. (1988), Effect of Modification of Impact Craters on the Size-Frequency Distribution and Scaling Law, in *Lunar and Planet. Inst. Conf. Abstracts*, S. 531–532.
- Ivanov, B. A. (2001), Mars/Moon Cratering Rate Ratio Estimates, *Space Sci. Rev.*, 96, 87–104.
- Iverson, R. M. (1997), The physics of debris flows, *Review of Geophysics*, 35(3), 245–296.
- Jacobshagen, V., J. Arndt, H.-J. Götze, D. Mertmann, und C. M. Wallfass (2000), *Einführung in die geologischen Wissenschaften*, 432 S., Ulmer, Stuttgart.
- Jakosky, B. M., und M. H. Carr (1985), Possible precipitation of ice at low latitudes of Mars during periods of high obliquity, *Nature*, 315, 559–561.
- Jakosky, B. M., und C. B. Farmer (1982), The seasonal and global behavior of water vapor in the Mars atmosphere - Complete global results of the Viking atmospheric water detector experiment, *J. Geophys. Res.*, 87, 2999–3019.
- Jakosky, B. M., und R. M. Haberle (1992), The seasonal behavior of water on Mars, in *Mars*, herausgegeben von H. H. Kieffer, B. M. Jakosky, C. W. Snyder, und M. S. Matthews, S. 969–1016, Univ. of Arizona Press.
- Jakosky, B. M., B. G. Henderson, und M. T. Mellon (1995), Chaotic obliquity and the nature of the Martian climate, *J. Geophys. Res.*, 100, 1579–1584.
- Jaumann, R. (2003), Die Erosionsmorphologie des Mars: Genese, Verteilung und Stratigraphie von Erosionsformen und deren klimatische Bedeutung, *Habilitationsschrift*, Ludwig-Maximilians-Universität München, DLR-Forschungsbericht 2003-20, 260 S.
- Jaumann, R., und J. Lanz (2000), Vulkanausbrüche und Überschwemmungen: Ähnlichkeiten zwischen Mars und Erde, *Astronomie und Raumfahrt*, 37(3), 22–29.
- Jaumann, R., E. Hauber, J. Lanz, H. Hoffmann, und G. Neukum (2002), Geomorphological record of water-related erosion on Mars, in *Astrobiology - The quest for the conditions of life*, herausgegeben von G. Horneck und C. Baumstark-Khan, S. 89–106, Springer.

- Johnson, A. M. (1970), *Physical processes in geology*, 577 S., Freeman and Cooper, San Francisco.
- Johnson, A. M., und P. H. Rahn (1970), Mobilization of debris flows, *Zeitschrift für Geomorphologie*, 9, 168–186.
- Johnson, A. M., und J. R. Rodine (1984), Debris Flows, in *Slope Instability*, herausgegeben von D. Brunsden und D. B. Prior, S. 257–361, Wiley.
- Johnson, D. W., P. Harteck, und R. R. Reeves (1975), Dust injection into the Martian atmosphere, *Icarus*, 26, 441–443.
- Jones, K. L., R. E. Arvidson, E. A. Guinness, S. L. Bragg, S. D. Wall, C. E. Carlston, und D. G. Pidek (1979), One Mars year - Viking lander imaging observations, *Science*, 204, 799–806.
- Jöns, H.-P. (1986), Arcuate ground undulations, Gelifluxion-like features, and "Front Tori" in the Northern Lowlands of Mars – What do they indicate?, in *Lunar and Planet. Inst. Conf. Abstracts*, S. 404–405.
- Jöns, H.-P. (1993), Interpretative Marskarten, in *Der Rote Planet im Kartenbild: 200 Jahre Marskartographie*, herausgegeben von J. Blunck, S. 55–57, Justus Perthes.
- Jöns, H.-P. (2002), Junge/Rezente nichtäolische exogene Dynamik auf dem Mars: Großflächige Beeinflussung durch zerfallende CO<sub>2</sub>-Hydrate?, *Z. geol. Wiss.*, 6, 403–421.
- Kahn, R. A., T. Z. Martin, R. W. Zurek, und S. W. Lee (1992), The Martian dust cycle, in *Mars*, herausgegeben von H. H. Kieffer, B. M. Jakosky, C. W. Synder, und M. S. Matthews, S. 799–806, Univ. of Arizona Press.
- Kargel, J. S., und R. G. Strom (1992), Ancient Glaciation on Mars, *Geology*, 20, 3–7.
- Keefer, D. K., und A. M. Johnson (1983), Earth flows: Morphology, mobilization and movement, *U.S. Geol. Surv. Prof. Pap.*, 1264, 56.
- Kieffer, H. H. (1979), Mars south polar spring and summer temperatures - A residual CO<sub>2</sub> frost, *J. Geophys. Res.*, 84, 8263–8288.
- Kieffer, H. H., P. R. Christensen, T. Z. Martin, E. D. Miner, und F. D. Palluconi (1976a), Temperatures of the Martian surface and atmosphere - Viking observation of diurnal and geometric variations, *Science*, 194, 1346–1351.
- Kieffer, H. H., T. Z. Martin, S. C. Chase, E. D. Miner, und F. D. Palluconi (1976b), Martian north pole summer temperatures - Dirty water ice, *Science*, 194, 1341–1344.
- Kieffer, H. H., T. Z. Martin, S. C. Chase, E. D. Miner, F. D. Palluconi, G. Muench, und G. Neugebauer (1976c), Infrared thermal mapping of the Martian surface and atmosphere - First results, *Science*, 193, 780–786.
- Kieffer, H. H., T. Z. Martin, A. R. Peterfreund, B. M. Jakosky, E. D. Miner, und F. D. Palluconi (1977), Thermal and albedo mapping of Mars during the Viking primary mission, *J. Geophys. Res.*, 82, 4249–4291.
- Kieffer, H. H., B. M. Jakosky, und C. W. Synder (1992a), The planet Mars: From Antiquity to the present, in *Mars*, herausgegeben von H. H. Kieffer, B. M. Jakosky, C. W. Synder, und M. S. Matthews, S. 1–33, Univ. of Arizona Press.
- Kieffer, H. H., B. M. Jakosky, C. W. Synder, und M. S. Matthews (1992b), *Mars*, 1498 S., Univ. of Arizona Press, Tucson.

- Kirk, R. L., E. M. Lee, R. M. Sucharski, J. Richie, A. Grecu, und S. K. Castro (2000), MDIM 2.0: A Revised Global Digital Image Mosaic of Mars, *Lunar and Planet. Sci.*, XXXI, [CD-ROM], abstract 2011.
- Knauth, L. P., und D. M. Burt (2002), Eutectic Brines on Mars: Origin and Possible Relation to Young Seepage Features, *Icarus*, 158, 267–271.
- Kochel, R. C., und J. F. Piper (1986), Morphology of large valleys on Hawaii - Evidence for groundwater sapping and comparisons with Martian valleys, *J. Geophys. Res.*, 91, 175–192.
- Kochel, R. C., A. D. Howard, und C. McLane (1985), Channel networks developed by groundwater sapping in fine grained sediments: Analogs to some martian valleys, in *Models in Geomorphology*, herausgegeben von M. Woldenberg, S. 313–341, Allen and Unwin.
- Komatsu, G., P. E. Geissler, R. G. Strom, und R. B. Singer (1993), Stratigraphy and erosional landforms of layered deposits in Valles Marineris, Mars, *J. Geophys. Res.*, 98, 11,105–11,121.
- Kossacki, K. J. (2003), Seasonal melting of surface water ice condensing in Martian gullies, *Third Mars Polar Science Conference*, abstract 8031.
- Kreslavsky, M. A., und J. W. Head (2000), Kilometer-scale roughness of Mars: Results from MOLA data analysis, *J. Geophys. Res.*, 105, 26,695–26,712.
- Kreslavsky, M. A., und J. W. Head (2002), Mars: Nature and evolution of young latitude-dependent water-ice-rich mantle, *Geophys. Res. Lett.*, 29, doi:10.1029/2002GL015392.
- Kreslavsky, M. A., und J. W. Head (2003), Stratigraphy of Young Deposits in the Northern Circumpolar Region, Mars, *Lunar and Planet. Sci.*, XXXIV, [CD-ROM], abstract 1476.
- Kurdin, R. D. (1973), Classification of mudflows, *Soviet Hydrology*, 11, 230–240.
- Kuzmin, R. O., und E. V. Zabalueva (2003), Polygonal Terrains on Mars: Preliminary Results of Global Mapping of Their Spatial Distribution, *Lunar and Planet. Sci.*, XXXIV, [CD-ROM], abstract 1912.
- Kuzmin, R. O., N. N. Bobina, E. V. Zabalueva, und V. P. Shashkina (1988), Structural Inhomogeneities of the Martian Cryolithosphere, *Solar System Research*, 22, 121–133.
- Kuzmin, R. O., N. N. Bobina, E. V. Zabalueva, und V. P. Shashkina (1989), Structural irregularities of the upper layers of the Martian cryolithosphere, in *Space Chemistry and Comparative Planetology*, S. 80–95.
- Kuzmin, R. O., E. D. Ershow, I. A. Komarov, A. H. Kozlov, und V. S. Isaev (2002), The Comparative Morphometric Analysis of Polygonal Terrains on Mars and the Earth High Latitude Areas, *Lunar and Planet. Sci.*, XXXIII, [CD-ROM], abstract 2030.
- Lachenbruch, A. H. (1962), Mechanics of Thermal Contraction Cracks and Ice-Wedge Polygons in Permafrost, *Spec. Geol. Soc. America Papers*, 70, 68.
- Lachenbruch, A. H. (1966), Contraction Theory of Ice-Wedge Polygons: A Qualitative Discussion, *Massive Ground Ice Panel*, 2, 63–71.
- Laity, J. E., und M. C. Malin (1985), Sapping processes and the development of theatre-headed valley networks on the Colorado Plateau, *Geol. Soc. Am. Bull.*, 96, 203–217.
- Laity, J. E., und R. S. Saunders (1981), Sapping processes and the development of theatre-headed valleys, *Reports of Planetary Geology Program, NASA TM-81776*, S. 271–273.

- Lane, M. D., P. R. Christensen, und W. K. Hartmann (2003), Utilization of the THEMIS visible and infrared imaging data for crater population studies of the Meridiani Planum landing site, *Geophys. Res. Lett.*, *30*, 1770, doi:10.1029/2003GL017183.
- Laskar, J., und P. Robutel (1993), The chaotic obliquity of the planets, *Nature*, *361*, 608–612.
- Laskar, J., B. Levrard, und J. F. Mustard (2002), Orbital forcing of the martian polar layered deposits, *Nature*, *419*, 375–377.
- Laskar, J., A. C. M. Correia, M. Gastineau, F. Joutel, B. Levrard, und P. Robutel (2004), Long term evolution and chaotic diffusion of the insolation quantities of Mars, *Icarus*, *170*, 343–364.
- Lee, P., C. S. Cockell, M. M. Marinova, C. P. McKay, und J. W. Rice (2001), Snow and Ice Melt Flow Features on Devon Island, Nunavut, Arctic Canada as Possible Analogs for Recent Slope Flow Features on Mars, *Lunar and Planet. Sci.*, *XXXII*, [CD-ROM], abstract 1809.
- Lefebvre (), , M. Meunier (1991), Éléments d'hydraulique torrentielle, Études du CEMAGRAF, série Montagne 1, Louis Jean, Gap.
- Lucchitta, B. K. (1978), A Large Landslide on Mars, *Geological Society of America Bulletin*, *89*, 1601–1609.
- Lucchitta, B. K. (1979), Landslides in Valles Marineris, Mars, *J. Geophys. Res.*, *84*, 8097–8113.
- Lucchitta, B. K. (1981), Mars and earth - Comparison of cold-climate features, *Icarus*, *45*, 264–303.
- Lucchitta, B. K. (1982), Ice sculpture in the Martian outflow channels, *J. Geophys. Res.*, *87*, 9951–9973.
- Lucchitta, B. K. (1984), Ice and debris in the fretted terrain, Mars, *J. Geophys. Res. Suppl.*, *89*, 409–418.
- Lucchitta, B. K. (1987), Valles Marineris, Mars - Wet debris flows and ground ice, *Icarus*, *72*, 411–429.
- Lucchitta, B. K. (2001), Antarctic Ice Streams and Outflow Channels on Mars, *Geophys. Res. Lett.*, *28*, 403–406, doi:10.1029/2000GL011924.
- Lucchitta, B. K., und H. M. Ferguson (1983), Chryse basin channels - Low-gradients and ponded flows, *J. Geophys. Res. Suppl.*, *88*, 553–568.
- Lucchitta, B. K., A. S. McEwen, G. D. Clow, P. E. Geissler, R. B. Singer, R. A. Schultz, und S. W. Squyres (1992), The canyon system on Mars, in *Mars*, herausgegeben von H. H. Kieffer, B. M. Jakosky, C. W. Snyder, und M. S. Matthews, S. 453–492, Univ. of Arizona Press.
- Malin, M. C., und M. H. Carr (1999), Groundwater formation of martian valleys, *Nature*, *397*, 589–591.
- Malin, M. C., und K. S. Edgett (1999), Oceans or seas in the Martian northern lowlands: High-resolution imaging tests of proposed coastlines, *Geophys. Res. Lett.*, *26*, 3049–3052.
- Malin, M. C., und K. S. Edgett (2000a), Evidence for Recent Groundwater Seepage and Surface Runoff on Mars, *Science*, *288*, 2330–2335.
- Malin, M. C., und K. S. Edgett (2000b), Sedimentary Rocks of Early Mars, *Science*, *290*, 1927–1937.

- Malin, M. C., und K. S. Edgett (2000c), Frosting and Defrosting of Martian Polar Dunes, *Lunar and Planet. Sci.*, XXXVI, [CD-ROM], abstract 1056.
- Malin, M. C., und K. S. Edgett (2001), Mars Global Surveyor Mars Orbiter Camera: Interplanetary cruise through primary mission, *J. Geophys. Res.*, 106, 23,429–23,570.
- Malin, M. C., J. E. Laity, und D. C. Pieri (1980), Sapping: Analog studies on Earth and Mars, *Reports of Planetary Geology Program, NASA TM-81776*, S. 298–299.
- Malin, M. C., G. E. Danielson, A. P. Ingersoll, H. Masursky, J. Veverka, M. A. Ravine, und T. A. Soulanille (1992), Mars Observer Camera, *J. Geophys. Res.*, 97, 7699–7718.
- Malin, M. C., M. H. Carr, G. E. Danielson, M. E. Davies, W. K. Hartmann, A. P. Ingersoll, P. B. James, H. Masursky, A. S. McEwen, L. A. Soderblom, P. Thomas, J. Veverka, M. A. Caplinger, M. A. Ravine, T. A. Soulanille, und J. L. Warr En (1998), Early Views of the Martian Surface from the Mars Orbiter Camera of Mars Global Surveyor, *Science*, 279, 1681–1685.
- Malin, M. C., M. A. Caplinger, und S. D. Davis (2001), Observational Evidence for an Active Surface Reservoir of Solid Carbon Dioxide on Mars, *Science*, 294, 2146–2148.
- Malin, M. C., K. S. Edgett, S. D. Davis, M. A. Caplinger, E. Jensen, K. D. Supulver, H. Sandoval, L. Posiolova, und R. Zimdar (2003), [AB-R02], Malin Space Science Systems Mars Orbiter Camera Image Gallery, [October 2003], ([http://www.msss.com/moc\\_gallery/](http://www.msss.com/moc_gallery/)).
- Mangold, N., F. Forget, F. Costard, und J.-P. Peulvast (2002), High Latitude Patterned Grounds on Mars: Evidence for Recent Melting of Near-Surface Ground Ice, *Lunar and Planet. Sci.*, XXXIII, [CD-ROM], abstract 1219.
- Mangold, N., F. Costard, und F. Forget (2003), Debris flows over sand dunes on Mars: Evidence for liquid water, *J. Geophys. Res.*, 108, 5027, doi:10.1029/2002JE001958.
- Mangold, N., S. Maurice, W. C. Feldman, F. Costard, und F. Forget (2004), Spatial relationships between patterned ground and ground ice detected by the Neutron Spectrometer on Mars, *J. Geophys. Res.*, E08001, doi:10.1029/2004JE002235.
- Marchenko, A. G., A. T. Basilevsky, H. Hoffmann, E. Hauber, A. C. Cook, und G. Neukum (1998), Geology of the Common Mouth of the Ares and Tiu Valles, Mars, *Sol. Syst. Res.*, 32, 425–452.
- Mars Channel Working Group (1983), Channels and valleys on Mars, *Geological Society of America Bulletin*, 94, 1035–1054.
- Marti, K., J. S. Kim, A. N. Thakur, T. J. McCoy, und K. Keil (1995), Signatures of the Martian atmosphere in glass of the Zagami meteorite, *Science*, 267, 1981–1984.
- Masson, P., M. H. Carr, F. Costard, R. Greeley, E. Hauber, und R. Jaumann (2001), Geomorphic Evidence for Liquid Water, *Space Sci. Rev.*, 96, 333–364.
- Masursky, H., J. M. Boyce, A. L. Dial, G. G. Schaber, und M. E. Strobell (1977), Classification and time of formation of Martian channels based on Viking data, *J. Geophys. Res.*, 82, 4016–4038.
- McCauley, J. F. (1973), Mariner 9 Evidence for Wind Erosion in the Equatorial and Mid-Latitude Regions of Mars, *J. Geophys. Res.*, 78, 4123–4137.

- McCauley, J. F. (1978), *Geological map of the Coprates Quadrangle of Mars*, U.S. Geol. Surv. Misc. Inv. Ser. Map I-897.
- McCauley, J. F., M. H. Carr, J. A. Cutts, W. K. Hartmann, H. Masursky, D. J. Milton, R. P. Sharp, und D. E. Wilhelms (1972), Preliminary Mariner 9 Report on the Geology of Mars, *Icarus*, 17, 289–327.
- McElroy, M. B., T. Y. Kong, und Y. L. Yung (1977), Photochemistry and evolution of Mars' atmosphere - A Viking perspective, *J. Geophys. Res.*, 82, 4379–4388.
- McEwen, A. S. (1989), Mobility of large rock avalanches: Evidence from Valles Marineris, Mars, *Geology*, 17, 1111–1114.
- Mellon, M. T., und B. M. Jakosky (1995), The distribution and behavior of Martian ground ice during past and present epochs, *J. Geophys. Res.*, 100, 11,781–11,800.
- Mellon, M. T., und R. J. Phillips (2001), Recent gullies on Mars and the source of liquid water, *J. Geophys. Res.*, 106, 23,165–23,180.
- Metzger, S. M., J. R. Carr, J. R. Johnson, T. J. Parker, und M. T. Lemmon (1999), Dust devil vortices seen by the Mars Pathfinder camera, *Geophys. Res. Lett.*, 26, 2781–2784.
- Meunier, M. (1991), *Éléments d'hydraulique torrentielle*, Études du CEMAGRAF, série Montagne 1, Louis Jean, Gap.
- Milliken, R. E., J. F. Mustard, und D. L. Goldsby (2003), Viscous flow features on the surface of Mars: Observations from high-resolution Mars Orbiter Camera (MOC) images, *J. Geophys. Res.*, 108, 5057, doi:10.1029/2002JE002005.
- Mischna, M. A., M. I. Richardson, R. J. Wilson, und D. J. McCleese (2003), On the orbital forcing of Martian water and CO<sub>2</sub> cycles: A general circulation model study with simplified volatile schemes, *J. Geophys. Res.*, 108, 5062, doi:10.1029/2003JE002051.
- Mitrofanov, I., D. Anfimov, A. Kozyrev, M. Litvak, A. Sanin, V. Tret'yakov, A. Krylov, V. Shvetsov, W. Boynton, C. Shinohara, D. Hamara, und R. S. Saunders (2002), Maps of Subsurface Hydrogen from the High Energy Neutron Detector, Mars Odyssey, *Science*, 297, 78–81.
- Mitrofanov, I. G., M. T. Zuber, M. L. Litvak, W. V. Boynton, D. E. Smith, D. Drake, D. Hamara, A. S. Kozyrev, A. B. Sanin, C. Shinohara, R. S. Saunders, und V. Tretyakov (2003), CO<sub>2</sub> Snow Depth and Subsurface Water-Ice Abundance in the Northern Hemisphere of Mars, *Science*, 300, 2081–2084.
- Miyamoto, H., J. M. Dohm, V. R. Baker, R. A. Beyer, und M. Bourke (2004), Dynamics of unusual debris flows on Martian sand dunes, *Geophys. Res. Lett.*, 31, L13701, doi:10.1029/2004GL020313.
- Morris, E. C. (1982), Aureole deposits of the Martian volcano Olympus Mons, *J. Geophys. Res.*, 87, 1164–1178.
- Mouginis-Mark, P. (1979), Martian fluidized crater morphology - Variations with crater size, latitude, altitude, and target material, *J. Geophys. Res.*, 84, 8011–8022.
- Mouginis-Mark, P. J., L. Wilson, und J. R. Zimbelman (1988), Polygenetic eruptions on Alba Patera, Mars, *Bulletin of Volcanology*, 50, 361–379.

- Musselwhite, D. S., T. D. Swindle, und J. I. Lunine (2001), Liquid CO<sub>2</sub> Breakout and the Formation of Recent Small Gullies on Mars, *Geophys. Res. Lett.*, *28*, 1283–1286.
- Mustard, J. F., S. Erard, J.-P. Bibring, J. W. Head, S. Hurtrez, Y. Langevin, C. M. Pieters, und C. J. Sotin (1993), The surface of Syrtis Major - Composition of the volcanic substrate and mixing with altered dust and soil, *J. Geophys. Res.*, *98*, 3387–3400.
- Mustard, J. F., C. D. Cooper, und M. K. Rifkin (2001), Evidence for recent climate change on Mars from the identification of youthful near-surface ground ice, *Nature*, *412*, 411–414.
- Mutch, T. A., S. U. Grenander, K. L. Jones, W. Patterson, R. E. Arvidson, E. A. Guinness, P. Avrin, C. E. Carlston, A. B. Binder, und C. Sagan (1976a), The surface of Mars - The view from the Viking 2 lander, *Science*, *194*, 1277–1283.
- Mutch, T. A., W. R. Patterson, A. B. Binder, F. O. Huck, G. R. Taylor, E. C. Levinthal, S. Liebes, E. C. Morris, J. B. Pollack, und C. Sagan (1976b), The surface of Mars - The view from the Viking 1 lander, *Science*, *193*, 791–801.
- Mutch, T. A., R. E. Arvidson, E. A. Guinness, A. B. Binder, und E. C. Morris (1977), The geology of the Viking Lander 2 site, *J. Geophys. Res.*, *82*, 4452–4467.
- Neal, J. T., A. M. Langer, und P. F. Kerr (1968), Giant desication polygons of Great Basin playas, *Geol. Soc. Amer. Bull.*, *79*, 69–90.
- Neall, V. E. (1976), Lahars as geologic hazards, *Bulletin of the International Association of Engineering Geologists*, *14*, 233–240.
- Nedell, S. S., S. W. Squyres, und D. W. Andersen (1987), Origin and evolution of the layered deposits in the Valles Marineris, Mars, *Icarus*, *70*, 409–441.
- Neubauer, F. M. (1966), Thermal convection in the Martian atmosphere, *J. Geophys. Res.*, *71*, 2419–2426.
- Neukum, G. (1977), Different ages of lunar light plains, *Moon*, *17*, 383–393.
- Neukum, G. (1983), Meteroitenbombardement und Datierung planetarer Oberflächen, Habilitationsschrift, Ludwig-Maximilians-Universität München, 186 S.
- Neukum, G., und H. Dietzel (1971a), On the development of the crater population on the moon with time under meteoroid and solar wind bombardment, *Earth Planet. Sci. Lett.*, *12*, 59–66.
- Neukum, G., und H. Dietzel (1971b), On the development of the crater population on the moon with time under meteoroid and solar wind bombardment, *Earth and Planetary Science Letters*, *12*, 59–66.
- Neukum, G., und K. Hiller (1981), Martian ages, *J. Geophys. Res.*, *86*, 3097–3121.
- Neukum, G., und B. A. Ivanov (1994), Crater Size Distributions and Impact Probabilities on Earth from Lunar, Terrestrial-planet, and Asteroid Cratering Data, in *Hazards Due to Comets and Asteroids*, herausgegeben von T. Gehrels, S. 359–416, Univ. of Arizona Press.
- Neukum, G., und D. U. Wise (1976), Mars - A standard crater curve and possible new time scale, *Science*, *194*, 1381–1387.
- Neukum, G., B. König, und J. Arkani-Hamed (1975), A study of lunar impact crater size-distributions, *Moon*, *12*, 201–229.

- Neukum, G., B. A. Ivanov, und W. K. Hartmann (2001), Cratering Records in the Inner Solar System in Relation to the Lunar Reference System, *Space Sci. Rev.*, *96*, 55–86.
- Neukum, G., R. Jaumann, und the HRSC Co-Investigator and Experiment Team (2004), HRSC - the High Resolution Stereo Camera of Mars Express, *ESA SP-1240*.
- Nummedal, D. (1978), The role of liquefaction in channel development on Mars, *Reports of Planetary Geology Program, NASA TM-79729*, S. 257–259.
- Nummedal, D., und D. B. Prior (1981), Generation of Martian chaos and channels by debris flows, *Icarus*, *45*, 77–86.
- Öpik, E. J. (1965), Mariner IV and Craters on Mars, *Irish Astronomical Journal*, *7*, 92–104.
- Öpik, E. J. (1966), The martian surface, *Science*, *153*, 255–265.
- Ori, G. G., L. Marinangeli, und B. A. (2000), Terraces in Gilbert-type deltas in crater lakes in Ismenius Lacus and Memnonia (Mars), *J. Geophys. Res.*, *105*, 17,629–17,643.
- Owen, L. A. (1991), Mass movement deposits in the Karakoram Mountains: Their sedimentary characteristics, recognition and role in Karakoram landform evolution, *Zeitschrift für Geomorphologie*, *35*, 401–424.
- Owen, T., K. Biemann, J. E. Biller, A. L. Lafleur, D. R. Rushneck, und D. W. Howarth (1977), The composition of the atmosphere at the surface of Mars, *J. Geophys. Res.*, *82*, 4635–4639.
- Owens, I. F. (1973), Alpine mudflows in the Nigel Pass area, Canadian Rocky Mountains, *University of Toronto, Unpublished Ph.D. Thesis*.
- Owens, I. F. (1974), Interrelationships between climatic and material characteristics in the occurrence of alpine mudflows in the Nigel Pass area, Canadian Rocky Mountains, *Abhandlungen der Akademie der Wissenschaften in Göttingen, Mathematisch Physische Klasse*, *29*, 313–318.
- Parker, T. J. (1989), Channels and valley networks associated with Argyre Planitia, Mars, in *Lunar and Planet. Inst. Conf. Abstracts*, S. 826–827.
- Parker, T. J., D. S. Gorsline, R. S. Saunders, D. C. Pieri, und D. M. Schneeberger (1993), Coastal geomorphology of the Martian northern plains, *J. Geophys. Res.*, *98*, 11,061–11,078.
- Pechmann, J. C. (1980), The origin of polygonal troughs on the northern plains of Mars, *Icarus*, *42*, 185–210.
- Penck, W. (1924), Die morphologische Analyse: Ein Kapitel der physikalischen Geologie, S. 283, Engelhorns.
- Peterfreund, A. R. (1981), Visual and infrared observations of wind streaks on Mars, *Icarus*, *45*, 447–467.
- Peterfreund, A. R. (1985), Contemporary Aeolian processes on Mars: Local dust storms, *Ph.D. Thesis*.
- Peulvast, J. P. (1988), Pre-glacial landform evolution in two coastal high latitude mountains: Lofoten Vesterålen (Norway) and Scoresby Sund area (Greenland), *Geogr. Ann. Ser. A*, *70*, 351–360.

- Picardi, G., D. Biccari, R. Seu, L. Marinangeli, W. T. K. Johnson, R. L. Jordan, J. Plaut, A. Safaenili, D. A. Gurnett, G. G. Ori, R. Orosei, D. Calabrese, und E. Zampolini (2004), Performance and surface scattering models for the Mars Advanced Radar for Subsurface and Ionosphere Sounding (MARSIS), *Planet. Space Sci.*, 52, 149–156.
- Pierce, T. L., und D. A. Crown (2003), Morphologic and topographic analyses of debris aprons in the eastern Hellas region, Mars, *Icarus*, 163, 46–65.
- Pieri, D. C. (1980a), Geomorphology of martian valleys, *Reports of Planetary Geology Program, NASA TM-81979*, S. 1–60.
- Pieri, D. C. (1980b), Martian valleys - Morphology, distribution, age, and origin, *Science*, 210, 895–897.
- Pieri, D. C., und C. Sagan (1979), Origin of martian valleys, *Reports of Planetary Geology Program, NASA TM-80339*, S. 349–352.
- Pierson, T. C., und J. E. Costa (1987), A rheological classification of subaerial sediment and water flows, in *Debris Flows/Avalanches: Process, Recognition, and Mitigation* (Hrsg.), *Geol. Soc. of Am., Rev. Eng. Geol.*, 7, 1–12, Boulder, Colo., herausgegeben von J. E. Costa und G. F. Wieczorek, S. 523–554.
- Pierson, T. C., und P. Desvarreux (1980), Erosion and deposition by debris flows at Mt. Thomas, North Canterbury, New Zealand, *Earth Surface Processes*, 5, 227–247.
- Plescia, J. B. (2004), Morphometric properties of Martian volcanoes, *J. Geophys. Res.*, 109, E03003, doi:10.1029/2002JE002031.
- Pollack, J. B. (1979), Climatic change on the terrestrial planets, *Icarus*, 37, 479–553.
- Pollack, J. B., M. E. Ockert-Bell, und M. K. Shepard (1995), Viking Lander image analysis of Martian atmospheric dust, *J. Geophys. Res.*, 100, 5235–5250.
- Popova, O., I. Nemtchinov, und W. K. Hartmann (2003), Bolides in the present and past martian atmosphere and effects on cratering processes, *Meteoritics & Planetary Science*, 38, 905–925.
- Postma, R. (1988), Model voor de Initiatie van Debris Flows, in *Unpublished Report, Utrecht University, Department of Physical Geography*.
- Press, F., und R. Siever (1995), *Allgemeine Geologie*, 602 S., Spektrum, Akad. Verl., Heidelberg.
- Rapp, A. (1963), The debris slides at Ulvadal, western Norway - an example of catastrophic slope processes in Scandinavia, in *New International Contributions to the Morphology of Slopes, Third report of the Committee on Slope Evolution*, 195–210.
- Rapp, A., und R. Nyberg (1981), Alpine debris flows in Northern Scandinavia, *Geografiska Annaler*, 63, 183–196.
- Reiss, D. (2001), Untersuchungen zur Morphologie des Nirgal Vallis, Mars, *Diplomarbeit, Georg-August-Universität Göttingen*, S. 94.
- Reiss, D., und R. Jaumann (2002), Characteristics of Groundwater Aquifers in the Nirgal Vallis Drainage Basin, *Lunar and Planet. Sci.*, XXXIII, [CD-ROM], abstract 1606.
- Reiss, D., und R. Jaumann (2003), Recent Debris Flows on Mars: Seasonal Observations of the Russell Crater dune field, *Geophys. Res. Lett.*, 30(6), 1321, doi:10.1029/2002GL016704.

- Reiss, D., S. van Gasselt, G. Neukum, und R. Jaumann (2004), Absolute dune ages and implications for the time of formation of gullies in Nirgal Vallis, Mars, *J. Geophys. Res.*, **109**, E06007, doi:10.1029/2004JE002251.
- Rennó, N. O., A. A. Nash, J. Lunine, und J. Murphy (2000), Martian and terrestrial dust devils: Test of a scaling theory using Pathfinder data, *J. Geophys. Res.*, **105**, 1859–1866.
- Richardson, M. I., und R. J. Wilson (2002), Investigation of the nature and stability of the Martian seasonal water cycle with a general circulation model, *J. Geophys. Res.*, **107**, doi: 10.1029/2001JE001536.
- Richardson, M. I., D. J. McCleese, M. Mischna, und A. R. Vasavada (2003), Obliquity, Ice Sheets, and Layered Sediments on Mars: What Spacecraft Observations and Climate Models are Telling Us, *Lunar and Planet. Sci.*, **XXXIV**, [CD-ROM], abstract 1281.
- Rickmers, W. R. (1913), *The Duab of Turkestan: A Physiographic Sketch and Account of Some Travels*, 563 S., Cambridge Univ. Press, Cambridge.
- Rieder, R., T. Economou, H. Wänke, A. Turkevich, J. Crisp, J. Breckner, G. Dreibus, und H. Y. McSween (1997), The Chemical Composition of Martian Soil and Rocks Returned by the Mobile Alpha Proton X-ray Spectrometer: Preliminary Results from the X-ray Mode, *Science*, **278**, 1771–1774.
- Rodine, J. D. (1974), Analysis of mobilization of debris flows, *Stanford University, Unpublished Ph.D. Thesis*, 226 S.
- Rossbacher, L. A., und S. Judson (1981), Ground ice on Mars - Inventory, distribution, and resulting landforms, *Icarus*, **45**, 39–59.
- Rover Team (1997), Characterization of the martian surface deposits by the Mars Pathfinder Rover, *Sojourner*, *Science*, **278**, 1765–1768.
- Ryan, J. A., R. M. Henry, S. L. Hess, C. B. Leovy, J. E. Tillman, und C. Walcek (1978), Mars meteorology - Three seasons at the surface, *Geophys. Res. Lett.*, **5**, 715–718.
- Sagan, C., O. B. Toon, und P. J. Gierasch (1973), Climate Change on Mars, *Science*, **181**, 1045–1049.
- Sagan, C., D. Pieri, P. Fox, R. E. Arvidson, und E. A. Guinness (1977), Particle motion on Mars inferred from the Viking lander cameras, *J. Geophys. Res.*, **82**, 4430–4438.
- Sagan, C. A., und J. B. Pollack (1969), Windblown dust on Mars, *Nature*, **223**, 791–794.
- Sauret (1991), *Éléments d'hydraulique torrentielle*, M. Meunier, Études du CEMAGRAF, série Montagne 1, Louis Jean, Gap.
- Scheidegger, A. E. (1973), On the prediction of the reach and velocity of catastrophic landslides, *Rock Mech.*, **5**, 231–236.
- Schonfeld, E. (1976), On the origin of Martian channels, *Eos: Trans. AGU*, **57**, 948.
- Schorghofer, N., O. Aharonson, und S. Khatiwala (2002), Slope streaks on Mars: Correlations with surface properties and the potential role of water, *Geophys. Res. Lett.*, **29**, 2126, doi: 10.1029/2002GL015889.

- Schrott, L., R. Dikau, und D. Brunsden (1996), Soil flow (Mudflow), in *Landslide Recognition: Identification, Movement and Causes*, herausgegeben von R. Dikau, L. Schrott, und M.-L. Ibsen, S. 181–187, Wiley.
- Schumm, S. A., und L. Phillips (1986), Composite Channels of the Canterbury Plain, New Zealand: A Martian Analog?, *Geology*, 14, 326–329.
- Scott, D. H., und J. M. Dohm (1992), Mars Highland Channels: An Age Reassessment, *Lunar and Planet. Inst. Conf. Abstracts*, abstract 1251.
- Scott, D. H., und K. L. Tanaka (1986), *Geologic map of the western equatorial region of Mars*, USGS Miscellaneous Investigations Series Map I-1802-A, 1:15,000,000.
- Scrivenor, J. B. (1929), The mudstreams ('lahars') of Gunong Keloet in Java, *Geological Magazine*, 66, 433–434.
- Seibert, N. M., und J. S. Kargel (2001), Small-Scale Martian Polygonal Terrain: Implications for Liquid Surface Water, *Geophys. Res. Lett.*, 28, 899–902.
- Selby, M. J. (1993), *Hillslope Materials and Processes*, 2nd Aufl., 451 S., Oxford Univ. Press, Oxford.
- Sharp, R. P. (1942), Mudflow levées, *J. Geomorph.*, 5, 222–227.
- Sharp, R. P. (1973a), Mars: Fretted and chaotic terrain, *J. Geophys. Res.*, 78, 4073–4083.
- Sharp, R. P. (1973b), Mars: Troughed terrain, *J. Geophys. Res.*, 78, 4063–4072.
- Sharp, R. P., und M. C. Malin (1975), Channels on Mars, *Geological Society of America Bulletin*, 86, 593–609.
- Shinbrot, T., N. H. Duong, L. Kwan, und M. M. Alvarez (2004), Dry granular flows can generate surface features resembling those seen in Martian gullies, *Proc. Natl. Acad. Sci.*, 101, 8542–8546.
- Shoemaker, E. M., und R. J. Hackman (1962), Stratigraphic Basis for a Lunar Time Scale, in *IAU Symp. 14: The Moon*, S. 289–300.
- Sinclair, P. C. (1973), The lower structure of dust devils, *J. Atmos. Sci.*, 30, 1599–1619.
- Slaymaker, O., und H. J. McPherson (1977), An overview of geomorphic processes in the Canadian Cordillera, *Zeitschrift für Geomorphologie*, 21, 169–186.
- Smith, D., G. Neumann, R. E. Arvidson, E. A. Guiness, und S. Slavney (2003), Mars Global Surveyor Laser Altimeter Mission Experiment Gridded Data Record, *NASA Planetary Data System, MGS-M-MOLA-5-MEGDR-L3-V1.0*.
- Smith, D. E., und M. T. Zuber (1998), The relationship between MOLA northern hemisphere topography and the, 6.1-mbar atmospheric pressure surface of Mars, *Geophys. Res. Lett.*, 25, 4397–4400.
- Smith, D. E., M. T. Zuber, S. C. Solomon, R. J. Phillips, J. W. Head, J. B. Garvin, W. B. Banerdt, D. O. Muhleman, G. H. Pettengill, G. A. Neumann, F. G. Lemoine, J. B. Abshire, O. Aharonson, D. C. Brown, S. A. Hauck, A. B. Ivanov, P. J. McGovern, H. J. Zwally, und T. C. Duxbury (1999), The Global Topography of Mars and Implications for Surface Evolution, *Science*, 284, 1495–1502.

- Smith, D. E., M. T. Zuber, H. V. Frey, J. B. Garvin, J. W. Head, D. O. Muhleman, G. H. Pettengill, R. J. Phillips, S. C. Solomon, H. J. Zwally, W. B. Banerdt, T. C. Duxbury, M. P. Golombek, F. G. Lemoine, G. A. Neumann, G. A. Neumann, D. D. Rowlands, O. Aharonson, P. G. Ford, A. B. Ivanov, C. L. Johnson, P. J. McGovern, J. Abshire, R. S. Afzal, und X. Sun (2001), Mars Orbiter Laser Altimeter: Experiment summary after the first year of global mapping of Mars, *J. Geophys. Res.*, *106*, 23,689–23,722.
- Smith, M. D. (2002), The annual cycle of water vapor on Mars as observed by the Thermal Emission Spectrometer, *J. Geophys. Res.*, *107*, 5115, doi:10.1029/2001JE001522.
- Soderblom, L. A., R. A. West, B. M. Herman, T. J. Kreidler, und C. D. Condit (1974), Martian planetwide crater distributions: Implications for geologic history and surface processes, *Icarus*, *22*, 239–263.
- Spinrad, H., G. Münch, und L. D. Kaplan (1963), Letter to the Editor: The Detection of Water Vapor on Mars, *Astrophys. J.*, *137*, 1319.
- Squyres, S. W. (1978), Martian fretted terrain - Flow of erosional debris, *Icarus*, *34*, 600–613.
- Squyres, S. W. (1979), The distribution of lobate debris aprons and similar flows on Mars, *J. Geophys. Res.*, *84*, 8087–8096.
- Squyres, S. W. (1989), Urey prize lecture - Water on Mars, *Icarus*, *79*, 229–288.
- Squyres, S. W., und M. H. Carr (1986), Geomorphic evidence for the distribution of ground ice on Mars, *Science*, *231*, 249–252.
- Squyres, S. W., S. M. Clifford, R. O. Kuzmin, J. R. Zimbelman, und F. M. Costard (1992), Ice in the Martian regolith, in *Mars*, herausgegeben von H. H. Kieffer, B. M. Jakosky, C. W. Synder, und M. S. Matthews, S. 523–554, Univ. of Arizona Press.
- Stewart, S. T., und F. Nimmo (2002), Surface runoff features on Mars: Testing the carbon dioxide formation hypothesis, *J. Geophys. Res.*, *107*, 5069, doi:10.1029/2000JE001465.
- Stoeffler, D., D. E. Gault, J. Wedekind, und G. Polkowski (1975), Experimental hypervelocity impact into quartz sand - Distribution and shock metamorphism of ejecta, *J. Geophys. Res.*, *80*, 4062–4077.
- Stöffler, D., und G. Ryder (2001), Stratigraphy and isotope ages of lunar geologic units: Chronological standard for the inner solar system, *Space Sci. Rev.*, *96*, 9–54.
- Strom, R. G., S. K. Croft, und N. G. Barlow (1992), The Martian impact cratering record, in *Mars*, herausgegeben von H. H. Kieffer, B. M. Jakosky, C. W. Synder, und M. S. Matthews, S. 383–423, Univ. of Arizona Press.
- Strunk, H. (1974), Episodische Murschübe in den Pragser Dolomiten - semiquantitative Erfassung von Frequenz und Transportmenge, *Zeitschrift für Geomorphologie Suppl.*, *70*, 163–186.
- Sullivan, R., P. Thomas, J. Veverka, M. Malin, und K. S. Edgett (2001), Mass movement slope streaks imaged by the Mars Orbiter Camera, *J. Geophys. Res.*, *106*, 23,607–23,634.
- Summerfield, M. A. (1991), *Global Geomorphology*, 535 S., Longman, Harlow.
- Svittek, T., und B. Murray (1990), Winter frost at Viking Lander 2 site, *J. Geophys. Res.*, *95*, 1495–1510.

- Swanson, D. N., und F. J. Swanson (1976), Timber harvesting, mass erosion, and steepland forest geomorphology in the Pacific Northwest, in *Geomorphology and Engineering*, herausgegeben von D. R. Coates, Dowden, Hutchinson and Ross.
- Swindle, T. D., M. W. Caffee, und C. M. Hohenberg (1986), Xenon and other noble gases in Shergottites, *Geochim. Cosmochim. Acta*, 50, 1000–1015.
- Syanozhetsky, T. G. V., G. M. Beruchashvili, und N. B. Kereselidze (1973), Hydraulics of rapid turbulent and quasilaminar (structural) mudstreams in deformed bed with abrupt slopes, in *Proceedings of the Istanbul Conference of the International Association of Hydrological Scientists* 1, S. 507–515.
- Tanaka, K. L. (1986), The stratigraphy of Mars, *J. Geophys. Res.*, 91, 139–158.
- Tanaka, K. L., und D. H. Scott (1987), *Geologic map of the polar regions of Mars*, USGS Miscellaneous Investigations Series Map I-1802-C, 1:15,000,000.
- Tanaka, K. L., D. H. Scott, und R. Greeley (1992), Global stratigraphy, in *Mars*, herausgegeben von H. H. Kieffer, B. M. Jakosky, C. W. Snyder, und M. S. Matthews, S. 345–382, Univ. of Arizona Press.
- Thomas, P., und P. J. Gierasch (1985), Dust devils on Mars, *Science*, 230, 175–177.
- Thomas, P., und C. Weitz (1989), Sand dune materials and polar layered deposits on Mars, *Icarus*, 81, 185–215.
- Thomas, P. C., M. C. Malin, M. H. Carr, G. E. Danielson, M. E. Davies, W. K. Hartmann, A. P. Ingersoll, P. B. James, A. S. McEwen, S. L. A., und J. Veverka (1999), Bright dunes on Mars, *Nature*, 397, 592–594.
- Thomas, P. C., M. C. Malin, K. S. Edgett, M. H. Carr, W. K. Hartmann, A. P. Ingersoll, P. B. James, L. A. Soderblom, J. Veverka, und R. Sullivan (2000), North-south geological differences between the residual polar caps on Mars, *Nature*, 404, 161–164.
- Tillman, J. E., N. C. Johnson, P. Guttorp, und D. B. Percival (1993), The Martian annual atmospheric pressure cycle – Years without great dust storms, *J. Geophys. Res.*, 98, 10,963–10,971.
- Titus, T. N., H. H. Kieffer, und P. R. Christensen (2003), Exposed Water Ice Discovered near the South Pole of Mars, *Science*, 299, 1048–1051.
- Tomasko, M. G., L. R. Doose, M. Lemmon, P. H. Smith, und E. Wegryn (1999), Properties of dust in the Martian atmosphere from the Imager on Mars Pathfinder, *J. Geophys. Res.*, 104, 8987–9008.
- Toon, O. B., J. B. Pollack, W. Ward, J. A. Burns, und K. Bilski (1980), The astronomical theory of climatic change on Mars, *Icarus*, 44, 552–607.
- Toulmin, P., H. J. Rose, R. P. Christian, A. K. Baird, P. H. Evans, B. C. Clark, K. Keil, und W. C. Kelliher (1977), Geochemical and mineralogical interpretation of the Viking inorganic chemical results, *J. Geophys. Res.*, 82, 4625–4634.
- Touma, J., und J. Wisdom (1993), The chaotic obliquity of Mars, *Science*, 259, 1294–1297.
- Treiman, A. H. (2003), Geologic settings of Martian gullies: Implications for their origins, *J. Geophys. Res.*, 108, 8031, doi:10.1029/2002JE001900.

- Tricart, J. (1957), Une lave torrentielle dans les Alpes Autrichiennes, *Revue de Géomorphologie Dynamique*, 8, 161–165.
- Tsoar, H., R. Greeley, und A. R. Peterfreund (1979), Mars – The north polar sand sea and related wind patterns, *J. Geophys. Res.*, 84, 8167–8180.
- Vallance, J. W., und K. M. Scott (1997), The Osceola Mudflow from Mount Rainier: Sedimentology and hazard implications of a huge clay-rich debris flow, *Geol. Soc. of Am. Bull.*, 25, 143–163.
- van Gasselt, S., E. Hauber, und R. Jaumann (2002), Morphology and Topography of Fretted Terrain at the Dichotomy Boundary in Tempe Terra, Mars: Quantitative Morphology of Slope Aprons and Mesas, *Lunar and Planet. Sci.*, XXXIII, [CD-ROM], abstract 1856.
- van Gasselt, S., D. Reiss, und R. Jaumann (2003), Distribution and Morphology of Polygons, South Polar Region, Mars, *Third International Conference on Mars Polar Science and Exploration*, [CD-ROM], abstract 8088.
- van Steijn, H., J. P. Coutard, H. Filippo, und C. Mandersloot (1988a), Simulation expérimentale de laves de ruissellement: mouvement et sédimentation, *Bulletin de l'Association de Géographes Français*, 1, 33–40.
- van Steijn, H., J. de Ruig, und F. Hoozemans (1988b), Morphological and mechanical aspects of debris flows in parts of the French Alps, *Z. Geomorph. N. F.*, S. 143–161.
- van Steijn, P. (1989), Puinstromen, *Geografisch Tijdschrift*, 23, 119–128.
- van Vliet-Lanoë, B., und B. Valladas (1992), Formations des pentes litées héritées, cryoreptation et illuviation de particules. Mise au point, *Quaternaire*, 3, 147–152.
- Varnes, D. J. (1978), Slope movement types and processes, in *Landslides, Analysis and Control*, herausgegeben von R. L. Schuster und R. J. Krizek, S. 11–33, Transportation Research Board of the National Academy of Sciences, Special Report 176.
- Wagner, R., U. Wolf, G. Neukum, und The Galileo SSI Team (1999), Ages of Individual Craters on the Galilean Satellites Ganymede and Callisto, *Lunar and Planet. Sci.*, XXX, [CD-ROM], abstract 1818.
- Wahrhaftig, C., und A. Cox (1959), Rock glaciers in the Alaska Range, *Bull. Geol. Soc. Amer.*, 70, 383–436.
- Walther, J. (1924), *Das Gesetz der Wüstenbildung in Gegenwart und Vorzeit*, 4. Aufl., 421 S., Quelle & Meyer.
- Ward, A. W., K. B. Doyle, P. J. Helm, M. K. Weisman, und N. E. Witbeck (1985), Global map of eolian features on Mars, *J. Geophys. Res.*, 90, 2038–2056.
- Ward, W. R. (1992), Long-term orbital and spin dynamics of Mars, in *Mars*, herausgegeben von H. H. Kieffer, B. M. Jakosky, C. W. Snyder, und M. S. Matthews, S. 298–320, Univ. of Arizona Press.
- Ward, W. R., und D. J. Rudy (1991), Resonant obliquity of Mars?, *Icarus*, 94, 160–164.
- Washburn, A. L. (1979), *Geocryology*, 2nd Aufl., 406 S., Arnold, London.
- Wells, R. A. (1979), *Geophysics of Mars*, 678 S., Elsevier, Developments in Solar System- and Space Science, Volume 4, Amsterdam.

- Werner, S. C., S. van Gasselt, und G. Neukum (2003), Continual geological activity in Athabasca Valles, Mars, *J. Geophys. Res.*, 108, 8081, doi:10.1029/2002JE002020.
- Williams, G. P., und H. P. Guy (1973), Erosional and depositional aspects of Hurricane Camille in Virginia, 1969, *US Geol. Surv. Prof. Pap.*, 804.
- Williams, S. H. (1991), Dark Talus Streaks on Mars are Similar to Aeolian Dark Streaks, in *Lunar and Planet. Inst. Conf. Abstracts*, S. 1509–1510.
- Yershov, E. D. (2004), *General Geocryology*, 580 S., Cambridge Univ. Press, Cambridge.
- Yoshikawa, K. (2000), Contraction Cracking and Ice Wedge Polygons in Mars, *Second International Conference on Mars Polar Science and Exploration*, abstract 4045.
- Yung, Y. L., und J. P. Pinto (1978), Primitive atmosphere and implications for the formation of channels on Mars, *Nature*, 288, 735–738.
- Zimbelman, J. R. (1987), Spatial resolution and the geologic interpretation of Martian morphology - Implications for subsurface volatiles, *Icarus*, 71, 257–267.
- Zimbelman, J. R. (2003), Decameter-scale Ripple-like Features in Nirgal Vallis as Revealed in THEMIS and MOC Imaging Data, *Sixth International Conference on Mars*, abstract 3028.
- Zuber, M. T., D. E. Smith, S. C. Solomon, D. O. Muhleman, J. W. Head, J. B. Garvin, J. B. Abshire, und J. L. Bufton (1992), The Mars Observer laser altimeter investigation, *J. Geophys. Res.*, 97, 7781–7797.

## A Abkürzungsverzeichnis

Abkürzung	Bedeutung
AU	Astronomical Unit (149,6 Mio. km)
CCD	Charged Coupled Device
DLR	Deutsches Zentrum für Luft- und Raumfahrt e.V.
DHM	Digitales Höhenmodell
HiRISE	High Resolution Imaging Science Experiment
HRSC	High Resolution Stereo Camera
IAU	International Astronomical Union
IDL	Interactive Data Language
IRTM	Infrared Thermal Mapper
JPL	Jet Propulsion Laboratory
MARSIS	Mars Advanced Radar for Subsurface and Ionospheric Sounding
MAWD	Mars Atmospheric Water Detector
MGS	Mars Global Surveyor
MOC	Mars Orbiter Camera
MOC-NA	Mars Orbiter Camera - Near Angle
MOC-WA	Mars Orbiter Camera - Wide Angle
MOLA	Mars Orbiter Laser Altimeter
MER	Mars Exploration Rover
MRO	Mars Reconnaissance Orbiter
NASA	National Aeronautics and Space Administration
OMEGA	Observatoire pour la Minéralogie l'Eau, les Glaces et l'Activité
PDS	Planetary Data System
pxl	Pixel bzw. Bildpunkt
RPIF	Regional Planetary Image Facility
SFD	Standard Frequency Distribution
SHARAD	Shallow Subsurface Radar
SRC	Super Resolution Channel
THEMIS	Thermal Emission Imaging System
THEMIS-IR	Thermal Emission Imaging System - Infrared
THEMIS-VIS	Thermal Emission Imaging System - Visible
USGS	United States Geological Survey
VICAR	Video Image Communication and Retrieval
VL	Viking Lander
VO	Viking Orbiter

## B Lebenslauf

### Persönliche Daten:

Name: Dennis Reiß  
Dipl.-Geograph  
Geb.-Datum: 30. Oktober 1972  
Geb.-Ort: Göttingen  
Nationalität: deutsch  
Wohnort: Leinestr. 46a, 12049 Berlin

### Schulbildung und Wehrdienst:

1979-1983 Erich-Kästner-Grundschule in Göttingen  
1983-1985 Orientierungsstufe an der Lutherschule Göttingen  
1985-1992 Theodor-Heuss-Gymnasium Göttingen  
1992 Abitur  
1992-1993 Grundwehrdienst

### Wissenschaftliche Ausbildung:

1993-1994 Studium der Betriebswirtschaft an der Georg-August-Universität in Göttingen  
1994-2001 Studium der Geographie an der Georg-August-Universität in Göttingen  
1996 Vordiplom, Georg-August-Universität Göttingen  
2000-2001 Diplomarbeit an der Georg-August-Universität in Zusammenarbeit mit dem Deutschen Zentrum für Luft- und Raumfahrt Berlin/Adlershof  
Titel: Untersuchungen zur Morphologie des Nirgal Vallis, Mars  
2001 Diplom, Georg-August-Universität Göttingen  
2001-2005 Promotionsstudium am Deutschen Zentrum für Luft- und Raumfahrt in Berlin, Abteilung Planetenerkundung, gefördert durch die Deutsche Forschungsgemeinschaft (DFG)  
seit 2004 Nachwuchswissenschaftler am Deutschen Zentrum für Luft- und Raumfahrt, Institut für Planetenforschung, Abteilung Planetengeologie