

## **6. REFERENCES**

- Arai M, Imai H, Koumura T, Yoshida M, Emoto K, Umeda M, Chiba N and Nakagawa Y. 1999. Mitochondrial phospholipid hydroperoxide glutathione peroxidase plays a major role in preventing oxidative injury to cells. *J Biol Chem* 274(8):4924-33.
- Armstrong JM, Boura AL, Hamberg M and Samuelsson B. 1976. A comparison of the vasodepressor effects of the cyclic effects of the cyclic endoperoxides PGG, and PGH<sub>2</sub> with those of PGD<sub>2</sub> and PGE<sub>2</sub> in hypertensive and normotensive rats. *Eur. J. Pharmacol* 39(2):251-258.
- Avissar N, Eisenmann C, Breen JG, Horowitz S, Miller RK and Cohen HJ. 1994. Human placenta makes extracellular glutathione peroxidase and secretes it into maternal circulation. *Am J Physiol* 267(1 Pt 1):E68-76.
- Badr KF, DeBoer DK, Schwartzberg M, Serhan CN. 1989. Lipoxin A<sub>4</sub> antagonizes cellular and *in vivo* actions of leukotriene D<sub>4</sub> in rat glomerular mesangial cells: evidence for competition at a common receptor. *Proc Natl Acad Sci U S A* 86(9):3438-3442.
- Bermano G, Arthur JR and Hesketh. 1996. Selective control of cytosolic glutathione peroxidase and phospholipid hydroperoxide glutathione peroxidase mRNA stability by selenium supply. *FEBS Lett* 387:157-160.
- Bermano, GNicol F, Dyer JA, Sunde RA, Beckett GJ, Arthur JR and Hesketh JE. 1995. Tissue-specific regulation of selenoenzyme gene expression during selenium deficiency in rats. *Biochem J* 311:425-430.
- Bjornstedt M, Kumar S, Bjorkhem L, Spyrou G and Holmgren A. 1997. Selenium and the thioredoxin and glutaredoxin systems. *Biomed Environ Sci* 10(2-3):271-279.
- Bligh EG and Dyer WD. 1959. A rapid method of total lipid extraction and purification. *Can J Biochem Physiol* 9:911-917.
- Boeglin WE, Kim RB and Brash AR. 1998. A 12R-lipoxygenase in human skin: mechanistic evidence, molecular cloning, and expression. *Proc Natl Acad Sci U S A* 95(12):6744-9.
- Böyum A. 1968. Isolation of mononuclear cells and granulocytes from human blood. Isolation of monuclear cells by one centrifugation, and of granulocytes by combining centrifugation and sedimentation at 1 g. *Scand J Clin Lab Invest Suppl* 97:77-89.
- Brash AR. 1999. Lipoxygenases: occurrence, functions, catalysis, and acquisition of substrate. *J Biol Chem* 274(34):23679-82.
- Brash AR, Boeglin WE and Chang MS. 1997. Discovery of a second 15S-lipoxygenase in humans. *Proc Natl Acad Sci U S A* 94(12):6148-52.

- Brash AR, Ingram CD and Harris TM. 1987. Analysis of a specific oxygenation reaction of soybean lipoxygenase-1 with fatty acids esterified in phospholipids. *Biochemistry* 26(17):5465-7.
- Brash AR, Jisaka M, Boeglin WE and Chang MS. 1999. Molecular cloning of a second human 15S-lipoxygenase and its murine homologue, an 8S-lipoxygenase: their relationship to other mammalian lipoxygenases. *Adv Exp Med Biol* 447:29-36.
- Brigelius-Flohé R, Friedrichs B, Maurer S and Streicher R. 1997. Determinants of PHGPx expression in a cultured endothelial cell line. *Biomed Environ Sci* 10(2-3):163-76.
- Brinckmann R, Schnurr K, Heydeck, D, Rosenbach T, Kolde G and Kühn H. 1998. Membrane translocation of 15-lipoxygenase in hematopoietic cells is calcium-dependent and activates the oxygenase activity of the enzyme. *Blood* 91: 64–74.
- Bryant RW and Bailey JM. 1979. Isolation of a new lipoxygenase metabolite of arachidonic acid, 8, 11, 12-trihydroxy-5,9,14-eicosatrienoic acid from human platelets. *Prostaglandins* 17(1):9-18.
- Bryant RW and Bailey JM. 1980. Altered lipoxygenase metabolism and decreased glutathione peroxidase activity in platelets from selenium-deficient rats. *Biochem Biophys Res Commun* 92(1):268-76.
- Bryant RW, Schewe T, Rapoport SM and Bailey JM. 1985. Leukotriene formation by a purified reticulocyte lipoxygenase enzyme. Conversion of arachidonic acid and 15-hydroperoxyeicosatetraenoic acid to 14, 15-leukotriene A<sub>4</sub>. *J Biol Chem* 260(6):3548-55.
- Bryant RW, Simon TC and Bailey JM. 1982. Role of glutathione peroxidase and hexose monophosphate shunt in the platelet lipoxygenase pathway. *J Biol Chem* 257(24):14937-43.
- Bryant RW, Simon TC and Bailey JM. 1983. Hydroperoxy fatty acid formation in selenium deficient rat platelets: coupling of glutathione peroxidase to the lipoxygenase pathway. *Biochem Biophys Res Commun* 117(1):183-9.
- Buttner N, Siegelbaum SA and Volterra A. 1989. Direct modulation of *Aplysia* S-K<sup>+</sup> channels by a 12-lipoxygenase metabolite of arachidonic acid. *Nature* 342(6249):553-5.
- Calzada C, Vericel E and Lagarde M. 1991. Decrease in platelet reduced glutathione increases lipoxygenase activity and decreases vitamin E. *Lipids* 26(9):696-9.
- Calzada C, Vericel E and Lagarde M. 1992. Lower levels of lipid peroxidation in human platelets incubated with eicosapentaenoic acid. *Biochim Biophys Acta* 1127(2):147-52.
- Cao YZ, Reddy CC and Sordillo LM. 2000. Altered eicosanoid biosynthesis in selenium-deficient endothelial cells. *Free Radic Biol Med* 28(3):381-9.
- Carlen PL, Gurevich N, Wu PH, Su WG, Corey EJ and Pace-Asciak CR. 1989. Actions of

- arachidonic acid and hepxolin A<sub>3</sub> on mammalian hippocampal CA1 neurons. *Brain Res* 497(1):171-6.
- Carlen PL, Gurevich N, Zhang L, Wu PH, Reynaud D and Pace-Asciak CR. 1994. Formation and electrophysiological actions of the arachidonic acid metabolites, hepxolins, at nanomolar concentrations in rat hippocampal slices. *Neuroscience* 58(3):493-502.
- Chada C, Whittney C and Newburger PE. 1989. Post-transcriptional regulation of glutathione peroxidase gene expression by selenium in the HL-60 human myeloid cell line. *Blood* 74:2535-2541.
- Chaitidis P, Schewe T, Sutherland M, Kühn H and Nigam S. 1998. 15-Lipoxygenation of phospholipids may precede the sn-2 cleavage by phospholipases A<sub>2</sub>: reaction specificities of secretory and cytosolic phospholipases A<sub>2</sub> towards native and 15-lipoxygenated arachidonoyl phospholipids. *FEBS Lett* 434(3):437-41.
- Chambers S. J., Lambert N. and Williamson G. 1994. Purification of a cytosolic enzyme from human liver with phospholipid hydroperoxide glutathione peroxidase activity. *Int. J. Biochem* 26: 1279–1286.
- Chang MS, Boeglin WE, Guengerich FP and Brash AR. 1996. Cytochrome P450-dependent transformations of 15R- and 15S-hydroperoxyeicosatetraenoic acids: stereoselective formation of epoxy alcohol products. *Biochemistry* 35(2):464-71.
- Chang WC and Fang GS. 1990. Characterisation of 12-L-hydroperoxyeicosa-5,8,10,14-tetraenoic acid peroxidase in platelets by monoclonal antibody against glutathione peroxidase. *Prostaglandins Leukot Essent Fatty Acids* 39(1):75-81.
- Chen CJ, Huang HS, Lee YT, Yang CY and Chang WC. 1997. Characterization and purification of a lipoxygenase inhibitor in human epidermoid carcinoma A431 cells. *Biochem* 327 ( Pt 1):193-8.
- Chen CJ, Huang HS, Lin SB and Chang WC. 2000a. Regulation of cyclooxygenase and 12-lipoxygenase catalysis by phospholipid hydroperoxide glutathione peroxidase in A431 cells. *Prostaglandins Leukot Essent Fatty Acids* 62(4):261-8.
- Chen JW, Dodia C, Feinstein SI, Jain MK and Fisher AB. 2000b. 1-cys peroxiredoxin: A bifunctional enzyme with glutathione peroxidase and phospholipase A2. *J Biol Chem* 275 (37):28421-28427.
- Chen XS, Kurre U, Jenkins NA, Copeland NG and Funk CD. 1994. cDNA cloning, expression, mutagenesis of C-terminal isoleucine, genomic structure, and chromosomal localizations of murine 12-lipoxygenases. *J Biol Chem* 269(19):13979-87.
- Chopra H, Timar J, Chen YQ, Rong XH, Grossi IM, Fitzgerald LA, Taylor JD and Honn KV.

1991. The lipoxygenase metabolite 12(S)-HETE induces a cytoskeleton-dependent increase in surface expression of integrin alpha IIb beta 3 on melanoma cells. *Int J Cancer* 49(5):774-86.
- Chu FF, Doroshow JH and Esworthy RS. 1993. Expression, characterization, and tissue distribution of a new cellular selenium-dependent glutathione peroxidase, GSHPx-GI. *J Biol Chem* 268(4):2571-6.
- Dadaian M and Westlund P. 1999. Albumin modifies the metabolism of hydroxy-eicosatetraenoic acids via 12-lipoxygenase in human platelets. *J Lipid Res* 40:940-947.
- Derewlany LO, Pace-Asciak CR and Radde IC. 1984. Hepoxilin A, hydroxyepoxide metabolite of arachidonic acid, stimulates transport of  $^{45}\text{Ca}$  across the guinea pig visceral yolk sac. *Can J Physiol Pharmacol* 62(12):1466-9.
- Desplat V, Dupuis F, Trimoreau F, Dulery C, Praloran V and Denizot Y. 1998. Effects of lipoxygenase metabolites of arachidonic acid on the growth of human mononuclear marrow cells and marrow stromal cell cultures. *Mediators Inflamm* 7(1):31-3.
- Devchand PR, Keller H, Peters JM, Vazquez M, Gonzalez FJ and Wahli W. 1996. The PPAR $\alpha$ -leukotriene B4 pathway to inflammation control. *Nature* 384(6604):39-43.
- Dho S, Grinstein S, Corey EJ, Su WG and Pace-Asciak CR. 1990. Hepoxilin A<sub>3</sub> induces changes in cytosolic calcium, intracellular pH and membrane potential in human neutrophils. *Biochem J* 266(1):63-8.
- Ding XZ, Kuszynski CA, El-Metwally TH and Adrian TE. 1999. Lipoxygenase inhibition induced apoptosis, morphological changes, and carbonic anhydrase expression in human pancreatic cancer cells. *Biochem Biophys Res Commun* 266(2):392-9.
- Dreher I, Schmutzler C, Jakob F and Kohrle J. 1997. Expression of selenoproteins in various rat and human tissues and cell lines. *J Trace Elem Med Biol* 11(2):83-91.
- Edenius A, Tornhamre S and Lindgren JA. 1994. Stimulation of lipoxin synthesis from leukotriene A4 by endogenously formed 12-hydroperoxyeicosatetraenoic acid in activated human platelets. *Biochim Biophys Acta* 1210:361-367.
- Fisher AB, Dodia C, Manevich Y, Chen JW and Feinstein SI. 1999. Phospholipid hydroperoxides are substrates for non-selenium glutathione peroxidase. *J Biol Chem* 274(30):21326-34.
- Flohé L, Gunzler WA and Schock HH. 1973. Glutathione peroxidase: a selenoenzyme. *FEBS Lett* 32(1):132-4.
- Ford-Hutchinson AW, Bray MA, Doig MV, Shipley ME and Smith MJ. 1980. Leukotriene B, a potent chemokinetic and aggregating substance released from polymorphonuclear leukocytes. *Nature* 286(5770):264-5.

- Freire-Moar J, Alavi-Nassab A, Ng M, Mulkins M and Sigal E. 1995. Cloning and characterization of a murine macrophage lipoxygenase. *Biochim Biophys Acta* 1254(1):112-6.
- Fukuda S, Sasaguri Y, Yanagi H, Ohuchida M, Morimatsu M and Yagi K. 1991. Effect of linoleic acid hydroperoxide on replication of adenovirus DNA in endothelial cells of bovine aorta. *Atherosclerosis* 89(2-3):143-9.
- Funk CD, Furci L and FitzGerald GA. 1990. Molecular cloning, primary structure, and expression of the human platelet/erythroleukemia cell 12-lipoxygenase. *Proc Natl Acad Sci U S A* 87(15):5638-42.
- Fürstenberger G, Hagedorn H, Jacobi T, Besemfelder E, Stephan M, Lehmann WD and Marks F. 1991. Characterization of an 8-lipoxygenase activity induced by the phorbol ester tumor promoter 12-O-tetradecanoylphorbol-13-acetate in mouse skin *in vivo*. *J Biol Chem* 266(24):15738-45.
- Gardner HW. 1991. Recent investigations into the lipoxygenase pathway of plants. *Biochim Biophys Acta* 1084(3):221-39.
- Garssen GJ, Vliegenthart JF and Boldingh J. 1971. An anaerobic reaction between lipoxygenase, linoleic acid and its hydroperoxides. *Biochem J* 122(3):327-32.
- Goetzl EJ and Pickett WC. 1980. The human PMN leukocyte chemotactic activity of complex hydroxy-eicosatetraenoic acids (HETEs). *J Immunol* 125:1789-1791.
- Gualde N, Atluru D and Goodwin JS. 1985. Effect of lipoxygenase metabolites of arachidonic acid on proliferation of human T cells and T cell subsets. *J Immunol* 134(2):1125-9.
- Guan JY, Komura S, Ohishi N and Yagi K. 1995. Difference in the effects of classic and phospholipid hydroperoxide glutathione peroxidases on liver lipid peroxide level in selenium-deficient rats. *Biochem Mol Biol Int* 37(6):1103-1110.
- Hada T, Ueda N, Takahashi Y and Yamamoto S. 1991. Catalytic properties of human platelet 12-lipoxygenase as compared with the enzymes of other origins. *Biochim Biophys Acta* 1083(1):89-93.
- Hagmann W, Gao X., Timar J, Chen Y. Q, Strohmaier A. R, Fahrenkopf C, Kagawa D, Lee M., Zacharek A and Honn K. V. 1996. 12-Lipoxygenase in A431 cells: genetic identity, modulation of expression, and intracellular localization. *Exp. Cell Res* 228: 197–205.
- Hamburg M and Samuelsson B. 1974. Prostaglandin endoperoxides. Novel transformations of arachidonic acid in human platelets. *Proc Natl Acad Sci U S A* 71(9):3400-3404.
- Hamberg M, Svensson J and Samuelsson B. 1975. Thromboxanes: a new group of biologically active compounds derived from prostaglandin endoperoxides. *Proc Natl Acad Sci U S A* 72(8):2994-8.

- Hamberg M, Svensson J, Wakabayashi T and Samuelsson B. 1974. Isolation and structure of two prostaglandin endoperoxides that cause platelet aggregation. *Proc Natl Acad Sci U S A* 71(2):345-9.
- Hansbrough JR, Atlas AB, Turk J and Holtzman MJ. 1989. Arachidonate 12-lipoxygenase and cyclooxygenase: PGE isomerase are predominant pathways for oxygenation in bovine tracheal epithelial cells. *Am J Respir Cell Mol Biol* 1(3):237-44.
- Hansbrough JR, Takahashi Y, Ueda N, Yamamoto S and Holtzman MJ. 1990. Identification of a novel arachidonate 12-lipoxygenase in bovine tracheal epithelial cells distinct from leukocyte and platelet forms of the enzyme. *J Biol Chem* 265(3):1771-6.
- Härtel B, Ludwig P, Schewe T and Rapoport SM. 1982. Self-inactivation by 13-hydroperoxylinoleic acid and lipohydroperoxidase activity of the reticulocyte lipoxygenase. *Eur J Biochem* 126(2):353-357.
- Hecker G, Utz J, Kupferschmidt RJ and Ullrich V. 1991. Low levels of hydrogen peroxide enhance platelet aggregation by cyclooxygenase activation. *Eicosanoids* 4(2):107-13.
- Hemler ME, Cook HW and Lands WE. 1979. Prostaglandin biosynthesis can be triggered by lipid peroxides. *Arch Biochem Biophys* 193(2):340-5.
- Ho YS, Magnenat JL, Bronson RT, Cao J, Gargano M, Sugawara M and Funk CD. 1997. Mice deficient in cellular glutathione peroxidase develop normally and show no increased sensitivity to hyperoxia. *J Biol Chem* 272(26):16644-51.
- Hoffman T, Lizzio EF, Suissa J, Rotrosen D, Sullivan JA, Mandell GL and Bonvini E. 1988. Dual stimulation of phospholipase activity in human monocytes. Role of calcium-dependent and calcium-independent pathways in arachidonic acid release and eicosanoid formation. *J Immunol* 140(11):3912-8.
- Honn KV, Tang DG, Gao X, Butovich IA, Liu B, Timar J and Hagmann W. 1994a. 12-lipoxygenases and 12(S)-HETE: role in cancer metastasis. *Cancer Metastasis Rev* 13(3-4):365-96.
- Honn KV, Tang DG, Grossi IM, Renaud C, Duniec ZM, Johnson CR and Diglio CA. 1994b. Enhanced endothelial cell retraction mediated by 12(S)-HETE: a proposed mechanism for the role of platelets in tumor cell metastasis. *Exp Cell Res* 210(1):1-9.
- Honn KV, Timar J, Rozhin J, Bazaz R, Sameni M, Ziegler G and Sloane BF. 1994c. A lipoxygenase metabolite, 12-(S)-HETE, stimulates protein kinase C-mediated release of cathepsin B from malignant cells. *Exp Cell Res* 214(1):120-30.
- Huang HS, Chen CJ, Lu HS and Chang WC. 1998. Identification of a lipoxygenase inhibitor in A431 cells as a phospholipid hydroperoxide glutathione peroxidase. *FEBS Lett* 424:22-6.

- Huang HS, Chen CJ, Suzuki H, Yamamoto S and Chang WC. 1999a. Inhibitory effect of phospholipid hydroperoxide glutathione peroxidase on the activity of lipoxygenases and cyclooxygenases. *Prostaglandins Other Lipid Mediat* 58:65-75.
- Huang JT, Welch JS, Ricote M, Binder CJ, Willson TM, Kelly C, Witzum JL, Funk CD, Conrad D and Glass CK. 1999b. Interleukin-4-dependent production of PPAR-gamma ligands in macrophages by 12/15-lipoxygenase. *Nature* 400(6742):378-82.
- Hughes MA and Brash AR. 1991. Investigation of the mechanism of biosynthesis of 8-hydroxyeicosatetraenoic acid in mouse skin. *Biochim Biophys Acta* 1081(3):347-54.
- Hurst R, Bao Y, Jemth P, Mannervik B and Williamson G. 1998. Phospholipid hydroperoxide glutathione peroxidase activity of human glutathione transferases. *Biochem J* 332:97-100.
- Imai H, Narashima K, Arai M, Sakamoto H, Chiba N and Nakagawa Y. 1998. Suppression of leukotriene formation in RBL-2H3 cells that overexpressed phospholipid hydroperoxide glutathione peroxidase. *J Biol Chem* 273(4):1990-7.
- Imai H, Sumi D, Sakamoto H, Hanamoto A, Arai M, Chiba N and Nakagawa Y. 1996. Overexpression of phospholipid hydroperoxide glutathione peroxidase suppressed cell death due to oxidative damage in rat basophile leukemia cells (RBL-2H3). *Biochem Biophys Res Commun* 222(2):432-8.
- Izumi T, Hoshiko S, Rádmark O and Samuelsson B. 1990. Cloning of the cDNA for human 12-lipoxygenase. *Proc Natl Acad Sci U S A* 87(19):7477-81.
- Jisaka M, Kim RB, Boeglin WE, Nanney LB and Brash AR. 1997. Molecular cloning and functional expression of a phorbol ester-inducible 8S-lipoxygenase from mouse skin. *J Biol Chem* 272(39):24410-6.
- Jones RL, Kerry PJ, Poyser NL, Walker IC and Wilson NH. 1978. The identification of trihydroxyeicosatrienoic acids as products from the incubation of arachidonic acid with washed blood platelets. *Prostaglandins* 16(4):583-9.
- Kagan VE, Azizova OA, Arkhipenko IV, Klaan NK and Kozlov IP. 1977. Interrelationship between structural and functional modifications in the membranes of the sarcoplasmic reticulum following lipid peroxidation. *Biofizika* 22(4):625-30.
- Kayanoki Y, Fujii J, Islam KN, Suzuki K, Kawata S, Matsuzawa Y and Taniguchi N. 1996. The protective role of glutathione peroxidase in apoptosis induced by reactive oxygen species. *J Biochem* 119(4):817-22.
- Keith M, Geranmayegan A, Sole MJ, Kurian R, Robinson A, Omran AS and Jeejeebhoy KN. 1998. Increased oxidative stress in patients with congestive heart failure. *J Am Coll Cardiol* 31(6):1352-1356.

- Kishimoto K, Nakamura M, Suzuki H, Yoshimoto T, Yamamoto S, Takao T, Shimonishi Y and Tanabe T. 1996. Suicide inactivation of porcine leukocyte 12-lipoxygenase associated with its incorporation of 15-hydroperoxy-5,8,11,13-eicosatetraenoic acid derivative. *Biochim Biophys Acta* 1300(1):56-62.
- Koller M and Konig W. 1991. 12-Hydroxyeicosatetraenoic acid (12-HETE) induces heat shock proteins in human leukocytes. *Biochem Biophys Res Commun* 175(3):804-9.
- Kühn H and Borngräber S. 1999. Mammalian 15-Lipoxygenases:Enzymatic properties and biological implications. *Adv Exp Med Biol* 447:5-28.
- Kühn H and Thiele BJ. 1999. The diversity of the lipoxygenase family. Many sequence data but little information on biological significance. *FEBS Lett* 449(1):7-11.
- Lands WEM, Marshall PJ and Kulmacz RJ. 1985 Hydroperoxide availability in the regulation of the arachidonate cascade. *Adv Prostaglandin Thromboxane Leukot Res* 15:233-235.
- Lagarde M, Vericel E, Chabannes B and Prigent AF. 1995. Blood cell redox status and fatty acids. *Prostaglandins Leukot Essent Fatty Acids* 52(2-3):159-61.
- Laneuville O, Corey EJ, Couture R and Pace-Asciak CR. 1991a. Hepoxilin A<sub>3</sub> (HxA<sub>3</sub>) is formed by rat aorta and is metabolised into HxA<sub>3</sub>-C, a glutathione conjugate. *Biochim Biophys Acta* 1084:60-68.
- Laneuville O, Corey EJ, Couture R and Pace-Asciak CR. 1991b. Hepoxilin A<sub>3</sub> increases vascular permeability in the rat skin. *Eicosanoids* 4(2):95-7.
- Laneuville O, Couture R and Pace-Asciak CR. 1992a. Neurokinin A-induced contraction of guinea-pig isolated trachea: potentiation by hepxilins. *Br J Pharmacol* 107(3):808-12.
- Laneuville O, Couture R and Pace-Asciak CR. 1992b. Hepoxilins sensitize blood vessels to noradrenaline--stereospecificity of action. *Br J Pharmacol* 105(2):297-304.
- Laneuville O, Reynaud D, Grinstein S, Nigam S and Pace-Asciak CR. 1993. Hepoxilin A<sub>3</sub> inhibits the rise in free intracellular calcium evoked by formyl-methionyl-leucyl-phenylalanine, platelet-activating factor and leukotriene B<sub>4</sub>. *Biochem J* 295(pt 2):393-7.
- Lei XG, Evenson JK, Thompson KM and Sunde, RA. 1995. Glutathione peroxidase and phospholipid hydroperoxide glutathione peroxidase are differentially regulated in rats by dietary selenium. *J. Nutr* 125:1438-1446.
- Lemaitre D, Vericel E, Polette A and Lagarde M. 1997. Effects of fatty acids on human platelet glutathione peroxidase: possible role of oxidative stress. *Biochem Pharmacol* 53(4):479-86.
- Li Y, Maher P and Schubert D. 1997. A role for 12-lipoxygenase in nerve cell death caused by glutathione depletion. *Neuron* 19(2):453-63.

- Lin N, Hurst J and Bazan HE. 1996. Increased synthesis of specific eicosanoids in rejected corneal grafts. *Curr Eye Res* 15(12):1208-12.
- Lin Z, Laneuville O and Pace-Asciak CR. 1991. Hepoxilin A<sub>3</sub> induces heat shock protein (HSP72) expression in human neutrophils. *Biochem Biophys Res Commun* 179(1):52-6.
- Liu XH, Connolly JM and Rose DP. 1996. Eicosanoids as mediators of linoleic acid-stimulated invasion and type IV collagenase production by a metastatic human breast cancer cell line. *Clin Exp Metastasis* 14(2):145-52.
- Liu B, Maher RJ, De Jonckheere JP, Popat RU, Stojakovic S, Hannun YA, Porter AT and Honn KV. 1997. 12(S)-HETE increases the motility of prostate tumor cells through selective activation of PKC alpha. *Adv Exp Med Biol* 400B:707-18.
- Ludwig P, Holzhütter HG, Colosimo A, Silvestrini MC, Schewe T and Rapoport SM. 1987. A kinetic model for lipoxygenases based on experimental data with the lipoxygenase of reticulocytes. *Eur J Biochem* 168(2):325-37.
- Maddipati KR and Marnett LJ. 1987. Characterization of the major hydroperoxide-reducing activity of human plasma. Purification and properties of a selenium-dependent glutathione peroxidase. *J Biol Chem* 262(36):17398-403.
- Maddox JF, Cao YZ, Mastro AM, Scholz RW, Hildenbrandt G and Reddy CC. 1991. Increased 12-HETE production in bovine lymphocytes during selenium deficiency. *Biochem Biophys Res Commun* 181(1):389-95.
- Maddox JF and Serhan CN. 1996. Lipoxin A<sub>4</sub> and B<sub>4</sub> are potent stimuli for human monocyte migration and adhesion: selective inactivation by dehydrogenation and reduction. *J Exp Med* 183(1):137-46.
- Madoiwa S, Komatsu N, Nimuro J, Kimura K, Matsuda M and Sakata Y. 1999. Developmental expression of plasminogen activator inhibitor-1 associated with thrombopoietin-dependent megakaryocytic differentiation. *Blood* 94(2):474-482.
- Maiorino M, Chu FF, Ursini F, Davies KJ, Doroshow, JH and Esworthy RS. 1991. Phospholipid hydroperoxide glutathione peroxidase is the 18-kDa selenoprotein expressed in human tumour cell lines. *J Biol Chem* 266(12):7728-7732.
- Maiorino M, Wissing JB, Brigelius-Flohé R, Calabrese F, Roveri A, Steinert P, Ursini F and Flohé L. 1998. Testosterone mediates expression of the selenoprotein PHGPx by induction of spermatogenesis and not by direct transcriptional gene activation. *FASEB J* 12(13):1359-70.
- Maquat LE. 1995. When cells stop making sense: effects of nonsense codons on RNA metabolism in vertebrate cells. *RNA* 1:453-465.
- Maquat LE. 2000. Nonsense-mediated RNA decay in mammalian cells: a splicing-dependent

means to down-regulate the levels of mRNAs that prematurely terminate translation. In: Translational Control of Gene Expression, eds. N. Sonenburg, JWB Hershey, MB Mathews, Cold Spring Harbour, New York: Cold Spring Harbour Laboratory, 849-868.

Margalit A and Granot Y. 1994. Endogenous hepxolin A<sub>3</sub>, produced under short duration of high shear-stress, inhibits thrombin-induced aggregation in human platelets. *Biochim Biophys Acta* 1190(1):173-6.

Margalit A and Livne AA. 1992. Human platelets exposed to mechanical stresses express a potent lipoxygenase product. *Thromb Haemost* 68(5):589-94.

Margalit A, Sofer Y, Grossman S, Reynaud D, Pace-Asciak CR and Livne AA. 1993. Hepoxilin A<sub>3</sub> is the endogenous lipid mediator opposing hypotonic swelling of intact human platelets. *Proc Natl Acad Sci U S A* 90(7):2589-92.

Marshall PJ, Kulmacz RJ and Lands WE. 1987. Constraints on prostaglandin biosynthesis in tissues. *J Biol Chem* 262(8):3510-7.

Matsumoto T, Funk CD, Rádmark O, Hoog JO, Jörnvall H and Samuelsson B. 1988. Molecular cloning and amino acid sequence of human 5-lipoxygenase. *Proc Natl Acad Sci U S A* 85(1):26-30.

Mills GC. 1957. Hemoglobin catabolism. I Glutathione peroxidase, an erythrocyte enzyme which protects hemoglobin from oxidative breakdown. *J Biol Chem* 229:189-197.

Mitchell MD and Koenig JM. 1991. Increased production of 15-hydroxyeicosatetraenoic acid by placentae from pregnancies complicated by pregnancy-induced hypertension. *Prostaglandins Leukot Essent Fatty Acids* 43(1):61-2.

Mizuno K, Hirata S, Hoshi K, Shinohara A and Chiba M. 2000. Analysis of phospholipid hydroperoxide glutathione peroxidase in the rat spermatozoon and effect of selenium deficiency on the mRNA. *Biol Trace Elem Res* 74(1):71-79.

Molina H and Garcia M. 1997. Enzymatic defenses of the rat heart against lipid peroxidation. *Mech Ageing Dev* 97(1):1-7.

Moncada S, Ferreira SH and Vane JR. 1973. Prostaglandins, aspirin-like drugs and the oedema of inflammation. *Nature* 246(5430):217-9.

Moriarty PM, Reddy CC and Maquat LE. 1998. Selenium deficiency reduces the abundance of mRNA for Se-dependent glutathione peroxidase 1 by UGA-dependent mechanism likely to be cytoplasmic nonsense-mediated mRNA decay. *Mol. Cell. Biol* 18:2932-2939.

Murphy RC, Hammarström S and Samuelsson B. 1979. Leukotriene C: a slow-reacting substance from murine mastocytoma cells. *Proc Natl Acad Sci U S A* 76(9):4275-9

Nakamura M, Ueda N, Yamamoto S, Ishimura K, Tomo K and Okuma M. 1996. Platelet-type

- arachidonate 12-lipoxygenase. *Adv Exp Med Biol* 416:355-9.
- Nakao J, Ooyama T, Ito H, Chang WC and Murota S. 1982. Comparative effect of lipoxygenase products of arachidonic acid on rat aortic smooth muscle cell migration. *Atherosclerosis* 44(3):339-42.
- Natarajan R and Nadler J. 1998. Role of lipoxygenases in breast cancer. *Front Biosci* 1998 3:E81-8.
- Nie D, Hillman GG, Geddes T, Tang K, Pierson C, Grignon DJ and Honn KV. 1998. Platelet-type 12-lipoxygenase in a human prostate carcinoma stimulates angiogenesis and tumor growth. *Cancer Res* 58(18):4047-51.
- Nie D, Hillman GG, Geddes T, Tang K, Pierson C, Grignon DJ and Honn KV. 1999. Platelet-type 12-lipoxygenase regulates angiogenesis in human prostate carcinoma. *Adv Exp Med Biol* 469:623-30.
- Nigam S, Fiore S, Luscinskas FW and Serhan CN. 1990a. Lipoxin A<sub>4</sub> and lipoxin B<sub>4</sub> stimulate the release but not the oxygenation of arachidonic acid in human neutrophils: dissociation between lipid remodeling and adhesion. *J Cell Physiol* 143(3):512-23.
- Nigam S, Kumar GS, Schewe T, Sutherland M, Linke D, Yakawa D, Imasaki H, Ueda N and Yamamoto S. 1999. Metabolic suppression of platelet-type 12-lipoxygenase in human uterine cervix with invasive carcinoma. *Int J Cancer* 82(6):827-31.
- Nigam S, Müller S and Pace-Asciak CR. 1993. Hepoxilins activate phospholipase D in the human neutrophil, in Eicosanoids and other bioactive lipids in cancer, inflammation and radiation injury (Nigam S, Marnett LJ, Honn KV and Walden TL, eds.), pp. 249-252, Kluwer Academic Publishers (London).
- Nigam S, Nodes S, Cichon G, Corey EJ and Pace-Asciak CR. 1990b. Receptor-mediated action of hepxolin A<sub>3</sub> releases diacylglycerol and arachidonic acid from human neutrophils. *Biochem Biophys Res Commun* 171(3):944-8.
- Nugteren DH. 1975. Arachidonate lipoxygenase in blood platelets. *Biochim Biophys Acta* 380(2):299-307.
- Ochi K, Yoshimoto T, Yamamoto S, Taniguchi K and Miyamoto T. 1983. Arachidonate 5-lipoxygenase of guinea pig peritoneal polymorphonuclear leukocytes. Activation by adenosine 5'-triphosphate. *J Biol Chem* 258(9):5754-8.
- Orning L, Hammarström S and Samuelsson B. 1980. Leukotriene D: a slow reacting substance from rat basophilic leukemia cells. *Proc Natl Acad Sci U S A* 77(4):2014-7.
- Pace-Asciak CR. 1984a. Hemoglobin- and hemin-catalyzed transformation of 12L-hydroperoxy-5,8,10,14-eicosatetraenoic acid. *Biochim Biophys Acta* 793(3):485-8.

- Pace-Asciak CR. 1984b. Arachidonic acid epoxides. Demonstration through [<sup>18</sup>O]oxygen studies of an intramolecular transfer of the terminal hydroxyl group of (12S)-hydroperoxyeicosa-5,8,10,14-tetraenoic acid to form hydroxyepoxides. *J Biol Chem* 259(13):8332-7.
- Pace-Asciak CR. 1993. Hepoxilins. *Gen Pharmacol* 24(4):805-10.
- Pace-Asciak CR. 1994. Hepoxilins: a review on their cellular actions. *Biochim Biophys Acta* 1215(1-2):1-8.
- Pace-Asciak CR, Demin PM, Estrada M and Liu G. 1999. Hepoxilins raise circulating insulin levels *in vivo*. *FEBS Lett* 461(3):165-168.
- Pace-Asciak CR, Granstrom E and Samuelsson B. 1983a. Arachidonic acid epoxides. Isolation and structure of two hydroxy epoxide intermediates in the formation of 8,11,12- and 10,11,12-trihydroxyeicosatrienoic acids. *J Biol Chem* 258(11):6835-40.
- Pace-Asciak CR, Lee SP and Martin JM. 1987. *In vivo* formation of hepxolin A<sub>3</sub> in the rat. *Biochem Biophys Res Commun* 147(3):881-884.
- Pace-Asciak CR and Martin JM. 1984. Hepoxilin, a new family of insulin secretagogues formed by intact rat pancreatic islets. *Prostaglandins Leukot Med* 16(2):173-80.
- Pace-Asciak CR, Martin JM and Corey EJ. 1986. Hepoxilins, potential endogenous mediators of insulin release. *Prog Lipid Res* 25(1-4):625-628.
- Pace-Asciak CR, Martin JM, Corey EJ and Su WG. 1985. Endogenous release of hepxolin A<sub>3</sub> from isolated perfused pancreatic islets of Langerhans. *Biochem Biophys Res Commun* 128(2):942-946.
- Pace-Asciak CR, Martin JM and Lee SP. 1988. Appearance of prostaglandins, thromboxane B<sub>2</sub>, and hepxolin A<sub>3</sub> in the circulation of the normal and diabetic (BB) rat after arachidonic acid administration--correlation with plasma insulin. *Biochem Cell Biol* 66(8):901-909.
- Pace-Asciak CR, Mizuno K and Yamamoto S. 1983b. Resolution by DEAE-cellulose chromatography of the enzymatic steps in the transformation of arachidonic acid into 8,11,12- and 10,11,12-trihydroxy-eicosatrienoic acid by the rat lung. *Prostaglandins* 25(1):79-84.
- Pace-Asciak CR, Mizuno K, Yamamoto S, Granstrom E and Samuelsson B. 1983c. Oxygenation of arachidonic acid into 8,11,12- and 10,11,12-trihydroxyeicosatrienoic acid by rat lung. *Adv Prostaglandin Thromboxane Leukot Res* 11:133-139.
- Pace-Asciak CR and Nigam S. 1991. Hepoxilins modulate second messenger systems in the human neutrophil. *Adv Exp Med Biol* 314:133-9.
- Pace-Asciak CR, Reynaud D and Demin P. 1993. Enzymatic formation of hepxilins A<sub>3</sub> and B<sub>3</sub>. *Biochem Biophys Res Commun* 197(2):869-73.

- Pace-Asciak CR, Reynaud D, Demin P and Nigam S. 1999. The Hepoxilins: A Review. *Adv Exp Med Biol* 447:123-132.
- Packham G, Ashmun RA and Cleveland JL. 1996. Cytokines suppress apoptosis independent of increases in reactive oxygen levels. *J Immunol* 156(8):2792-800.
- Palmer RM, Stepney RJ, Higgs GA and Eakins KE. 1980. Chemokinetic activity of arachidonic and lipoxygenase products on leukocytes of different species. *Prostaglandins* 20(2):411-8.
- Pick E, Charon J and Mizel D. 1981. A rapid densitometric microassay for nitroblue tetrazolium reduction and application of the microassay to macrophages. *J Reticuloendothel Soc* 30(6):581-93.
- Piomelli D. 1991. Metabolism of arachidonic acid in nervous system of marine mollusk *Aplysia californica*. *Am J Physiol* 260(5 Pt 2):R844-8.
- Piomelli D, Shapiro E, Zipkin R, Schwartz JH and Feinmark SJ. 1989. Formation and action of 8-hydroxy-11,12-epoxy-5,9,14-icosatrienoic acid in *Aplysia*: a possible second messenger in neurons. *Proc Natl Acad Sci U S A* 86(5):1721-1725.
- Piomelli D, Volterra A, Dale N, Siegelbaum SA, Kandel ER, Schwartz JH and Belardetti F. 1987. Lipoxygenase metabolites of arachidonic acid as second messengers for presynaptic inhibition of *Aplysia* sensory cells. *Nature* 328(6125):38-43.
- Pouliot M, McDonald P.P, Krump E, Mancini J.A, McColl S.R, Weech P.K and Borgeat P. 1996. Colocalization of cytosolic phospholipase A2, 5-lipoxygenase, and 5-lipoxygenase-activating protein at the nuclear membrane of A23187-stimulated human neutrophils. *Eur. J. Biochem* 238: 250–258.
- Powell WS, Hashefi M, Falck JR, Chauhan K, Rokach J, Wang SS, Mills E and MacLeod RJ. 1995. Effects of oxo and dihydro metabolites of 12-hydroxy-5,8,10,14-eicosatetraenoic acid on chemotaxis and cytosolic calcium levels in human neutrophils. *J Leukoc Biol* 57(2):257-263.
- Qu X, Huang K, Deng L and Xu H. 2000. Selenium deficiency-induced alterations in the vascular system of the rat. *Biol Trace Elem Res* 75(1-3):119-128.
- Rao GM, Rao AV, Raja A, Rao S and Rao A. 2000. Role of antioxidant enzymes in brain tumours. *Clin Chim Acta* 296(1-2):203-212.
- Rapoport SM and Schewe T. 1986. The maturational breakdown of mitochondria in reticulocytes. *Biochim Biophys Acta* 864(3-4):471-95.
- Rey C, Vericel E, Nemoz G, Chen W, Chapuy P and Lagarde M. 1994. Purification and characterization of glutathione peroxidase from human blood platelets. Age-related changes in

- the enzyme. *Biochim Biophys Acta* 1226(2):219-24.
- Reynaud D, Delton I, Gharib A, Sarda N, Lagarde M and Pace-Asciak CR. 1994a. Formation, metabolism, and action of hepoxilin A3 in the rat pineal gland. *J Neurochem* 62(1):126-33.
- Reynaud D, Demin P and Pace-Asciak CR. 1994b. Hepoxilin A<sub>3</sub> formation in the rat pineal gland selectively utilizes (12S)-hydroperoxyeicosatetraenoic acid (HPETE), but not (12R)-HPETE. *J Biol Chem* 269(39):23976-80.
- Reynaud D, Demin P and Pace-Asciak CR. 1995a. Hepoxilin binding in human neutrophils. *Biochem Biophys Res Commun* 207(1):191-194.
- Reynaud D, Demin P and Pace-Asciak CR. 1995b. Coupling of hepoxilin A<sub>3</sub>-specific binding with calcium-mobilizing actions in human neutrophils. *Agents Actions Suppl* 45:291-296.
- Reynaud D, Demin P and Pace-Asciak CR. 1996. Hepoxilin A<sub>3</sub>-specific binding in human neutrophils. *Biochem J* 313:537-541.
- Reynaud D, Demin PM, Sutherland M, Nigam S and Pace-Asciak CR. 1999. Hepoxilin signaling in intact human neutrophils: biphasic elevation of intracellular calcium by unesterified hepoxilin A<sub>3</sub>. *FEBS Lett* 446(2-3):236-8.
- Reynaud D and Pace-Asciak CR. 1997. 12-HETE and 12-HPETE potently stimulate intracellular release of calcium in intact human neutrophils. *Prostaglandins Leukot Essent Fatty Acids* 56(1):9-12.
- Rotruck JT, Pope AL, Ganther HE, Swanson AB, Hafeman DG and Hoekstra WG. 1973. Selenium: biochemical role as a component of glutathione peroxidase. *Science* 179(73):588-90.
- Rouzer CA, Matsumoto T and Samuelsson B. 1986. Single protein from human leukocytes possesses 5-lipoxygenase and leukotriene A4 synthase activities. *Proc Natl Acad Sci U S A* 83(4):857-61.
- Rouzer CA and Samuelsson B. 1987. 5-Lipoxygenase from human leukocytes associates with membrane in the presence of calcium. *Adv Prostaglandin Thromboxane Leukot Res* 17A:60-63.
- Rouzer CA, Shimizu T and Samuelsson B. 1985. On the nature of the 5-lipoxygenase reaction in human leukocytes: characterization of a membrane-associated stimulatory factor. *Proc Natl Acad Sci U S A* 82(22):7505-7509.
- Roxborough HE, Mercer C, McMaster D, Maxwell AP and Young IS. 1999. Plasma glutathione peroxidase activity is reduced in haemodialysis patients. *Nephron* 81(3):278-283.
- Sakai K, Fafeur V, Vulliez-le Normand B and Dray F. 1988. 12-Hydroperoxyeicosatetraenoic acid (12-HPETE) and 15-HPETE stimulate melatonin synthesis in rat pineals. *Prostaglandins*

- 35(6):969-76.
- Sakamoto H, Imai H and Nakagawa Y. 2000. Involvement of phospholipid hydroperoxide glutathione peroxidase in the modulation of prostaglandin D<sub>2</sub> synthesis. *J Biol Chem* 275(51):40028-35.
- Schewe T, Halangk W, Hiebsch C and Rapoport SM. 1975. A lipoxygenase in rabbit reticulocytes which attacks phospholipids and intact mitochondria. *FEBS Lett* 60(1):149-52.
- Schimke I, Griesmacher A, Weigel G, Holzhütter HG and Müller MM. 1992. Effects of reactive oxygen species on eicosanoid metabolism in human endothelial cells. *Prostaglandins* 43 (3):281-92.
- Schnurr K, Belkner J, Ursini F, Schewe T and Kühn H. 1996. The selenoenzyme phospholipid hydroperoxide glutathione peroxidase controls the activity of the 15-lipoxygenase with complex substrates and preserves the specificity of the oxygenation products. *J Biol Chem* 271(9):4653-8.
- Schnurr K, Borchert A and Kühn H. 1999a. Inverse regulation of lipid-peroxidizing and hydroperoxyl lipid-reducing enzymes by interleukins 4 and 13. *FASEB J* 13(1):143-154.
- Schnurr K, Brinckmann R and Kühn H. 1999b. Cytokine induced regulation of 15-lipoxygenase and phospholipid hydroperoxide glutathione peroxidase in mammalian cells. *Adv Exp Med Biol* 469:75-81.
- Serhan CN, Broekman MJ, Korchak HM, Marcus AJ and Weissmann G. 1982. Endogenous phospholipid metabolism in stimulated neutrophils differential activation by FMLP and PMA. *Biochem Biophys Res Commun* 107(3):951-8.
- Serhan CN, Takano T, Clish CB, Gronert K and Petasis N. 1999. Aspirin-triggered 15-epi-lipoxin A<sub>4</sub> and novel lipoxin B<sub>4</sub> stable analogs inhibit neutrophil-mediated changes in vascular permeability. *Adv Exp Med Biol* 469:287-93.
- Shannon VR, Chanez P, Bousquet J and Holtzman MJ. 1993. Histochemical evidence for induction of arachidonate 15-lipoxygenase in airway disease. *Am Rev Respir Dis* 147(4):1024-8.
- Sies H. 1989. Relationship between free radicals and vitamins: an overview. *Int J Vitam Nutr Res Suppl* 30:215-23.
- Sies H. 1997. Oxidative stress: oxidants and antioxidants. *Exp Physiol* 82(2):291-5.
- Sigal E, Craik CS, Highland E, Grunberger D, Costello LL, Dixon RA and Nadel JA. 1988. Molecular cloning and primary structure of human 15-lipoxygenase. *Biochem Biophys Res Commun* 157(2):457-64.
- Song WC, Baertschi SW, Boeglin WE, Harris TM and Brash AR. 1993a. Formation of

- epoxyalcohols by a purified allene oxide synthase. Implications for the mechanism of allene oxide synthesis. *J Biol Chem* 268(9):6293-8.
- Song WC, Funk CD and Brash AR. 1993b. Molecular cloning of an allene oxide synthase: a cytochrome P450 specialized for the metabolism of fatty acid hydroperoxides. *Proc Natl Acad Sci U S A* 90(18):8519-23.
- Spector A, Kuszak JR, Ma W and Wang RR. 2001. The effect of aging on glutathione peroxidase-i knockout mice-resistance of the lens to oxidative stress. *Exp Eye Res* 72(5):533-535.
- Stadtman TC. 1996. Selenocysteine. *Annu. Rev. Biochem* 675:83-100.
- Straif D, Werz O, Kellner R, Bahr U and Steinhilber D. 2000. Glutathione peroxidase-1 but not -4 is involved in the regulation of cellular 5-lipoxygenase activity in monocytic cells. *Biochem J* 349(Pt 2):455-461.
- Sumiya T, Fujimoto Y, Nishida H, Morikawa Y, Sakuma S and Fujita T. 1993. Effects of reactive oxygen species on arachidonic acid metabolism in rabbit platelets. *Free Radic Biol Med* 15(1):101-4.
- Sun X, Li X, Moriarty PM, Henics T, LaDuca JP and Maquat LE. 2001. Nonsense-mediated decay of mRNA for the selenoprotein phospholipid hydroperoxide glutathione peroxidase is detectable in cultured cells but masked or inhibited in rat tissues. *Mol. Biol. Cell* 12:1009-17.
- Svensson J and Hamberg M. 1976. Thromboxane A<sub>2</sub> and prostaglandin H<sub>2</sub>: potent stimulators of the swine coronary artery. *Prostaglandins* 12(6):943-950.
- Syburra C and Passi S. 1999. Oxidative stress in patients with multiple sclerosis. *Ukr Biokhim Zh* 71(3):112-115.
- Szekeres CK, Trikha M, Nie D and Honn KV. 2000. Eicosanoid 12(S)-HETE activates phosphatidylinositol 3-kinase. *Biochem Biophys Res Commun* 275(2):690-5.
- Takahashi K, Avissar N, Whitin J and Cohen H. 1987. Purification and characterization of human plasma glutathione peroxidase: a selenoglycoprotein distinct from the known cellular enzyme. *Arch Biochem Biophys* 256(2):677-86.
- Takahashi Y, Ueda N and Yamamoto S. 1988. Two immunologically and catalytically distinct arachidonate 12-lipoxygenases of bovine platelets and leukocytes. *Arch Biochem Biophys* 266(2):613-21.
- Tanaka H, Ishida Y, Kaneko T and Matsumoto N. 1989. Isolation of human megakaryocytes by immunomagnetic beads. *Br. J. Haemat* 73:18-22.
- Tang DG, Chen YQ and Honn KV. 1996. Arachidonate lipoxygenases as essential regulators of cell survival and apoptosis. *Proc Natl Acad Sci U S A* 93(11):5241-6.

- Tang K and Honn KV. 1999. 12(S)-HETE in cancer metastasis. *Adv Exp Med Biol* 447:193-198.
- Thomas JP, Maiorino M, Ursini F and Girotti AW. 1990. Protective action of phospholipid hydroperoxide glutathione peroxidase against membrane-damaging lipid peroxidation. *In situ* reduction of phospholipid and cholesterol hydroperoxides. *J Biol Chem* 265(1):454-61.
- Tiedge M, Lortz S, Drinkgern J and Lenzen S. 1997. Relation between antioxidant enzyme gene expression and antioxidative defense status of insulin-producing cells. *Diabetes* 46(11):1733-1742.
- Timar J, Chen YQ, Liu B, Bazaz R, Taylor JD and Honn KV. 1992. The lipoxygenase metabolite 12(S)-HETE promotes alpha IIb beta 3 integrin-mediated tumor-cell spreading on fibronectin. *Int J Cancer* 52(4):594-603.
- Timar J, Silletti S, Bazaz R, Raz A and Honn KV. 1993a Regulation of melanoma-cell motility by the lipoxygenase metabolite 12-(S)-HETE. *Int J Cancer* 55(6):1003-10.
- Timar J, Tang D, Bazaz R, Haddad MM, Kimler VA, Taylor JD and Honn KV. 1993b. PKC mediates 12(S)-HETE-induced cytoskeletal rearrangement in B16a melanoma cells. *Cell Motil Cytoskeleton* 26(1):49-65.
- Ueda N, Yamamoto S, Fitzsimmons BJ and Rokach J. 1987. Lipoxin synthesis by arachidonate 5-lipoxygenase purified from porcine leukocytes. *Biochem Biophys Res Commun* 144(2):996-1002.
- Ulbricht B, Hagmann W, Ebert W and Spiess E. 1996. Differential secretion of cathepsins B and L from normal and tumor human lung cells stimulated by 12(S)-hydroxy-eicosatetraenoic acid. *Exp Cell Res* 226(2):255-63.
- Ursini F and Bindoli A. 1987. The role of selenium peroxidases in the protection against oxidative damage of membranes. *Chem Phys Lipids* 44(2-4):255-76.
- Ursini F, Heim S, Kiess M, Maiorino M, Roveri A, Wissing J and Flohé L. 1999. Dual function of the selenoprotein PHGPx during sperm maturation. *Science* 285(5432):1393-6.
- Ursini F, Maiorino M and Gregolin C. 1985. The selenoenzyme phospholipid hydroperoxide glutathione. *Biochim Biophys Acta* 839(1):62-70.
- Ursini F, Maiorino M and Roveri A. 1997. Phospholipid hydroperoxide glutathione peroxidase (PHGPx): more than an antioxidant enzyme? *Biomed Environ Sci* 10(2-3):327-32.
- Ursini F, Maiorino M, Valente M, Ferri L and Gregolin C. 1982. Purification from pig liver of a protein which protects liposomes and biomembranes from peroxidative degradation and exhibits glutathione peroxidase activity on phosphatidylcholine hydroperoxides. *Biochim Biophys Acta* 710(2):197-211.

- Vanderhoek JY, Bryant RW and Bailey JM. 1982. Regulation of leukocyte and platelet lipoxygenases by hydroxyeicosanoids. *Biochem Pharmacol* 31(21):3463-3467.
- van Leyen K, Duvoisin RM, Engelhardt H and Wiedmann M. 1998. A function for lipoxygenase in programmed organelle degradation *Nature* 395(6700):392-5.
- Volterra A and Siegelbaum SA. 1990. Opposing modulation of S-K<sup>+</sup> channel activity by cyclic AMP and arachidonic acid metabolites. *Prog Clin Biol Res* 334:323-38.
- Volterra A, Trott D, Cassutti P, Tromba C, Galimberti R, Lecchi P and Racagni G. 1992. A role for the arachidonic acid cascade in fast synaptic modulation: ion channels and transmitter uptake systems as target proteins. *Adv Exp Med Biol* 318:147-58.
- Walstra P, Verhagen J, Vermeer MA, Veldink GA and Vliegenthart JF. 1987a. Demonstration of a 12-lipoxygenase activity in bovine polymorphonuclear leukocytes. *Biochim Biophys Acta* 921(2):312-9.
- Walstra P, Verhagen J, Veldink GA and Vliegenthart JF. 1987b. 12-Lipoxygenase from bovine polymorphonuclear leukocytes, an enzyme with leukotriene A<sub>4</sub>-synthase activity. *Biochem Biophys Res Commun* 149(1):258-65.
- Watanabe T, Medina JF, Haeggström JZ, Rádmark O and Samuelsson B. 1993. Molecular cloning of a 12-lipoxygenase cDNA from rat brain. *Eur J Biochem* 212(2):605-12.
- Watson A and Doherty FJ. 1994. Calcium promotes membrane association of reticulocyte 15-lipoxygenase. *Biochem J* 298 ( Pt 2):377-83.
- Weitzel F, Ursini F and Wendel A. 1990. Phospholipid hydroperoxide glutathione peroxidase in various mouse organs during selenium deficiency and repletion. *Biochim Biophys Acta* 1036(2):88-94.
- Weitzel F and Wendel A. 1993. Selenoenzymes regulate the activity of leukocyte 5-lipoxygenase via the peroxide tone. *J Biol Chem* 268(9):6288-92.
- Wen Y, Gu J, Knaus UG, Thomas L, Gonzales N and Nadler JL. 2000. Evidence that 12-lipoxygenase product 12-hydroxyeicosatetraenoic acid activates p21-activated kinase. *Biochem J* 349(Pt 2):481-487.
- Werz O and Steinhilber D. 1996. Selenium-dependent peroxidases suppress 5-lipoxygenase activity in B-lymphocytes and immature myeloid cells. The presence of peroxidase-insensitive 5-lipoxygenase activity in differentiated myeloid cells. *Eur J Biochem* 242(1):90-7.
- Wingler K, Bocher M, Flohé L, Kollmus H and Brigelius-Flohé. 1999. mRNA stability and selenocysteine insertion sequence efficiency rank: gastrointestinal glutathione peroxidase high in the hierarchy of selenoproteins. *Eur J Biochem* 259(1-2):149-157.

- Wiseman JS, Skoog MT, Nichols JS and Harrison BL. 1987. Kinetics of leukotriene A<sub>4</sub> synthesis by 5-lipoxygenase from rat polymorphonuclear leukocytes. *Biochemistry* 26:5684-5689.
- Yamamoto S. 1992. Mammalian lipoxygenases: molecular structures and functions. *Biochim Biophys Acta* 1128(2-3):117-31.
- Yamamoto S, Suzuki H and Ueda N. 1997. Arachidonate 12-lipoxygenases. *Prog Lipid Res* 36(1):23-41.
- Yamamoto S, Suzuki H, Nakamura M and Ishimura K. 1999. Arachidonate 12-lipoxygenase isoforms. *Adv Exp Med Biol* 447:37-44.
- Yokoyama C, Shinjo F, Yoshimoto T, Yamamoto S, Izumi S, Komatsu N and Watanabe K. 1985. Arachidonate 12-lipoxygenase purified from porcine leukocytes. *Adv Prostaglandin Thromboxane Leukot Res* 15:193-5.
- Yokoyama C, Shinjo F, Yoshimoto T, Yamamoto S, Oates JA and Brash AR. 1986. Arachidonate 12-lipoxygenase purified from porcine leukocytes by immunoaffinity chromatography and its reactivity with hydroperoxyeicosatetraenoic acids. *J Biol Chem* 261(35):16714-21.
- Yoshimoto T, Miyamoto Y, Ochi K and Yamamoto S. 1982. Arachidonate 12-lipoxygenase of porcine leukocyte with activity for 5-hydroxyeicosatetraenoic acid. *Biochim Biophys Acta* 713(3):638-46.
- Yoshimoto T and Yamamoto S. 1995. Arachidonate 12-lipoxygenase. *J Lipid Mediat Cell Signal* 12(2-3):195-212.
- Yoshimoto T, Suzuki H, Yamamoto S, Takai T, Yokoyama C and Tanabe T. 1990a. Cloning and sequence analysis of the cDNA for arachidonate 12-lipoxygenase of porcine leukocytes. *Proc Natl Acad Sci U S A* 87(6):2142-6.
- Yoshimoto T, Yamamoto Y, Arakawa T, Suzuki H, Yamamoto S, Yokoyama C, Tanabe T and Toh H. 1990b. Molecular cloning and expression of human arachidonate 12-lipoxygenase. *Biochem Biophys Res Commun* 172(3):1230-5.
- Yoshimura S, Suemizu H, Taniguchi Y, Watanabe K, Nomoto Y, Katsuoka Y, Arimori S and Moriuchi T. 1991a. Molecular cloning of human plasma glutathione peroxidase gene and its expression in the kidney. *Nucleic Acids Symp Ser* 25:163-4.
- Yoshimura S, Watanabe K, Suemizu H, Onozawa T, Mizoguchi J, Tsuda K, Hatta H and Moriuchi T. 1991b. Tissue specific expression of the plasma glutathione peroxidase gene in rat kidney. *J Biochem (Tokyo)* 109(6):918-23.
- Yoshino H, Kitayama S, Morita K, Uchiyama Y, Shibata K, Shirakawa M, Okamoto H,

- Tsujimoto A and Dohi T. 1994. Effect of 12-hydroxyeicosatetraenoic acid on cytosolic calcium in human neutrophils. *J Lipid Mediat Cell Signal* 9(3):225-34.
- Zhang LP, Maiorino M, Roveri A and Ursini F. 1989. Phospholipid hydroperoxide glutathione peroxidase: specific activity in tissues of rats of different age and comparison with other glutathione peroxidases. *Biochim Biophys Acta* 1006(1):140-3.