

Liste der Veröffentlichungen

- 1: Plonka PM, **Handjiski B**, Popik M, Michalczyk D, Paus R.
Zinc as an ambivalent but potent modulator of murine hair growth in vivo- preliminary observations.
Exp Dermatol 2005 Nov; 14 (11): 844-53.
- 2: Clark DA, Blois S, Kandil J, **Handjiski B**, Manuel J, Arck PC.
Reduced uterine indoleamine 2,3-dioxygenase versus increased TH1/TH2 cytokine ratios as a basis for occult and clinical pregnancy failure in mice and humans.
Am J Reprod Immunol. 2005 Oct; 54(4): 203-16.
- 3: Plonka PM, Michalczyk D, Popik M, **Handjiski B**, Slominski A, Paus R.
Splenic eumelanin differs from hair eumelanin in C57BL/6 mice.
Acta Biochim Pol. 2005; 52(2) : 433-41. Epub 2005 Jun 25.
- 4: Hendrix S, **Handjiski B**, Peters EM, Paus R.
A guide to assessing damage response pathways of the hair follicle: lessons from cyclophosphamide-induced alopecia in mice.
J Invest Dermatol. 2005 Jul; 125(1): 42-51. Review.
- 5: Arck PC, **Handjiski B**, Kuhlmei A, Peters EM, Knackstedt M, Peter A, Hunt SP, Klapp BF, Paus R.
Mast cell deficient and neurokinin-1 receptor knockout mice are protected from stress-induced hair growth inhibition.
J Mol Med. 2005 May ; 83 (5): 386-96. Epub 2005 Mar 10.
- 6: Ohnemus U, Uenalan M, Conrad F, **Handjiski B**, Mecklenburg L, Nakamura M, Inzunza J, Gustafsson JA, Paus R.
Hair cycle control by estrogens: catagen induction via estrogen receptor (ER)-alpha is checked by ER beta signaling.
Endocrinology. 2005 Mar; 146 (3): 1214-25. Epub 2004 Dec 9.
- 7: Peters EM, **Handjiski B**, Kuhlmei A, Hagen E, Bielas H, Braun A, Klapp BF, Paus R, Arck PC.
Neurogenic inflammation in stress-induced termination of murine hair growth is promoted by nerve growth factor.
Am J Pathol. 2004 Jul;165 (1):259-71.
- 8: Ohnemus U, Unalan M, **Handjiski B**, Paus R.
Topical estrogen accelerates hair regrowth in mice after chemotherapy-induced alopecia by favoring the dystrophic catagen response pathway to damage.
J Invest Dermatol. 2004 Jan; 122(1): 7-13.
- 9: Tobin DJ, Gunin A, Magerl M, **Handjiski B**, Paus R.
Plasticity and cytokinetic dynamics of the hair follicle mesenchyme: implications for hair growth control.
J Invest Dermatol. 2003 Jun; 120 (6): 895-904.

- 10: Arck PC, **Handjiski B**, Peters EM, Hagen E, Klapp BF, Paus R.
Topical minoxidil counteracts stress-induced hair growth inhibition in mice.
Exp Dermatol. 2003 Oct; 12 (5): 580-90.
- 11: Arck PC, **Handjiski B**, Peters EM, Peter AS, Hagen E, Fischer A, Klapp BF, Paus R.
Stress inhibits hair growth in mice by induction of premature catagen development and deleterious perifollicular inflammatory events via neuropeptide substance P-dependent pathways.
Am J Pathol. 2003 Mar; 162 (3): 803-14.
- 12: Arck PC, **Handjiski B**, Hagen E, Joachim R, Klapp BF, Paus R.
Indications for a brain-hair follicle axis (BHA)': inhibition of keratinocyte proliferation and up-regulation of keratinocyte apoptosis in telogen hair follicles by stress and substance P.
FASEB J. 2001 Nov; 15 (13): 2536-8. Epub 2001 Sep 17.
- 13: Muller-Rover S, **Handjiski B**, van der Veen C, Eichmuller S, Foitzik K, McKay IA, Stenn KS, Paus R.
A comprehensive guide for the accurate classification of murine hair follicles in distinct hair cycle stages.
J Invest Dermatol. 2001 Jul; 117 (1): 3-15.
- 14: Mecklenburg L, Tobin DJ, Muller-Rover S, **Handjiski B**, Wendt G, Peters EM, Pohl S, Moll I, Paus R.
Active hair growth (anagen) is associated with angiogenesis.
J Invest Dermatol. 2000 May; 114 (5): 909-16.
- 15: Muller-Rover S, Rossiter H, Paus R, **Handjiski B**, Peters EM, Murphy JE, Mecklenburg L, Kupper TS.
Overexpression of Bcl-2 protects from ultraviolet B-induced apoptosis but promotes hair follicle regression and chemotherapy-induced alopecia.
Am J Pathol. 2000 Apr; 156 (4): 1395-405.
- 16: Foitzik K, Lindner G, Mueller-Roever S, Maurer M, Botchkareva N, Botchkarev V, **Hand jiski B**, Metz M, Hibino T, Soma T, Dotto GP, Paus R.
Control of murine hair follicle regression (catagen) by TGF-beta1 in vivo.
FASEB J. 2000 Apr; 14 (5): 752-64
- 17: Muller-Rover S, Bulfone-Paus S, **Handjiski B**, Welker P, Sundberg JP, McKay IA, Botchkarev VA, Paus R.
Intercellular adhesion molecule-1 and hair follicle regression.
J Histochem Cytochem. 2000 Apr; 48 (4): 557-68.
- 18: Lindner G, Menrad A, Gherardi E, Merlino G, Welker P, **Handjiski B**, Roloff B, Paus R.
Involvement of hepatocyte growth factor/scatter factor and met receptor signaling in hair follicle morphogenesis and cycling.
FASEB J. 2000 Feb; 14(2): 319-32.

- 19: Paus R, Muller-Rover S, Van Der Veen C, Maurer M, Eichmuller S, Ling G, Hofmann U, Foitzik K, Mecklenburg L, **Handjiski B**.
A comprehensive guide for the recognition and classification of distinct stages of hair follicle morphogenesis.
J Invest Dermatol. 1999 Oct; 113(4): 523-32.
- 20: Maurer M, Fischer E, **Handjiski B**, von Stebut E, Algermissen B, Bavandi A, Paus R.
Activated skin mast cells are involved in murine hair follicle regression (catagen).
Lab Invest. 1997 Oct; 77 (4): 319-32.
- 21: Maurer M, **Handjiski B**, Paus R.
Hair growth modulation by topical immunophilin ligands: induction of anagen, inhibition of massive catagen development, and relative protection from chemotherapy-induced alopecia.
Am J Pathol. 1997 Apr; 150 (4):1433-41.
- 22: Paus R, Schilli MB, **Handjiski B**, Menrad A, Henz BM, Plonka P.
Topical calcitriol enhances normal hair regrowth but does not prevent chemotherapy-induced alopecia in mice.
Cancer Res. 1996 Oct 1; 56 (19): 4438-43.
- 23: Slominski A, Paus R, Plonka P, **Handjiski B**, Maurer M, Chakraborty A, Mihm MC Jr.
Pharmacological disruption of hair follicle pigmentation by cyclophosphamide as a model for studying the melanocyte response to and recovery from cytotoxic drug damage in situ.
J Invest Dermatol. 1996 Jun; 106 (6): 1203-11.
- 24: Paus R, **Handjiski B**, Czarnetzki BM, Eichmuller S.
Biology of the hair follicle.
Hautarzt. 1994 Nov; 45 (11): 808-25; quiz 824-5. Review.
- 25: **Handjiski BK**, Eichmuller S, Hofmann U, Czarnetzki BM, Paus R.
Alkaline phosphatase activity and localization during the murine hair cycle.
Br J Dermatol. 1994 Sep; 131 (3): 303-10.
- 26: Paus R, **Handjiski B**, Czarnetzki BM, Eichmuller S.
A murine model for inducing and manipulating hair follicle regression (catagen): effects of dexamethasone and cyclosporine A.
J Invest Dermatol. 1994 Aug; 103 (2): 143-7.
- 27: Paus R, **Handjiski B**, Eichmuller S, Czarnetzki BM.
Chemotherapy-induced alopecia in mice. Induction by cyclophosphamide, inhibition by cyclosporine A, and modulation by dexamethasone.
Am J Pathol. 1994 Apr; 144 (4): 719-34.