

10. References

- ADOL G., 1956. 100 Jahre Berliner Wasserwerke. Berlin. 132 p.
- AHLGREN I., FRISK T.; KAMP-NIELSEN L., 1988. Empirical and theoretical models of phosphorus loading, retention and concentration vs lake trophic state. *Hydrobiologia* 170, 285-303
- ALAILY F., FACKLAM-MONIAK M., HOFFMANN C. et al., 1995. Typical soils of Berlin. Quaternary field trip in Centra Europe. Vol 3. Field trips in Berlin and its environs. Berlin. P. 1158-1162.
- ALLAN J. D., 1995. Stream Ecology: Structure and Function of Running. Springer; Amsterdam.
- ANDERSEN J.M., 1982. Effects of nitrate concentration in lake water on phosphate release from the sediment. *Water Research* 16 (1982), 1119-1126.
- ANDERSON K.; DOWNING J. A., 2006. Dry and wet atmospheric deposition of nitrogen, phosphorus and silicon in an agricultural region. *Water, Air, and Soil Pollution* (2006) 176: 351–374
- ANONYMOUS, 1896. The Sewers and Sewage Farms of Berlin. Engineering News and American Railway Journal,. Volume XXXVI, No. 9 (27 Aug. 1896), pp. 139-141.
- ANTHONY S. G.; QUINN P.; LORD E.I. 1996. Catchment scale modelling of nitrate. *Aspects of Applied Biology* 46, 23-32.
- ARNOLD J.G. et al., 1998. Large area hydrologic modeling and assessment part I: model development. *J. American Water Resources Association* 34(1):73-89.
- ARNOLD J.G.; WILLIAM J.R.; MAIDMENT D.A., 1995. A continuous time water and sediment routing model for large basins.
- ARNOLD J.G.; WILLIAMS J.R.; GRIGGS R.H., 1990. SWRRB-A Basin Scale Simulation Model for Soil and Water Resources Management. Texas A & M Press. loading in the environment. *Environ. Pollut.* 100, 197e207.
- ARNOLD J.G; FOHRER N., 2005. SWAT2000: Current Capabilities and Research Opportunities in Applied Watershed Modeling. *Hydrological Processes*, vol. 19, Issue 3, pp.563-572.
- ARTHUR S. N.; ARTHUR H.N., 1984. Elements of Physical Geography. John Wiley & Sons, 1984).
- ASNER G.P. et al., 2001. Physical and biogeochemical controls over terrestrial ecosystem responses to nitrogen deposition. *Biogeochemistry* 54: 1–39, 2001.
- BACH, M., BEHRENDT, H., HUBER, A. & FREDE H.-G., 2000. Input paths and water load of nutrients and plant protection products in the Federal Republic of Germany. In: van de Kraats, J.A. (Ed.), Farming without harming the impact of agricultural pollution on water systems. EurAqua 5th Scientific Technical Review, Lelystad, Sept. 1999, 71-82.
- BADER F.J.W.; MÜLLER D.O., 1981. Stadtgeographischer Führer Berlin(West). Berlin
- BALDOWNSKI S.; ELGERT A.; ROLL C.; WALTER N., 2000. Kapazitäten und Entwicklungspotenziale wasserseitiger Nutzungsformen in Berlin. 46 p.
- BARDER ,F.J.W.; MÜLLER, D.O., 1981. Stadtgeographischer Führer Berlin (West). Berlin
- BARRIE L., BRASSEUR G., CRUTZEN P.J. et al., 2000. The changing atmosphere: Changes in the chemical composition of the atmosphere and potential impacts. IGAS.
- BARRIE L. et al., 1998. Changes in the Chemical Composition of the Atmosphere and Potential Impacts, THE CHANGING ATMOSPHERE. IGAC I&S 1998, http://medias.obs-mip.fr/igac/documents/chap1/Ch_1.pdf
- BÄRTHEL H., 2003. 125 Jahre Berliner Stadtentwässerung. Berlin.
- BARTNICKI J., 2006. Nitrogen emissions to the air in the Baltic Sea area. HELCOM Indicator Fact Sheets 2006. EMEP MSC-W.
- BEASLEY D.B.; HUGGINS L.F.; MONKE E.J., 1980. ANSWERS: a model for watershed planning. *Trans. ASAE* 23 (4), 938e944.

10. References

- BEHRENDT H.; MOHAUPT V., 1983. Die Entwicklung der Phosphorbelastung der Gewässer der DDR und Möglichkeiten ihrer Beeinflussung unter besonderer Berücksichtigung des in Waschmitteln enthaltenen Phosphors. Studie, AdW, IGG, Ber. Hydrologie, 79 S.
- BEHRENDT H., 1988. Die Entwicklung der Phosphorbelastung der Gewässer der DDR unter besonderer Berücksichtigung des diffusen Phosphoreintrages. Studie, AdW, IGG, Ber. Hydrologie, 52S.
- BEHRENDT H., 1994. Phosphor- und Stickstoffeinträge über punktförmige Quellen. In: W. WERNER & H.-P. WODSAK "Regional differenzierter Stickstoff- und Phosphateintrag in Fließgewässer im Bereich der ehemaligen DDR unter besonderer Berücksichtigung des Lockergesteinsbereiches", Agrarspektrum, 22, 137-164.
- BEHRENDT H., 1994. Punktuelle Quellen der Nährstoffbelastung in den neuen Bundesländern und ihre zeitliche Veränderung. Berlin. 35 P.
- BEHRENDT H., 1994. Phosphor- und Stickstoffeinträge über punktförmige Quellen. In: W. WERNER & H.-P. WODSAK "Regional differenzierter Stickstoff- und Phosphateintrag in Fließgewässer im Bereich der ehemaligen DDR unter besonderer Berücksichtigung des Lockergesteinsbereiches", Agrarspektrum, 22, 137-164.
- BEHRENDT H. et al., 1999. Point and Diffuse Nutrient Emissions and Transports in the Odra Basin and its Main Tributaries. *Acta hydrochim. hydrobiol.* 27 (1999)5. 274 -281
- BEHRENDT H., LEY M., KOROL R., STRONSKA-KEDZIA, M.; PAGENKOPF W., 1999. Point and diffuse nutrient emissions and transports in the Odra Basin and its main tributaries. *Acta Hydrobiologia et Hydrochimica*, 27, 274-281.
- BEHRENDT H.; OPITZ D., 1999. Retention of nutrients in river systems: Dependence on specific runoff and hydraulic load. *Hydrobiologia*. 410:111–122
- BEHRENDT H.; HUBER P.; KORNWLICH M.; OPITZ D.; SCHMOLL O.; SCHOLZ G.; UEBE R., 2000. Nutrient balances of German river basins. UBA-Texte, 23/2000, 261p .
- BEHRENDT, H.; HUBER, P.; KORNWLICH, M., 2000. Nutrient Emissions into river basins of Germany. UBA-Texte 23/00, 266 p.
- BEHERENDT H.; OPITZ D.; PÖTHIG R.; SCHÖNERFELDER I., 2001. Langzeitveränderungen der Nährstoffbelastung und des trophischen Zustandes Berliner Gewässer, 70 S., 3 Anhänge; Berlin.
- BEHRENDT H.; KORBMILCH M.; OPITZ D. et al., 2001. Phosphoreinträge in die Flussgebiet Deutschlands und ihre Veränderung. Münchener Beiträge zur Abwasser-, Fischerei- und Flussbiologie;; Band 54. Bayrisches Landesamt für Wasserwirtschaft (Hrsg.), München, S.303-
- BEHRENDT H.; OPITZ D.; PAGENKORF W.-G., 2001. Analyse der Nährstoffeinträge und -frachten in den Flüssen des Landes Baden-Württemberg. Institut für Gewässer- ökologie und Binnenfischerei, Forschungsverbund Berlin e.V.. Studie im Auftrag der Landesanstalt für Umweltschutz Baden-Württemberg.
- BEHRENDT H., HUBER P., KORNWLICH M., OPITZ D., SCHMOLL O., SCHOLZ G.; UEBE R., 2002. Estimation of the nutrient inputs into river basins - experiences from German rivers. *Regional Environmental Changes*, 3, 107-117
- BEHREDNT H.; KORNMI LICH M.; OPITZ D. et al., 2002. Estimation of the nutrient inputs into river systems - experiences from German rivers, *Regional Environmental Changes*, 3, 107-117.
- BEHRENDT H.; OPITZ D.; SCHMOLL O.; PAGENKORF W.G., 2002. Stoffeinträge in die Gewässer des Landes Brandenburg. Fachbeiträge des Landesumweltamtes Heft-Nr. 68
- BEHRENDT H.; 2002. Nährstoffeinträge im Einzugsgebiet der Spree und ihre Veränderungen. Die Spree und ihr Einzugsgebiet. 2002.
- BEHRENDT H.; DANNOWSKI D.; DEUMLIC D. et al., 2002. Nutrient and heavy metal emissions into the river system of Odra - results and comparison of models.

- BEHRENDT H. et al., 2002. Point and diffuse emissions of pollutants, their retention in the river system of the Odra and scenario calculations on possible changes. Weissensee-Verlag, Berlin, 271 p.
- BEHRENDT H.; DANNOWSKI R.; DEUMLICH D., 2002. Nutrient and heavy metal emissions into the river system of Odra - results and comparison of models. Schriftenreihe des Institutes für Abfallwirtschaft und Altlasten, Technische Universität Dresden, Bd. 28, Vol.2, 213-221.
- BEHRENDT H.; BACH M.; OPITZ D. et al., 2003. Nutrient Emissions into River Basins of Germany on the Basis of a Harmonized Procedure. Umweltbundesamt, UBA-Texte 82/03, 191 p.,
- BEHERENDT H.; VAN GILS J., SCHREIBER H.; ZESSNER M., 2004. Point and diffuse nutrient emissions and loads in the transboundary Danube River Basin. II. Long-term changes.
- BEHRENDT H.; OPITZ D.; KOROL R.; STRONZKA M., 2005. 'Changes of nutrient loads of the Odra River during the last century – their causes and consequences', ICID 21st European Conference 2005 15–19 May, Frankfurt (Oder) and Slubice – Germany and Poland.
- BEHERENDT H.; DANNOWSKI R. (Eds), 2005. Nutrients and Heavy Metals in the Odra River System: Emissions from Point and Diffuse Sources, their Loads, and Scenario Calculations on Possible Changes. Berlin, Mai 2005, 369 p.
- BENNION H.; APPLEBY P.G.; PHILLIPS G.L., 2001. Reconstructing nutrient histories in the Norfolk Broads, UK: implications for the role of diatom-total phosphorus transfer functions in shallow lake management. Journal of Paleolimnology 26: 181–204, 2001.
- BERGSTRÖM, S., 1995. The HBV model. In Singh, V. P. (ed.) Computer Models of Watershed Hydrology, Water Resources Publications, Littleton, Colorado, pp. 443-476.
- BERLEKAMP J.; GRAF N., HESS O. et al., 2006. Integration of MONERIS and GREAT-ER in the Decision Support System for the German Elbe River Basin. Environmental Modelling & Software, Special Issue 2006
- BERLINER STATISTIK, 2006. Umweltfaltblatt 2006.
- BERLIN IN ZAHLEN, 1927-1951. The Berlin statistical yearbooks
- BIEGEL M.; SCHANZE J.; KREBS P., 2004. Improved resolution in urban water modelling for large river basins. Proceedings. 19th European Junior Workshop on Process Data and Integrated Urban Water Modelling, Lyon, France, 11-14. 2004.
- BILLEN G. et al., 1999. Estimates of early industrial inputs of nutrients to river systems: implication for coastal eutrophication, The Science of the Total Environment 243/244 (1999), pp. 43–52.
- BILLEN G.; GARNIER J.; HANSET P., 1994. Modelling phytoplankton development in whole drainage networks: the RIVERSTRAHLER model applied to the Seine river system. Hydrobiologia 289, 119–137.
- BLOMBAECH K.; DJODJIC F., 2003. GLEAMS modelling exercise - Modelling of nitrogen and phosphorus losses in a pepper-cabbage-lettuce crop rotation. under two different fertilisation regimes. RURBIFARM. Contract No: ICA4-CT2002-10021.
- BMU - Umweltbundesamtes, 2001. Water Resource Management in Germany.
- BMU – Umweltbundesamtes, 2002. Umweltdaten Deutschland 2002.
- BMU – Umweltbundesamtes, 2002. The German water sector - Policies and Experiences
- BORGVANG S.A. et al., 2003. Data Availability for Modelling Diffuse Losses of Nutrients in European Catchments. Diffuse Pollution Conference, Dublin 2003 1E: Water Resources Management
- BOSTRÖM B.; JASSON B.; FORSBERG C., 1982. Phosphorus release from lake sediments. Arch. Hydrobiol. Beih. Ergebn. Limnol. 18 (1982), 5-59.
- BÖTTCHER F.; LOMPE D.; WIESMANN U., 1990. Auswirkungen der Phosphatentfernung in den Berliner Kläranlagen auf die Wasserqualität der unteren Havel. Vortrag auf dem Kolloquium

10. References

- "Nährstoffbelastung der Gewässer in Berlin und Umgebung - Bestandsaufnahme und Sanierungskonzepte", 15. - 16.11.1990, Berlin
- BOYER, E. W. et al., 2002. Anthropogenic nitrogen sources and relationships to riverine nitrogen export in the northeastern U.S.A. *Biogeochemistry* 57/58: 137–169, 2002.
- BRADSHAW E.G.; ANDERSON NJ., 2001. Validation of a diatom-phosphorus calibration set for Sweden. *Freshwater Biology* 46: 1035–1048.
- BREEMEN N.V.; BOYER E.W.; GOODALE C.L. et al., 2002. Where did all the nitrogen go? Fate of nitrogen inputs to large watersheds in the northeastern U.S.A. *Biogeochemistry* 57/58: 267–293.
- BRIX J., 1934. Die Stadtentwässerung in Deutschland. Jena: Fischer.
- BROOKS R. C., 1905. The Sewage Farms of Berlin. *Political Science Quarterly*. The Academy of Political Science. P 298-313.
- BUIJSMAN E.; ERISMAN J-W., 1988. Wet Deposition of Ammonium in Europe. *Journal of Atmospheric Chemistry* 6 (1988) 265-280.
- BURNSIDE C.; McDOWELL W., 2001. Dishwater detergent phosphorus: Its contribution to phosphorus load at a municipal wastewater treatment plant. A Pilot Study in Lolo, Montana. Voluntary Nutrient Reduction Program. Tri-State Water Quality Council. Final Report. 16 p.
- BWB, 1996, Wasser für Berlin – Ausstellung des Museum im Wasserwerk. 35 p.
- BWB, 2000, Water for Berlin – Clear water – clear information, 35 p. Berlin. 2000.
- BWB, 2005. Abwasserentsorgung in Berlin und Klärwerke Berlin. Berlin
- CAMPBELL S. et al., 2007. The "Land Use and Water Quality in Hunting Creek: Research, Education and Outreach" project. EPA Small Watersheds Program.
- CHANDRA SEKHAR M. ; SREENIVASULU D., 2003. Modelling nutrients contributed by overland flow from the Krishna River basin. Diffuse Pollution Conference, Dublin 2003 1A: Water Resources Management. 20 p.
- CHAPRA S.C., 1977. Total Phosphorus Model for the Great Lakes. *Journal of the Environmental Engineering Division*, Vol. 103, No. 2, March/April 1977, pp. 147-161
- CHAPRA S.C., 1997. Surface water quality modelling
- CIDAC, 2006. CO₂ emission database. Carbon Dioxide Information Analysis Center, USA, 2006
- COMPTON J. et al., 2000, Variations in the global phosphorus cycle. *Marine Authigenesis: From Global to Microbial*, SEPM Special Publication No. 66, ISBN 1-56576-064-6, p. 21-33.
- CONLEY D. J., 2000. Biogeochemical nutrient cycles and nutrient management strategies. *Hydrobiologia* 410: 87-96.
- DALTON H.; BRAND-HARDY R., 2003. Nitrogen: the essential public enemy. *Journal of Applied Ecology*, Volume 40, Number 5, October 2003. 771–781
- DALY K.; MILLS P. et al., 2002. Modeling phosphorus concentrations in Irish rivers using land use, soil type, and soil phosphorus data. *J. Environ. Qual.* 31:590–599 (2002).
- DE WIT M.; BEHRENDT H., 1999. Nitrogen and Phosphorus loss from soil to surface water in Rhine and Elbe basin. *Wat. Sci. Tech.*, 39, 12, 109-116.
- DE WIT M., 2001. Nutrient fluxes at the river basin scale. I: the PolFlow Model. *Hydrological Processes*. Volume 15, Issue 5 , Pages 761 - 775
- DE WIT M.; VAN GAANS P.; BLEUTEN W., BENDORICCHIO G.; BEHRENDT H., 2002. The contribution of agriculture to nutrient pollution in three European rivers. *European Water Management*, (online publication).
- DHI - Danish Hydraulic Institute, 1998. MIKE SHE Water Movement-User Guide and Technical Reference Manual, 1.1. ed. Available from: <http://www.dhi.dk>.
- DILLON P.J.; Rigler F. H., 1974. The phosphorus-chlorophyll relationship in lakes. *Limnology and Oceanography*, Vol. 19, No. 5. (Sep., 1974), pp. 767-773.

- DRIESCHER E., 2002. Die Spree und ihr Einzugsgebiet- Naturräumliche gegebenheiten und landschaftsentwicklung. Die Spree – Zustand, Probleme, Entwicklungsmöglichkeiten. Stuttgart. 2002.
- EC – The Council of the European Communities, 1999. Directive 91/271/EEC concerning urban waste-water treatment.
- EFMA, 2005. European Fertilizer Manufacturers Association. Forecast of Food, Farming and Fertilizer use to 2008.
- EMEP, 2005. EMEP Co-operative Programme for Monitoring and Evaluation of the long-range Transmission of Air Pollutants in Europe: Data report 2005.
- ENGEL N.; MOLL P.; RALF S., 2004. Berlinbeach – Erarbeitung eines Verfahrens zur Vermeidung von Einleitungen aus der Mischkanalisation in städtische Fließgewässer. 80 p.
- EHRHARDT, S. et al., 1991. Altlastenerkundung in Pankow am Beispiel der Rieselfelder, Bericht über die Projektarbeit bei der UTB, Gesellschaft für Informationstechnik, Umwelt und Betriebsberatung, Berlin.
- EUROPEAN PARLIAMENT, 2000. The EU Water Framework Directive. Directive 2000/60/EC of the European Parliament and of the Council establishing a framework for the Community action in the field of water policy.
- EURO HARP, 2001. EVK-CT-2001-00096. Towards European Harmonised Procedures for Quantification of Nutrient Losses from Diffuse Sources. European Commission Framework Programme V: "Energy, Environment and Sustainable Development Programme" (EESD)
- FAO, 2006. Food and Agriculture Organization of the United Nations (FAO). 2006. FAOSTAT Online Statistical Service. Rome: FAO. Available online at: <http://apps.fao.org>.
- FERM M., 1998. Atmospheric ammonia and ammonium transport in Europe and critical loads: a review. *Nutrient Cycling in Agroecosystems* 51: 5–17, 1998. 5
- FISCHEDICK M.; NITSCH J., 2002, Long term scenarios for a sustainable energy future in Germany. Research project for the German Umweltbundesamt UFOPLAN FKZ 200 97 104. Wuppertal, Stuttgart, Juni 2002
- FISHER L. S.; MAYS P. A.; WYLIE C. L., 2007. An Overview of Nitrogen Critical Loads for Policy Makers, Stakeholders, and Industries in the United States. *Water Air Soil Pollut* (2007) 179:3–18
- FISHER L.H.; WOOD T.M., 2001. Effect of Water-Column pH on Sediment-Phosphorus Release Rates in Upper Klamath Lake, Oregon, 2001. *Water-Resources Investigations Report 03-4271*. <http://pubs.usgs.gov/wri/wri034271/>
- FLEMING, R.; FORD M., 2001. Humans versus Animals - Comparison of Waste Properties. http://www.ridgetown.uoguelph.ca/research/documents/fleming_huvsanim0107.PDF. Date accessed: June 21, 2007.
- FOGELBERG S., 2003. Modelling Nitrogen Retention at the Catchment Scale: Comparison between HBV-N and MONERIS. UPTEC W 03 019. Date of issue 2003-05.
- FRANZKE U., 2005. Sewage discharge and wastewater treatment in Berlin, Germnay. Innovations in Water and Wastewater Technology, 28th November – 1st December 2005, Berlin and Dresden.
- FRITZ B., 2003. Bank filtration – A natural process for drinking water production, Berlin.
- GALLOWAY J. N., 1996. Anthropogenic mobilization of sulfur and nitrogen: Immediate and delayed consequences, *Ann. Rev. Energy Environ.*, 21, 261-292 (1996)..
- GALLOWAY J. N.; COWLING E.B., 2002. Reactive Nitrogen and The World: 200 Years of Change. *AMBIO: A Journal of the Human Environment*: Vol. 31, No. 2, pp. 64–71.
- GALLOWAY J. N.; DENTENER F.J.; CAPONE D.G. et al, 2004. Nitrogen Cycles: Past, Present, and Future, *Biogeochemistry* 70: 153–226.

10. References

- GALLOWAY J.B.; ABER J.D.; ERISMAN J.W. et al, 2003. The Nitrogen Cascade. BioScience. Vol. 53 No. 4. 341 -356
- GALLOWAY J.N.; BEKUNDA M.; ERISMAN J.W. et al., 2004. A Preliminary Assessment of "Changes in the Global Nitrogen Cycle as a Result of Anthropogenic Influences. Third International Nitrogen Conference. October 12-16, 2004. Nanjing, China
- GALLOWAY J. N.; SCHLESINGER W.H.; LEVY II.; MICHAELS A.; SCHNOOR J.L., 1995. Nitrogen fixation: Anthropogenic enhancement-environmental response. Global Biogeochemical Cycles, Volume 9, Issue 2, p. 235-252.
- GASSMAN P.W. et al., 2007. The Soil and Water Assessment Tool: Historical Development, Applications, and Future Research Directions. American Society of Agricultural and Biological Engineers. Vol. 50(4): 1211-1250
- GAUGER T. et al., 2001. Deposition Loads of Sulphur and Nitrogen in Germany. Water, Air, & Soil Pollution: Focus. Volume 1, Numbers 1-2 / January, 2001. 353-373.
- GERICKE A., 1956. 100 Jahre Berliner Wasserwerke. Berlin. Verl. Technik. 1956. 132 p.
- GLEISBERG D., 1988. Phosphate und Umwelt. Chemie in unserer Zeit / 22. Jahrg. 191'8 / Nr. 6
- GOOLSBY D.A.; BATTAGLIN W.A.; Lawrence G.B., 1999. Flux and sources of nutrients in the Mississippi- Atchafalaya River Basin. National Oceanic and Atmospheric Administration, Coastal Ocean Program Decision Analysis Series 17. Silver Spring, MD.
- GRAHAM W.F.; DUCE R.A., 1979. Atmospheric pathways of the phosphorus cycle, Geochim. Cosmochim. Acta, 43, 1195–1208.
- GROSCH U., RENNERT B., HILGE V., 2000. Development and use of surface waters and the fate of the related fisheries in the Berlin area of Germany. Fisheries Management and Ecology, 7, 179-188
- HAHN H., LANGBEIN E., 1928. Reinigung und Verwertung des Abwassers der Reichshauptstadt Berlin.
- HAMILTON S.K.; TANK J.L.; RAINKOW D.F., 2001. Nitrogen uptake and transformation in a midwestern U.S. stream: A stable isotope enrichment study. Biogeochemistry 54: 297-340
- HAMMER M. J., 1986. Water and Waste water Technology.
- HANRAHAN L.; M. WINSLOW JR., 2004. Contribution of phosphorus from automatic dishwasher detergents to Lake Champlain. Lake Champlain Committee Environmental Service Corps Technical Report No. 4. Lake Champlain Committee, Burlington, VT. 10 pp
- HEINZMANN B.; SAFERT F.; STENGEL A., 1991. Die Phosphateeliminallage Tegel in Berlin, Das Gas- und Wasserfach. 132. Nr.12.
- HEINZMANN B., 2005. Water supply in Berlin. Innovations in Water and Wastewater Technology, 28th November – 1st December 2005 , Berlin and Dresden,
- HERBKE N. et al., 2006. Urban Water Management Case Study I: Berlin. Ecologic - Institute for International and European Environmental Policy. Milan.
- HEYMANN C., 1916. Die Berliner Rieselfelder. Berlin.
- HOELZMAN P., 1998. Bestandsaufnahme, Verteilungsmuster und Bewertung der Schwermetallkontamination der subhydrischen Sedimente von Spree und Havel. Dire Erde. 1998. 129. p. 211-228.
- HILL A.R.; KEMP W.A.; BUTTLE J.M., 1999. Nitrogen chemistry of subsurface storm runoff on forested Canadian Shield hillslopes. Water Resources Research 35:811-821.
- HJELLBRECKKE A.G.; SCHANG J. E., 1997. EMEP Co-operative Programme for Monitoring and Evaluation of the long-range Transmission of Air Pollutants in Europe: Data report 1995. Annual summaries: EMEP/CCC-Report 4/97. In: European Monitoring and Evaluation Programme, EMEP/CCC-Report 4/97.

- HOLLAND E.A.; BRASWELL B.H.; SULZMAN J. M., 2005. Nitrogen deposition onto the United States and Western Europe: synthesis of observations and models. *Ecological Applications*, 15(1), 2005, pp. 38–57.
- HOUNSLOW A.W., 1995. Water quality data: analysis and interpretation.
- HUSCHECK G.; HANSEN P.-D., 2005. Ecotoxicological classification of the Berlin river system in respect to the European Water Framework Directive. *Environmental Monitoring and Assessment* (2005) 121: 15–31
- HUTSON J.L.; WAGENET R.J.; NIEDERHOFER M.E., 1997. Leaching estimation and chemistry model: a process based model of water and solute movement, transformations, plant uptake and chemical reactions in the unsaturated zone. Versions LEACHF and
- IIASA, 2006. Estimated NO_x emission in Germany in the period of 1990-2030, source: International Institute for Applied Systems Analysis (IIASA), 2006. http://www.iiasa.ac.at/rains/global_emiss/global_emiss.html
- KADEN S. et al., 2002. Hydrologie. Die Spree: Zustand, Problem, Entwicklungsmöglichkeiten. Stuttgart. 384 P.
- KAHN M. E., 1996. New Evidence on Trends in Vehicle Emissions. *The RAND Journal of Economics*, Vol. 27, No. 1. (Spring, 1996), pp. 183-196.
- KALLENBACH H., 1995. Quaternary morphology of the Berlin landscape. Quaternary field trip in Centra Europe. Vol 3. Field trips in Berlin and its environs. Berlin. P. 1142-1145.
- KANOWSKI S., 1990, Gesetzliche Vorgaben für die Verringerung von Nährstoffeinträgen in Gewässer. Vortrag auf dem Kolloquium "Nährstoffbelastung der Gewässer in Berlin und Umgebung - Bestandsaufnahme und Sanierungskonzepte", 15. - 16.11.1990, Berlin
- KÄTTERER T., 2001. Nitrogen Budgets. *Encyclopedia of Life Sciences*. John Wiley & Sons.
- KELLMAN L.; HILLAIRE-MARCEL C., 1998. Nitrate cycling in streams: Using natural abundance of NO₃-/¹⁵N to measure in-situ denitrification. *Biogeochemistry* 43:273–292.
- KEUP L.E.; INGRAM W. M.; MACKENTHUN K. M (eds), 1967. Biology of Water Pollution. A Collection of Selected Papers on Stream Pollution Waste Water and Water Treatment. 290 pp. US. Department of the Interior, Federal Water Pollution Control Administration.
- KEUP L.E., INGRAM W. M., MACKENTHUN K. M (eds), 1967. Biology of Water Pollution. A Collection of Selected Papers on Stream Pollution Waste Water and Water Treatment. 290 pp. US. Department of the Interior, Federal Water Pollution Control Administration.
- KLEEBERG A.; HÄMMERLING R.; NIXDORF B., 2001. The effect of hypolimnetic discharge on the faster deprivation of phosphorus from lake sediment using Lake Jabel (NE Germany) as an example. *Lakes & Reservoirs: Research and Management* 6: 289-295.
- KLOSE H., 1985. Die Eutrophierung der Havel und ihr bestimmender Einfluß auf Ökosystem und Nutzungen. In: Landesumweltamt Brandenburg (ed.): *Die Havel*.
- KNAPPE A.; MÖLLER P.; DULSKI P.; PEKDEGER A., 2005. Positive gadolinium anomaly in surface water and ground water of the urban area Berlin, Germany *Chemie der Erde* 65:167–189 .
- KNISEL W.G.; DAVIS F.M., 1999. GLEAMS: Groundwater Loading Effects of Agricultural Management Systems, Version 3.0, Users Manual. USDA-Agricultural Research Service, Southeast Watershed Research laboratory, Tifton, GA.
- KÖHLER J.; GELBRECHT J.; PUSCH M., 2002, Die Spree: Zustand, Probleme, Entwicklungsmöglichkeiten, Limnologie aktuell, Band 10. Stuttgart.
- KÖHLER J.; HILT S.; ADRIAN R; NICKLISCH A.; KOZERSKI H.P.; WALZ N., 2005. Long-term response of a shallow, moderately flushed lake to reduced external phosphorus and nitrogen loading.- *Freshw. Biol.* 50, 1639-1650.
- KOVACS A., 2004. MODELING NON-POINT PHOSPHORUS POLLUTION WITH VARIOUS METHODS. 8th International Conference on Diffuse/ Nonpoint Pollution (ICDP), Kyoto, Japan; 24.10.2004 - 29.10.2004

10. References

- KOZERSKI H.P; BEHRENDT H.; KÖHLER J., 1999. The N and P budget of the shallow, flushed lake Müggelsee: Retention, external and internal load.
- KROEZE C; SEITZINGER S. P., 1998. Nitrogen inputs to rivers, estuaries and continental shelves and related nitrous oxide emissions in 1990 and 2050: a global model. Nutrient Cycling in Agroecosystems 52: 195–212, 1998.
- KRNVANG B.; BECHMANN M.; PEDERSEN M.L.; FIYNN N., 2003. Phosphorus dynamics and export in streams draining micro-catchments: Development of empirical models. J. Plant Nutr. Soil Sci. 166:469–474
- KRNVANG B.; HOFFMANN C.C.; SVENDSEN L.M.. 1999. Retention of nutrients in river basins. Aquatic Ecology, Volume 33, Number 1, 1999 , pp. 29-40(12)
- KUNKEL R.; BACH M.; BEHRENDT H., 2004. Groundwater-borne nitrate intakes into surface waters in Germany. Water Science and Technology 49:33, 11-19
- KUNKEL R.; WENDLAND F., 1996. WEKU - A GIS supported stochastical model of ground water residence times in the upper aquifers for the supraregional ground water management. Environmental Geology . Environmental Geology. Volume 30, Numbers 1-2 / March, 1997
- LÄÄNE A.; PITKÄNEN H.; ARHEIMER B., BEHRENDT H. et al., 2002. Evaluation of the implementation of the 1988 Ministerial Declaration regarding nutrient load reductions in the Baltic Sea catchment area. The Finnish Environment 524, Helsinki, 2002.
- LALLENBACH H., 1995. Quaternary morphology of the Berlin landscape. Quaternary field trip in Centra Europe. Vol 3. Field trips in Berlin and its environs. Berlin. P. 1142-11145.
- LANCELOT C. ; SPITZ Y. ; GYPENS N., 2005. Modelling diatom and Phaeocystis blooms and nutrient cycles in the Southern Bight of the North Sea: the MIRO model. Mar. Ecol., Prog. Ser. 289, 63–78.
- LANDCELOT C. et al., 2006. Testing an integrated river–ocean mathematical tool for linking marine eutrophication to land use: The Phaeocystis-dominated Belgian coastal zone (Southern North Sea) over the past 50 years, Journal of Marine Systems, Journal of Marine Systems 64 (2007) 216–228.
- LANDESBETRIEB FÜR DATENARBEITUNG UND STATISTIK BRENDENBURG. 2005. Flächenerhebung nach Art der tatsächlichen Nutzung im Land Brandenburg 2004. Landesbetrieb für Datenverarbeitung und Statistik, Potsdam. www.statistik.brandenburg.de
- LANDESBETRIEB FÜR DATENARBEITUNG UND STATISTIK BRENDENBURG. 2006. Historisches Gemeindeverzeichnis des Landes Brandenburg 1875 bis 2005. 2006. Landesbetrieb für Datenverarbeitung und Statistik, Potsdam. www.statistik.brandenburg.de
- LANDESBETRIEB FÜR DATENVERARBEITUNG UND STATISTIK – LANSES BRANDENBURG, 2006.
- LANDESUMWELTAMT BRANDENBURG, 1995 (ed.). Die Havel. Studien und Tagungsberichte, Band 8
- LANDESUMWELTAMT BRANDENBURG, 2002. Wasserversorgung und Abwasserbeseitigung im Land Brandenburg 2001. Landesbetrieb für Datenverarbeitung und Statistik. Dezernat Energiewirtschaft, Umwelt, Umweltökonomische Gesamtrechnungen. Potsdam.
- LANZ K.; EITNER K., 2005. D12: WaterTime case study – Berlin, Germany. WaterTime. http://www.watertime.net/docs/WP2/D12_Berlin.doc
- LEACHG - LEACHG (for simulating nitrogen and phosphorus transformations, cycling and transport). Research report R97-1. Department of Soil, Crop and Atmospheric Sciences, Cornell University, Ithaca, New York, 138 pp.
- LEONARD R.A.; KNISEL W.G.; STILL D.A., 1987. GLEAMS: groundwater loading effects of agricultural management systems. Trans. ASAE 30 (5), 1403e1418.
- LET S., GUIRESSE M.; GIRAUDEL J.L., 1999. Predicting stream nitrogen concentration from watershed features using neural networks. Water Res. 33 (16), 3469e3478.
- LEYMANN G., 1991. Die Ersatzstoffproblematik am Beispiel phosphatfreier Waschmittel, Das Gas- und Wasserfach. 132. Nr.7.

- LINDSTRÖM G. et al., 1997. Development and test of the distributed HBV-96 hydrological model, *J. Hydrol.*, Vol. 201, pp. 272-288.
- LITTLEWOD I.G. 1995. Hydrological regimes, sampling strategies, and assessment of errors in mass load estimates for United Kingdom rivers. *Environment International*, Volume 21, Number 2, 1995, pp. 211-220(10)
- LOTTER A.F., 1998. The recent eutrophication of Baldeggsee (Switzerland) as assessed by fossil diatom assemblages. *The Holocene* 8,4 (1998) pp. 395–405
- MAGETTE W.L., 1998. Factors affecting losses of nutrients from agricultural systems and delivery to water resources. Draft Guidelines for Nutrient Use in Intensive Agricultural Enterprises, Teagasc.
- MARLAND G.; BODEN T.A.; ANDRES R.J. .2006. Global, Regional, and National CO₂ Emissions. In Trends: A Compendium of Data on Global Change. Carbon Dioxide Information Analysis Center, Oak Ridge National Laboratory, U.S. Department of Energy, Oak Ridge, Tenn., U.S.A.
- MARLAND G., BODEN T. A.; ANDRES R.J. Andres. 2006. Global, Regional, and National CO₂ Emissions. In Trends: A Compendium of Data on Global Change. Carbon Dioxide Information Analysis Center, Oak Ridge National Laboratory, U.S. Department of Energy, Oak Ridge, Tenn., U.S.A.
- MCCAIN M.E.; BILBY R.E.; TRISKA F.J. , 2002. Nutrient Cycles and Responses to Disturbance
- MEYER J.L., McDOWELL W.H., Bott T.L. et al., 1988. Elemental dynamics in streams. *Journal of the North American Benthological Society* 7:410- 432 37:1076-1085.
- MOHAJERI S., 2005. 100 Jahre Berliner Wasserversorgung und Abwasserentsorgung 1840 - 1940.
- MORALES J.A.; ALBORNOZ A.; SOCORRO E. 1999. An Estimation of the Nitrogen and Phosphorus Loading by Wet Deposition over Lake Maracaibo, Venezuela. *Water, Air, and Soil Pollution*, Volume 128, Numbers 3-4, June 2001 , pp. 207-221(15).
- MORTOM K.M., 2001. The Lough Derg and Lough Ree Catchment Monitoring and Management System. Final Report.
- MOSS B; MADGWICK J.; PHILLIPS G, 1996. A Guide to the Restoration of Nutrient-Enriched Shallow Lakes. Broads Authority,. Norwich: 188 pp.
- MUROZUMI M.; CHOW TJ.; PATTERSON CC (1969), Chemical centrations of pollutant lead aerosols, terrestrial dust and sea. salts in Greenland and Antarctic snow strata. *Geochim. Cosmochim. Acta*, 33:1247–1294.
- MUSEUM IM WASSERWERK BERLIN, 1996. *Wasser für Berlin*. 35 p. Berlin.
- NASCH, K., 1916. Die Berliner Rieselfelder - Städtischer Eigenbetrieb und Kleinverpachtung. Berlin.
- NEITSCH S.L. et al., 2001. Soil and Water Assessment Tool – Theoretical Documentation - Version 2000, Blackland Research Center – Agricultural Research Service, Texas – USA
- NITSCH H.; OSTERBURG B., 2004. Agriculture and Environment - Country report Germany. "Cross-compliance in Central and Eastern European Countries". Seminar in the EU Concerted Action " Developing cross compliance in the EU –background, lessons and opportunities", QLK5-CT-2002-02640. 20 -21 September 2004, Prague
- NIXDORF M.; HEMM M; HOFFMANN A. 2004. Dokumentation von Zustand und. Entwicklung der wichtigsten Seen. Deutschlands. A Forschungsbericht 299 24 274. UBA-FB 000511.
- NIXON S.W., 1997. Prehistoric nutrient inputs and productivity in Narragansett Bay. *Estuaries* 20(2): 253-261
- NURNBERG G.K, 1984. The Prediction of Internal Phosphorus Load in Lakes with Anoxic Hypolimnia. *Limnology and Oceanography*, Vol. 29, No. 1 (Jan., 1984), pp. 111-124

10. References

- OHTE, N.; FUJIMOTO M.; MIMASU Y., 2006. Information behind the seasonal variation in nitrate discharge from the forested catchment. American Geophysical Union, Fall Meeting 2006.
- OLAH J.; ABDELMONEIM M.; TOTH L., 1983. Nitrogen fixation in the sediment of shallow Lake Balaton, a reservoir and fishponds. *Int. Revue ges. Hydrobiol.* 68: 13–45.
- OSPAR - Commission, 2005. Atmospheric Nitrogen in the OSPAR Convention Area and Agreed International Reduction Measures. The Convention for the Protection of the Marine Environment of the North-East Atlantic (the “OSPARConvention”). 2005.
- O'SULLIVAN P.E., 1992. The eutrophication of shallow coastal lakes in Southwest England — understanding and recommendations for restoration, based on palaeolimnology, historical records, and the modelling of changing phosphorus loads. *Hydrobiologia* 243/244: 421-434, 1992.
- PACHUR H-J., WÜNNEMAN B., 1995. Berlin's lake. Quaternary field trip in Central Europe. Vol 3. Field trips in Berlin and its environs. Berlin. P. 1167-1179.
- PAERL H. W.; DENNIS R.L.; WHITALL D.R., 2002. Atmospheric Deposition of Nitrogen: Implications for Nutrient Over-enrichment of Coastal Waters. *Estuaries*: Vol. 25, No. 4, pp. 677–693.
- PAGENKOPF WG., 2001. Analyse der Nährstoffkonzentrationen, -frachten und -einträge im Elbeinzugsgebiet 2001
- PETERS R. H., 1986. The role of prediction in limnology. *Limnol. Oceanogr.* 31: 1143–1159.
- PETER, A.; SARFERT, F., 1990. Betriebserfahrungen mit der biologischen Phosphor- und Stickstoffentfernung im Klärwerk Berlin- Ruhleben und – Marienfelde. Nährstoffbelastung de Gewässer in Berlin und Umgebung. Berlin.
- PETTERSSON A. ; ARHEIMER B.; JOHANSSON B., 2001. Nitrogen concentrations simulated with HBV-N: new response function and calibration strategy. *Nordic Hydrology* 32(3):227-248.
- PHOSPHORUS & POTASSIUM, 1998, “Phosphate recovery and removal from wastewater”, Phosphorus & Potassium, No. 213, pp. 30-9.
- PHOSPHORUS & POTASSIUM, 1998. Phosphorus availability in the 21st century Management of a non-renewable resource. *Phosphorus & Potassium*, Issue No: 217 (September-October, 1998)
- PUSCH M.; HOFFMANN A., 2000, Conservation concept for a river ecosystem (River Spree, Germany) impacted by flow abstraction in a large post-mining area. *Landscape and Urban Planning*, Volume 51, Number 2, 15 October
- RAFERT G.; KEEVIL M. Land Use Affects on Nutrient Loading in a First Order Semi-Urban Stream: A Study of a Small Minnesota Creek.
- REAVIE E.D.; SMOL J.P.; DILLON P.J., 2002. Inferring long-term nutrient changes in southeastern Ontario lakes: comparing paleolimnological and mass-balance models. *Hydrobiologia*, Volume 481, Numbers 1-3, August 2002 , pp. 61-74(14)
- RECKHOW K. H.; CHAPRA S.C., 1999. Modelling excessive nutrient loading in the environment. *Environ. Pollut.* 100, 197-207.
- REHFELD-KLEIN M.; BEHRENDT H., 1999. Die Eutrophierung – das Hauptproblem für die Gewässergüte der unteren Spree – Analyse und Lösungsansätze. *Die Spree – Zustand, Probleme, Entwicklungsmöglichkeiten*. Stuttgart. 2002.
- RIGLER F. H., 1964. The Phosphorus Fractions and the Turnover Time of Inorganic Phosphorus in Different Types of Lakes. *Limnology and Oceanography*, Vol. 9, No. 4 (Oct., 1964), pp. 511-518
- RISC, 1998. Resources Information Standards Committee, Resources Inventory Committee Ministry of Environment, Lands and Parks, Province of British Columbia- Canada. 1998. Guidelines for Interpreting Water Quality Data.
- RITSCHL A., 2004. "Spurious Growth in German Output Data, 1913-1938" (June 2004). CEPR Discussion Paper No. 4429. Available at SSRN: <http://ssrn.com/abstract=563312>

- RITSCHL A., 2006. The Anglo-German Industrial Productivity Paradox, 1895-1938: A Restatement and a Possible Resolution, SFB 649 Discussion Paper 2006-048. P. 21-27.
- RODE M.; BORGES N.; WRIEDT G., 2005. Nitrogen retention in a shallow groundwater-stream system of a lowland catchment. *Geophysical Research Abstracts*, Vol. 7, 08510, 2005.
- RUDOLPH, K.-U. (Edt.) 2000. The German Water Sector: Policies and Experiences. Berlin. Bundesministerium für Umwelt, Naturschutz und Reaktorsicherheit, 2002, THE GERMAN WATER SECTOR - Policies and Experiences .
- RUSSEL et al., 1998. Sources of nitrogen in wet deposition to the Chesapeake Bay region, *Atmospheric Environment* 32 (1998) (14/15), pp. 2453–2465.
- RUTHS, H., 1928. Fünfzig Jahre Berliner Stadtgüter. Berlin.
- SANHUEZA E., 1982. The role of the atmosphere in nitrogen cycling. *Plant and Soil* 67, 61-71 (1982). The Hague.
- SCHALLENBERG M.; BURNS C.W., 2001. Nitrogen and Phosphorus Budgets of the Waipori/Waihola Lake-Wetland Complex. Limnology Report No. 7. Department of Zoology, University of Otago, Dunedin.
- SCHAUSER I.; CHORUS I.; LEWANDOWSKI J., 2006. Effects of nitrate on phosphorus release: comparison of two Berlin lakes.- *Acta Hydrochim. Hydrobiol.* 34: 325-332.
- SCHERER U., FUCHS S., BEHRENDT H. ; HILLENBRAND T., 2003. Emissions of Heavy Metals into River Basins of Germany. *Wat Sci. Techn.* (in print).
- SCHILLING C.; BLASCHKE A.P.; GUTKNECHT D. et al., 2003. Modelling Activities for Comprehensive Water and Nutrient Balances for Two Austrian Case Study Regions. Diffuse Pollution Conference Dublin 2003.
- SCHLÖR J., 2006. 'It has to go away, but at the same time it has to be kept': the Berlin Wall and the making of an urban icon. *Urban History*. Volume 33 - Issue 1 - May 2006 - pp. 85-105.
- SCHMOLL O., 1998. Nährstoffeinträge aus kommunalen Kläranlagen in die Flussgebiete Deutschlands - Notwendigkeiten und Möglichkeiten ihrer weiteren Verminderung. Diplomarbeit, TU Berlin, Berlin, p.34
- SCHÖNERFELDER I.; BEHERENDT H.; OPITZ D.; PÖTHIG R., 2001. Langzeitveränderungen der Nährstoffbelastung und des trophischen Zustandes Berliner Gewässer, 70 S., 3 Anhänge; Berlin.
- SCHÖNERFELDER I.; STEINBERG C.E.W., 2002. How did the nutrient concentrations change in northeastern German lowland rivers during the last four Millennia? A Paleolimnological study of Floodplain sediment. *Studia Quaternaria*. Volume 21. 2002.
- SCHÖNERFELDER I. et al., 2005. Paläolimnologische Leitbildkonstruktion und biozönotisch basierte Bewertungsansätze für Flusseseen am Beispiel der Diatomeen. Ein Beitrag zu erwirtschaftungsmöglichkeiten im Einzugsgebiet der Havel. LUA Brandenburg.
- SCHREIBER H.; BEHRENDT H., 2004. Harmonised land cover data for the estimation of nutrient inputs in European river systems - The example of Danube River.
- SCHREIBER H.; BEHRENDT H.; CONSTANTINESCU L. et al., 2003. Harmonised Inventory of point and diffuse Emissions of Nitrogen and Phosphorus in the Danube Basin. Final Report, Institute of Freshwater Ecology and Inland Fisheries, Berlin, 158 S.
- SCHREIBER H.; BEHERENDT H.; CONSTANTINESCU L. et al., 2004. Point and diffuse nutrient emissions and loads in the transboundary Danube River Basin. I. A modelling approach. 197
- SEEGER H., 1999. The history of German waste water treatment European Water Management, Volume 2, Number 5, October 1999.
- SEITZINGER S.P.; STYLES R.V.; BOYER E.W. et al., 2002. Nitrogen Retention in Rivers: Model Development and Application to Watersheds in the Northeastern U.S.A. *Biogeochemistry*, Vol. 57, The Nitrogen Cycle at Regional to Global Scales (Apr., 2002), pp. 199-237

10. References

- SEKHAR M.C.; SREENIVASULU D., 2003. Modelling nutrients contributed by overland flow from the Krishna river basin. Diffuse Pollution Conference, Dublin 2003. 1A: Water Resources Management
- SENSTADTUM (Senatsverwaltung für Stadtentwicklung und Umweltschutz Berlin) (ed.), 1966-1992: Gewässerkundlicher Jahresbericht des Landes Berlin. Berlin.
- SENSTADTUM (Senatsverwaltung für Stadtentwicklung und Umweltschutz Berlin) (ed.), 1992: Digitaler Umweltatlas Berlin – Rieselfelde. Berlin.
- SENSTADTUM (Senatsverwaltung für Stadtentwicklung und Umweltschutz Berlin) (ed.), 2001. Abwasserbeseitigungsplan Berlin. Berlin.
- SENSTADTUM (Senatsverwaltung für Stadtentwicklung und Umweltschutz Berlin) (ed.), 2004. Surface water monitoring data, 1984-2003. Berlin.
- SENSTADTUM (Senatsverwaltung für Stadtentwicklung und Umweltschutz Berlin) (ed.), 2004. Berlin Digital Environmental Atlas. 02.01 Quality of Surface Waters (Chemistry). Berlin.
- SENSTADTUM (Senatsverwaltung für Stadtentwicklung und Umweltschutz Berlin) (ed.), 2004. Berlin Digital Environmental Atlas. 02.09 Management of Rain and Waste Water. Berlin.
- SENSTADTUM (Senatsverwaltung für Stadtentwicklung und Umweltschutz Berlin) (ed.), 2005. Urban Development & Planning: Type of Supply & Disposal: Sewage Disposal.
- SENSTADTUM, 2007, Berlin Digital Environmental Atlas. 06.07 Urban Structure. Edition 2007
- SHEEDER S.A.; LYNCH J.A.; GRIMM J., 2002. Modeling Atmospheric Nitrogen Deposition and Transport in the Chesapeake Bay Watershed. *Journal of Environmental Quality* 31:1194-1206 (2002)
- SIMMELSGAARD S. E. et al., 2000. An empirical model for calculation of root zone nitrate leaching. DJF rapport Markbrug no. 32, Danmarks JordbruksForskning, 67 pages (in Danish)
- SIMMELSGAARD S. E., DJURHUUS J., 1998. An empirical model for estimating nitrate leaching as affected by crop type and the long-term N fertilizer rate. *Soil Use and Management*. Volume 14 Issue 1 Page 37-43, March 1998.
- SMIL V. 2000. Phosphorus in the environment: Natural Flows and Human Interferences. *Annu. Rev. Energy Environ.* 2000. 25:53–88
- SMIL V., 2001. Enriching the Earth: Fritz Haber, Carl Bosch, and the Transformation of World Food Production.. MIT Press, Cambridge, MA.
- SMITH R.A.; ALEXANDER R.B., 2000. Sources of Nutrients in the Nation's Watersheds. Proceedings from the Natural Resource, Agriculture, and Engineering Service - Conference for Nutrient Management Consultants, Extension Educators, and Producer Advisors. March 28-30, 2000, Camp Hill, Pennsylvania
- SMOL J.P., 2002. Pollution of Lakes and Rivers: A Paleoenvironmental Perspective. New York.
- SONDERGAARD M.; JENSEN PJ.; JEPPESEN E., 2001. Retention and Internal Loading of Phosphorus in Shallow, Eutrophic Lakes. *The Scientific World Journal*. No. 1. 2001. 427-442.
- SONDERGAARD M.; JENSEN PJ.; JEPPESEN E., 2003. Role of sediment and internal loading of phosphorus in shallow lakes. - *Hydrobiologia* 506/509: 135-145.
- STANNERS and BOURDEAU, 1995. Europe's environment: the Dobris assessment. Copenhagen: European Environment Agency
- STATISTIK DER KOHLENWIRTSCHAFT e.V., 2003. Der Kohlenbergbau in der Energiewirtschaft der Bundesrepublik Deutschland im Jahre 2002. Essen und Köln, 2003. The Coal-Industry Statistics Association
- STATISTICHES LANDESAMT DES FREIST SCAHEN, 2006. Bevölkerung und Fläche des Freistaates Sachsen 1834 bis 2006. Statistischen Jahrbuchs 2006.

- STATISTICHES AMT MECKLENBURG-VORPOMMEN, 2007. Statistisches Jahrbuch 2007. Statistische Amt Mecklenburg-Vorpommern. Gebiet, Bevölkerung und Bevölkerungsbewegung.
<http://www.statistik-mv.de>
- STATISTICS JAHRBUCH – BERLIN <WEST>, 1952-1990. The Berlin statistical yearbooks.
- STATISTICHES JAHRBUCH DER DEUTSCHEN DEMOKRATISCHEN REPUBLIK, 1956-1990.
- STATISTICHES JAHRBUCH DER HAUPTSTADT DER DEUTSCHEN DEMOKRATISCHEN REPUBLIK, 1961-1983.
- STATISTICS JAHRBUCH DER STADT BERLIN, 1878-1943. The Berlin statistical yearbooks.
- STATISTICS JAHRBUCH BERLIN, 1991-2006. The Berlin statistical yearbooks.
- STATISTISCHE LANDEAMT SACHSEN-ANHALT, 2007. Bevölkerung, Wohnungen und Fläche nach Kreisen im Jahr 2000. <http://www.stala.sachsen-anhalt.de/apps/onlinerecherche/pages/recherche/recherche.php>
- STEEN I. 1998. Phosphorus availability in the 21st century: Management of a non-renewable resource, Phosphorus & Potassium. British Sulphur Publishing, No. 217, 25-31.
- SUKOPP H., 1995. Vegetation and soils of Berlin – changes during human settling activities. Quaternary field trip in Central Europe. Vol 3. Field trips in Berlin and its environs. Berlin. P. 1163-1164.
- SWEDISH EPA, 1997. Nitrogen from land to sea. Main report. Swedish Environmental Protection Agency, Report 4801, Nordstedts tryckeri AB, Stockholm.
- TACON A.G. J., 1988, Feeding methods. The nutrition and feeding of farmed fish and shrimp – A training manual, FAO.
- TEANY L.E., 2004. Phosphorus Losses From Simulated Dairy Management Intensive Grazing Forage System. Master thesis. The Faculty of the Virginia Polytechnic Institute and State University
- TETZLAFF B.; WENDLAND F.; KREINS P. 2003. Development of a GIS-based model for the analysis of the diffuse phosphate flow in large lowland river basins. Diffuse Pollution Conference, Dublin 2003
- TKALICH; SUNDARAMBAL, 2003. EUTROPHICATION MODELLING FOR SINGAPORE WATERS. Singapore Maritime & Port Journal 2003, pp. 122-136
 to river basins. Wat. Sci. Tech., 39,12, 179-187.
- TURNER R.E.; RABALAIS N.N.; JUSTIC D.; DORTCH Q., 2003. Global patterns of dissolved N, P and Si in large rivers. Biogeochemistry 64: 297–317, 2003.
- STAFFEL-SCHIERHOFF U., 2001. Pollutant – Group oriented action concepts – Illustrated by the example of nutrient reduction.
http://www.umweltbundesamt.de/wasser/wsektor/wasserdoku/english/kap45_e.pdf
- USEPA, 2001. BASINS Version 3.0, EPA-823-F-01-021. USEPA, Office of Water, Washington, D.C.
- VALIELA I. et al., 1997 Nitrogen loading from coastal watersheds to receiving estuaries: New method and application. Ecological Applications 7:358–380.
- VALIELA I.; BOWEN J.L.; KROEGER K.D., 2002. Assessment of models for estimation of land-derived nitrogen loads to shallow estuaries. Applied Geochemistry, Volume 17, Number 7, July 2002 , pp. 935-953(19)
- VAN GILS J.; BEHERENDT H. et al., 2005. Changes of the nutrient loads of the Danube since the late eighties: An analysis based on long term changes along the whole Danube and its main tributaries. Wat. Sci. Tech., (inprint).

10. References

- VAN NIEUWENHUYSE E.E.; JONES J.R., 1996. Phosphorus–chlorophyll relationship in temperate streams and its variation with stream catchment area. *Can. J. Fish. Aquat. Sci.* 53: 99–105 (1996).
- VENOHR M.; DONOHUE I.; FOGELBERG S. et al., 2003. Nitrogen retention in a river system under consideration of the river morphology and occurrence of lakes. *Diffuse Pollution Conference, Dublin 2003 1C Water Resources Management.*
- VENOHR M., 2006. Modellierung der Einflüsse von Temperatur, Abfluss und Hydromorphologie auf die Stickstoffretention in Flusssystemen. *Berliner Beiträge zur Ökologie. Band 4.* 193 p.
- VERHOFF F. H. et al. 1982. An analysis of total phosphorus transport in river systems. *Hydrobiologia* 91, 241-252 (1982).
- VINK R.; BEHRENDT H.; SALOMONS W., 1999: Development of the heavy metal pollution trends in several European rivers: An analysis of point and diffuse sources. *Wat. Sci. Tech.*, 39, 12, 215-223.
- VITOUSEK PM. et al, 1997. Human alteration of the global nitrogen cycle: Causes and consequences. *Ecol. Applic.* 7: 737–750
- VOGT D.; JAHN D., 1989. Phosphatverringerung in den Berliner Gewässern. In: *Sonderdruck Wasser und Boden* 41 (4).
- WARD A.D., ALEXANDER C.A., FAUSEY N.R., 1988. The ADAPT Agricultural Drainage and Pesticide Transport Model,
- WERNER W.; WODSAK, H.-P. 1994. Stickstoff- und Phosphateintrag in Fließgewässer. Deutschlands unter besonderer Berücksichtigung des Eintragsgeschehens im Lockersteinbereich der ehemaligen DDR. In: *Schriftenreihe Agrarspectrum, Band 22.* Frankfurt am Main, München, Münster-Hiltrup, Wien, Wabern-Bern.
- WETZEL R. G., 1983. Limnology. Saunders College Publishing/Harcourt Brace.
- WHITE J.R.; REDDY K.R.; MOUSTAFA M.Z., 2004. Influence of hydrologic regime and vegetation on phosphorus retention in Everglades stormwater treatment area wetlands. *Hydrol. Process.* 18, 343–355 (2004).
- WHO, 2000. Nitrates and nitrites in drinking-water. 2000
- WILLIAM J.R.; DYKE P.T.; JONES C.A., 1983. EPIC: a model for assessing the effects of erosion on soil productivity. In: Laurenroth, W.K. (Ed.), *Analysis of Ecological Systems: State-of-the-Art in Ecological Modelling.* Elsevier, Amsterdam, pp. 553e572.
- WILSRNACH J.A. 2001. An overview of initiatives in Europe to recover phosphate from source separated urine. Delft University of Technology, The Netherlands.
- WINDOLF J.; JEPPESEN E.; JENSEN J.P. 1996. Modelling of seasonal variation in nitrogen retention and in-lake concentration : A four-year mass balance study in 16 shallow Danish lakes. *Biogeochemistry* . 1996, vol. 33, n°1, pp. 25-44
- WIRCHOW R., 1873. Reinigung und Entwässerung Berlins. Berlin. p. 24.
- WORTMAN C.S. et al., 2005. Phosphorous Management and Water Quality. The Board of Regents of the University of Nebraska.
- YOHN S.S. et al., 2002. Assessing environmental change through chemical-sediment chronologies from inland lakes. Authors: *Lakes & Reservoirs: Research and Management* 2002 7: 217–230
- YUNG R.A.; ONSTAD C.A.; BOSCH D.D., 1989. AGNPS: a nonpointsource pollution model for evaluating agricultural watersheds. *J. Soil Water Conserv.* 44 (2), 168e173.
- ZESSNER M.; GABRIEL O.; SCHILLING C. et al., 2005. Outlines of a Handbook for International Nutrient Balances on Catchment Scales. Vienna, March 2005.
- ZEVENHOVEN R.; KILPINEN P., 2004. "Control of pollutants in flue gases and fuel gases" Picaset Oy, Espoo (ISBN 951-22-5527-8) (298 pp.).
- ZHANG J.; JORGENSEN S.E. 2005. Modelling of point and non-point nutrient loadings from a watershed. *Environmental Modelling & Software* 20 (2005)