

## 8. Literatur

1. Trouillet JL, Scheimberg A, Vuagnat A, et al. Long-term outcome and quality of life of patients requiring multidisciplinary intensive care unit admission after cardiac operations. *J Thorac Cardiovasc Surg* 1996;112:926-34.
2. Roques F, Nashef SA, Michel P, et al. Risk factors and outcome in European cardiac surgery: analysis of the EuroSCORE multinational database of 19030 patients. *Eur J Cardiothorac Surg* 1999;15:816-22.
3. Combes A, Costa MA, Trouillet JL, et al. Morbidity, mortality, and quality-of-life outcomes of patients requiring  $\geq 14$  days of mechanical ventilation. *Crit Care Med* 2003;31:1373-81.
4. O'Brien MM, Shroyer AL, Moritz TE, et al. Relationship between processes of care and coronary bypass operative mortality and morbidity. *Med Care* 2004;42:59-70.
5. Shroyer AL, Coombs LP, Peterson ED, et al. The Society of Thoracic Surgeons: 30-day operative mortality and morbidity risk models. *Ann Thorac Surg* 2003;75:1856-64.
6. Nielsen D, Sellgren J, Ricksten SE. Quality of life after cardiac surgery complicated by multiple organ failure. *Crit Care Med* 1997;25:52-7.
7. Ostermann ME, Taube D, Morgan CJ, Evans TW. Acute renal failure following cardiopulmonary bypass: a changing picture. *Intensive Care Med* 2000;26:565-71.
8. Kollef MH, Wragge T, Pasque C. Determinants of mortality and multiorgan dysfunction in cardiac surgery patients requiring prolonged mechanical ventilation. *Chest* 1995;107:1395-401.
9. Pappalardo F, Franco A, Landoni G, et al. Long-term outcome and quality of life of patients requiring prolonged mechanical ventilation after cardiac surgery. *Eur J Cardiothorac Surg* 2004;25:548-52.
10. Engoren M, Buderer NF, Zacharias A. Long-term survival and health status after prolonged mechanical ventilation after cardiac surgery. *Crit Care Med* 2000;28:2742-9.
11. Van Den NN, Mouton V, Lamot C, et al. Outcome in a post-cardiac surgery population with acute renal failure requiring dialysis: does age make a difference? *Nephrol Dial Transplant* 2003;18:732-6.
12. Chertow GM, Levy EM, Hammermeister KE, et al. Independent association between acute renal failure and mortality following cardiac surgery. *Am J Med* 1998;104:343-8.

13. Noon GP, Ball JW, Jr., Short HD. Bio-Medicus centrifugal ventricular support for postcardiotomy cardiac failure: a review of 129 cases. *Ann Thorac Surg* 1996;61:291-5.
14. Kern H, Redlich U, Hotz H, et al. Risk factors for prolonged ventilation after cardiac surgery using APACHE II, SAPS II, and TISS: comparison of three different models. *Intensive Care Med* 2001;27:407-15.
15. Canver CC, Chanda J. Intraoperative and postoperative risk factors for respiratory failure after coronary bypass. *Ann Thorac Surg* 2003;75:853-7.
16. Eriksen BO, Hoff KR, Solberg S. Prediction of acute renal failure after cardiac surgery: retrospective cross-validation of a clinical algorithm. *Nephrol Dial Transplant* 2003;18:77-81.
17. Conlon PJ, Stafford-Smith M, White WD, et al. Acute renal failure following cardiac surgery. *Nephrol Dial Transplant* 1999;14:1158-62.
18. Helman DN, Morales DL, Edwards NM, et al. Left ventricular assist device bridge-to-transplant network improves survival after failed cardiomy. *Ann Thorac Surg* 1999;68:1187-94.
19. Curtis JJ, McKenney-Knox CA, Wagner-Mann CC. Postcardiotomy centrifugal assist: a single surgeon's experience. *Artif Organs* 2002;26:994-7.
20. Christenson JT, Simonet F, Schmuziger M. The effect of preoperative intra-aortic balloon pump support in high risk patients requiring myocardial revascularization. *J Cardiovasc Surg (Torino)* 1997;38:397-402.
21. Castelli P, Condemi A, Munari M, et al. Intra-aortic balloon counterpulsation: outcome in cardiac surgical patients. *J Cardiothorac Vasc Anesth* 2001;15:700-3.
22. Hausmann H, Potapov EV, Loebe M. Prognosis after implantation of an intraaortic balloon pump in cardiac surgery. *Z Herz-Thorax-Gefäßschir* 1999;13:249-54.
23. Hausmann H, Potapov EV, Koster A, et al. Predictors of survival 1 hour after implantation of an intra-aortic balloon pump in cardiac surgery. *J Card Surg* 2001;16:72-7.
24. Rady MY, Ryan T. Perioperative predictors of extubation failure and the effect on clinical outcome after cardiac surgery. *Crit Care Med* 1999;27:340-7.
25. Ryan TA, Rady MY, Bashour CA, et al. Predictors of outcome in cardiac surgical patients with prolonged intensive care stay. *Chest* 1997;112:1035-42.
26. Wahl GW, Swinburne AJ, Fedullo AJ, et al. Long-term outcome when major complications follow coronary artery bypass graft surgery. Recovery after complicated coronary artery bypass graft surgery. *Chest* 1996;110:1394-8.

27. Bashour CA, Yared JP, Ryan TA, et al. Long-term survival and functional capacity in cardiac surgery patients after prolonged intensive care. *Crit Care Med* 2000;28:3847-53.
28. Brivet FG, Kleinknecht DJ, Loirat P, Landais PJ. Acute renal failure in intensive care units--causes, outcome, and prognostic factors of hospital mortality; a prospective, multicenter study. French Study Group on Acute Renal Failure. *Crit Care Med* 1996;24:192-8.
29. Koch CG, Weng YS, Zhou SX, et al. Prevalence of risk factors, and not gender per se, determines short- and long-term survival after coronary artery bypass surgery. *J Cardiothorac Vasc Anesth* 2003;17:585-93.
30. Rosenthal GE, Vaughan SM, Hannan EL. In-hospital mortality following coronary artery bypass graft surgery in Veterans Health Administration and private sector hospitals. *Med Care* 2003;41:522-35.
31. Gardner SC, Grunwald GK, Rumsfeld JS, et al. Risk factors for intermediate-term survival after coronary artery bypass grafting. *Ann Thorac Surg* 2001;72:2033-7.
32. Tu JV, Jaglal SB, Naylor CD. Multicenter validation of a risk index for mortality, intensive care unit stay, and overall hospital length of stay after cardiac surgery. Steering Committee of the Provincial Adult Cardiac Care Network of Ontario. *Circulation* 1995;91:677-84.
33. Dietl CA, Berkheimer MD, Woods EL, et al. Efficacy and cost-effectiveness of preoperative IABP in patients with ejection fraction of 0.25 or less. *Ann Thorac Surg* 1996;62:401-8.
34. Baskett RJ, Ghali WA, Maitland A, Hirsch GM. The intraaortic balloon pump in cardiac surgery. *Ann Thorac Surg* 2002;74:1276-87.
35. Bent P, Tan HK, Bellomo R, et al. Early and intensive continuous hemofiltration for severe renal failure after cardiac surgery. *Ann Thorac Surg* 2001;71:832-7.
36. Marelich GP, Murin S, Battistella F, et al. Protocol weaning of mechanical ventilation in medical and surgical patients by respiratory care practitioners and nurses: effect on weaning time and incidence of ventilator-associated pneumonia. *Chest* 2000;118:459-67.
37. Kollef MH, Shapiro SD, Silver P, et al. A randomized, controlled trial of protocol-directed versus physician-directed weaning from mechanical ventilation. *Crit Care Med* 1997;25:567-74.
38. Michalopoulos A, Tzelepis G, Dafni U, Geroulanos S. Determinants of hospital mortality after coronary artery bypass grafting. *Chest* 1999;115:1598-603.
39. Bacchetta MD, Ko W, Girardi LN, et al. Outcomes of cardiac surgery in nonagenarians: a 10-year experience. *Ann Thorac Surg* 2003;75:1215-20.

40. Kolh P, Kerzmann A, Lahaye L, et al. Cardiac surgery in octogenarians; peri-operative outcome and long-term results. *Eur Heart J* 2001;22:1235-43.
41. Turner JS, Morgan CJ, Thakrar B, Pepper JR. Difficulties in predicting outcome in cardiac surgery patients. *Crit Care Med* 1995;23:1843-50.
42. Chaney MA. Corticosteroids and cardiopulmonary bypass : a review of clinical investigations. *Chest* 2002;121:921-31.
43. Prondzinsky R, Muller-Werdan U, Pilz G, et al. [Systemic inflammatory reactions to extracorporeal therapy measures (II): Cardiopulmonary bypass]. *Wien Klin Wochenschr* 1997;109:346-53.
44. Kuhn C, Muller-Werdan U, Schmitt DV, et al. Improved outcome of APACHE II score-defined escalating systemic inflammatory response syndrome in patients post cardiac surgery in 1996 compared to 1988-1990: the ESSICS-study pilot project. *Eur J Cardiothorac Surg* 2000;17:30-7.
45. Provenchere S, Plantefevre G, Hufnagel G, et al. Renal dysfunction after cardiac surgery with normothermic cardiopulmonary bypass: incidence, risk factors, and effect on clinical outcome. *Anesth Analg* 2003;96:1258-64, table.
46. Wang F, Dupuis JY, Nathan H, Williams K. An analysis of the association between preoperative renal dysfunction and outcome in cardiac surgery: estimated creatinine clearance or plasma creatinine level as measures of renal function. *Chest* 2003;124:1852-62.
47. Liano F, Pascual J. Epidemiology of acute renal failure: a prospective, multicenter, community-based study. Madrid Acute Renal Failure Study Group. *Kidney Int* 1996;50:811-8.
48. Wong DT, Cheng DC, Kustra R, et al. Risk factors of delayed extubation, prolonged length of stay in the intensive care unit, and mortality in patients undergoing coronary artery bypass graft with fast-track cardiac anesthesia: a new cardiac risk score. *Anesthesiology* 1999;91:936-44.
49. Becker RB, Zimmerman JE, Knaus WA, et al. The use of APACHE III to evaluate ICU length of stay, resource use, and mortality after coronary artery by-pass surgery. *J Cardiovasc Surg (Torino)* 1995;36:1-11.
50. Arafa OE, Pedersen TH, Svennevig JL, et al. Intraaortic balloon pump in open heart operations: 10-year follow-up with risk analysis. *Ann Thorac Surg* 1998;65:741-7.
51. Yusuf S, Zucker D, Peduzzi P, et al. Effect of coronary artery bypass graft surgery on survival: overview of 10-year results from randomised trials by the Coronary Artery Bypass Graft Surgery Trialists Collaboration. *Lancet* 1994;344:563-70.
52. Williams MR, Wellner RB, Hartnett EA, et al. Long-term survival and quality of life in cardiac surgical patients with prolonged intensive care unit length of stay. *Ann Thorac Surg* 2002;73:1472-8.

53. Rady MY, Ryan T, Starr NJ. Perioperative determinants of morbidity and mortality in elderly patients undergoing cardiac surgery. *Crit Care Med* 1998;26:225-35.
54. Ryan TA, Rady MY, Bashour CA, et al. Predictors of outcome in cardiac surgical patients with prolonged intensive care stay. *Chest* 1997;112:1035-42.
55. Krasna MJ, Flancbaum L, Trooskin SZ, et al. Gastrointestinal complications after cardiac surgery. *Surgery* 1988;104:773-80.
56. Gill RQ, Sterling RK. Acute liver failure. *J Clin Gastroenterol* 2001;33:191-8.
57. Yilmaz AT, Arslan M, Demirkilic U, et al. Gastrointestinal complications after cardiac surgery. *Eur J Cardiothorac Surg* 1996;10:763-7.
58. Kox WJ, Spies C. Ckeck-up Anästhesiologie. Standards. -Anästhesie, - Intensivmedizin, - Schmerztherapie, -Notfallmedizin. 1 ed. Berlin: Springer Verlag Berlin Heidelberg New York, 2003.
59. Chang RW, Jacobs S, Lee B. Predicting outcome among intensive care unit patients using computerised trend analysis of daily Apache II scores corrected for organ system failure. *Intensive Care Med* 1988;14:558-66.
60. Kox WJ, Wauer H. [The limits of intensive care medicine]. *Zentralbl Chir* 1996;121:515-20.
61. Mangano CM, Diamondstone LS, Ramsay JG, et al. Renal dysfunction after myocardial revascularization: risk factors, adverse outcomes, and hospital resource utilization. The Multicenter Study of Perioperative Ischemia Research Group. *Ann Intern Med* 1998;128:194-203.
62. Chertow GM, Lazarus JM, Christiansen CL, et al. Preoperative renal risk stratification. *Circulation* 1997;95:878-84.
63. Torchiana DF, Hirsch G, Buckley MJ, et al. Intraaortic balloon pumping for cardiac support: trends in practice and outcome, 1968 to 1995. *J Thorac Cardiovasc Surg* 1997;113:758-64.
64. Aksnes J, Abdelnoor M, Platou ES, Fjeld NB. Mortality in patients supported by intra-aortic balloon pump in the course of cardiac surgery was related to perioperative myocardial infarction. *Eur J Cardiothorac Surg* 1996;10:408-11.
65. Treasure T, Holmes L, Loughhead K, Gallivan S. Survival and quality of life in patients with protracted recovery from cardiac surgery. Can we predict poor outcome? *Eur J Cardiothorac Surg* 1995;9:426-31.
66. Ryan TA, Rady MY, Bashour CA, et al. Predictors of outcome in cardiac surgical patients with prolonged intensive care stay. *Chest* 1997;112:1035-42.
67. Rady MY, Johnson DJ. Cardiac surgery for octogenarians: is it an informed decision? *Am Heart J* 2004;147:347-53.

68. Hausmann H, Potapov EV, Koster A, et al. Prognosis after the implantation of an intra-aortic balloon pump in cardiac surgery calculated with a new score. *Circulation* 2002;106:1203-1206.
69. Manns B, Doig CJ, Lee H, et al. Cost of acute renal failure requiring dialysis in the intensive care unit: clinical and resource implications of renal recovery. *Crit Care Med* 2003;31:449-55.
70. Christakis GT, Fremes SE, Naylor CD, et al. Impact of preoperative risk and perioperative morbidity on ICU stay following coronary bypass surgery. *Cardiovasc Surg* 1996;4:29-35.
71. Vincent JL, Moreno R, Takala J, et al. The SOFA (Sepsis-related Organ Failure Assessment) score to describe organ dysfunction/failure. On behalf of the Working Group on Sepsis-Related Problems of the European Society of Intensive Care Medicine. *Intensive Care Med* 1996;22:707-10.
72. Hanley JA, McNeil BJ. The meaning and use of the area under a receiver operating characteristic (ROC) curve. *Radiology* 1982;143:29-36.
73. Edwards FH, Peterson ED, Coombs LP, et al. Prediction of operative mortality after valve replacement surgery. *J Am Coll Cardiol* 2001;37:885-92.
74. Kuiper JW, Groeneveld AB, Slutsky AS, Plotz FB. Mechanical ventilation and acute renal failure. *Crit Care Med* 2005;33:1408-15.
75. Hein OV, Marz S, Konertz W, et al. Molecular adsorbents recirculating system dialysis for liver insufficiency and sepsis following right ventricular assist device after cardiac surgery. *Artif Organs* 2004;28:747-50.
76. Rosello MP, Munoz Bonet JI. [Techniques and complementary techniques. Intubation, sedation and adaptation to mechanical ventilation]. *An Pediatr (Barc)* 2003;59:462-72.
77. Bezanson JL, Weaver M, Kinney MR, et al. Presurgical risk factors for late extubation in Medicare recipients after cardiac surgery. *Nurs Res* 2004;53:46-52.
78. Reyes A, Vega G, Blancas R, et al. Early vs conventional extubation after cardiac surgery with cardiopulmonary bypass. *Chest* 1997;112:193-201.
79. Bahar I, Akgul A, Ozatik MA, et al. Acute renal failure following open heart surgery: risk factors and prognosis. *Perfusion* 2005;20:317-22.
80. Landoni G, Zangrillo A, Franco A, et al. Long-term outcome of patients who require renal replacement therapy after cardiac surgery. *Eur J Anaesthesiol* 2006;23:17-22.
81. Luckraz H, Gravenor MB, George R, et al. Long and short-term outcomes in patients requiring continuous renal replacement therapy post cardiopulmonary bypass. *Eur J Cardiothorac Surg* 2005;27:906-9.

82. Fischer UM, Weissenberger WK, Warters RD, et al. Impact of cardiopulmonary bypass management on postcardiac surgery renal function. *Perfusion* 2002;17:401-6.
83. Suen WS, Mok CK, Chiu SW, et al. Risk factors for development of acute renal failure (ARF) requiring dialysis in patients undergoing cardiac surgery. *Angiology* 1998;49:789-800.
84. Fortescue EB, Bates DW, Chertow GM. Predicting acute renal failure after coronary bypass surgery: cross-validation of two risk-stratification algorithms. *Kidney Int* 2000;57:2594-602.
85. Stallwood MI, Grayson AD, Mills K, Scawn ND. Acute renal failure in coronary artery bypass surgery: independent effect of cardiopulmonary bypass. *Ann Thorac Surg* 2004;77:968-72.
86. Wijesundera DN, Rao V, Beattie WS, et al. Evaluating surrogate measures of renal dysfunction after cardiac surgery. *Anesth Analg* 2003;96:1265-73, table.
87. Shilliday IR, Quinn KJ, Allison ME. Loop diuretics in the management of acute renal failure: a prospective, double-blind, placebo-controlled, randomized study. *Nephrol Dial Transplant* 1997;12:2592-6.
88. Dunham CM. Clinical impact of continuous renal replacement therapy on multiple organ failure. *World J Surg* 2001;25:669-76.
89. Ronco C, Bellomo R, Kellum JA. Continuous renal replacement therapy: opinions and evidence. *Adv Ren Replace Ther* 2002;9:229-44.
90. Vargas Hein O., Spies C., Kox W.J. Renal Dysfunction in the Perioperative Period. In: Gullo A, ed. *Anaesthesia, Pain, Intensive Care and Emergency Medicine (A.P.I.C.E.)*. Milano: Springer Verlag Milano, Italy, 2000.
91. Leacche M, Rawn JD, Mihaljevic T, et al. Outcomes in patients with normal serum creatinine and with artificial renal support for acute renal failure developing after coronary artery bypass grafting. *Am J Cardiol* 2004;93:353-6.
92. Tsang GM, Khan I, Dar M, et al. Hemofiltration in a cardiac intensive care unit: time for a rational approach. *ASAIO J* 1996;42:M710-M713.
93. Ghods M, Pancholy S, Cave V, et al. Serial changes in left ventricular function after coronary artery bypass: implications in viability assessment. *Am Heart J* 1995;129:20-3.
94. Curtis JJ, Walls JT, Schmaltz RA, et al. Use of centrifugal pumps for postcardiotomy ventricular failure: technique and anticoagulation. *Ann Thorac Surg* 1996;61:296-300.
95. DeRose JJ, Jr., Umana JP, Argenziano M, et al. Implantable left ventricular assist devices provide an excellent outpatient bridge to transplantation and recovery. *J Am Coll Cardiol* 1997;30:1773-7.

96. Joyce LD, Kiser JC, Eales F, et al. Experience with generally accepted centrifugal pumps: personal and collective experience. *Ann Thorac Surg* 1996;61:287-90.
97. Arafa OE, Geiran OR, Andersen K, et al. Intraaortic balloon pumping for predominantly right ventricular failure after heart transplantation. *Ann Thorac Surg* 2000;70:1587-93.
98. Holmes L, Loughhead K, Treasure T, Gallivan S. Which patients will not benefit from further intensive care after cardiac surgery? *Lancet* 1994;344:1200-2.
99. Bapat V, Allen D, Young C, et al. Survival and quality of life after cardiac surgery complicated by prolonged intensive care  
1. *J Card Surg* 2005;20:212-7.
100. Ryan TA, Rady MY, Bashour CA, et al. Predictors of outcome in cardiac surgical patients with prolonged intensive care stay. *Chest* 1997;112:1035-42.
101. Bridges CR, Edwards FH, Peterson ED, et al. Cardiac surgery in nonagenarians and centenarians. *J Am Coll Surg* 2003;197:347-56.
102. Yager JE, Peterson ED. Cardiac surgery in octogenarians: have we gone too far...or not far enough? *Am Heart J* 2004;147:187-9.
103. Nashef SA, Roques F, Michel P, et al. European system for cardiac operative risk evaluation (EuroSCORE). *Eur J Cardiothorac Surg* 1999;16:9-13.
104. Berman M, Stamler A, Sahar G, et al. Validation of the 2000 Bernstein-Parsonnet score versus the EuroSCORE as a prognostic tool in cardiac surgery. *Ann Thorac Surg* 2006;81:537-40.
105. Bernstein AD, Parsonnet V. Bedside estimation of risk as an aid for decision-making in cardiac surgery. *Ann Thorac Surg* 2000;69:823-8.
106. Agabiti N, Ancona C, Forastiere F, et al. Evaluating outcomes of hospital care following coronary artery bypass surgery in Rome, Italy. *Eur J Cardiothorac Surg* 2003;23:599-606.
107. Holman WL, Li Q, Kiefe CI, et al. Prophylactic value of preincision intra-aortic balloon pump: analysis of a statewide experience. *J Thorac Cardiovasc Surg* 2000;120:1112-9.
108. Kern H, Kox WJ. Impact of standard procedures and clinical standards on cost-effectiveness and intensive care unit performance in adult patients after cardiac surgery. *Intensive Care Med* 1999;25:1367-73.
109. Hall RI, Smith MS, Rocker G. The systemic inflammatory response to cardiopulmonary bypass: pathophysiological, therapeutic, and pharmacological considerations. *Anesth Analg* 1997;85:766-82.
110. Larmann J, Theilmeier G. Inflammatory response to cardiac surgery: cardiopulmonary bypass versus non-cardiopulmonary bypass surgery. *Best Pract Res Clin Anaesthesiol* 2004;18:425-38.



111. Cole L, Bellomo R, Hart G, et al. A phase II randomized, controlled trial of continuous hemofiltration in sepsis. *Crit Care Med* 2002;30:100-6.
112. Cole L, Bellomo R, Journois D, et al. High-volume haemofiltration in human septic shock. *Intensive Care Med* 2001;27:978-86.
113. Journois D. Hemofiltration during cardiopulmonary bypass. *Kidney Int Suppl* 1998;66:S174-S177.
114. Boyle M, Kurtovic J, Bihari D, et al. Equipment review: the molecular adsorbents recirculating system (MARS). *Crit Care* 2004;8:280-6.