

## 8. References

1. Rojas, E., Herrera, L. A., Poirier, L. A., Ostrosky-Wegman, P. (1999): Mutation Research.443, 157-181
2. Wilber, C. G. (1980) Toxicology of selenium: a review. Clin. Toxicol., 17, 171-230
3. Schwarz, K. and Foltz, C. M. (1957) Selenium as an integral part of factor 3 against dietary necrotic liver degeneration. J. Am. Chem. Soc., 79, 3292-3293
4. Rotruck, J. T., Pope, A. L., Ganther, H. E., Swanson, A. B., Hafeman, D. G., Hoekstra, W.G. (1973) Selenium: biochemical role as a component of glutathione peroxidase, Science, 179, 588-590
5. Flohe, L., Gunzler, W. A., Schock, H. H. (1973) Glutathione peroxidase a selenoenzyme, FEBS Lett., 32,132-134
6. Chambers, I., Frampton, J., Goldfarb, P., Affara, N., McBain, W., Harrison, P. R. (1986) The structure of the mouse glutathione peroxidase gene: the selenocysteine in the active site is encoded by the “termination codon”, TGA. EMBO J., 5, 1221-1227
7. Zinoni, F., Birkmann, A., Stadtman, T. C., Böck, A. (1986) Nucleotide sequence and expression of the selenocysteine-containing polypeptide of formate dehydrogenase (formate-hydrogen-lyase-linked) from Escherichia coli. Proc. Natl. Acad. Sci. USA, 83, 4650-4654
8. Böck, A., Forchhammer, K., Heider, J., Leinfelder, W., Sawers, G., Veprek, B., Zinoni, F. (1991 a) Selenocysteine: 21<sup>st</sup> amino acid. Mol. Microbiol., 5, 515-520
9. Berry, M. J., Banau, L., Harney, J. W., Larsen, P. D. (1993) Functional characterization of the eukaryotic SECIS elements which direct selenocysteine insertion at UGA codons. EMBO J., 12, 3315-3322
10. Low, S. C., Berry, M. J. (1996) Knowing when not to stop: Selenocysteine incorporation in eukaryotes. Trends Biochem. Sci., 21, 203-208
11. Arthur, J. R., Nicol, F., Beckett, G. J. (1990) Hepatic iodothyronine 5'- deiodinase. The role of selenium. Biochem. J., 272, 537-540
12. Behne, D., Kyriakopoulos, A., Meinhold, H., Köhrle J. (1990 a) Identification of type iodothyronine 5'- deiodinase as a selenoenzyme. Biochem. Biophys. Res. Commun., 173, 1143-1149

13. Tamura, T., Stadtman, T. C. (1996) A new selenoprotein from human lung adenocarcinoma cells. Purification, properties, and thioredoxin reductase activity. *Proc. Natl. Acad. Sci. USA*, 93, 1006-1011
14. Ursini, F., Heim, S., Kiess, M., Maiorino, M., Roveri, A., Wissing, J., Flohe, L. (1999) Dual function of the selenoprotein PHGPx during sperm maturation. *Science*, 285, 1393-1396
15. Pfeifer, H., Conrad, M., Roethlein, D., Kyriakopoulos, A., Brielmeyer, M., Bornkamm, G. W., Behne, D. (2001) Identification of a specific sperm nuclei selenoenzyme necessary for protamine thiol cross-linking during sperm maturation. *FASEB J.*, 15, 1236-1238
16. Kryukov, G. V., Kryukov, V. M., Gladyshev V. N. (1999) New mammalian selenocysteine containing proteins identified with the algorithm that searches for selenocysteine insertion sequence elements. *J. Biol. Chem.*, 274, 33888-33897
17. Lescure, A., Guastheret, D., Carbon, P. (1999) Novel selenoproteins identified in silico and in vivo by using conserved RNA structural motif. *J. Biol. Chem.*, 274, 38147-38154
18. Ellis, D. R., Salt, D. E. (2003) Plants, selenium and human health. *Curr Opin Plant Biol.*, 6, 273-9.
19. Combs, G. F. (2000) Food system-based approaches to improving micronutrient nutrition: the case for selenium. *Biofactors*, 12, 39-43.
20. Zimmerman, M. B., Kohrle, J. (2002) The impact of iron and selenium deficiencies on iodine and thyroid metabolism: biochemistry and relevance to public health. *Thyroid*, 12, 867-78.
21. Beck, M. A., Levander, O., Handy, J. (2003) Selenium deficiency and viral infection. *J of Nutr.*, 133, 1463S-67S.
22. Levander, O. A. and Beck, M. A. (1997) Interacting nutritional and infectious etiologies of Keshan disease. Insights from coxsackie virus B-induced myocarditis in mice deficient in selenium or vitamin E. *Biol. Trace Elem. Res.*, 56, 5-21.
23. Koller, L. D. and Exon, J. H. (1986) The two faces of selenium-deficiency and toxicity are similar in animals and man. *Can. J. Vet. Res.*, 50, 297-306.
24. Goldhaber, S. B. (2003) Trace element risk assessment: essentiality vs. toxicity. *Regulatory Toxicology and Pharmacology*, 38, 232-42.

25. Mullenbach, G. T., A. Tabrizi, B. D. Irvine, G. I. Bell, and R. A. Halewell. (1988) Selenocysteine's mechanism of incorporation and evolution revealed in cDNAs of three glutathione peroxidases. *Protein Eng.* 2:239-246.
26. Sugenaga, Y., Ishida, K., Takeda, T. and Takagi, K. (1987) cDNA sequence coding for human glutathione peroxidase. *Nucleic Acids Res.* 15:7178.
27. Böck, A. (2001) Selenium metabolism in bacteria, p. 7-22. In D. L. Hatfield (ed.), *Selenium: its molecular biology and role in human health*. Kluwer Academic Publishers, Norwell, Mass
28. Carlson, B. A., Martin-Romero, F. J., Kumaraswamy, E., Moustafa, M. E., Zhi, L. Hatfield, H. D., and Lee, B. J. 2001. Mammalian selenocysteine tRNA, p. 23-32. In D. L. Hatfield (ed.), *Selenium: its molecular biology and role in human health*. Kluwer Academic Publishers, Norwell, Mass.
29. Sunde, R. A., and J. K. Evenson. (1987) Serine incorporation into the selenocysteine moiety of glutathione peroxidase. *J. Biol. Chem.* 262:933-937.
30. Glass, R. S., W. P. Singh, W. Jung, Z. Veres, T. D. Scholz, and T. C. Stadtman. (1993) Monoselenophosphate: synthesis, characterization, and identity with the prokaryotic biological selenium donor, compound SePX. *Biochemistry* 32:12555-12559.
31. Guimaraes, M. J., D. Peterson, A. Vicari, B. G. Cocks, N. G. Copeland, D. J. Gilbert, N. A. Jenkins, D. A. Ferrick, R. A. Kastelein, J. R. Bazan, and A. Zlotnik. (1996) Identification of a novel selD homolog from eukaryotes, bacteria, and archaea: is there an autoregulatory mechanism in selenocysteine metabolism? *Proc. Natl. Acad. Sci. USA* 93:15086-15091.
32. Kim, I. Y., and T. C. Stadtman. (1995) Selenophosphate synthetase: detection in extracts of rat tissues by immunoblot assay and partial purification of the enzyme from the archaean *Methanococcus vannielii*. *Proc. Natl. Acad. Sci. USA* 92:7710-7713.
33. Low, S. C., J. W. Harney, and M. J. Berry. (1995) Cloning and functional characterization of human selenophosphate synthetase, an essential component of selenoprotein synthesis. *J. Biol. Chem.* 270:21659-21664.
34. Copeland, P. R., V. A. Stepanik, and D. M. Driscoll. (2001) Insight into mammalian selenocysteine insertion: domain structure and ribosome binding properties of Sec insertion sequence binding protein 2. *Mol. Cell Biol.* 21:1491-1498.
35. Copeland, P. R., J. E. Fletcher, B. A. Carlson, D. L. Hatfield, and D. M. Driscoll. (2000) A novel RNA binding protein, SBP2, is required for the translation of mammalian selenoprotein mRNAs. *EMBO J.* 19:306-314.

36. Low, S. C., E. Grundner-Culemann, J. W. Harney, and M. J. Berry. 2000. SECIS-SBP2 interactions dictate selenocysteine incorporation efficiency and selenoprotein hierarchy. *EMBO J.* 19:6882-6890.
37. Fagegaltier, D., N. Hubert, K. Yamada, T. Mizutani, P. Carbon, and A. Krol. 2000. Characterization of mSelB, a novel mammalian elongation factor for selenoprotein translation. *EMBO J.* 19:4796-4805.
38. Tujebajeva, R. M., P. R. Copeland, X. M. Xu, B. A. Carlson, J. W. Harney, D. M. Driscoll, D. L. Hatfield, and M. J. Berry. 2000. Decoding apparatus for eukaryotic selenocysteine insertion. *EMBO Rep.* 1:158-163.
39. Low, S. C., and M. J. Berry. 1996. Knowing when not to stop: selenocysteine incorporation in eukaryotes. *Trends Biochem. Sci.* 21:203-208.
40. Walczak, R., E. Westhof, P. Carbon, and A. Krol. 1996. A novel RNA structural motif in the selenocysteine insertion element of eukaryotic selenoprotein mRNAs. *RNA* 2:367-379.
41. Gladyshev, V. N., and G. V. Kryukov. 2001. Evolution of selenocysteine-containing proteins: significance of identification and functional characterization of selenoproteins. *Biofactors* 14:87-92.
42. Kyriakopoulos, A., Behne, D., (2002) Selenium-containing proteins in mammals and other form of life. *Rev. Physiol., Biochem. Pharmacol.*, 145, 1-46
43. Behne, D., Scheid, S., Kyriakopoulos, A. (1990 b) Subcellular distribution of selenoproteins in the liver of the rat. *Bochem, Biophys. Acta*, 1033,219-225
44. Behne, D., Kyriakopoulos, A., Weiss-Nowak, C., Kalcklösch, M., Westphal, C., Gessner, H. (1996) Newly found selenium-containing proteins in the tissues of the rat. *Biol. Trace. Elem. Res.*, 55, 99-110
45. Gladyshev, V. N., S. V. Khangulov, and T. C. Stadtman. 1994. Nicotinic acid hydroxylase from *Clostridium barkeri*: electron paramagnetic resonance studies show that selenium is coordinated with molybdenum in the catalytically active selenium-dependent enzyme. *Proc. Natl. Acad. Sci. USA* 91:232-236.
46. Hatfield, D. L., V. N. Gladyshev, J. M. Park, S. I. Park, H. S. Chittum, J. R. Huh, B. A. Carlson, M. Kim, M. E. Moustafa, and B. J. Lee. 1999. Biosynthesis of selenocysteine and its incorporation into protein as the 21st amino acid, p. 353-380. In J. W. Kelly (ed.), *Comprehensive natural products chemistry*, vol. 4. Elsevier Science, Ltd., Oxford, England.

47. Chu, F. F., Doroshow, J. H., Esworthy R. S. (1993) Expression, characterization, and tissue distribution of a new cellular selenium-dependent glutathione peroxidase, GSHPx-GI, *J. Biol. Chem.*, 268, 2571-2576
48. Takahashi, K., Avissar, N., Whitin, J., Cohen, H. (1987) Purification and characterisation of human plasma glutathione peroxidase: a selenoglycoprotein distinct from the known cellular enzyme. *Arch. Biochem. Biophys.*, 256, 677-686
49. Ursini, F., Maiorino, M., Gregolin, C (1985) The selenoenzyme phospholipid hydroperoxide glutathione peroxidase. *Biochem. Biophys. Acta*, 839, 62-70
50. Lee, S. R., Kim, J. R., Kwon, K. S., Yoon, H. W., Levine, R. L., Ginsburg, A., Rhee ,S. G. (1999) Molecular cloning and characterization for a mitochondrial selenocysteine containing thioredoxin from rat liver. *J. Biol. Chem.*, 274, 4722-4734
51. Miranda-Vizcute, A., Damdimopoulos, A. E., Spyrou, G. (1999) cDNA cloning , expression and chromosomal localisation of the mouse mitochondrial thioredoxin reductase gene(1). *Biochim. Biophys. Acta*, 1447, 113-118
52. San, Q. A., Wu, Y., Zappacosta, F., Jeang, K. T., Lee, B.J., Hatfield, D. L., Gladyshev, V. N.(1999) redox regulation of cell signaling by selenocysteine in mammalian thioredoxin reductases. *J. Biol. Chem.*, 274, 24522-24530
53. Croteau, W., Davey, J. C., Galton, V. A., St Germain, D. L. (1996) Cloning of the mammalian type II iodothyronine deiodinase. A selenoprotein differential expressed and regulated in human and rat brain and other tissues. *J. Clin. Invest.*, 98, 405-417
54. Davey, J. C., Becker, K. B., Schneider, M, J., St Germain, D. L., Galton, V. A. (1995) Cloning of the cDNA for the type II iodothyronine deiodinase. *J. Biol. Chem.* 279, 26786-26789
55. Bates, J. M., St Germain, D. L., Galton, V. A. (1999) Expression profile of the three iodothyronine deiodinases, D1, D2, and D3, in the developing rat. *Endocrinology*, 140, 844-851
56. Guimaraes, M. J., Peterson, D., Vicari, A., Cocks, B.- G., Copeland, N. G., Gilbert, D. J., Jenkins, N. A., Ferrick, D. A., Kastelein, R. A., Bazan, J. F., Zlotnik, A. (1996) Identification of the novel seld homolog from eukaryotes, bacteria, and archaea: is there an autoregulatory mechanism in selenocysteine metabolism? *Proc. Natl. Acad. Sci. USA*, 93, 15086-15091
57. Gladyshev, V. N., Jeang, K. T., Wootton, J. C., Hatfield, D. L., (1998) A new human selenium-containing protein. Purification, characterization and cDNA sequence. *J. Biol. Chem.*, 273, 8910-8915

58. Kalcklösch, M., Kyriakopoulos, A., Hammel, C., Behne, D., (1995) A new selenoprotein found in glandular epithelial cells of the rat prostate. *Biochem. Biophys. Commun.*, 217, 162-170
59. Korotkov, K. V., Novoselov, S. V., Hatfield, D. L., Gladyshev, V. N. (2002) Mammalian selenoproteins in which selenocysteine (Sec) incorporation is supported by a new form of Sec insertion sequence element. *Mol. Cell. Biol.*, 22, 1402-1411
60. Lescure, A., Fagegaltier, D., Carbon, P., Krol, A. (2002) Protein factors mediating selenoprotein synthesis. *Curr. Protein Pept. Sci.*, 3, 143-151
61. Peti, E., Lescure, A., Rederstorff, M., Krol, A., Moghadaszadeh, B., Wewer, U. M., Guicheney, P. (2003) Selenoprotein N: an endoplasmic reticulum glycoprotein with an early development expression pattern. *Hum. Mol. Genet.*, 12, 1045-1053
62. Hill, K. E., Lloyd, R. S., Yang, J. G., Read, R., Burk, R. F. (1991) The cDNA for rat selenoprotein P contains 10 TGA codons in the open reading frame. *J. Biol. Chem.*, 266, 10050-10053
63. Motsenbocker, M. A., Tappel, A. L. (1982) Selenium and selenoproteins in the rat kidney. *Biochim. Biophys. Acta*, 709, 160-165
64. Kryukov, G. V., Kumar, R. A., Koc, A., Sun, Z., Gladyshev, V. N. (2002) Selenoprotein R is a zinc-containing stereo-specific methionine sulfoxide reductase. *Proc. Natl. Acad. Sci. USA*, 99, 4245-2450
65. Vendeland, S. C., Beilstein, M. A., Chen, C. L., Jensen, O. N., Barofsky, E., Whanger, P. D. (1993) Purification and properties of selenoprotein W from rat muscle. *J. Biol. Chem.*, 268, 17103-17107
66. Kryukov, G. V., Castellano, S., Novoselov, S. V., Lobanov, A. V., Zehtab, O., Guigo, R., Gladyshev, V. N. (2003) Characterization of mammalian selenoproteome. *Science*, 300, 1439-1443
67. Bhumbla, D. K., Keefer, R. F. (1994) Arsenic mobilization and bioavailability in soils. *Adv. Env. Sci Technol* 26:51-82.
68. Kerr, H. D., Saryan L. A.(1986) Arsenic content of homeopathic medicines. *Clin Toxicol* 24(4):451-459.
69. Grobe, J. W. (1976) Peripheral circulation disorders and acrocyanosis in arsenic-injured viticulturists. *Berufs-Dermatogen* 24(3):78-84.
70. Jolliffe, D. M., Budd, A. J., Gwilt, D. J. (1991) Massive acute arsenic poisoning. *Anaesthesia* 46(4):288-290.

71. Schoolmester, W. L., White, D. R. (1980) Arsenic poisoning. Southern Med J 73(2):198-208.
72. Vahter, M. (1983) Metabolism of arsenic In Fowler BA (Editor) Biological and Environmental effects of arsenic. Elsevier, Amsterdam, pp. 171-198.
73. Quatrehomme, G., Ricq, O., Lapalus, P., Jacomet, Y., Ollier, A. (1992) Acute arsenic intoxication: forensic and toxicologic aspects (an observation) J Forensic Sci 37(4):1163-1171.
74. Winship, K. A. (1984) Toxicity of inorganic arsenic salts. Adverse Drug React Acute Poisoning Rev 3(3):129-160.
75. Lugo, G., Cassady, G., Palmisano, P. (1969) Acute maternal arsenic intoxication with neonatal death. Am J Dis Child 117(3):328-330.
76. Healy, S. M., Wildfang, E., Zakharyan, R. A., Aphosian, H. V. (1999) Diversity of inorganic arsenite biotransformation. Biol. Trace. Elel. Res. 68, 249-266
77. Zakharyan, R., Wu, Y., Bogdan, G. M., Aphosian, H. V. (1995) Enzymatic methylation of arsenic compounds: Assay partial purification, and properties arsenite methyltransferase and monomethylarsonic acid methyltransferase of rabbit
78. Harvey, S. C. (1970) Heavy metals. In Goodman LS, Gilman A (Editors) The pharmacological basis of therapeutics. Collier - Macmillan, Toronto, pp. 958-965.
79. Arena, J. M., Drew, R. H., Eds (1986) Poisoning. Fifth edition. Charles C Thomas, Springfield, 1128 pp.
80. Donofrio, P. D., Wilbourn, A. J., Albers, J. W., Rogers, L., Salanga, V., Greenberg, H. S. (1987) Acute arsenic intoxication presenting as Guillain-Barré-like syndrome. Muscle Nerve 10(2):114-120
81. Fincher, R. M., Koerker, R. M. (1987) Long-term survival in acute arsenic encephalopathy. Follow-up using newer measures of electrophysiologic parameters. Am J Med 82(3):549-553.
82. Chen, C. J., Chen, C. W., Wu, M. M., Kuo, T. L., (1992) Cancer potential in liver, lung, bladder and kidney due to ingested inorganic arsenic in drinking water. Br J Cancer 66, 888-892
83. Styblo, M., Del Razo, L. M., Vega, L., Germolec, D. R., LeCluyse, E. L., Hamilton, G. A., Reed, W., Wang, C., Cullen, W. R., Thomas, D. J. (2000) Comparative toxicity of trivalent and pentavalent inorganic and methylated arsenicals in rat and human cells. Arch Toxicol, 74, 289-299

84. Styblo, M., Yamauchi, H., Thomas, D. J. (1995) Comparative in vitro methylation of trivalent and pentavalent arsenicals. *Toxicol Appl Pharmacol*, 135 (2), 172-8
85. Styblo, M., Drobna, Z., Jaspers, I., Lin, S., Thomas, D. J. (2002) The role of biomethylation in the toxicity and carcinogenicity of arsenic: A research update. *Metal Toxicity*, 110, 767-771
86. Byrd, D. M., Roegner, M. L., Griffiths, J. C., Lamm, S. H., Grumski, K. S., Wilson, R., Lai, S. (1996) Carcinogenic risks of inorganic arsenic in perspective. *Int. Arch. Occup. Environ. Health* 68, 484-494
87. Hertz-Pannier, I., Smith, A. H., Holtzman, D., Lipsett, M., Alxeff, G. (1992) Synergism between occupational arsenic exposure and smoking in the induction of lung cancer. *Epidemiology* 3, 23-31
88. Simeonova, P. P., Luster, M. I. (2000) Mechanism of arsenic carcinogenicity: genetic or epigenetic mechanisms? *J. Environ. Pathol. Toxicol. Oncol.* 19, 281-286
89. Barchowsky, A., Dudek, E. J., Treadwell, M. D., Wetterhahn, K. E. (1996) Arsenic induces oxidant stress and NF- κB activation in cultured aortic endothelial cells. *Free Radic. Biol. Med.* 21, 783-790
90. Salazar, A. M., Ostrowsky-Wegman, P., Menedez, D., Miranda, E., Garcia-Carranca, A., Rojas, E. (1997) Induction of p53 protein expression by sodium arsenite. *Mutat. Res.* 381, 259-265
91. Cavigelli, M., Li, W. W., Lin, A., Su, B., Yashioka, K., Karin, M. (1996) The tumor promoter arsenite stimulates AP-1 activity by inhibiting a JNK phosphates. *EMBO J.* 15, 6269-6279
92. National Research Council, Subcommittee on the Tenth Edition of the RDAs , Food and Nutrition Board, Commission on the Life Sciences (1989) Recommended Dietary Allowances, 10<sup>th</sup> ed. National Academy Press, Washington, D. C.
93. Clark, L. C., Combs, G. F., Turnbull, B. W., Slate, E. H., Chalker, D. K., Chow, J., Davis, L. S., Glower, R. A., Graham, G. F., Gross, E. G., Krongrad, A., Lesher, J. L., Park, K., Sanders, B. B., Smith, C. L., Taylor, J. R. (1996) Effects of selenium supplementation for cancer prevention in patients with carcinoma of the skin. A randomized controlled trial. *Nutritional Prevention of Cancer Study Group JAMA* 276, 1957-1963
94. Clark, L. C., Dalkin, B., Krongrad, A., Combs, G. F., Jr., Turnbull, B. W., Slate, E. H., Whitherington, R., Herlong, J. H., Janosko, E., Carpenter, D., Borosso, C., Falk, S., Rounder, J. (1998) Decreased incidence of prostate cancer with selenium

- supplementation: Results of a double-blind cancer prevention trial. Br. J. Urol. 81, 730-734
95. Byard, J. L. (1969) Trimethyl selenide. A urinary metabolite of selenite. Arch. Biochem. Biophys. 130, 556-560
96. Cullen, W. R., McBride, B. C., Reglinski, J. (1984a) The reaction of methylarsenicals with thiols: Some biological implications. J. Inorg. Biochem. 21, 179-194
97. Hoffman, J. L., McConnell, K. P. (1987) Periodate-oxidized adenosine inhibits the formation of dimethylselenide and trimethylselenonium ion in mice treated with selenite. Arch. Biochem. Biophys. 254, 534-540
98. Mozier, N. M., McConnell, K. P., Hoffman J. L. (1988) S-adenosyl-L-methionone: Thioester-S-methyltransferase, a new enzyme in sulphur and selenium metabolism. J. Biol. Chem. 263, 4527-4531
99. Levander, O. A., (1977) Metabolic interrelationship between arsenic and selenium. Environ. Health Perspect. 19, 159-164
100. Hsieh, H. S. and Ganther, H. E. (1975) Acid -volatile selenium formation catalyzed by glutathion reductase. Biochemistry 14, 1632-1636
101. Hsieh, H. S. and Ganther, H. E. (1977) Biosynthesis of dimethyl selenide from sodium selenite in rat liver and kidney cell- free systems. Biochim. Biophys. Acta 497, 205-217
102. Styblo, M., Thomas, D. J. (2001) Selenium modifies the metabolism and toxicity of arsenic in primary rat hepatocytes. Toxicol. And Applied Pharmacol. 172, 52-61
103. Hebel, R., Stromberg, M. W. in: Anatomy and embryology of the laboratory rat. BioMed Verlag 1986
104. Jeffery, P. K., Reid, L. (1975) New observations of rat airway epithelium: a quantitative and electron microscopy study. J. Anat. 99, 58-66
105. Yeh, H. C., Schum, G. M., Duggam, M. T. (1979) Anatomic models of the tracheo-bronchial and pulmonary regions of the rat. Anat. Rec., 195, 483-492
106. Tenney, S. M., Remmers, J. E., Comparative quantitative morphology of the mammalian lung; diffusion area. Nature 197, 54-56
107. Behne, D., Gawlik, D. (1989) Spurensuche. Neutron-Aktivierungsanalyse in der Spurelementforschung. Berichte aus dem HMI 1/89:9-22
108. Miyahara, J. (1989) The image plate: a new radiation image sensor, Chemistry Today, 29-36
109. Amemiya, Y., Miyahara, J. (1988) Application of imaging plate, Nature 336, 89-93

- 110.Bradford, M. M., (1976) A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal. Biochem.*, 72, 248-254
- 111.Laemmli, U. K. (1970) Cleavage of structural proteins during the assembly of the head of bacteriophage T4, *Nature*. 227, 680-685
- 112.Schägger, H., von Jagow, G. (1987) Tricine sodium dodecyl sulfate-polyacrylamide gel electrophoresis for the separation of proteins in the range from 1 to 100 kDa. *Anal. Biochem.*, 166, 368-379
- 113.O'Farrell, P. H. High resolution of two-dimensional electrophoresis of proteins. *J. Biol. Chem.* 250, 4007-4021 (1975)
- 114.Klose, J. Protein mapping by combined isoelectric focusing and electrophoresis in the mouse tissues. A novel approach to testing for induced point mutation in mammals. *Human genetic* 26, 231-243 (1975)
- 115.Rabilloud, T. (1992) A sensitive MALDI-MS. *Electrophoresis*, 13, 429-439
- 116.Westermeier, R., Gronau, S., Schickle, H. (1989) Semidry-blotting von proteinen aus SDS- und IEF – polyacrylamidgelen. *Parmacia LKB Sonderdruck SD 072*
- 117.Holzhauer, M., In: *Biochemische Labormethoden*, Springer Verlag, Berlin, Heidelberg, New York, 1995
- 118.Liu, Y., Peterson, D.A., Kimura, H., Schubert, D. (1997) Mechanism of cellular 3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bromide (MTT) reduction. *J. Neurochem.* 69, 581-593
- 119.Thomson, C.D., Rea, H. M., Doesburg, V. M., Robinson, M. F. (1977) Selenium concentrations and glutathione peroxidase activities in whole blood of New Zealand residents.  
*Br J Nutr.* 37(3), 457-60
- 120.Flohe, L., Gunzel, W. A. (1984) Assays of glutathione peroxidase. *Methods Enzymol.* 105, 114-21
- 121.Roepstorff, P., Larsen, M., Nielsen, H. R., Nordhoff, E., (1997) Sample preparation Methods for matrix-assisted laser desorption/ionisation mass spectrometry of peptides, proteins, and nucleic acid. *Cell Biology. A laboratory handbook*, 2<sup>nd</sup> edition
- 122.Sizudak, G. (1996) Mass spectrometry for biotechnology. Academic Press, San Diego, CA

123. Chambers, J. A. A., Rickwood, D., (1978) Fractionation of subcellular organelles by differential centrifugation , in: Centrifugation: A practical approach. P. 33-47, ed.: Rickwood, D., London: Information Retrieval Ltd.
124. Windell, C.C. and Tata, J. R. (1964) Biochem. J., 92, 313
125. Chance, B. and Hagihara, B. (1963) In Proc. 5<sup>th</sup> Intl. Congress Biochem. (ed. A. N.M.Sissakian) Vol.5, pp. 3-37, Pergamon Press, NY.
126. Richarz AN, Wolf C, Bratter P 2003 Determination of protein-bound trace elements in human cell cytosols of different organs and different pathological states. Analyst 128 (6): 640-5
127. Richarz AN, Bratter P 2002 Speciation analysis of trace elements in the brains of individuals with Alzheimer's disease with special emphasis on metallothioneins. Anal Bioanal Chem 372(3): 412-7
128. Forstrom, J.W., Zakowski, J.J., Tappel, A.L. Identification of the catalytic site of rat liver glutathione peroxidase as selenocysteine. Biochemistry 17, 2639-2644 (1978).
129. Paglia, D.E., Valentine, W.N. Studies on the quantitative and qualitative characterization of erythrocyte glutathione peroxidase. J Lab Clin Med 70, 158-169 (1967).
130. Behne, D., Scheid, S., Kyriakopoulos, A., Hilmert, H. (1990) Subcellular distribution of selenoproteins in the liver of the rat. Biochem Biophys Acta 1033, 219-225
131. MacNee, W. (2001) Oxidative stress and lung inflammation in airways disease. European J of Pharmacology 429, 195-207
132. Balda, M. S., Matter, K. (1998) Tight junction. J. Cell. Sci. 111, 541-547
133. Elias, J. A., Zhu, Z., Chupp, G., Homer, R. J. (1999) Airway remodelling in asthma. J Clin. Invest. 104, 1001-1006
134. Folkerts, G., Nijkamp, F. P., (1998) Airway epithelium: more than just a barrier. Trends Pharmacol. Sci. 19, 334-341
135. Kopaciewicz, W., Regnier, F. E. (1982) Nonideal Size-Exclusion Chromatography of proteins: Effects of pH at low Ionic Strength, Anal. Biochem., 126, 8-16
136. Bogdan, G. M., Reyes, A. S., Aposhian, H. V. (1994) Arsenic binding proteins of mammalian system: Isolation of three arsenic binding proteins of rabbit liver. Toxicology 93, 175-193
137. Styblo, M., Thomas, D. J. (1997) Binding of arsenicals to proteins in an *in vitro* methylation system. Toxicol Appl. Pharmacol. 147, 1-8

- 138.Menzel, d. B., Hamdeh, H. K., Lee, E., Meacher, D. M., Said, V., Rasmussen, R. E., Greene, H., Roth, N. R. (1999) Arsenic binding proteins from human lymphoblastoid cells. *Toxicol. Lett.* 105, 89-101
- 139.Chang, K. N., Lee, T. Ch., Tam, M. F., Chen, Y. Ch., Lee, L. W., Lee, S. Y., Lin, P. J., Huang, R. N. (2003) Identification of galectin I and thioredoxin peroxidase II as two arsenic-binding proteins in Chinese hamster ovary cells. *Biochem. J.* 371, 495-503
- 140.Behne, D., Wolters, W., (1983) Distribution of selenium and glutathione peroxidase in the rat. *J. Nutr.*, 114, 1289-1296.
- 141.Yang, L., Wang, W., Hou, S., Peterson, P., Williams, W. (2002) Effect of selenium supplementation on arsenism: an intervention trial in inner Mongolia. *Environ. Geochem. Helth* 24, 359-374