

6. Literaturverzeichnis

Ahmad, M. and Cashmore, A. R. (1993). HY4 gene of *A. thaliana* encodes a protein with characteristics of a blue-light photoreceptor. *Nature* 366, 162-166.

Ahmad, M., Jarillo, J. A., and Cashmore, A. R. (1998a). Chimeric proteins between cry1 and cry2 *Arabidopsis* blue light photoreceptors indicate overlapping functions and varying protein stability. *Plant Cell* 10, 197-207.

Ahmad, M., Jarillo, J. A., Smirnova, O., and Cashmore, A. R. (1998b). The CRY1 blue light photoreceptor of *Arabidopsis* interacts with phytochrome A *in vitro*. *Mol. Cell* 1, 939-948.

Andel, F. I., Murphy, J. T., Haas, J. A., McDowell, M. T., van der Hoef, I., Lugtenburg, J., Lagarias, J. C., and Mathies, R. A. (2000). Probing the photoreaction mechanism of phytochrome through analysis of resonance Raman vibrational spectra of recombinant analogues. *Biochemistry* 14, 2667-2676.

Assmann, S. M., Simoncini, L., and Schroeder, J. I. (1985). Blue light activates electrogenic ion pumping in guard cell protoplasts of *Vicia faba*. *Nature* 318, 285-287.

Baca, M., Borgstahl, G. E., Boissinot, M., Burke, P. M., Williams, D. R., Slater, K. A., Getzoff, E. D. (1994) Complete chemical structure of photoactive yellow protein: novel thioester-linked 4-hydroxycinnamyl chromophore and photocycle chemistry. *Biochemistry* 33, 14369-14377.

Bauer, C., Elsen, S., Swem, L. R., Swem, D. L., Masuda, S., Allen, J. F., Martin, W., and Blankenship, R. E. (2003). Redox and light regulation of gene expression in photosynthetic prokaryotes. *Philosophical Transactions of the Royal Society of London Series B Biological Sciences* 358, 147-154.

Benvenuto, G., Formiggini, F., Laflamme, P., Malakhov, M., and Bowler, C. (2002). The photomorphogenesis regulator DET1 binds the amino-terminal tail of histone H2B in a nucleosome context. *Current Biology* 12, 1529-1534.

Bhoo, S. H., Davis, S. J., Walker, J., Karniol, B., and Vierstra, R. D. (2001). Bacteriophytochromes are photochromic histidine kinases using a biliverdin chromophore. *Nature* 414, 776-779.

Borucki, B., Otto, H., Rottwinkel, G., Hughes, J., Heyn, M. P., and Lamparter, T. (2003). Mechanism of Cph1 phytochrome assembly from stopped-flow kinetics and circular dichroism. *Biochemistry* 42, 13684-13697.

Borucki, B., von Stetten, D., Seibeck, S., Lamparter, T., Michael, N., Mroginski, M. A., Otto, H., Murgida, D. H., Heyn, M. P., and Hildebrandt, P. (2005). Light-induced proton release of phytochrome is coupled to the transient deprotonation of the tetrapyrrole chromophore. *J. Biol Chem.* 280, 34358-34364.

- Bradford, M. M. (1976). A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal. Biochem.* 72, 248-254.
- Braslavsky, S. E. (2003). In *Photochromism, Molecules and Systems* (ed. D. H. and H. BouasLaurent), pp. 738-755. Elsevier Science BV, Amsterdam.
- Brautigam, C. A., Smith, B. S., Ma ,Z., Palnitkar,M., Tomchick, D. R., Machius, M., and Deisenhofer, J. (2004). Structure of the photolyase-like domain of cryptochrome 1 from *Arabidopsis thaliana*. *Proc. Natl. Acad. Sci. U. S. A* 101, 12142-12147.
- Briggs, W. R. and Christie, J. M. (2002). Phototropins 1 and 2: versatile plant blue-light receptors. *Trends Plant Sci.* 7, 204-210.
- Brudler, R., Hitomi, K., Daiyasu, H., Toh, H., Kucho, K., Ishiura, M., Kanehisa, M., Roberts, V. A., Todo, T., Tainer, J. A., and Getzoff, E. D. (2003). Identification of a new cryptochrome class. Structure, function, and evolution. *Mol. Cell* 11, 59-67.
- Butler, W. L., Norris, K. H., Siegelman, H. W., and Hendricks, S. B. (1959). Detection, assay, and preliminary purification of the pigment controlling photoresponsive development of plants. *Proc. Natl. Acad. Sci. U. S. A.* 45, 1703-1708.
- Casal, J. J., Luccioni, L.G., Oliverio, K. A., and Boccalandro, H. E. (2003). Light, phytochrome signalling and photomorphogenesis in *Arabidopsis*. *Photochem. Photobiol. Sci.* 2, 625-636.
- Cashmore, A. R., Jarillo, J. A., Wu, Y. J., und Liu, D. M.(1999) Cryptochromes - Blue-Light Receptors for Plants and Animals. *Science* Vol 284[Iss 5415], 760-765.
- Cashmore, A. R. (2003) Cryptochromes: Enabling plants and animals to determine circadian time. *Cell* 114, 537-543.
- Cavalier-Smith, T. (2002). Chloroplast evolution: Secondary symbiogenesis and multiple losses. *Curr. Biol.* 22, R62-R64
- Chen, M., Schwab, R., Chory, J. (2003). Characterization of the requirements for localization of phytochrome B to nuclear bodies. *Proc. Natl. Acad. Sci. USA.* 100, 14493-14498
- Chen, M., Chory, J., and Fankhauser, C. (2004). Light Signal Transduction in Higher Plants. *Annu. Rev. Genet.* 38, 87-117
- Chentao, L. (2002). Blue Light Receptors and Signal Transduction. *The Plant Cell Supplement* 2002, 207-225.
- Choi, J. S., Chung, Y. H., Moon, Y. J., Kim, C., Watanabe, M., Song, P.-S., Bogorad, L., and Park, Y.-M. (1999). Photomovement of the gliding cyanobacterium *Synechocystis* sp. PCC 6803. *Photochem. Photobiol.* 70, 95-102.
- Christie, J. M., Swartz, T. E., Bogomolni, R. A., and Briggs, W. R. (2002). Phototropin LOV domains exhibit distinct roles in regulating photoreceptor function. *Plant J.* 32, 205-219.

Crosson, S. and Moffat, K. (2002). Photoexcited structure of a plant photoreceptor domain reveals a light-driven molecular switch. *Plant Cell* 14, 1067-1075

Daiyasu, H., Ishikawa, T., Kuma, K. I., Iwai, S., Todo, T., and Toh, H. (2004). Identification of cryptochrome DASH from vertebrates. *Genes to Cells* 9, 479-495.

Davis, S. J., Vener, A. V., and Vierstra, R. D. (1999). Bacteriophytochromes: Phytochrome-like photoreceptors from nonphotosynthetic eubacteria. *Science* 286, 2517-2520.

Downer, N. W. (1985). Cross-Linking of Dark-Adapted Frog Photoreceptor Disk Membranes. *Biophys. J.* 47, 285-293

Dower, W. J., Miller, J. F., and Ragsdale, C. W. (1988). High efficiency transformation of *E.coli* by high voltage electroporation. *Nucleic Acids Res* 16, 6145.

Duek, P.D. and Fankhauser, C. (2003). HFR1, a putative bHLH transcription factor, mediates both phytochrome A and cryptochrome signalling. *Plant J.* 34, 827-836

Eilfeld, P. and Rüdiger, W. (1985). Absorption spectra of phytochrome intermediates. *Zeitschrift für Naturforschung C - A Journal of Biosciences* 40, 109-114.

Ermilova, E. V., Zalutskaya, Z. M., Huang, K., and Beck, C. F. (2004). Phototropin plays a crucial role in controlling changes in chemotaxis during the initial phase of the sexual life cycle in *Chlamydomonas*. *Planta* 219, 420-427

Essen, L., Siegert, R., Lehmann, W. D., and Oesterhelt, D. (1998) Lipid patches in membrane protein oligomers: crystal structure of the bacteriorhodopsin-lipid complex. *Proc. Natl. Acad. Sci. USA* 95, 11673-11678.

Esteban, B. Biochemische Untersuchungen mit den prokaryotischen Phytochromen Cph1 aus *Synechocystis* PCC6803 und Agp1 aus *Agrobacterium tumefaciens*. 2004. Freie Universität Berlin. Ref Type: Thesis/Dissertation

Esteban, B., Carrascal, M., Abian, J., and Lamparter, T. (2005). Light-induced conformational changes of cyanobacterial phytochrome Cph1 probed by limited proteolysis and autophosphorylation. *Biochemistry* 44, 450-461.

Falciatore, A. and Bowler, C. (2005). The Evolution and Function of Blue and Red Light Photoreceptors. *Current Topics in Developmental Biology* 68, 317-350.

Falk, H., Müller, N., and Wöss, H. (1987) Beiträge zur Chemie der Pyrrolpigmente, 74. Mitt.. *Monatsh. Chem.* 118, 1301–1315

Falk, H. (1989). The chemistry of linear oligopyrroles and bile pigments. (Berlin, Heidelberg, New York: Springer Verlag).

Fankhauser, C., Yeh, K. C., Lagarias, J. C., Zhang, H., Elich, T. D., and Chory, J. (1999). PKS1, a substrate phosphorylated by phytochrome that modulates light signaling in *Arabidopsis*. *Science* 284, 1539-1541.

- Fischer, A. J. and Lagarias, J. C. (2004). Harnessing phytochrome's glowing potential. Proc. Natl. Acad. Sci. U. S. A. *101*, 17334-17339.
- Foerstendorf, H., Lamparter, T., Hughes, J., Gärtner, W., and Siebert, F. (2000). The photoreactions of recombinant phytochrome from the cyanobacterium *Synechocystis*: A low-temperature UV-Vis and FT-IR spectroscopic study. Photochem. Photobiol. *2000*, 655-661.
- Folta,K.M. and Spalding,E.P. (2001). Unexpected roles for cryptochrome 2 and phototropin revealed by high-resolution analysis of blue light-mediated hypocotyl growth inhibition. Plant J *26*, 471-478.
- Frankenberg, N., Mukougawa, K., Kohchi, T., and Lagarias, J. C. (2001). Functional genomic analysis of the hy2 family of ferredoxin-dependent bilin reductases from oxygenic photosynthetic organisms. Plant Cell *13*, 965-978.
- Franklin, K. A. and Whitelam, G. C. (2004). Light signals, phytochromes and cross-talk with other environmental cues. J. Exp. Bot. *55*, 271-276.
- Froehlich, A. C., Loros, J. J. and Dunlap, J. C. (2002) White-Collar 1, a Circadian Blue Light Photoreceptor, Binding to the *frequency* Promotor. Science *297*, 815-819.
- Gambetta, G. A. and Lagarias, J. C. (2001). Genetic engineering of phytochrome biosynthesis in bacteria. Proc. Natl. Acad. Sci. U. S. A. *98*, 10566-10571.
- Garcia, D. M., Muro, P. M., I., Reyes, J. C., and Florencio, F. J. (2000). Light-dependent regulation of cyanobacterial phytochrome expression. J Bacteriol *2000*, 38-44.
- Gil, P., Kircher, S., Adam, E., Bury, E., Kozma, B. L., Schäfer, E., and Nagy, F. (2000). Photocontrol of subcellular partitioning of phytochrome-B:GFP fusion protein in tobacco seedlings. Plant J. *2000*, 135-145.
- Giraud, E., Fardoux, J., Fourrier, N., Hannibal, L., Genty, B., Bouyer, P., Dreyfus, B., and Vermeglio, A. (2002). Bacteriophytochrome controls photosystem synthesis in anoxygenic bacteria. Nature *417*, 202-205.
- Giraud, E., Vuillet, L., Hannibal, L., Fardoux, J., Zappa, S., Adriano, J. M., Berthomieu, C., Bouyer, P., Pignol, D., and Verméglio, A. (2005). A new type of bacteriophytochrome acts in tandem with a classical bacteriophytochrome to control the antennae synthesis in *Rhodopseudomonas palustris*. J. Biol. Chem. *280*, 32389-32397.
- Gomelsky,M. and Klug,G. (2002). BLUF: a novel FAD-binding domain involved in sensory transduction in microorganisms. Trends Biochem. Sci. *27*, 497-500.
- Goodner, B., Hinkle, G., Gattung, S., Miller, N., Blanchard, M., Quroollo, B., Goldman, B. S., Cao, Y., Askenazi, M., Halling, C., Mullin, L., Houmiel, K., Gordon, J., Vaudin, M., Iartchouk, O., Epp, A., Liu, F., Wollam, C., Allinger, M., Doughty, D., Scott, C., Lappas, C., Markelz, B., Flanagan, C., Crowell, C., Gurson, J., Lomo, C., Sear, C., Strub, G., Cielo, C., and Slater, S. (2001). Genome sequence of the plant pathogen and biotechnology agent *Agrobacterium tumefaciens* C58. Science *294*, 2323-2328.

Grigorieff, N., Ceska, T. A., Downing, K. H., Baldwin, J. M., and Henderson, R. (1996) Electron-crystallographic refinement of the structure of bacteriorhodopsin. *J. Mol. Biol.* 259, 393-421.

Grimm, R., Eckerskorn, C., Lottspeich, F., Zenger, C., and Rüdiger, W. (1988). Sequence analysis of proteolytic fragments of 124-kilodalton phytochrome from etiolated *Avena sativa* L.: Conclusions on the conformation of the native protein. *Planta* 174, 396-401.

Hamada, T., Tanaka, N., Noguchi, T., Kimura, N., and Hasunuma, K. (1996). Phytochrome regulates phosphorylation of a protein with characteristics of a nucleoside diphosphate kinase in the crude membrane fraction from stem sections of etiolated pea seedlings. *J. Photochem. Photobiol. B*. 33 , 143-151.

Hargrave, P. A., McDowell, J. H., Curtis, D. R., Wang, J. K., Juszczak, E., Fong, S. L., Rao, J. K. and Argos, P. (1983). The structure of bovine rhodopsin. *Biophys. Struct. Mech.* 9, 235-244.

He, Q., Cheng, P., Yang, Y., Wang, L., Gardner, K., Liu, Y. (2002) White collar-1, a DNA Binding Transcription Factor and a Light Sensor. *Science* 297, 840-842

Hellingwerf, K. J. (2002). The molecular basis of sensing and responding to light in microorganisms. Antonie van Leeuwenhoek, ed. (Netherlands: Kluwer Academie), pp. 51-59.

Hennig, L. and Schäfer, E. (2001). Both Subunits of the Dimeric Plant Photoreceptor Phytochrome Require Chromophore for Stability of the Far-red Light-absorbing Form. *J. Biol. Chem.* 276, 7913-7918.

Heyne, K., Herbst, J., Stehlik, D., Esteban, B., Lamparter, T., Hughes, J., and Diller, R. (2002). Ultrafast dynamics of phytochrome from the cyanobacterium *Synechocystis*, reconstituted with phycocyanobilin and phycoerythrobilin. *Biophys. J.* 82, 1004-1016.

Ho, Y. S. J., Burden, L. M., and Hurley, J. H. (2000). Structure of the GAF domain, a ubiquitous signaling motif and a new class of cyclic GMP receptor. *EMBO J* 19, 5288-5299.

Hoff, W. D., Dux, P., Hard, K., Devreese, B., Nugteren-Roodzant, I. M., Crielaard, W., Boelens, R., Kaptein, R., van Beeumen, J., Hellingwerf, K. J. (1994a) Thiol ester-linked p-coumaric acid as a new photoactive prosthetic group in a protein with rhodopsin-like photochemistry. *Biochemistry* 33, 13959-13962

Hoff, W. D., Matthijs, H. C. P., Schubert, H., Crielaard, W., and Hellingwerf, K. J. (1995). Rhodopsin(s) in eubacteria. *Biophysical Chemistry* 56, 193-199.

Holm, M., Ma, L.-G., Qu, L.-J., Deng, X-W. (2002). Two interacting bZIP proteins are direct targets of COP1-mediated control of light-dependent gene expression in *Arabidopsis*. *Genes and Dev.* 16, 1247-1259

Huala, E., Oeller, P. W., Liscum, E., Han, I. S., Larsen, E., and Briggs, W. R. (1997). *Arabidopsis* NPH1: a protein kinase with a putative redox-sensing domain. *Science* 278, 2120-2123.

- Huang, K. and Beck, C. F. (2003). Phototropin is the blue-light receptor that controls multiple steps in the sexual life cycle of the green alga *Chlamydomonas reinhardtii*. Proc. Natl. Acad. Sci. U. S. A 100, 6269-6274.
- Huang, Z. J., Edery, I., and Rosbash, M. (1993). PAS is a dimerization domain common to *Drosophila* period and several transcription factors. Nature 364, 259-262.
- Hübschmann, T., Börner, T., Hartmann, E., and Lamparter, T. (2001a). Characterisation of the Cph1 holo-phytochrome from *Synechocystis* sp. PCC 6803. Eur. J. Biochem. 268, 2055-2063.
- Hübschmann, T., Jorissen, H. J., Börner, T., Gärtner, W., and Tandeau de Marsac, N. (2001b). Phosphorylation of proteins in the light-dependent signalling pathway of a filamentous cyanobacterium. Eur. J. Biochem. 268, 3383-3389.
- Hughes, J., Lamparter, T., Mittmann, F., Hartmann, E., Gärtner, W., Wilde, A., and Börner, T. (1997). A prokaryotic phytochrome. Nature 386, 663.
- Inomata, K., Hammam, M. A. S., Kinoshita, H., Murata, Y., Khawn, H., Noack, S., Michael, N., and Lamparter, T. (2005). Sterically locked synthetic bilin derivatives and phytochrome Agp1 from *Agrobacterium tumefaciens* form photoinsensitive Pr- and Pfr-like adducts. J. Biol. Chem. 280, 24491-24497.
- Inomata, K., Noack, S., Hammam, M. A. S., Khawn, H., Kinoshita, H., Murata, Y., Michael, N., Scheerer, P., Krauß, N., and Lamparter, T. (2006). Assembly of synthetic locked chromophores with *Agrobacterium* phytochromes Agp1 and Agp2. J. Biol. Chem. 281, 28162-28173.
- Iseki, M., Matsunaga, S., Murakami, A., Ohno, K., Shiga, K., Yoshida, K., Sugai, M., Takahashi, T., Hori, T., and Watanabe, M. (2002). A blue-light-activated adenylyl cyclase mediates photoavoidance in *Euglena gracilis*. Nature 415, 1047-1051.
- Jiang, Z. Y., Swem, L. R., Rushing, B. G., Devanathan, S., Tollin, G., and Bauer, C. E. (1999). Bacterial photoreceptor with similarity to Photoactive Yellow Protein and plant phytochromes. Science 285, 406-409.
- Jones, A. M. and Quail, P. H. (1986). Quaternary structure of 124-kilodalton phytochrome from *Avena sativa* L. Biochemistry 25, 2987-2995.
- Jones, A. M., Vierstra, R. D., Daniels, S. M., and Quail, P. (1985). The role of separate molecular domains in the structure of phytochrome from etiolated *Avena sativa* l. Planta 164, 501-506.
- Jorissen, H. J., Braslavsky, S. E., Wagner, G., and Gärtner, W. (2002a). Heterologous expression and characterization of recombinant phytochrome from the green alga *Mougeotia scalaris*. Photochem. Photobiol. 76, 457-461.
- Jorissen, H. J., Quest, B., Remberg, A., Coursin, T., Braslavsky, S. E., Schaffner, K., Tandeau de Marsac, N., and Gärtner, W. (2002b). Two independent, light-sensing two-component systems in a filamentous cyanobacterium. Eur. J. Biochem. 269, 2662-2671.

Kagawa, T., Sakai, T., Suetsugu, N., Oikawa, K., Ishiguro, S., Kato, T., Tabata, S., Okada, K., and Wada, M. (2001). *Arabidopsis* NPL1: A phototropin homolog controlling the chloroplast highlight avoidance response. *Science* 291, 2138-2141.

Karniol, B. and Vierstra, R. D. (2003). The pair of bacteriophytochromes from *Agrobacterium tumefaciens* are histidine kinases with opposing photobiological properties. *Proc. Natl. Acad. Sci. U. S. A.* 100, 2807-2812.

Karniol, B., Wagner, J. R., Walker, J. M., and Vierstra, R. D. (2005). Phylogenetic analysis of the phytochrome superfamily reveals distinct microbial subfamilies of photoreceptors. *Biochem. J.* 392, 103-116.

Kehoe, D. M. and Grossman, R. (1996). Similarity of a chromatic adaptation sensor to phytochrome and ethylene receptors. *Science* 273, 1409-1412.

Kim, L., Kircher, S., Toth, R., Adam, E., Schäfer, E., and Nagy, F. (2000). Light-induced nuclear import of phytochrome-A:GFP fusion proteins is differentially regulated in transgenic *tobacco* and *Arabidopsis*. *Plant J.* 22, 125-133.

Kinoshita, T., Michio Doi, M., Suetsugu, N., Kagawa, T., Wada, M., and Shimazaki, K.-I. (2001). phot1 and phot2 mediate blue light regulation of stomatal opening. *Nature* 414, 656-660.

Kircher, S., Kozma-Bognar, L., Kim, L., Adam, E., Harter, K., Schäfer, E., and Nagy, F. (1999). Light quality-dependent nuclear import of the plant photoreceptors phytochrome A and B. *Plant Cell* 11, 1445-1456.

Kneip, C., Hildebrandt, P., Schlamann, W., and Braslavsky, S.E. (1999). Protonation state and structural changes of the tetrapyrrole chromophore during the P_r P_{fr} phototransformation of phytochrome. A Resonance Raman Spectroscopic study. *Biochemistry* 16, 15185-15192.

Kneip, C., Schlamann, W., Braslavsky, S. E., Hildebrandt, P., and Schaffner, K. (2000). Resonance Raman spectroscopic study of the tryptic 39-kDa fragment of phytochrome. *FEBS Lett.* 482, 252-256.

Kohchi, T., Mukougawa, K., Frankenberg, N., Masuda, M., Yokota, A., and Lagarias, J. C. (2001). The *Arabidopsis* hy2 gene encodes phytochromobilin synthase, a ferredoxin-dependent biliverdin reductase. *Plant Cell* 13, 425-436.

Koornneef, M., Rolff, E., and Spruit, C. J. P. (1980). Genetic control of light-inhibited hypocotyl elongation in *Arabidopsis thaliana* L. Heynh. *Z Pflanzenphysiologie* 100, 147-160.

Lagarias, J. C. and Lagarias, D. M. (1989). Self-assembly of synthetic phytochrome holoprotein *in vitro*. *Proc. Natl. Acad. Sci. U. S. A.* 86, 5778-5780.

Lagarias, J. C. and Mercurio, F. M. (1985). Structure function studies on phytochrome. Identification of light- induced conformational changes in 124-kDa *Avena* phytochrome *in vitro*. *J. Biol. Chem.* 260, 2415-2423.

- Lagarias, J. C. and Rapoport, H. (1980). Chromopeptides from phytochrome. The structure and linkage of the Pr form of the phytochrome chromophore. *J. Amer. Chem. Soc.* 4821-4828.
- Lamparter, T., Carrascal, M., Michael, N., Martinez, E., Rottwinkel, G., and Abian, J. (2004). The biliverdin chromophore binds covalently to a conserved cysteine residue in the N-terminus of *Agrobacterium phytochrome* Agp1. *Biochemistry* 43, 3659-3669.
- Lamparter, T., Esteban, B., and Hughes, J. (2001). Phytochrome Cph1 from the cyanobacterium *Synechocystis* PCC6803: purification, assembly, and quaternary structure. *Eur. J. Biochem.* 268, 4720-4730.
- Lamparter, T. and Michael, N. (2005). *Agrobacterium* phytochrome as an enzyme for the production of ZZE bilins. *Biochemistry* 44, 8461-8469.
- Lamparter, T., Michael, N., Caspani, O., Miyata, T., Shirai, K., and Inomata, K. (2003). Biliverdin binds covalently to *Agrobacterium* phytochrome Agp1 via its ring A vinyl side chain. *J. Biol. Chem.* 278, 33786-33792.
- Lamparter, T., Michael, N., Mittmann, F., and Esteban, B. (2002). Phytochrome from *Agrobacterium tumefaciens* has unusual spectral properties and reveals an N-terminal chromophore attachment site. *Proc. Natl. Acad. Sci. U. S. A.* 99, 11628-11633.
- Lamparter, T., Mittmann, F., Gärtner, W., Börner, T., Hartmann, E., and Hughes, J. (1997). Characterization of recombinant phytochrome from the cyanobacterium *Synechocystis*. *Proc. Natl. Acad. Sci. U. S. A.* 94, 11792-11797.
- Landgraf, F. T., Forreiter, C., Hurtado, P. A., Lamparter, T., and Hughes, J. (2001). Recombinant holophytochrome in *Escherichia coli*. *FEBS Lett.* 508, 459-462.
- Lasceve, G., Leymarie, J., Olney, M. A., Liscum, E., Christie, J. M., Vavasseur, A., and Briggs, W. R. (1999). *Arabidopsis* contains at least four independent blue-light-activated signal transduction pathways. *Plant Physiol.* 120, 605-614.
- Lin, C., Ahmad, M., Gordon, D., and Cashmore, A. R. (1995). Expression of an *Arabidopsis* cryptochrome gene in transgenic tobacco results in hypersensitivity to blue, UV-A, and green light. *Proc. Natl. Acad. Sci. U. S. A.* 92, 8423-8427.
- Lin, C. (2002). Blue light receptors and signal transduction. *Plant Cell 14 Suppl*, S207-S225.
- Lin, C. and Shalitin, D. (2003). Cryptochrome Structure and Signal Transduction. *Annual Review of Plant Biology* 54, 469-496.
- Lin, C., Yang, H., Guo, H., Mockler, T., Chen, J., and Cashmore, A. R. (1998). Enhancement of blue-light sensitivity of *Arabidopsis* seedlings by a blue light receptor cryptochrome 2. *Proc. Natl. Acad. Sci. U. S. A.* 95, 2686-2690.
- Liscum, E. and Briggs, W. R. (1995). Mutations in the NPH1 locus of *Arabidopsis* disrupt the perception of phototropic stimuli. *Plant Cell* 7, 473-485.

Liscum, E., Hodgson, D.W., and Campbell, T.J. (2003). Blue light signaling through the cryptochromes and phototropins. So that's what the blues is all about. *Plant Physiol.* 133, 1429-1436.

Luecke, H., Schobert, B., Richter, H. T., Cartailler, J. P., and Lanyi, J. K. (1999). Structure of bacteriorhodopsin at 1.55 Å resolution. *J. Mol. Biol.* 291, 899-911.

Mas, P., Devlin, P. F., Panda, S., and Kay, S. A. (2000). Functional interaction of phytochrome B and Cryptochrome 2. *Nature* 408, 207-211.

Masuda, S. and Bauer, C. E. (2002). AppA is a blue light photoreceptor that antirepresses photosynthesis gene expression in *Rhodobacter sphaeroides*. *Cell* 110, 613-623.

Matsushita, T., Mochizuki, N., and Nagatani, A. (2003). Dimers of the N-terminal domain of phytochrome B are functional in the nucleus. *Nature* 424, 571-574.

Meyer, T.E. (1985) Isolation and characterization of soluble cytochromes, ferredoxins and other chromophoric proteins from the halophilic phototrophic bacterium *Ectothiorhodospira halophila* *Biochim. Biophys. Acta* 806, 175-183.

Miller, J., Dower, W., and Tompkins, L. (1988). High-voltage electroporation of bacteria: Genetic transformation of *Campylobacter jejuni* with plasmid DNA. *Proc. Natl. Acad. Sci. U. S. A.* 85, 856-860.

Mizutani, Y., Tokutomi, S., and Kitagawa, T. (1994). Resonance Raman spectra of the intermediates in phototransformation of large phytochrome: Deprotonation of the chromophore in the bleached intermediate. *Biochemistry* 33, 153-158.

Molday, R. S. and Kaupp, U. B. (2000). Ion channels of vertebrate photoreceptors. In: D.G. Stavenga, W. J. DeGrip, E. N. Pugh Jr, (Eds), *Molecular Mechanisms in Visual Transduction* 3, 143-181. Elsevier, Amsterdam.

Montgomery, B. L. and Lagarias, J. C. (2002). Phytochrome ancestry: sensors of bilins and light. *Trends Plant Sci.* 7, 357-366.

Mroginski, M. A., Murgida, D. H., von Stetten, D., Kneip, C., Mark, F., and Hildebrandt, P. (2004). Determination of the chromophore structures in the photoinduced reaction cycle of phytochrome. *J. Amer. Chem. Soc.* 126, 16734-16735.

Muramoto, T., Kohchi, T., Yokota, A., Hwang, I., and Goodman, H. M. (1999). The *Arabidopsis* photomorphogenic mutant hy1 is deficient in phytochrome chromophore biosynthesis as a result of a mutation in a plastid heme oxygenase. *Plant Cell* 11, 335-348.

Nagatani, A. (2004). Light-regulated nuclear localization of phytochromes. *Curr. Opin. Plant Biol.* 7, 708-711.

Nagy, F. and Schäfer, E. (2000). Nuclear and cytosolic events of light-induced, phytochrome-regulated signaling in higher plants. *EMBO J* 19, 157-163.

- Nagy, F. and Schäfer, E. (2002). Phytochromes control photomorphogenesis by differentially regulated, interacting signaling pathways in higher plants. *Annu. Rev. Plant Biol.* 53, 329-355.
- Nakazawa, M., Hayashi, H., Yoshida, Y., and Manabe, K. (1993). Identification of surface-exposed parts of red-light- and far-red-light-absorbing forms of native pea phytochrome by limited proteolysis. *Plant Cell Physiol.* 34, 83-91.
- Nakazawa, M. und Manabe, K. (1993) Differential Exposure of Tryptophan Residues in the Red and Far-Red Light Absorbing Forms of Phytochrome, as Revealed by Chemical Modification. *Plant Cell Physiol.* Vol 34[Iss 7], 1097-1105.
- Nathans, J. and Hogness, D. S. (1983) Isolation, sequence analysis, and intron-exon arrangement of the gene encoding bovine rhodopsin. *Cell* 34, 807-814.
- Ni, M., Tepperman, J. M., and Quail, P. H. (1998). PIF3, a phytochrome-interacting factor necessary for normal photoinduced signal transduction, is a novel basic helix-loop-helix protein. *Cell* 95, 657-667.
- Oberpichler, I., Molina, I., Neubauer, O., and Lamarter, T. (2006). Phytochromes from *Agrobacterium tumefaciens*: difference spectroscopy with extracts of wild type and knockout mutants. *FEBS Lett* 580, 437-442.
- Oesterhelt, D., and Stoeckenius, W. (1973). Functions of a new photoreceptor membrane. *Proc Natl Acad Sci USA* 70, 2853-2857
- Oesterhelt, D. (1998) The structure and mechanism of the family of retinal proteins from halophilic archaea. *Curr Opin Struct Biol* 8, 489-500
- Ogura, T., Tanaka, N., Yabe, N. T., Komatsu, S., and Hasunuma, K. (1999). Characterization of Protein Complexes Containing Nucleoside Diphosphate Kinase with Characteristics of Light Signal-Transduction Through Phytochrome in Etiolated Pea-Seedlings. *Photochem. Photobiol.* Vol 69, 397-403.
- Oka, Y., Matsushita, T., Mochizuki, N., Suzuki, T., Tokutomi, S., and Nagatani, A. (2004). Functional analysis of a 450-amino acid N-terminal fragment of phytochrome B in *Arabidopsis*. *Plant Cell* 16, 2104-2116.
- Okada, T., Le Trong, I., Fox, B. A., Behnke, C. A., Stenkamp, R. E., and Palczewski, K. (2000). X-Ray diffraction analysis of three-dimensional crystals of bovine rhodopsin obtained from mixed micelles. *J. Struct. Biol.* 130, 73-80
- Osterlund, M.T., Hardtke, C., Wie, N., Deng, X-W. (2000). Targeted destabilization of HY5 during light-regulated development of *Arabidopsis*. *Nature*, 405, 462-466
- Otto, H., Lamarter, T., Borucki, B., Hughes, J., and Heyn, M. P. (2003). Dimerization and inter-chromophore distance of Cph1 phytochrome from *Synechocystis*, as monitored by fluorescence homo and hetero energy transfer. *Biochemistry* 42, 5885-5895.

- Ovchinnikov, Yu. A., Abdulaev, N. G., Feigina, M. Yu., Artamonov, I. D. , and Bogachuk, A. S. (1983). [Visual rhodopsin. III. Complete amino acid sequence and topography in a membrane] Bioorg. Khim. 9, 1331-1340.
- Park, C. M., Kim, J. I., Yang, S. S., Kang, J. G., Kang, J. H., Shim, J. Y., Chung, Y. H., Park, Y. M.,and Song, P. S. (2000b). A second photochromic bacteriophytochrome from *Synechocystis* sp. PCC 6803: spectral analysis and down-regulation by light. Biochemistry 39, 10840-10847.
- Park, C. M., Shim, J. Y., Yang, S. S., Kang, J. G., Kim, J. I., Luka, Z., and Song, P. S. (2000c). Chromophore-apoprotein interactions in *Synechocystis* sp. PCC6803 phytochrome Cph1. Biochemistry 30, 6349-6356.
- Pellequer, J. L., Wager-Smith, K. A., Kay, S. A., and Getzoff, E. D. (1998). Photoactive yellow protein: A structural prototype for the three- dimensional fold of the PAS domain superfamily. Proc. Natl. Acad. Sci. U. S. A. 95, 5884-5890.
- Quai, P.H. (1994). Phytochrome genes and their expression. In "Photomorphogenesis in Plants" (R. E. Kendrick and G.H.M. Kronenberg, Eds.), 71-104. Kluwer Academic, Dordrecht, The Netherlands.
- Quail, P. H., Schäfer, E., and Marme, D. (1973). Turnover of Phytochrome in Pumpkin Cotyledons. Plant Physiol. 52, 128-131.
- Quail, P.H. (1997). An emerging molecular map of the phytochromes. Plant Cell Environ. 20, 657-665.
- Quail, P.H. (2000). Phytochrome-interacting factors. Semin. Cell Dev. Biol. 11, 457-466.
- Quail, P.H. (2002). Phytochrome photosensory signalling networks. Nat. Rev. Mol. Cell Biol. 3, 85-93.
- Quest, B. and Gärtner, W. (2004). Chromophore selectivity in bacterial phytochromes: dissecting the process of chromophore attachment. Eur. J. Biochem. 271, 1117-1126.
- Reiff, U., Eilfeld, P., and Rüdiger, W. (1985). A photoreversible 39-kdalton fragment from the Pfr form of 124-kdalton oat phytochrome. Zeitschrift für Naturforschung C - A Journal of Biosciences 40, 693-698.
- Remberg, A., Lindner, I., Lamparter, T., Hughes, J., Kneip, K., Hildebrandt, P., Braslavsky, S. E., Gärtner, W., and Schaffner, K. (1997). Raman spectroscopic and light-induced-kinetic characterization of a recombinant phytochrome of the cyanobacterium *Synechocystis*. Biochemistry 36, 13389-13395.
- Reymond, P., Short, T., Briggs,W. R., and Poff, K. L. (1992). Light-inducible phosphorylation of a membrane protein plays an early role in signal reansduction for phototropism in *Arabidopsis thaliana*. Proc. Natl. Acad. Sci. U. S. A. 89, 4718-4721.

- Reymond, P., Short, T. W., Briggs, W. R., and Poff, K. L. (1992). Light-induced phosphorylation of a membrane protein plays an early role in signal transduction for phototropism in *Arabidopsis thaliana*. Proc. Natl. Acad. Sci. U. S. A 89, 4718-4721.
- Rosen, R., Sacher, A., Shechter, N., Becher, D., Buttner, K., Hecker, M., and Ron., E.Z. (2004). A two-dimensional reference map of *Agrobacterium tumefaciens* proteins. Proteomics 4, 1061-1073.
- Rüdiger, W. and Thümmler, F. (1994). The phytochrome chromophore. In Photomorphogenesis in plants, 2nd edition, R.E.Kendrick and G.H.M.Kronenberg, eds. (Dordrecht: Kluwer Academic Publishers), pp. 51-69.
- Rüdiger, W., Thümmler, F., Cmiel, E., and Schneider, S. (1983). Chromophore structure of the physiologically active form (Pfr) of phytochrome. Proc. Natl. Acad. Sci. U. S. A. 80, 6244-6248.
- Saijo, Y., Sullivan, J. A., Wang, H., Yang, J., Shen, Y., Rubio, V., Ma, L., Hoecker, U., Deng, X-W., (2003). The COP1-SPA1 interaction defines a critical step in phytochrome A-mediated regulation of HY5 activity. Genes and Dev. 17, 2642-2647
- Sakai, T., Kagawa, T., Kasahara, M., Swartz, T. E., Christie, J. M., Briggs, W. R., Wada, M., and Okada, K. (2001). Arabidopsis nph1 and npl1: blue light receptors that mediate both phototropism and chloroplast relocation. Proc. Natl. Acad. Sci. U. S. A. 98, 6969-6974.
- Sakamoto, K. and Nagatani, A. (1996). Nuclear localization activity of phytochrome B. Plant J. 10, 859-868.
- Salomon, M., Christie, J.M., Knieb, E., Lempert, U., and Briggs, W. R. (2000). Photochemical and mutational analysis of the FMN-binding domains of the plant blue light receptor, phototropin. Biochemistry 39, 9401-9410.
- Salomon, M., Eisenreich, W., Durr, H., Schleicher, E., Knieb, E., Massey, V., Rudiger, W., Muller, F., Bacher, A., and Richter, G. (2001). An optomechanical transducer in the blue light receptor phototropin from *Avena sativa*. Proc. Natl. Acad. Sci. USA 98, 12357-12361.
- Sambrook, J., Fritsch, E. F., and Maniatis, T. (1989). Molecular cloning, a laboratory manual. (CSH Press).
- Sancar, A. (1994). Structure and Function of DNA Photolyase. Biochemistry 33, 2-9.
- Sancar, A. (2003). Structure and function of DNA photolyase and cryptochrome blue-light photoreceptors. Chemical Reviews 103, 2203-2237.
- Sancar, A. (2004). Regulation of the mammalian circadian clock by cryptochrome. J. Biol. Chem. 279, 34079-34082
- Sanger, F., Nicklen, S., and Coulson, A. R. (1977). DNA sequencing with chain-terminating inhibitors. Proc. Natl. Acad. Sci. U. S. A. 74, 5463-5467.

- Schäfer, E. and Bowler, C. (2002). Phytochrome-mediated photoperception and signal transduction in higher plants. *EMBO Reports* 3, 1042-1048.
- Schmitz, O., Katayama, M., Williams, S. B., Kondo, T., and Golden, S. S. (2000). CikA, a bacteriophytochrome that resets the cyanobacterial circadian clock. *Science* 289, 765-768.
- Schneider-Poetsch, H. A., Braun, B., Marx, S., and Schaumburg, A. (1991). Phytochromes and bacterial sensor proteins are related by structural and functional homologies. Hypothesis on phytochrome- mediated signal- transduction. *FEBS Lett.* 281, 245-249.
- Schulz, P. A., Hofmann, A. H., Russo, V. E., Hartmann, E., Laloue, M., and von Schwartzenberg, K. (2001). Cytokinin overproducing ove mutants of *Physcomitrella patens* show increased riboside to base conversion. *Plant Physiol.* 126, 1224-1231.
- Schwerdtfeger, C., and Linden, H. (2003). VIVID is a flavoprotein and serves as a fungal blue light photoreceptor for photoadaptation. *EMBO J.* 22, 4846-4855
- Schumaker, K. S., and Dietrich, M. A. (1998). Hormone-induced signaling during moss development. *Annu Rev. Plant Physiol. Plant Mol. Biol.* 49, 501-523.
- Seo, H.S., Yang, J-Y., Ishikawa, M., Bolle, C., Ballesteros, M., Chua, N.-H. (2003). LAF1 ubiquitination by COP1 controls photomorphogenesis and is stimulated by SPA1. *Nature* 423, 995-999
- Sharrock, R. A. and Quail, P. H. (1989). Novel phytochrome sequences in *Arabidopsis thaliana*: structure, evolution, and differential expression of a plant regulatory photoreceptor family. *Genes Dev.* 3, 1745-1757.
- Sharrock, R. A. and Clack, T. (2002). Patterns of expression and normalized levels of the five *Arabidopsis* phytochromes. *Plant Physiol.* 130, 442-456.
- Siegelman,H.W., Turner,B.C., and Hendricks,S.B. (1966). The Chromophore of Phytochrome. *Plant Physiol.* 41, 1289-1292.
- Sineshchekov, V., Hughes, J., Hartmann, E., and Lamparter, T. (1998a). Fluorescence and photochemistry of recombinant phytochrome from the cyanobacterium *Synechocystis*. *Photochem. Photobiol.* Vol 67, 263-267.
- Sineshchekov, V., Koppel', L., Esteban, B., Hughes, J., and Lamparter, T. (2002b). Fluorescence investigation of the recombinant cyanobacterial phytochrome (Cph1) and its C-terminally truncated monomeric species (Cph1Delta2): implication for holoprotein assembly, chromophore-apoprotein interaction and photochemistry. *J Photochem. Photobiol. B.* 67, 39-50.
- Smith, H. (1970). Phytochrome and photomorphogenesis in plants. *Nature* 227, 665-668.
- Somers, D. E., Devlin, P. F., Kay, S. A. (1998). Phytochromes and cryptochromes in the entrainment of the *Arabidopsis* circadian clock. *Science*. 282, 1488-1490.

Song, P. S. (1999). Inter-domain signal transmission within the phytochromes. *Journal of Biochemistry and Molecular Biology* 31, 215.

Sprenger, W. W., Hoff, W. D., Armitage, J. P., and Hellingwerf, K. J. (1993). The eubacterium *Ectothiorhodospira halophila* is negatively phototactic, with a wavelength dependence that fits the absorption spectrum of the photoactive yellow protein. *J. Bacteriol.* 175, 3096-3104.

Spudich, J. L., Yang, C.-S., Jung, K.-H., and Spudich, E. N. (2000). Retinylidene Proteins: Structures and Functions from Archaea to Humans. *Annu. Rev. Cell Dev. Biol.* 16, 365-392.

Strauss, H. M., Schmieder, P., Hughes, J. (2005). Light-dependent dimerisation in the N-terminal sensory module of cyanobacterial phytochrome 1. *FEBS Letters* 579, 3970-3974.

Stryer, L. *Biochemistry*, 4th edition, U.S.A., Freeman and Company, 1999, pg. 319, 332-339, 709

Subramanian, C., Kim, B-H., Lyssenko, N. N., Xu, X., Johnson, C. H., von Arnim, A. G., (2004) The Arabidopsis repressor of light signaling, COP1, is regulated by nuclear exclusion: mutational analysis by bioluminescence resonance energy transfer. *Proc. Natl. Acad. Sci. USA* 101, 6798-6802

Suetsugu, N. and Wada, M. (2003). Cryptogam blue-light photoreceptors. *Curr. Opin. Plant Biol.* 6, 91-96.

Swartz, T. E., Corchnoy, S. B., Christie, J. M., Lewis, J. W., Szundi, I., Briggs, W. R., and Bogomolni, R. A. (2001). The photocycle of a flavin-binding domain of the blue light photoreceptor phototropin. *J Biol Chem.* 276, 36493-36500.

Tanaka, N., Ogura, T., Noguchi, T., Hirano, H., Yabe, N., and Hasunuma, K. (1998). Phytochrome-mediated light signals are transduced to nucleoside diphosphate kinase in *Pisum sativum* L. cv. Alaska. *J. Photochem. Photobiol. B* 45, 113-121.

Terry, M.J. (1997). Phytochrome chromophore-deficient mutants. *Plant Cell Environ.* 20, 740-745.

Tokutomi, S., Sugimoto, T., and Mimuro, M. (1992). A model for the molecular structure and orientation of the chromophore in a dimeric phytochrome molecule. *Photochem. Photobiol.* 56, 545-552.

van Thor, J. J., Borucki, B., Crielaard, W., Otto, H., Lamarter, T., Hughes, J., Hellingwerf, K. J., and Heyn, M. P. (2001). Light-induced proton release and proton uptake reactions in the cyanobacterial phytochrome Cph1. *Biochemistry* 40, 11460-11471.

Varo, G. (2000). Analogies between halorhodopsin and bacteriorhodopsin. *Biochim Biophys Acta* 1460, 220-229.

Wagner, D., Fairchild, C. D., Kuhn, R. M., and Quail, P. H. (1996). Chromophore-bearing NH₂-terminal domains of phytochromes A and B determine their photosensory specificity and differential light lability. *Proc. Natl. Acad. Sci. U. S. A.* 93, 4011-4015.

Wagner, J. R., Brunzelle, J. S., Forest, K. T., and Vierstra, R. D. (2005). A light sensing-knot revealed by the structure of the chromophore-binding domain of phytochrome *Nature* **438**, 325-331

Wald, G. (1968). Molecular basis of visual excitation. *Science* **162**, 230-239

West, A. H. and Stock, A. M. (2001). Histidine kinases and response regulator proteins in two-component signaling systems. *Trends. Biochem Sci.* **26**, 369-376.

Wilde, A., Churin, Y., Schubert, H., and Börner, T. (1997). Disruption of a *Synechocystis sp. PCC 6803* gene with partial similarity to phytochrome genes alters growth under changing light qualities. *FEBS Lett.* **406**, 89-92.

Wilde, A., Fiedler, B., Börner, T. (2002). The Cyanobacterial phytochrom Cph2 inhibits phototaxis towards blue light. *Mol. Microbiol.* **44**, 981-988.

Wood, D. W., Setubal, J. C., Kaul, R., Monks, D. E., Kitajima, J. P., Okura, V. K., Zhou, Y., Chen, L., Wood, G. E., Almeida, N. F. J., Woo, L., Chen, Y., Paulsen, I. T., Eisen, J. A., Karp, P. D., Bovee, D. S., Chapman, P., Clendenning, J., Deatherage, G., Gillet, W., Grant, C., Kutyavin, T., Levy, R., Li, M. J., McClelland, E., Palmieri, A., Raymond, C., Rouse, G., Saenphimmachak, C., Wu, Z., Romero, P., Gordon, D., Zhang, S., Yoo, H., Tao, Y., Biddle, P., Jung, M., Krespan, W., Perry, M., Gordon-Kamm, B., Liao, L., Kim, S., Hendrick, C., Zhao, Z. Y., Dolan, M., Chumley, F., Tingey, S. V., Tomb, J. F., Gordon, M. P., Olson, M. V., and Nester, E. W. (2001). The genome of the natural genetic engineer *Agrobacterium tumefaciens* C58. *Science* **294**, 2317-2323.

Wu, S. H. and Lagarias, J. C. (1997). The phytochrome photoreceptor in the green alga *Mesotaenium caldarium*: Implication for a conserved mechanism of phytochrome action. *Plant Cell Environ.* **20**, 691-699.

Wu, S. H. and Lagarias, J. C. (2000). Defining the bilin lyase domain: lessons from the extended phytochrome superfamily. *Biochemistry* **39**, 13487-13495.

Yamaguchi, R., Nakamura, M., Mochizuki, N., Kay, S. A., and Nagatani, A. (1999). Light-dependent translocation of a phytochrome B-GFP fusion protein to the nucleus in transgenic *Arabidopsis*. *J Cell Biol* **145**, 437-445.

Yang, H. Q., Wu, Y. J., Tang, R. H., Liu, D., Liu, Y., and Cashmore, A. R. (2000). The C termini of *Arabidopsis* cryptochromes mediate a constitutive light response. *Cell* **103**, 815-827.

Yanovsky, M. J., and Kay, S. A. (2003). Living by the calendar : How plants know when to flower. *Nat. Rev. Mol. Cell Biol.* **4**, 265-275.

Yeh, K. C., Wu, S. H., Murphy, J. T., and Lagarias, J. C. (1997). A cyanobacterial phytochrome two-component light sensory system. *Science* **277**, 1505-1508.

Yeh, K. C. and Lagarias, J. C. (1998). Eukaryotic phytochromes: Light-regulated serine/threonine protein kinases with histidine kinase ancestry. *Proc. Natl. Acad. Sci. U. S. A.* **95**, 13976-13981.

Yoshihara, S., Suzuki, F., Fujita, H., Geng, X. X., and Ikeuchi, M. (2000). Novel putative photoreceptor and regulatory genes required for the positive phototactic movement of the unicellular motile cyanobacterium *Synechocystis* sp. PCC 6803. Plant and Cell Physiology 41, 1299-1304.

Zambre, M., Terryn, N., De Clercq, J., De Buck, S., Dillen, W., Van Montagu, M., Van Der Straeten, D., and Angenon, G. (2003). Light strongly promotes gene transfer from *Agrobacterium tumefaciens* to plant cells. Planta 216, 580-586.

Zeidler, M., Lamparter, T., Hughes, J., Hartmann, E., Remberg, A., Braslavsky, S., Schaffner, K., and Gärtner, W. (1998). Recombinant phytochrome of the moss *Ceratodon purpureus*: heterologous expression and kinetic analysis of Pr-->Pfr conversion. Photochem. Photobiol. 68, 857-863.

Zeiger, E. (2000). Sensory transduction of blue light in guard cells. Trends Plant Sci 5, 183-185.

Zeiger, E. and Helper, P. (1977). Light and stomatal function: Blue light stimulates swelling of guard cell protoplasts. Science 196, 887-889.

Zimmermann, S., Baumann, A., Jaekel, K., Marbach, I., Engelberg, D., and Frohnmeyer, H. (1999). UV-responsive genes of arabidopsis revealed by similarity to the Gcn4- mediated UV response in yeast. J. Biol. Chem. 274, 17017-17024.

Zhu, Y., Tepperman, J. M., Fairchild, C. D., and Quail, P. H. (2000). Phytochrome B binds with greater apparent affinity than phytochrome A to the basic helix-loop-helix factor PIF3 in a reaction requiring the PAS domain of PIF3. Proc. Natl. Acad. Sci. U. S. A. 97, 13419-13424.