

Literaturverzeichnis

- [1] E.Sackmann. Biological Membranes Architecture and Function. In R. Lipowsky und E. Sackmann, editor, *Handbook of Biological Physics*, volume 1(A), page 1. Elsevier Science B.V., 1995.
- [2] S.J.Singer und G.L.Nicolson. The fluid mosaic model of the structure of cell membranes. *Science*, 175:720, 1972.
- [3] R.G.Gennis. *Biomembranes*. Springer Verlag, New York, 1989.
- [4] W.Hoppe, W.Lohmann, H.Markl und H.Ziegler. *Biophysik*. Springer Verlag, Berlin, 1978.
- [5] J.M.Seddon. Structure of inverted hexagonal (H_{II}) phase, and non-lamellar phase transitions of lipids. *Biochim. Biophys. Acta*, 1031:1, 1990.
- [6] M.Bloom und O.G.Mouritsen. The Evolution of Membranes. In R. Lipowsky und E. Sackmann, editor, *Handbook of Biological Physics*, volume 1(A), page 65. Elsevier Science B.V., 1995.
- [7] A.E.Blaurock und J.C.Nelander. Disorder in nerve myelin: analysis of diffusive X-ray scattering. *J.Mol.Biol.*, 103:421, 1976.
- [8] A.E.Blaurock. Evidence of bilayer structure and of membrane interactions from X-ray diffraction analysis. *Biochim.Biophys.Acta*, 650:167, 1982.
- [9] T.Landh. From entangled membranes to eclectic morphologies: cubic membranes as subcellular space organizers. *FEBS. Lett.*, 369:13, 1995.
- [10] G. Cevc und D.Marsh. *Phospholipid Bilayers, Physical Principles and Models*. John Wiley & Sons, New York, 1987.
- [11] D.Marsh. *Handbook of lipid bilayers*. C.R.C. Press, Boca Raton, Fl., 1987.
- [12] C.Tanford. *The hydrophobic effect*. John Wiley & Sons, New York, 1973.
- [13] H.Ringsdorf, B.Schlarb und J.Venzmer. Molekulare Architektur und Funktion von polymeren orientierten Systemen: Modelle für das Studium von Organisation, Oberflächenerkennung und Dynamik bei Biomembranen. *Angew. Chem.*, 100:117, 1988.

- [14] S.M.Gruner, M.W.Tate, G.L.Kirk, P.T.C.So, D.C.Turner und D.T.Keane. X-ray diffraction study of polymorphic behaviour of n-methylated dioleoylphosphatidylethanolamine. *Biochem.*, 27(8):2853, 1988.
- [15] G.Lindblom und L.Rilfors. Cubic phases and isotropic structures formed by membrane lipids – possible biological relevance. *Biochim. Biophys. Acta*, 988:221, 1989.
- [16] J.M.Seddon, J.L.Hogan, N.A.Warrender und E.Pebay-Peyroula. Structural studies of phospholipid cubic phases. *Progr. Colloid Polym. Sci.*, 81:189, 1990.
- [17] J.M.Seddon. Lyotropic phase behaviour of biological amphiphiles. *Ber. Bunsenges. Phys. Chem.*, 100(3):380, 1996.
- [18] V.Luzzati und A.Tardieu. Lipid phases: structure and structural transitions. *Rev.Phys.Chem.*, 25:79, 1974.
- [19] A.Tardieu und V.Luzzati. Structure and polymorphism of the hydrocarbon chains of lipids: a study of lecithin bilayers. *J.Mol.Biol.*, 75:711, 1973.
- [20] D.M.Le Neveu, R.P.Rand, V.A.Parsegian und D.Gingell. Measurement and modification of forces between lecithin bilayers. *Biophys. J.*, 18:209, 1977.
- [21] R.P.Rand und V.A.Parsegian. Hydration forces between phospholipid bilayers. *Biochim.Biophys.Acta*, 988:351, 1989.
- [22] E.Evans und M.Metcalf. Free energy potential for aggregation of giant, neutral lipid bilayer vesicles by van der waals attraction. *Biophys.J.*, 46:423, 1984.
- [23] E.Evans und A.Needham. Physical properties of surfactant bilayer membranes: Thermal transitions, elasticity, rigidity, cohesion and colloidal interactions. *J. Phys. Chem.*, 91:4219, 1987.
- [24] J.P.Reeves und R.M.Dowben. Formation and properties of thin-walled phospholipid vesicles. *J. Cell. Physiol.*, 73:49, 1969.
- [25] W.Harbach und W. Helfrich. The swelling of egg lecithin in water. *Chem. Phys. Lipids*, 36:39, 1984.
- [26] J.Hartung, B.Klößen und W.Helfrich. Transformation of phosphatidylcholine multilayer systems in a large excess of water. *Biophys. Chem.*, 49:77, 1994.
- [27] W.Helfrich. Elastic properties of lipid bilayers: Theory and possible experiments. *Z. Naturforsch.*, 28c:693, 1973.
- [28] A.Jud. *Monte-Carlo-Simulation einer Überstruktur auf Lipidmembranen*. PhD thesis, Freie Universität Berlin, September 1998.
- [29] H.J.Deuling und W.Helfrich. The curvature elasticity of fluid membranes: A catalogue of vesicle shapes. *J.Phys.*, 11:1335, 1976.
- [30] U.Seifert. Configurations of fluid membranes and vesicles. *Adv.Phys.*, 46(1):13, 1997.

- [31] G. Niggemann, M. Kummrow und W. Helfrich. The bending rigidity of phosphatidylcholine bilayers: Dependences on experimental method, sample cell sealing and temperature. *J. Phys. II France*, 5:413, 1995.
- [32] B.Klösgen und W. Helfrich. Cryo–transmission electron microscopy of a superstructure of fluid dioleoylphosphatidylcholine (dopc) membranes. *Biophys. J.*, 73:3016, 1997.
- [33] W.Helfrich und R.M. Servuss. Undulations, steric interaction and cohesion of fluid membranes. *Il Nuovo Cimento*, 3D(1):137, 1984.
- [34] E.Evans und W.Rawicz. Entropy-driven tension and bending elasticity in condensed-fluid membranes. *Phys.Rev.Lett.*, 64(17):2094, 1990.
- [35] R.Goetz und W. Helfrich. The egg carton: Theory of a periodic superstructure of some lipid membranes. *J. Phys. II France*, 6:215, 1996.
- [36] W.Helfrich. Outline of the bending elasticity of fluid membranes. In P.Luigi Luisi und P.Walde, editor, *Perspectives in supramolecular chemistry*. Wiley & Sons, to be published.
- [37] W. Helfrich. Tension–induced mutual adhesion and a conjectured superstructure of lipid membranes. In R. Lipowsky und E. Sackmann, editor, *Handbook of Biological Physics*, volume 1(B), page 691. Elsevier Science B.V., 1995.
- [38] W.Harbich und W.Helfrich. Phases of egg phosphatidylcholine in abundance of water. *Chem.Phys.Lipids*, 55:191, 1990.
- [39] B.Klösgen und W. Helfrich. Membrane roughness and dispersive phase as effects of higher order bending in fluid membranes. In P.Luigi Luisi und P.Walde, editor, *Perspectives in supramolecular chemistry*. Wiley & Sons, to be published.
- [40] A.Dunger, B.Klösgen und W.Helfrich. A dispersive phase of phosphatidylcholine bilayers seen by freeze-etching electron microscopy. *to be published*.
- [41] R.M.Servuss, W.Harbich und W.Helfrich. Measurement of the curvature–elastic modulus of egg lecithin bilayers. *Biochim. Biophys. Acta*, 436:900, 1976.
- [42] S.Tristram-Nagle, H.I.Petrache und J.F.Nagle. Structure and interactions of fully hydrated dioleoylphosphatidylcholine bilayers. *Biophys. J.*, 75:917, 1998.
- [43] N.Oku und R.C.MacDonald. Differential effects of alcali metal chlorides on formation of giant liposomes by freezing and thawing and dialysis. *Biochemistry*, 22:855, 1983.
- [44] R.C.MacDonald, F.D.Jones FD und R.Qiu. Fragmentation into small vesicles of dioleoylphosphatidylcholine bilayers during freezing and thawing. *Biochim. Biophys. Acta*, 1191(2):362, 1994.

- [45] H.Tien. Black lipid membranes: Thickness determination and molecular organisation by optical methods. *J.Theor.Biol.*, 16:97, 1967.
- [46] D.R.Lide und H.P.R. Frederikse. *Handbook of Chemistry and Physics*, volume 74. CRC Press, Inc., London, 1994.
- [47] F.Zernicke. Das Phasenkontrastverfahren bei der mikroskopischen Beobachtung. *Z. Physik*, 36:848, 1934.
- [48] R.M.Servuss und E.Boroske. Dependence of the optical contrast of vesicle walls on lamellarity and curvature. *Chem. Phys. Lipids*, 27:57, 1980.
- [49] A.Köhler und W.Loos. Das Phasenkontrastverfahren und seine Anwendung in der Mikroskopie. *Naturwiss.*, 29:49, 1941.
- [50] Werksschrift. *Abbildende und beleuchtende Optik des Mikroskops*. Leitz, Wetzlar, 1973.
- [51] H.Beyer. *Theorie und Praxis des Phasenkontrastverfahrens*. Akademische Verlagsgesellschaft, Frankfurt am Main, 1965.
- [52] M.Rappolt. *Zeitlich aufgelöste Röntgenbeugung zur Untersuchung von Phasenübergängen an Modellmembranen*. PhD thesis, Universität Hamburg, 1995.
- [53] J.Hendrix, M.H.J.Koch und J.Bordas. A double focussing x-ray camera for the use with synchrotron radiation. *J.Appl.Cryst.*, 12:467, 1979.
- [54] T.C.Huang, H.Torayma, T.N.Blanton und Y.Wu. X-ray powder diffraction analysis of silver behenate, a possible low-angle diffraction standart. *J.Appl.Cryst.*, 26:180, 1993.
- [55] M.Rappolt, K.Pressl, G.Pabst und P.Laggner. L_{α} -phase separation in phosphatidylcholine-water systems induced by alkali chlorides. *Biochim.Biophys.Acta*, 1372:1389, 1998.
- [56] P.Laggner, H.Amenitsch, M.Kriechbaum, G. Pabst und M.Rappolt. Trapping of short-lived intermediates in phospholipid phase transitions: the L_{α}^* phase. *Faraday Discuss.*, 111(3):1, 1999.
- [57] R.Zhang, R.M.Suter und J.F.Nagle. Theory of the structure factor of lipid bilayers. *Phys.Rev.E*, 94:5047, 1994.
- [58] A.Guinier. *X-ray diffraction*. W.H.Freemann & Co., San Francisco, 1963.
- [59] A.E.Blaurock und C.R.Worthington. Treatment of low angle X-ray data from planar and concentric multilayered structures. *Biophys.J.*, 6:305, 1966.
- [60] T.J.McIntosh und S.A.Simon. Short-range pressures between lipid bilayer membranes. *J.Colloids and Surfaces*, 116:251, 1996.
- [61] B.E.Warren. *X-ray Diffraction*. Dover Publications: New York, 1990.

- [62] L.Bragg. *The crystalline state - a general survey*, volume I. Bell & Sons, London, 1919.
- [63] R.Hosemann und S.Biagchi. *Direct analysis of diffraction by matter*. North-Holland Publishing, Amsterdam, 1963.
- [64] M.A.Caillé. Physique Cristalline: Remarques sur la diffusion des rayons X dans les smectiques A. *C.R.Acad.Sc.Paris*, 274 B:891, 1970.
- [65] R.Zhang, S.Tristram Nagle, Wenjun Sun, R.L.Headrick, T.C.Irving, R.M.Suter und J.F.Nagle. Small angle scattering from lipid bilayers is well described by modified Caillé Theory but not by Paracrystalline Theory. *Biophys.J.*, 70:349, 1996.
- [66] P.G. de Gennes. *The Physics of Liquid Crystals*, volume 1st edition. Oxford University Press, 1974.
- [67] D.Roux und C.R.Safinya. A synchrotron X-ray study of competing undulation and electrostatic interlayer interactions in fluid multimembrane lyotropic phases. *J.Phys.*, 49:307, 1988.
- [68] L.D.Landau und E.M.Lifschitz. *Lehrbuch der theoretischen Physik, Elastizitätstheorie*, volume 7. Akademie Verlag, 1987.
- [69] D.V.Zhelev. Material property characteristics for lipid bilayers containing lysolipid. *Biophys.J.*, 75:321, 1998.
- [70] M.I.Angelova, S.Soléau, P.Meleard, J.F.Faucon und P.Bothorel. Preparation of giant vesicles by external AC electric fields. Kinetics and applications. *Prog. Colloid Polym. Sci.*, 89:127, 1992.
- [71] W. Helfrich. Amphiphilic mesophases made of defects. In R.Balian, M.Kleman und J.P.Poirier, editor, *Physics of defects*, volume 35, page 713. North-Holland, Amsterdam, 1981.
- [72] R.Lipowsky, H.-G. Döbereiner, C.Hiergeist und V.Indrani. Membrane curvature induced by polymers and colloids. *Physica A*, 249:536, 1998.
- [73] R.Lipowsky und H.-G. Döbereiner. Vesicles in contact with nanoparticles and colloids. *Europhys.Lett.*, 43(2):219, 1998.
- [74] S.M.Gruner. Stability of lyotropic phases with curved interfaces. *J.Phys.Chem.*, 93:7562, 1989.
- [75] J.N.Israelachvili. *Intermolecular and surface forces*, volume 2nd ed. Academic Press, 1991.
- [76] M.M.Kozlov, S.Leikin und R.P.Rand. Bending, hydration and interstitial energies quantitatively account for the hexagonal-lamellar-hexagonal reentrant phase transition in dioleoylphosphatidylethanolamine. *Biophys.J.*, 67:1603, 1994.

- [77] M.P. Do Carmo. *Differentialgeometrie von Kurven und Flächen*, volume 3. Edition. Vieweg Studium, 1993.
- [78] M. Mutz und W. Helfrich. Giant membranes of swollen phosphatidylethanolamines and glycolipids. *J. Phys. France*, 51:2557, 1990.
- [79] W.Häckl, U.Seifert und E.Sackmann. Effects of fully and partially solubilized amphiphiles on bilayer bending stiffness and temperature dependence of the effective tension of giant vesicles. *J.Phys.II*, 7:1141, 1997.
- [80] P.Méléard, C.Gerbeaud, P.Bardusco, N.Jeandaine, D.Mitov und L.Fernandez-Puente,. Mechanical properties of model membranes studied from shape transformations of giant vesicles. *Biochim.*, 80:401, 1998.
- [81] M. Kummrow and W. Helfrich. Deformation of giant lipid vesicles by electric fields. *Physical Review A*, 44(12):8356, 1991.
- [82] V. Heinrich und R.E. Waugh. A piconewton force transducer and its application to measure the bending stiffness of phospholipid membranes. *Annals of Biomed. Eng.*, April 1996.
- [83] P.B. Canham. The minimum energy of bending as a possible explanation of the biconcave shape of the human red blood cell. *J. Theoret. Biol.*, 26:61, 1970.
- [84] M.D.Mitov. Third and fourth order curvature elasticity of lipid bilayers. *Comptes rendues de l'Académie bulgare des Sciences*, 31(5):513, 1978.
- [85] M.M.Kozlov. Energy of nonhomogeneous bending of surfactant monolayer. Persistence length. *Langmuir*, 8:1541, 1992.
- [86] P.Méléard, C.Gerbeaud, T.Pott, L.Fernandez-Puente, I.Bivas und D.Mitov. Bending elasticity of model membranes: Influences of temperature and sterol content. *Biophys. J.*, 72:2616, 1997.
- [87] W.Helfrich. Invited lecture: Hats and saddles in lipid membranes. *Liq.Cryst.*, 33 a(6):1647, 1989.
- [88] W.Helfrich und M.Kozlov. Flexibility and roughness of mixed and partially polymerized bilayers in terms of the hat model and local bending frustration. *J.Phys.II*, 4:1427, 1994.
- [89] W.Helfrich. Effect of thermal undulations on the rigidity of fluid membranes and interfaces. *J. Phys.*, 46:1263, 1985.
- [90] L.Peliti und S.Leibler. Effects of thermal fluctuations on systems with small surface tension. *Phys.Rev.Lett.*, 54(15):1690, 1985.
- [91] W.Helfrich. Stiffening of fluid membranes and entropy loss of membrane closure: Two effects of thermal undulations. *Eur.Phys.J.*, B1:481, 1998.
- [92] W.Harbich, R.M. Servuss und W. Helfrich. Passages in lecithin-water systems. *Z. Naturforsch.*, 33a:1013, 1978.

- [93] X.Michalet, D.Bensimon und B.Fourcade. Fluctuating vesicles of nonspherical topology. *Phys.Rev.Lett.*, 72(1):168, 1994.
- [94] R. Lipowsky. Generic interactions of flexible membranes. In R. Lipowsky und E. Sackmann, editor, *Handbook of Biological Physics*, volume 1(B), page 521. Elsevier Science B.V., 1995.
- [95] D.Langbein. *Theory of van der Waals attraction*, volume 72. Springer-Verlag, New York, 1974.
- [96] J.Mahatany und B.W.Ninham. *Dispersion forces*, volume 1. Academic press, 1976.
- [97] V.A.Parsegian und B.W.Ninham. Van der waals forces in many-layered structures: generalizations of the Lifshitz result for two semi-infinite media. *J.theoret. Biol.*, 38:101, 1973.
- [98] D.M.Le Neveu, R.P.Rand und V.A.Parsegian. Measurement of forces between lecithin bilayers. *Nature*, 259:601, 1976.
- [99] L.J.Lis, M.McAlister, N.Fuller, R.P.Rand und V.A.Parsegian. Interactions between neutral phospholipid bilayer membranes. *Biophys.J.*, 37:657, 1982.
- [100] J.M.Seddon, G.Cevc, R.D.Kaye und D.Marsh. X-ray diffraction study of the polymorphism of hydrated diacyl- and dialkylphosphatidylethanolamines. *Biochem.*, 23:2634, 1984.
- [101] R.P.Rand, N.L.Fuller, V.A.Parsegian und D.C.Rau. Variation in hydration forces between neutral phospholipid bilayers: Evidence for hydration attraction. *Biochem.*, 27:7711, 1988.
- [102] T.J.McIntosh, S.Advani, D.V. Zhelev, D.Needham und S.A.Simon. Experimental tests for protrusion and undulation pressures in phospholipid bilayers. *Biochem.*, 34:8520, 1995.
- [103] V.A.Parsegian und R.P.Rand. Interaction in membrane assemblies. In R. Lipowsky und E. Sackmann, editor, *Handbook of Biological Physics*, volume 1(B), page 643. Elsevier Science B.V., 1995.
- [104] J.Marra. Controlled Deposition of Lipid Monolayers and Bilayers onto Mica and Direct Force Measurements between Galactolipid Bilayers in Aqueous Solutions. *J. Coll. Interface Sci.*, 107(2):446, 1985.
- [105] J.Marra und J.Israelachvili. Direct measurements of forces between phosphatidylcholine and phosphatidylethanolamine bilayers in aqueous electrolyte solutions. *Biochem.*, 24(17):4608, 1985.
- [106] J.Marra. Direct Measurements of Attractive Van der Waals and Adhesion Forces between Uncharged Bilayers in Aqueous Solutions. *J. Coll. Interface Sci.*, 109(1):11, 1986.

- [107] S.Marcelja und N.Radic. Repulsion of interfaces due to boundary water. *Chem.Phys.Lett.*, 42(1):129, 1976.
- [108] J.N.Israelachvili und H.Wennerström. Hydration or steric forces between amphiphilic surfaces? *Langmuir*, 6:873, 1990.
- [109] S.A.Simon, S.Advani und T.J.McIntosh. Temperature dependence on the repulsive pressure between phosphatidylcholine bilayers. *Biophys. J.*, 69:1473, 1995.
- [110] T.J.McIntosh, A.D.Magid und S.A.Simon. Steric repulsion between phospholipid bilayers. *Biochem.*, 26:7325, 1987.
- [111] J.N.Israelachvili und H.Wennerström. Entropic forces between amphiphilic surfaces in liquids. *J.Phys.Chem.*, 96:520, 1992.
- [112] S.Akoka, C.Teltier und S.Poignant. Molecular order dynamics and ionization state of phosphatidylethanolamine bilayers as studied by N¹⁵-NMR. *Biochem.*, 25(22):6972, 1986.
- [113] A.McLaughlin, C.Crathwohl und S. McLaughlin. The adsorption of divalent cations to phosphatidylcholine bilayer membranes. *Biochim. Biophys.Acta*, 513:338, 1978.
- [114] D. Andelmann. Electrostatic Properties of Membranes: The Poisson-Boltzmann Theory. In R. Lipowsky und E. Sackmann, editor, *Handbook of Biological Physics*, volume 1(B), page 603. Elsevier Science B.V., 1995.
- [115] W.Helfrich. Steric interaction of fluid membranes in multilayer systems. *Z. Naturforsch.*, 33 a:305, 1978.
- [116] P.G.De Gennes. Conjectures Sur L'état Smectique. *J.Phys.*, Colloque 4:C4, 1969.
- [117] G.Gompper und D.M.Kroll. Steric interactions in multilamellar systems: A Monte Carlo study. *Europhys. Lett*, 9:59, 1989.
- [118] F.David. Renormalization group treatment of entropic interactions in lamellar phases. *J.Phys.*, 51, Colloque de Physique C7:115, 1990.
- [119] D.Sornette. Steric Interaction between Wandering Walls. Study of the Strong Deviation from Mean-Field Theory. *Europhys.Lett.*, 2(9):715, 1986.
- [120] R.M.Servuss und W.Helfrich. Mutual adhesion of lecithin membranes at ultralow tensions. *J. Phys.*, 50:809, 1989.
- [121] W.Harbich und W.Helfrich. Adhesion in egg lecithin multilayer systems produced by lateral tension. *J.Phys.*, 51:1027, 1989.
- [122] R.Lipowsky und U.Seifert. Adhesion of membranes: A theoretical perspective. *Langmuir*, 7:1867, 1991.

- [123] R.Lipowsky. Statistical physics of flexible membranes. *Physica A*, 194:114, 1993.
- [124] R.Lipowsky. Renormalized interactions of interfaces, membranes and polymers. *Phys.Scr.T.*, 29:259, 1989.
- [125] R.Lipowsky und S.Leibler. Unbinding transition of interacting membranes. *Phys. Rev. Lett.*, 56(23):2541, 1986.
- [126] J.Meunier, D.Langevin und N.Boccaro. Unbinding of membranes. In R.Lipowsky and S.Leibler, editors, *Physics of amphiphilic layers, Springer proceedings in physics*, volume 21. Springer Verlag, 1987.
- [127] R.Lipowsky. Discontinuous unbinding transitions of flexible membranes. *J.Phys.II*, 4:1755, 1994.
- [128] R.Lipowsky und B.Zielinska. Binding and Unbinding of Lipid Membranes: A Monte Carlo Study. *Phys. Rev. Lett.*, 62:1572, 1989.
- [129] R.Lipowsky. The conformation of membranes. *Nature*, 349:475, 1991.
- [130] H.I.Petrache, N.Gouliaev, S.Tristam-Nagle, R.Zangh, R.M.Suter und J.F.Nagle. Interbilayer interactions from high resolution x-ray scattering. *Phys. Rev. E*, 57:7014, 1998.
- [131] M.Mutz und W.Helfrich. Unbinding transition of a biological model membrane. *Phys. Rev. Lett.*, 62:2881, 1989.
- [132] R.Netz und R.Lipowsky. Unbinding of symmetric and asymmetric stacks of membranes. *Phys. Rev. Lett.*, 71(21):3596, 1993.
- [133] R.Podgornik und V.A.Parsegian. Thermal-mechanical fluctuations of fluid membranes in confined geometries: The case of soft confinement. *Langmuir*, 8:557, 1992.
- [134] H.Träuble. The movement of molecules across lipid membranes: A molecular theory. *J.Membr.Biol.*, 4:193, 1971.
- [135] R.Lawaczeck. On the permeability of water molecules across vesicular lipid bilayers. *J.Membr.Biol.*, 51:229, 1979.
- [136] C.Huang und T.E.Thompson. Properties of lipid bilayer membranes separating two aqueous phases: Water permeability. *J.Mol.Biol.*, 15:539, 1966.
- [137] A.Finkelstein. *Water movement through lipid bilayer, pores and plasma membranes*, volume 1. John Wiley & Sons, New York, 1987.
- [138] M.Jansen und A.Blume. A comparative study of diffusive and osmotic water permeation across bilayers composed of phospholipids with different head groups and fatty acyl chains. *Biophys.J.*, 68:997, 1995.
- [139] D.Huster, A.J.Jin, K.Arnold und K.Gawrisch. Water permeability of polyunsaturated lipid membranes measured by ^{17}O NMR. *Biophys.J.*, 73:855, 1997.

- [140] E.Boroske, M.Elwenspoek und W.Helfrich. Osmotic shrinkage of giant egg-lecithin vesicles. *Biophys.J.*, 34:95, 1981.
- [141] R.Fettiplace. The influence of the lipid on the water permeability of artificial membranes. *Biochim. Biophys. Acta*, 513:1, 1978.
- [142] J.Nagle und J.Katsaras. Is there a vestigial vapor pressure paradox? *Phys. Rev. E*, 58:7018, 1999.
- [143] D.Needham und E.Evans. Structure and mechanical properties of giant lipid (dmPC) vesicle bilayers from 20°C below to 10°C above the liquid crystal-crystalline phase transition at 24°C. *Biochemistry*, 27:8261, 1988.
- [144] K.Akashi, H.Miyata, H.Itoh und K.Kinosita(Jr.). Formation of giant liposomes promoted by divalent cations: Critical role of electrostatic repulsion. *Biophys.J.*, 74:2973, 1998.
- [145] R.P.Rand. Interacting phospholipid bilayers: measured forces and induced structural changes. *Ann. Rev. Biophys. Bioeng.*, 10:277, 1981.
- [146] Caffrey. *Lipidat*. CRC Press, 1993.
- [147] S.Tristam-Nagle, H.I.Petrache, R.M. Suter und J.F.Nagle. Effect of Surface Roughness on *d* Spacing Supports Theoretical Resolution of Vapor Pressure Paradox. *Biophys. J.*, 74:1421, 1998.
- [148] R.Podgornik und V.A.Parsegian. On a possible microscopic mechanism underlying the vapor pressure paradox. *Biophys.J.*, 72:942, 1997.
- [149] J.Katsaras. Adsorbed to a rigid substrate, DMPC multibilayers attain full hydration in all mesophases. *Biophys.J.*, 75:2157, 1998.
- [150] P.Bassereau, J.Marignan und G.Porte. An x-ray study of brine swollen lyotropic lamellar phases. *J. Phys.*, 48:673, 1987.
- [151] F.Rinne und M.Berek. *Anleitung zur allgemeinen und Polarisations-Mikroskopie der Festkörper im Durchlicht*, volume 1. E. Schweizerbart'sche Verlagsbuchhandlung, 1973.
- [152] L.Powers und P.S.Pershan. Monodomain samples of dipalmitoyl phosphatidylcholine with varying concentrations of water and other ingredients. *Biophys. J.*, 20:137, 1977.
- [153] C.W.Maier, D.A.Simonson und R.Merkel. The interaction between fluid lecithin membranes is repulsive. *to be published*.
- [154] R.Strey, R.Schomäker, D.Roux, F.Nallet und U.Olsson. Dilute lamellar and L₃ phases in the binary water-C₁₂E₅ system. *J.Chem.Soc.Faraday Trans.*, 86(12):2253, 1990.
- [155] G.Porte. Lamellar phases and disordered phases of fluid bilayer membranes. *J.Phys., Condens. Matter*, 4:8649, 1992.

- [156] J.M.Seddon, R.H.Templer. Polymorphism of Lipid–Water Systems. In R. Lipowsky und E. Sackmann, editor, *Handbook of Biological Physics*, volume 1(A), page 97. Elsevier Science B.V., 1995.
- [157] M.Mutz. *Lichtmikroskopische Untersuchungen der induzierten und spontanen Adhäsion von biologischen Modellmembranen*. PhD thesis, Freie Universität Berlin, December 1989.
- [158] R.E.Waugh, J.Song, S.Svetina und B.Zeks. Local and nonlocal curvature elasticity in bilayer membranes by tether formation from lecithin vesicles. *Biophys.J.*, 61:974, 1992.
- [159] E.Evans und A.Needham. Attraction between lipid bilayer membranes in concentrated solutions of nonadsorbing polymers: Comparison of mean-field theory with measurements of adhesion energy. *Macromolecules*, 21:1822, 1988.
- [160] R.Strey. Water–nonionic surfactant systems, and the effect of additives. *Ber.Bunsen.Ges.Phys.Chem.*, 100(3):182, 1996.
- [161] H.E.Stanley. *Introduction to phase transitions and critical phenomena*. Clarendon Press, Oxford, 1971.
- [162] H.A.Sober, R.A.Harte und E.K.Sober. *Handbook of Biochemistry*. The Chemical Rubber CO., Ohio, Cleveland, 1970.
- [163] E.Shyamsunder, S.M.Gruner, M.W.Tate, D.C. Turner und P.T.C.So. Observation of inverted cubic phase in hydrated dioleoylphosphatidylethanolamine membranes. *Biochem.*, 27:2332, 1988.
- [164] M. Kummrow and W. Helfrich. Collaps of giant phosphatidylcholine vesicles. *Chem.Phys.Lipids*, 79:147, 1996.
- [165] M.Gradzielski, H.Hoffmann, J.-C. Panitz und A.Wokaun. Investigations on L₂ phase and cubic phase in the system AOT/1-Octanol/Water. *J. Colloid Interface Sci.*, 169:103, 1995.