

Literaturverzeichnis

Allgoewer, I.; Schaffer, E. H.; Stockhaus, C. und Vogtlin, A. (2001):
Feline eosinophilic conjunctivitis.
Vet Ophthalmol 4 (1). 69-74.

Anegon, I.; Cuturi, M. C.; Godard, A.; Moreau, M.; Terqui, M.; Martinat-Botte, F. und
Soulillou, J. P. (1994):
Presence of leukaemia inhibitory factor and interleukin 6 in porcine uterine secretions prior to
conceptus attachment.
Cytokine 6 (5). 493-9.

Archbald, L. F.; Tsai, I. F.; Thatcher, W. W.; Tran, T.; Wolfsdorf, K. und Risco, C. (1998):
Use of plasma concentrations of 13,14-dihydro,15-keto-PGF2 alpha (PGFM) in the diagnosis
of sub-clinical endometritis and its relationship to fertility in the postpartum dairy cow.
Theriogenology 49 (8). 1425-36.

Arici, A.; Seli, E.; Zeyneloglu, H. B.; Senturk, L. M.; Oral, E. und Olive, D. L. (1998a):
Interleukin-8 induces proliferation of endometrial stromal cells: a potential autocrine growth
factor.
J Clin Endocrinol Metab 83 (4). 1201-5.

Arici, A.; Seli, E.; Senturk, L. M.; Gutierrez, L. S.; Oral, E. und Taylor, H. S. (1998b):
Interleukin-8 in the human endometrium.
J Clin Endocrinol Metab 83 (5). 1783-7.

Arosh, J. A.; Parent, J.; Chapdelaine, P.; Sirois, J. und Fortier, M. A. (2002):
Expression of cyclooxygenases 1 and 2 and prostaglandin E synthase in bovine endometrial
tissue during the estrous cycle.
Biol Reprod 67 (1). 161-9.

Asselin, E.; Drolet, P. und Fortier, M. A. (1997):
Cellular mechanisms involved during oxytocin-induced prostaglandin F2alpha production in
endometrial epithelial cells in vitro: role of cyclooxygenase-2.
Endocrinology 138 (11). 4798-805.

Austin, K. J.; King, C. P.; Vierk, J. E.; Sasser, R. G. und Hansen, T. R. (1999):
Pregnancy-specific protein B induces release of an alpha chemokine in bovine endometrium.
Endocrinology 140 (1). 542-5.

Baggiolini, M.; Boulay, F.; Badwey, J. A. und Curnutte, J. T. (1993):
Activation of neutrophil leukocytes: chemoattractant receptors and respiratory burst.
Faseb J 7 (11). 1004-10.

Baggiolini, M. (2001):
Chemokines in pathology and medicine.
J Intern Med 250 (2). 91-104.

Bannerman, D. D.; Paape, M. J.; Lee, J. W.; Zhao, X.; Hope, J. C. und Rainard, P. (2004): Escherichia coli and Staphylococcus aureus elicit differential innate immune responses following intramammary infection.
Clin Diagn Lab Immunol 11 (3). 463-72.

Bauersachs, S.; Ulbrich, S. E.; Gross, K.; Schmidt, S. E.; Meyer, H. H.; Einspanier, R.; Wenigerkind, H.; Vermehren, M.; Blum, H.; Sinowitz, F. Wolf, E. (2005): Gene expression profiling of bovine endometrium during the oestrous cycle: detection of molecular pathways involved in functional changes.
J Mol Endocrinol 34 (3). 889-908.

Beier, H. M. und Beier-Hellwig, K. (1998):
Molecular and cellular aspects of endometrial receptivity.
Hum Reprod Update 4 (5). 448-58.

Bell, M. J.; Hallenbeck, J. M. und Gallo, V. (2004):
Determining the fetal inflammatory response in an experimental model of intrauterine inflammation in rats.
Pediatr Res 56 (4). 541-6.

Berkova, N.; Lemay, A.; De Grandpre, P.; Goupil, S. und Maheux, R. (1997):
Immunoblot detection of decreased antibodies to haptoglobin-like protein in the serum of infertile women with or without endometriosis.
Biol Reprod 57 (1). 178-85.

Berkova, N.; Lemay, A.; Dresser, D. W.; Fontaine, J. Y.; Kerizit, J. und Goupil, S. (2001):
Haptoglobin is present in human endometrium and shows elevated levels in the decidua during pregnancy.
Mol Hum Reprod 7 (8). 747-54.

Betts, J. G. und Hansen, P. J. (1992):
Regulation of prostaglandin secretion from epithelial and stromal cells of the bovine endometrium by interleukin-1 beta, interleukin-2, granulocyte-macrophage colony stimulating factor and tumor necrosis factor-alpha.
Life Sci 51 (14). 1171-6.

Bondurant, R. H. (1999):
Inflammation in the bovine female reproductive tract.
J Anim Sci 77 Suppl 2. 101-10.

Bonnett, B. N.; Miller, R. B.; Etherington, W. G.; Martin, S. W. und Johnson, W. H. (1991):
Endometrial biopsy in Holstein-Friesian dairy cows. I. Technique, histological criteria and results.
Can J Vet Res 55 (2). 155-61.

Bourke, M.; Mills, J. N. und Barnes, A. L. (1997):
Collection of endometrial cells in the mare.
Aust Vet J 75 (10). 755-8.

- Burton, J. L.; Madsen, S. A.; Chang, L. C.; Weber, P. S.; Buckham, K. R.; van Dorp, R.; Hickey, M. C. und Earley, B. (2005): Gene expression signatures in neutrophils exposed to glucocorticoids: a new paradigm to help explain "neutrophil dysfunction" in parturient dairy cows. *Vet Immunol Immunopathol* 105 (3-4). 197-219.
- Butt, B. M.; Senger, P. L. und Widders, P. R. (1991): Neutrophil migration into the bovine uterine lumen following intrauterine inoculation with killed *Haemophilus somnus*. *J Reprod Fertil* 93 (2). 341-5.
- Chan, J. P.; Chu, C. C.; Fung, H. P.; Chuang, S. T.; Lin, Y. C.; Chu, R. M. und Lee, S. L. (2004): Serum haptoglobin concentration in cattle. *J Vet Med Sci* 66 (1). 43-6.
- Charpigny, G.; Reinaud, P.; Tamby, J. P.; Creminon, C.; Martal, J.; Maclouf, J. und Guillomot, M. (1997): Expression of cyclooxygenase-1 and -2 in ovine endometrium during the estrous cycle and early pregnancy. *Endocrinology* 138 (5). 2163-71.
- Cioni, R.; Bussani, C.; Scarselli, B.; Bucciantini, S.; Barciulli, F. und Scarselli, G. (2003): Fetal cells in cervical mucus in the first trimester of pregnancy. *Prenat Diagn* 23 (2). 168-71.
- Cobb, S. P. und Watson, E. D. (1995): Immunohistochemical study of immune cells in the bovine endometrium at different stages of the oestrous cycle. *Res Vet Sci* 59 (3). 238-41.
- Davidson, J. A.; Tiemann, U.; Betts, J. G. und Hansen, P. J. (1995): DNA synthesis and prostaglandin secretion by bovine endometrial cells as regulated by interleukin-1. *Reprod Fertil Dev* 7 (5). 1037-43.
- de Kleijn, D. P.; Smeets, M. B.; Kemmeren, P. P.; Lim, S. K.; Van Middelaar, B. J.; Velema, E.; Schoneveld, A.; Pasterkamp, G. und Borst, C. (2002): Acute-phase protein haptoglobin is a cell migration factor involved in arterial restructuring. *Faseb J* 16 (9). 1123-5.
- DeGraves, F. J.; Gao, D.; Hehnen, H. R.; Schlapp, T. und Kaltenboeck, B. (2003): Quantitative detection of *Chlamydia psittaci* and *C. pecorum* by high-sensitivity real-time PCR reveals high prevalence of vaginal infection in cattle. *J Clin Microbiol* 41 (4). 1726-9.

Dhaliwal, G. S.; Murray, R. D. und Woldehiwet, Z. (2001):
Some aspects of immunology of the bovine uterus related to treatments for endometritis.
Anim Reprod Sci 67 (3-4). 135-52.

Dimitriadis, E.; White, C. A.; Jones, R. L. und Salamonsen, L. A. (2005):
Cytokines, chemokines and growth factors in endometrium related to implantation.
Hum Reprod Update 11 (6). 613-30.

Dinarello, C. A. (2002):
The IL-1 family and inflammatory diseases.
Clin Exp Rheumatol 20 (5 Suppl 27). S1-13.

Dinarello, C. A. (2004):
Infection, fever, and exogenous and endogenous pyrogens: some concepts have changed.
J Endotoxin Res 10 (4). 201-22.

Dinarello, C. A. (2005):
Blocking IL-1 in systemic inflammation.
J Exp Med 201 (9). 1355-9.

Dohmen, M. J.; Joop, K.; Sturk, A.; Bols, P. E. und Lohuis, J. A. (2000):
Relationship between intra-uterine bacterial contamination, endotoxin levels and the
development of endometritis in postpartum cows with dystocia or retained placenta.
Theriogenology 54 (7). 1019-32.

Dohmen, M. J., Lohuis J.A.C.M., Huszenicza Gy., Nagy P. and Gacs M. (1995):
The relationship between bacteriological and clinical findings in cows with subacute/chronic
endometritis.
Theriogenology 43. 1379-1388.

Dong, Y. L.; Gangula, P. R.; Fang, L. und Yallampalli, C. (1996):
Differential expression of cyclooxygenase-1 and -2 proteins in rat uterus and cervix during the
estrous cycle, pregnancy, labor and in myometrial cells.
Prostaglandins 52 (1). 13-34.

Drillich, M.; Beetz, O.; Pfutzner, A.; Sabin, M.; Sabin, H. J.; Kutzer, P.; Nattermann, H. und
Heuwieser, W. (2001):
Evaluation of a systemic antibiotic treatment of toxic puerperal metritis in dairy cows.
J Dairy Sci 84 (9). 2010-7.

Drillich, M.; Bergmann, J.; Falkenberg, U.; Kurth, A. und Heuwieser, W. (2002):
[Effects of the intensity of a post partum examination on the fertility performance of high
yielding dairy cows].
Dtsch Tierarztl Wochenschr 109 (9). 386-90.

Drillich, M.; Raab, D.; Wittke, M. und Heuwieser, W. (2005):
Treatment of chronic endometritis in dairy cows with an intrauterine application of enzymes.
A field trial.
Theriogenology 63 (7). 1811-23.

Earley, B. und Crowe, M. A. (2002):
Effects of ketoprofen alone or in combination with local anesthesia during the castration of
bull calves on plasma cortisol, immunological, and inflammatory responses.
J Anim Sci 80 (4). 1044-52.

Eckersall, P. D. (1995):
Acute Phase Proteins as Markers of Inflammatory Lesions.
Comp Haematol Int 5. 93-97.

Esslemont, R. J. und Peeler, E. J. (1993):
The scope for raising margins in dairy herds by improving fertility and health.
Br Vet J 149 (6). 537-47.

Esslemont, R. J. und Kossaibati, M. A. (1997):
Culling in 50 dairy herds in England.
Vet Rec 140 (2). 36-9.

Fagoonee, S.; Gburek, J.; Hirsch, E.; Marro, S.; Moestrup, S. K.; Laurberg, J. M.;
Christensen, E. I.; Silengo, L.; Altruda, F. und Tolosano, E. (2005):
Plasma protein haptoglobin modulates renal iron loading.
Am J Pathol 166 (4). 973-83.

Fantuzzi, G. (2001):
Lessons from interleukin-deficient mice: the interleukin-1 system.
Acta Physiol Scand 173 (1). 5-9.

Fejgin, M. D.; Diukman, R.; Cotton, Y.; Weinstein, G. und Amiel, A. (2001):
Fetal cells in the uterine cervix: a source for early non-invasive prenatal diagnosis.
Prenat Diagn 21 (8). 619-21.

Fischer, C.; Gabler, C.; Holder, C.; Odau, S.; Drillich, M.; Heuwieser, W. und Einspanier, R. (2005):
Increased mRNA expression of TNF alpha, its receptor TNF alpha-R-type 1 and iNOS in the
bovine endometrium around ovulation.
38. Jahrestagung Physiologie und Pathologie der Fortpflanzung Zürich, 10.-11.2.2005
Schweizer Archiv für Tierheilkunde 147
Bern: Hans Huber, 2005. - S. 56.

Fischer, C.; Drillich, M.; Gabler, C.; Heuwieser, W. und Einspanier, R. (2006):
Postpartale Fruchtbarkeitsstörung beim Rind: Untersuchung der Genexpression im
Endometrium als Schlüssel zum Erfolg?
Berliner und Münchener Tierärztliche Wochenschrift 5/6. 197-202.

Fisher, A. D.; Crowe, M. A.; O'Nuallain, E. M.; Monaghan, M. L.; Prendiville, D. J.; O'Kiely, P. und Enright, W. J. (1997):

Effects of suppressing cortisol following castration of bull calves on adrenocorticotropic hormone, in vitro interferon-gamma production, leukocytes, acute-phase proteins, growth, and feed intake.

J Anim Sci 75 (7). 1899-908.

Fuchs, A. R.; Rust, W. und Fields, M. J. (1999):

Accumulation of cyclooxygenase-2 gene transcripts in uterine tissues of pregnant and parturient cows: stimulation by oxytocin.

Biol Reprod 60 (2). 341-8.

Gabler, C.; Lauer, B.; Einspanier, A.; Schams, D. und Einspanier, R. (1997):

Detection of mRNA and immunoreactive proteins for acidic and basic fibroblast growth factor and expression of the fibroblast growth factor receptors in the bovine oviduct.

J Reprod Fertil 109 (2). 213-21.

Garcia-Velasco, J. A. und Arici, A. (1999):

Interleukin-8 expression in endometrial stromal cells is regulated by integrin-dependent cell adhesion.

Mol Hum Reprod 5 (12). 1135-40.

Garverick, H. A. und Smith, M. F. (1993):

Female reproductive physiology and endocrinology of cattle.

Vet Clin North Am Food Anim Pract 9 (2). 223-47.

Gerard, N.; Caillaud, M.; Martoriati, A.; Goudet, G. und Lalmanach, A. C. (2004):

The interleukin-1 system and female reproduction.

J Endocrinol 180 (2). 203-12.

Gijsbers, K.; Van Assche, G.; Joossens, S.; Struyf, S.; Proost, P.; Rutgeerts, P.; Geboes, K. und Van Damme, J. (2004):

CXCR1-binding chemokines in inflammatory bowel diseases: down-regulated IL-8/CXCL8 production by leukocytes in Crohn's disease and selective GCP-2/CXCL6 expression in inflamed intestinal tissue.

Eur J Immunol 34 (7). 1992-2000.

Gilbert, R. O. (1992):

Bovine endometritis: the burden of proof.

Cornell Vet 82 (1). 11-4.

Gilbert, R. O.; Grohn, Y. T.; Miller, P. M. und Hoffman, D. J. (1993):

Effect of parity on periparturient neutrophil function in dairy cows.

Vet Immunol Immunopathol 36 (1). 75-82.

Gilbert, R. O.; Shin, S. T.; Guard, C. L.; Erb, H. N. und Frajblat, M. (2005):
Prevalence of endometritis and its effects on reproductive performance of dairy cows.
Theriogenology.

Gilbert, R. O., Frajblat, M., Guard, C. L., Erb, H. N., Roman, H. (2004):
The effect of subclinical endometritis and routine treatment with prostaglandin F2 alpha on
reproductive performance of dairy cows.
23rd World Buiatrics Congress, Quebec.

Glabowski, W.; Kurzawa, R.; Wiszniewska, B.; Baczkowski, T.; Marchlewicz, M. und Brelik,
P. (2005):
Growth factors effects on preimplantation development of mouse embryos exposed to tumor
necrosis factor alpha.
Reprod Biol 5 (1). 83-99.

Gray, C. A.; Bartol, F. F.; Tarleton, B. J.; Wiley, A. A.; Johnson, G. A.; Bazer, F. W. und
Spencer, T. E. (2001):
Developmental biology of uterine glands.
Biol Reprod 65 (5). 1311-23.

Grell, S. N.; Tjornehoj, K.; Larsen, L. E. und Heegaard, P. M. (2005):
Marked induction of IL-6, haptoglobin and IFNgamma following experimental BRSV
infection in young calves.
Vet Immunol Immunopathol 103 (3-4). 235-45.

Gronlund, U.; Hallen Sandgren, C. und Persson Waller, K. (2005):
Haptoglobin and serum amyloid A in milk from dairy cows with chronic sub-clinical mastitis.
Vet Res 36 (2). 191-8.

Gugushvili, N. N. (2003):
Dependence of the nonspecific resistance in cows from their physiological and clinical state.
Bull Exp Biol Med 136 (6). 548-50.

Hagiwara, K.; Yamanaka, H.; Hisaeda, K.; Taharaguchi, S.; Kirisawa, R. und Iwai, H. (2001):
Concentrations of IL-6 in serum and whey from healthy and mastitic cows.
Vet Res Commun 25 (2). 99-108.

Han, I. K. und Kim, I. H. (2005):
Risk factors for retained placenta and the effect of retained placenta on the occurrence of
postpartum diseases and subsequent reproductive performance in dairy cows.
J Vet Sci 6 (1). 53-9.

Henderson, B. und Wilson, M. (1996):
Cytokine induction by bacteria: beyond lipopolysaccharide.
Cytokine 8 (4). 269-82.

Herrler, A.; Krusche, C. A.; Muller-Schottle, F. und Beier, H. M. (2004):
Haptoglobin expression and release by rabbit oviduct and endometrium, its localization in
blastocyst extra-embryonic matrix and fluid during preimplantation time.
Hum Reprod 19 (12). 2730-7.

Heuwieser, W.; Tenhagen, B. A.; Tischer, M.; Luhr, J. und Blum, H. (2000):
Effect of three programmes for the treatment of endometritis on the reproductive performance
of a dairy herd.
Vet Rec 146 (12). 338-41.

Hirvonen, J.; Huszenicza, G.; Kulcsar, M. und Pyorala, S. (1999):
Acute-phase response in dairy cows with acute postpartum metritis.
Theriogenology 51 (6). 1071-83.

Hoch, R. C.; Schraufstatter, I. U. und Cochrane, C. G. (1996):
In vivo, in vitro, and molecular aspects of interleukin-8 and the interleukin-8 receptors.
J Lab Clin Med 128 (2). 134-45.

Holtmann, M. H. und Neurath, M. F. (2004):
Differential TNF-signaling in chronic inflammatory disorders.
Curr Mol Med 4 (4). 439-44.

Horadagoda, N. U.; Knox, K. M.; Gibbs, H. A.; Reid, S. W.; Horadagoda, A.; Edwards, S. E.
und Eckersall, P. D. (1999):
Acute phase proteins in cattle: discrimination between acute and chronic inflammation.
Vet Rec 144 (16). 437-41.

Humblot, P. (2001):
Use of pregnancy specific proteins and progesterone assays to monitor pregnancy and
determine the timing, frequencies and sources of embryonic mortality in ruminants.
Theriogenology 56 (9). 1417-33.

Hunt, J. S. (1993):
Expression and regulation of the tumour necrosis factor-alpha gene in the female reproductive
tract.
Reprod Fertil Dev 5 (2). 141-53.

Hunt, J. S.; Chen, H. L. und Miller, L. (1996):
Tumor necrosis factors: pivotal components of pregnancy?
Biol Reprod 54 (3). 554-62.

Ireland, J. J.; Murphee, R. L. und Coulson, P. B. (1980):
Accuracy of predicting stages of bovine estrous cycle by gross appearance of the corpus
luteum.
J Dairy Sci 63 (1). 155-60.

- Ishikawa, Y.; Nakada, K.; Hagiwara, K.; Kirisawa, R.; Iwai, H.; Moriyoshi, M. und Sawamukai, Y. (2004):
Changes in interleukin-6 concentration in peripheral blood of pre- and post-partum dairy cattle and its relationship to postpartum reproductive diseases.
J Vet Med Sci 66 (11). 1403-8.
- Jacobsen, S.; Andersen, P. H.; Toelboell, T. und Heegaard, P. M. (2004):
Dose dependency and individual variability of the lipopolysaccharide-induced bovine acute phase protein response.
J Dairy Sci 87 (10). 3330-9.
- Jawa, R. S.; Quaid, G. A.; Williams, M. A.; Cave, C. M.; Robinson, C. T.; Babcock, G. F.; Lieberman, M. A.; Witt, D. und Solomkin, J. S. (1999):
Tumor necrosis factor alpha regulates CXC chemokine receptor expression and function.
Shock 11 (6). 385-90.
- Jee, J.; Degraves, F. J.; Kim, T. und Kaltenboeck, B. (2004):
High prevalence of natural Chlamydophila species infection in calves.
J Clin Microbiol 42 (12). 5664-72.
- Juffrie, M.; van Der Meer, G. M.; Hack, C. E.; Haasnoot, K.; Sutaryo; Veerman, A. J. und Thijss, L. G. (2000):
Inflammatory mediators in dengue virus infection in children: interleukin-8 and its relationship to neutrophil degranulation.
Infect Immun 68 (2). 702-7.
- Kasimanickam, R.; Duffield, T. F.; Foster, R. A.; Gartley, C. J.; Leslie, K. E.; Walton, J. S. und Johnson, W. H. (2004):
Endometrial cytology and ultrasonography for the detection of subclinical endometritis in postpartum dairy cows.
Theriogenology 62 (1-2). 9-23.
- Kasimanickam, R.; Duffield, T. F.; Foster, R. A.; Gartley, C. J.; Leslie, K. E.; Walton, J. S. und Johnson, W. H. (2005a):
A comparison of the cytobrush and uterine lavage techniques to evaluate endometrial cytology in clinically normal postpartum dairy cows.
Can Vet J 46 (3). 255-9.
- Kasimanickam, R.; Duffield, T. F.; Foster, R. A.; Gartley, C. J.; Leslie, K. E.; Walton, J. S. und Johnson, W. H. (2005b):
The effect of a single administration of cephapirin or cloprostenol on the reproductive performance of dairy cows with subclinical endometritis.
Theriogenology 63 (3). 818-30.
- Kauma, S. W. (2000):
Cytokines in implantation.
J Reprod Fertil Suppl 55. 31-42.

- Kayisli, U. A.; Guzeloglu-Kayisli, O. und Arici, A. (2004):
Endocrine-immune interactions in human endometrium.
Ann N Y Acad Sci 1034. 50-63.
- Kelly, R. W. (1996):
Inflammatory mediators and parturition.
Rev Reprod 1 (2). 89-96.
- Kelly, R. W.; King, A. E. und Critchley, H. O. (2002):
Inflammatory mediators and endometrial function--focus on the perivascular cell.
J Reprod Immunol 57 (1-2). 81-93.
- Kimura, K.; Goff, J. P.; Kehrli, M. E., Jr. und Reinhardt, T. A. (2002):
Decreased neutrophil function as a cause of retained placenta in dairy cattle.
J Dairy Sci 85 (3). 544-50.
- Klucinski, W.; Targowski, S. P.; Winnicka, A. und Miernik-Degorska, E. (1990a):
Immunological induction of endometritis-model investigations in cows.
Zentralbl Veterinarmed A 37 (2). 148-53.
- Klucinski, W.; Targowski, S. P.; Miernik-Degorska, E. und Winnicka, A. (1990b):
The phagocytic activity of polymorphonuclear leucocytes isolated from normal uterus and
that with experimentally induced inflammation in cows.
Zentralbl Veterinarmed A 37 (7). 506-12.
- Klucinski, W.; Dembele, K.; Kleczkowski, M.; Sitarska, E.; Winnicka, A. und Sikora, J.
(1995):
Evaluation of the effect of experimental cow endometritis on bactericidal capability of
phagocytizing cells isolated from the blood and uterine lumen.
Zentralbl Veterinarmed A 42 (7). 461-6.
- Kniss, D. A.; Zimmerman, P. D.; Garver, C. L. und Fertel, R. H. (1997):
Interleukin-1 receptor antagonist blocks interleukin-1-induced expression of cyclooxygenase-
2 in endometrium.
Am J Obstet Gynecol 177 (3). 559-67.
- Kniss, D. A. (1999):
Cyclooxygenases in reproductive medicine and biology.
J Soc Gynecol Investig 6 (6). 285-92.
- Knutti, B.; Kupfer, U. und Busato, A. (2000):
Reproductive efficiency of cows with endometritis after treatment with intrauterine infusions
or prostaglandin injections, or no treatment.
J Vet Med A Physiol Pathol Clin Med 47 (10). 609-15.
- Krzymowski, T. und Stefanczyk-Krzymowska, S. (2004):
The oestrous cycle and early pregnancy--a new concept of local endocrine regulation.
Vet J 168 (3). 285-96.

Ksontini, R.; MacKay, S. L. und Moldawer, L. L. (1998):
Revisiting the role of tumor necrosis factor alpha and the response to surgical injury and
inflammation.
Arch Surg 133 (5). 558-67.

Kubar, H. und Jalakas, M. (2002):
Pathological changes in the reproductive organs of cows and heifers culled because of
infertility.
J Vet Med A Physiol Pathol Clin Med 49 (7). 365-72.

Laird, S. M.; Tuckerman, E. M.; Cork, B. A.; Linjawi, S.; Blakemore, A. I. und Li, T. C.
(2003):
A review of immune cells and molecules in women with recurrent miscarriage.
Hum Reprod Update 9 (2). 163-74.

LeBlanc, S. J.; Duffield, T. F.; Leslie, K. E.; Bateman, K. G.; Keefe, G. P.; Walton, J. S. und
Johnson, W. H. (2002):
Defining and diagnosing postpartum clinical endometritis and its impact on reproductive
performance in dairy cows.
J Dairy Sci 85 (9). 2223-36.

Lee, H.; Stabel, J. R. und Kehrli, M. E., Jr. (2001):
Cytokine gene expression in ileal tissues of cattle infected with *Mycobacterium*
paratuberculosis.
Vet Immunol Immunopathol 82 (1-2). 73-85.

Lee, K. Y. und DeMayo, F. J. (2004):
Animal models of implantation.
Reproduction 128 (6). 679-95.

Lenz, M. (2004):
Evaluierung der Sonographie als Diagnoseverfahren zur Erkennung subklinischer
Endometritiden im Puerperium bei Milchkühen.
FU-Berlin. Dissertation.

Leung, S. T.; Derecka, K.; Mann, G. E.; Flint, A. P. und Wathes, D. C. (2000):
Uterine lymphocyte distribution and interleukin expression during early pregnancy in cows.
J Reprod Fertil 119 (1). 25-33.

Leung, S. T.; Cheng, Z.; Sheldrick, E. L.; Derecka, K.; Flint, A. P. und Wathes, D. C. (2001):
The effects of lipopolysaccharide and interleukins-1alpha, -2 and -6 on oxytocin receptor
expression and prostaglandin production in bovine endometrium.
J Endocrinol 168 (3). 497-508.

Lewis, G. S. (1997):
Uterine health and disorders.
J Dairy Sci 80 (5). 984-94.

Lewis, G. S. (2003):

Steroidal regulation of uterine resistance to bacterial infection in livestock.
Reprod Biol Endocrinol 1. 117.

Liebich (1998):

Funktionelle Histologie der Haussäugetiere. - 3. Auflage: Schattauer. -

Lim, H.; Paria, B. C.; Das, S. K.; Dinchuk, J. E.; Langenbach, R.; Trzaskos, J. M. und Dey, S. K. (1997):

Multiple female reproductive failures in cyclooxygenase 2-deficient mice.
Cell 91 (2). 197-208.

Lincke, A. (2006):

Untersuchung zur Behandlung von subklinischen Endometritiden des Milchrindes mit proteolytischen Enzymen oder Prostaglandin F 2 alpha und Auswirkungen auf die nachfolgende Fruchtbarkeitsleistung.

FU-Berlin. Dissertation.

Lucy, M. C. (2001):

Reproductive loss in high-producing dairy cattle: where will it end?
J Dairy Sci 84 (6). 1277-93.

Maia, H., Jr.; Maltez, A.; Studard, E.; Zausner, B.; Athayde, C. und Coutinho, E. (2005):
Effect of the menstrual cycle and oral contraceptives on cyclooxygenase-2 expression in the endometrium.

Gynecol Endocrinol 21 (1). 57-61.

Mateus, L.; da Costa, L. L.; Bernardo, F. und Silva, J. R. (2002):

Influence of puerperal uterine infection on uterine involution and postpartum ovarian activity in dairy cows.

Reprod Domest Anim 37 (1). 31-5.

Mestries, J. C.; Kruithof, E. K.; Gascon, M. P.; Herodin, F.; Agay, D. und Ythier, A. (1994):
In vivo modulation of coagulation and fibrinolysis by recombinant glycosylated human interleukin-6 in baboons.

Eur Cytokine Netw 5 (3). 275-81.

Mine, S.; Nasu, K.; Fukuda, J.; Sun, B. und Miyakawa, I. (2003):

Secretion of granulocyte chemotactic protein-2 by cultured human endometrial stromal cells.
Fertil Steril 79 (1). 146-50.

Miyamoto, Y.; Skarzynski, D. J. und Okuda, K. (2000):

Is tumor necrosis factor alpha a trigger for the initiation of endometrial prostaglandin F(2alpha) release at luteolysis in cattle?
Biol Reprod 62 (5). 1109-15.

Monaco, C.; Andreakos, E.; Kiriakidis, S.; Feldmann, M. und Paleolog, E. (2004):
T-cell-mediated signalling in immune, inflammatory and angiogenic processes: the cascade of events leading to inflammatory diseases.
Curr Drug Targets Inflamm Allergy 3 (1). 35-42.

Mukaida, N.; Harada, A. und Matsushima, K. (1998):
Interleukin-8 (IL-8) and monocyte chemotactic and activating factor (MCAF/MCP-1), chemokines essentially involved in inflammatory and immune reactions.
Cytokine Growth Factor Rev 9 (1). 9-23.

Mukaida, N. (2000):
Interleukin-8: an expanding universe beyond neutrophil chemotaxis and activation.
Int J Hematol 72 (4). 391-8.

Murakami, S.; Miyamoto, Y.; Skarzynski, D. J. und Okuda, K. (2001):
Effects of tumor necrosis factor-alpha on secretion of prostaglandins E2 and F2alpha in bovine endometrium throughout the estrous cycle.
Theriogenology 55 (8). 1667-78.

Murata, H. und Miyamoto, T. (1993):
Bovine haptoglobin as a possible immunomodulator in the sera of transported calves.
Br Vet J 149 (3). 277-83.

Nielsen, B. H.; Jacobsen, S.; Andersen, P. H.; Niewold, T. A. und Heegaard, P. M. (2004):
Acute phase protein concentrations in serum and milk from healthy cows, cows with clinical mastitis and cows with extramammary inflammatory conditions.
Vet Rec 154 (12). 361-5.

Norrby, K. (2002):
Mast cells and angiogenesis.
Apmis 110 (5). 355-71.

Oh, S. K.; Pavlotsky, N. und Tauber, A. I. (1990):
Specific binding of haptoglobin to human neutrophils and its functional consequences.
J Leukoc Biol 47 (2). 142-8.

Okuda, K.; Kasahara, Y.; Murakami, S.; Takahashi, H.; Woclawek-Potocka, I. und Skarzynski, D. J. (2004):
Interferon-tau blocks the stimulatory effect of tumor necrosis factor-alpha on prostaglandin F2alpha synthesis by bovine endometrial stromal cells.
Biol Reprod 70 (1). 191-7.

Paape, M. J.; Bannerman, D. D.; Zhao, X. und Lee, J. W. (2003):
The bovine neutrophil: Structure and function in blood and milk.
Vet Res 34 (5). 597-627.

- Parent, J.; Villeneuve, C. und Fortier, M. A. (2003):
Evaluation of the contribution of cyclooxygenase 1 and cyclooxygenase 2 to the production of PGE2 and PGF2 alpha in epithelial cells from bovine endometrium.
Reproduction 126 (4). 539-47.
- Paula-Lopes, F. F.; de Moraes, A. A.; Edwards, J. L.; Justice, J. E. und Hansen, P. J. (1998):
Regulation of preimplantation development of bovine embryos by interleukin-1beta.
Biol Reprod 59 (6). 1406-12.
- Paula-Lopes, F. F.; de Moraes, A. A. und Hansen, P. J. (1999):
The presence of interleukin-1beta in the bovine reproductive tract.
J Interferon Cytokine Res 19 (3). 279-85.
- Perrier d'Hauterive, S.; Charlet-Renard, C.; Berndt, S.; Dubois, M.; Munaut, C.; Goffin, F.;
Hagelstein, M. T.; Noel, A.; Hazout, A.; Foidart, J. M. Geenen, V. (2004):
Human chorionic gonadotropin and growth factors at the embryonic-endometrial interface
control leukemia inhibitory factor (LIF) and interleukin 6 (IL-6) secretion by human
endometrial epithelium.
Hum Reprod 19 (11). 2633-43.
- Perrier d'Hauterive, S.; Charlet-Renard, C.; Dubois, M.; Berndt, S.; Goffin, F.; Foidart, J. M.
und Geenen, V. (2005):
Human endometrial leukemia inhibitory factor and interleukin-6: control of secretion by
transforming growth factor-beta-related members.
Neuroimmunomodulation 12 (3). 157-63.
- Petersen, H. H.; Nielsen, J. P. und Heegaard, P. M. (2004):
Application of acute phase protein measurements in veterinary clinical chemistry.
Vet Res 35 (2). 163-87.
- Pfaffl, M. W.; Wittmann, S. L.; Meyer, H. H. und Bruckmaier, R. M. (2003):
Gene expression of immunologically important factors in blood cells, milk cells, and
mammary tissue of cows.
J Dairy Sci 86 (2). 538-45.
- Proost, P.; Wuyts, A.; Conings, R.; Lenaerts, J. P.; Billiau, A.; Opdenakker, G. und Van
Damme, J. (1993):
Human and bovine granulocyte chemotactic protein-2: complete amino acid sequence and
functional characterization as chemokines.
Biochemistry 32 (38). 10170-7.
- Proost, P.; Wuyts, A. und van Damme, J. (1996):
The role of chemokines in inflammation.
Int J Clin Lab Res 26 (4). 211-23.

Raab, D. (2004):

Evaluierung der Cytobrush-Methode zur Diagnostik von subklinischen Endometritiden und Auswirkungen der Entzündung auf die folgende Fruchtbarkeitsleistung von Milchkühen.
FU-Berlin. Dissertation.

Rahman, A. N.; Snibson, K. J.; Lee, C. S. und Meeusen, E. N. (2004):

Effects of implantation and early pregnancy on the expression of cytokines and vascular surface molecules in the sheep endometrium.

J Reprod Immunol 64 (1-2). 45-58.

Rajala-Schultz, P. J. und Grohn, Y. T. (1999):

Culling of dairy cows. Part III. Effects of diseases, pregnancy status and milk yield on culling in Finnish Ayrshire cows.

Prev Vet Med 41 (4). 295-309.

Reese, J.; Zhao, X.; Ma, W. G.; Brown, N.; Maziasz, T. J. und Dey, S. K. (2001):

Comparative analysis of pharmacologic and/or genetic disruption of cyclooxygenase-1 and cyclooxygenase-2 function in female reproduction in mice.

Endocrinology 142 (7). 3198-206.

Robertson, S. A. (2005):

Seminal plasma and male factor signalling in the female reproductive tract.

Cell Tissue Res 322 (1). 43-52.

Roby, K. F. und Hunt, J. S. (1994):

Mouse endometrial tumor necrosis factor-alpha messenger ribonucleic acid and protein: localization and regulation by estradiol and progesterone.

Endocrinology 135 (6). 2780-9.

Rudack, C.; Jorg, S. und Sachse, F. (2004):

Biologically active neutrophil chemokine pattern in tonsillitis.

Clin Exp Immunol 135 (3). 511-8.

Saadeddin, S. M.; Habbab, M. A. und Ferns, G. A. (2002):

Markers of inflammation and coronary artery disease.

Med Sci Monit 8 (1). RA5-12.

Sales, K. J. und Jabbour, H. N. (2003):

Cyclooxygenase enzymes and prostaglandins in pathology of the endometrium.

Reproduction 126 (5). 559-67.

Sanger, F.; Nicklen, S. und Coulson, A. R. (1977):

DNA sequencing with chain-terminating inhibitors.

Proc Natl Acad Sci U S A 74 (12). 5463-7.

Santos, R. L.; Zhang, S.; Tsolis, R. M.; Baumler, A. J. und Adams, L. G. (2002):
Morphologic and molecular characterization of *Salmonella typhimurium* infection in neonatal calves.
Vet Pathol 39 (2). 200-15.

Seals, R. C.; Matamoros, I. und Lewis, G. S. (2002):
Relationship between postpartum changes in 13, 14-dihydro-15-keto-PGF2alpha concentrations in Holstein cows and their susceptibility to endometritis.
J Anim Sci 80 (4). 1068-73.

Sharkey, A. (1998):
Cytokines and implantation.
Rev Reprod 3 (1). 52-61.

Sheldon, I. M.; Noakes, D. E.; Rycroft, A. und Dobson, H. (2001):
Acute phase protein responses to uterine bacterial contamination in cattle after calving.
Vet Rec 148 (6). 172-5.

Sheldon, I. M.; Noakes, D. E.; Rycroft, A. N.; Pfeiffer, D. U. und Dobson, H. (2002):
Influence of uterine bacterial contamination after parturition on ovarian dominant follicle selection and follicle growth and function in cattle.
Reproduction 123 (6). 837-45.

Sheldon, I. M. und Dobson, H. (2004):
Postpartum uterine health in cattle.
Anim Reprod Sci 82-83. 295-306.

Sheldon, I. M. (2004):
The postpartum uterus.
Vet Clin North Am Food Anim Pract 20 (3). 569-91.

Sheldon, I. M.; Lewis, G. S.; Leblanc, S. und Gilbert, R. O. (2006):
Defining postpartum uterine disease in cattle.
Theriogenology.

Simmons, D. L.; Botting, R. M. und Hla, T. (2004):
Cyclooxygenase isozymes: the biology of prostaglandin synthesis and inhibition.
Pharmacol Rev 56 (3). 387-437.

Skarzynski, D. J.; Miyamoto, Y. und Okuda, K. (2000):
Production of prostaglandin f(2alpha) by cultured bovine endometrial cells in response to tumor necrosis factor alpha: cell type specificity and intracellular mechanisms.
Biol Reprod 62 (5). 1116-20.

Skarzynski, D. J.; Bah, M. M.; Deptula, K. M.; Woclawek-Potocka, I.; Korzekwa, A.; Shibaya, M.; Pilawski, W. und Okuda, K. (2003):
Roles of tumor necrosis factor-alpha of the estrous cycle in cattle: an in vivo study.
Biol Reprod 69 (6). 1907-13.

- Skinner, J. G. (2001):
International standardization of acute phase proteins.
Vet Clin Pathol 30 (1). 2-7.
- Staggs, K. L.; Austin, K. J.; Johnson, G. A.; Teixeira, M. G.; Talbott, C. T.; Dooley, V. A. und Hansen, T. R. (1998):
Complex induction of bovine uterine proteins by interferon-tau.
Biol Reprod 59 (2). 293-7.
- Starckx, S.; Wuyts, A.; Opsomer, I.; Van Coillie, E.; Proost, P.; Arnold, B.; Van Damme, J. und Opdenakker, G. (2002):
Recombinant mouse granulocyte chemotactic protein-2: production in bacteria, characterization, and systemic effects on leukocytes.
J Interferon Cytokine Res 22 (9). 965-74.
- Struyf, S.; Gouwy, M.; Dillen, C.; Proost, P.; Opdenakker, G. und Van Damme, J. (2005):
Chemokines synergize in the recruitment of circulating neutrophils into inflamed tissue.
Eur J Immunol 35 (5). 1583-91.
- Stünzi, H., Weiss, E. (1990):
Allgemeine Pathologie für Tierärzte und Studierende der Veterinärmedizin. -: Parey-Verlag. -
- Sun, T.; Li, S. J.; Diao, H. L.; Teng, C. B.; Wang, H. B. und Yang, Z. M. (2004):
Cyclooxygenases and prostaglandin E synthases in the endometrium of the rhesus monkey during the menstrual cycle.
Reproduction 127 (4). 465-73.
- Tabibzadeh, S. (1998):
Molecular control of the implantation window.
Hum Reprod Update 4 (5). 465-71.
- Tanabe, T. und Tohnai, N. (2002):
Cyclooxygenase isozymes and their gene structures and expression.
Prostaglandins Other Lipid Mediat 68-69. 95-114.
- Teixeira, M. G.; Austin, K. J.; Perry, D. J.; Dooley, V. D.; Johnson, G. A.; Francis, B. R. und Hansen, T. R. (1997):
Bovine granulocyte chemotactic protein-2 is secreted by the endometrium in response to interferon-tau (IFN-tau).
Endocrine 6 (1). 31-7.
- Tenhagen, B. A. und Heuwieser, W. (1999):
Comparison of a conventional reproductive management programme based on rectal palpation and uterine treatment of endometritis with a strategic prostaglandin F2 alpha programme.
Zentralbl Veterinarmed A 46 (3). 167-76.

Terranova, P. F.; Hunter, V. J.; Roby, K. F. und Hunt, J. S. (1995):
Tumor necrosis factor-alpha in the female reproductive tract.
Proc Soc Exp Biol Med 209 (4). 325-42.

Thatcher, W. W.; Guzeloglu, A.; Mattos, R.; Binelli, M.; Hansen, T. R. und Pru, J. K. (2001):
Uterine-conceptus interactions and reproductive failure in cattle.
Theriogenology 56 (9). 1435-50.

Ting, S. T.; Earley, B. und Crowe, M. A. (2003):
Effect of repeated ketoprofen administration during surgical castration of bulls on cortisol,
immunological function, feed intake, growth, and behavior.
J Anim Sci 81 (5). 1253-64.

Van Coillie, E.; Van Aelst, I.; Wuyts, A.; Vercauteren, R.; Devos, R.; De Wolf-Peeters, C.;
Van Damme, J. und Opdenakker, G. (2001):
Tumor angiogenesis induced by granulocyte chemotactic protein-2 as a countercurrent
principle.
Am J Pathol 159 (4). 1405-14.

Van Damme, J.; Wuyts, A.; Froyen, G.; Van Coillie, E.; Struyf, S.; Billiau, A.; Proost, P.;
Wang, J. M. und Opdenakker, G. (1997):
Granulocyte chemotactic protein-2 and related CXC chemokines: from gene regulation to
receptor usage.
J Leukoc Biol 62 (5). 563-9.

van Miert, A. S. (1995):
Pro-inflammatory cytokines in a ruminant model: pathophysiological, pharmacological, and
therapeutic aspects.
Vet Q 17 (2). 41-50.

Van Vlierberghe, H.; Langlois, M. und Delanghe, J. (2004):
Haptoglobin polymorphisms and iron homeostasis in health and in disease.
Clin Chim Acta 345 (1-2). 35-42.

Volopich, S.; Benetka, V.; Schwendenwein, I.; Mostl, K.; Sommerfeld-Stur, I. und Nell, B.
(2005):
Cytologic findings, and feline herpesvirus DNA and Chlamydophila felis antigen detection
rates in normal cats and cats with conjunctival and corneal lesions.
Vet Ophthalmol 8 (1). 25-32.

Warner, T. D. und Mitchell, J. A. (2004):
Cyclooxygenases: new forms, new inhibitors, and lessons from the clinic.
Faseb J 18 (7). 790-804.

Watson, E. D.; Diehl, N. K. und Evans, J. F. (1990):
Antibody response in the bovine genital tract to intrauterine infusion of *Actinomyces*
pyogenes.
Res Vet Sci 48 (1). 70-5.

Williams, B. L.; Gwazdauskas, F. C. und Pearson, R. E. (1992):
The effect of day of the estrous cycle, location of ovulatory structure, and progesterone on in vitro bovine endometrial secretions.
J Dairy Sci 75 (8). 2112-8.

Williams, M. A.; Cave, C. M.; Quaid, G. und Solomkin, J. S. (1999):
Chemokine regulation of neutrophil function in surgical inflammation.
Arch Surg 134 (12). 1360-6.

Wolf, E.; Arnold, G. J.; Bauersachs, S.; Beier, H. M.; Blum, H.; Einspanier, R.; Frohlich, T.; Herrler, A.; Hiendleder, S.; Kolle, S.; Prelle, K.; Reichenbach, H. D.; Stojkovic, M.; Wenigerkind, H. Sinowitz, F. (2003):
Embryo-maternal communication in bovine - strategies for deciphering a complex cross-talk.
Reprod Domest Anim 38 (4). 276-89.

Wolf, M.; Delgado, M. B.; Jones, S. A.; Dewald, B.; Clark-Lewis, I. und Baggolini, M. (1998):
Granulocyte chemotactic protein 2 acts via both IL-8 receptors, CXCR1 and CXCR2.
Eur J Immunol 28 (1). 164-70.

Xiao, C. W.; Liu, J. M.; Sirois, J. und Goff, A. K. (1998):
Regulation of cyclooxygenase-2 and prostaglandin F synthase gene expression by steroid hormones and interferon-tau in bovine endometrial cells.
Endocrinology 139 (5). 2293-9.

Xiao, C. W.; Murphy, B. D.; Sirois, J. und Goff, A. K. (1999):
Down-regulation of oxytocin-induced cyclooxygenase-2 and prostaglandin F synthase expression by interferon-tau in bovine endometrial cells.
Biol Reprod 60 (3). 656-63.

Zerbe, H.; Ossadnik, C.; Leibold, W. und Schuberth, H. J. (2001):
Influence of *Escherichia coli* and *Arcanobacterium pyogenes* isolated from bovine puerperal uteri on phenotypic and functional properties of neutrophils.
Vet Microbiol 79 (4). 351-65.

Zerbe, H.; Ossadnik, C.; Leibold, W. und Schuberth, H. J. (2002):
Lochial secretions of *Escherichia coli*- or *Arcanobacterium pyogenes*-infected bovine uteri modulate the phenotype and the functional capacity of neutrophilic granulocytes.
Theriogenology 57 (3). 1161-77.