

8 Literaturverzeichnis

ANDREW, S.M.; ERDMAN, R.A.; WALDO, D.R. (1995):

Prediction of body composition of dairy cows at three physiological stages from deuterium oxide and urea dilution.

J. Dairy Sci. **78**, 1083-1095

BASSET, J.M.; WESTON, R.H.; HOGAN, J.P. (1971):

Dietary regulation of plasma insulin and growth hormone concentrations in sheep.

Aust. J. Biol. Sci. **24**, 321-330

BAUMAN, D.E.; CURRIE, W.B. (1980):

Partitioning of nutrients during pregnancy and lactation: A review of mechanisms involving homeostasis and homeorhesis.

J. Dairy Sci. **63**, 1514-1529

BERCHTOLD, M. (1995):

Bedeutung der Fruchtbarkeitsstörungen.

In: Grunert, E.; Berchtold, M. (1995): Fertilitätsstörungen beim weiblichen Rind.

2., unveränderte Auflage.

Blackwell-Wiss.-Verl., Berlin, 20-24

BERGHORN, K.A.; ALLRICH, R.D.; NOLLER, C.H. (1988):

Energy balance and reproductive traits of postpartum dairy cattle.

J. Dairy Sci. **71**, Suppl. 1, 171

BERGMANN, J.; HEUWIESER, W.; FISCHER, B.; BRÜCKMANN, A. (1999):

Reaktion der Hypophyse auf eine einmalige GnRH-Applikation in Abhängigkeit von der Energiebilanz bei Kühen im Puerperium.

Tierärztl. Praxis **27**, 154-160

BERTICS, S.J.; GRUMMER, R.R.; CADORNIGA-VALINO, C.;

STODDARD, E.E. (1992):

Effect of prepartum dry matter intake on liver triglyceride concentration and early lactation.

J. Dairy Sci. **75**, 1914-1922

BINES, J.A.; HART, I.C. (1982):

Metabolic limits to milk production, especially roles of growth hormone and insulin.

J. Dairy Sci. **65**, 1375-1389

BINES, J.A.; MORANT, S.V. (1983):

The effect of body condition on metabolic changes associated with intake of food by the cow.

Br. J. Nutr. **50**, 81-89

**BOISCLAIR, Y.; GRIEVE, D.G.; STONE, J.B.; ALLEN, O.B.;
MACLEOD, G.K. (1986):**

Effect of prepartum energy, body condition, and sodium bicarbonate on production of cows in early lactation.

J. Dairy Sci. **69**, 2636-2647

BURKE, J.M.; HAMPTON, J.H.; STAPLES, C.R.; THATCHER, W.W. (1998):

Body condition influences maintenance of a persistent first wave dominant follicle in dairy cattle.

Theriogenology **49**, 751-760

BUTLER, W.R.; EVERETT, R.W.; COPPOCK, C.E. (1981):

The relationships between energy balance, milk production and ovulation in postpartum Holstein cows.

J. Anim. Sci. **53**, 742-748

BUTLER, W.R.; SMITH, R.D. (1989):

Interrelationships between energy balance and postpartum reproductive function in dairy cattle.

J. Dairy Sci. **72**, 767-783

**CADORNIGA-VALINO, C.; GRUMMER, R.R.; ARMENTANO, L.E.; DONKIN, S.S.;
BERTICS, S.J. (1997):**

Effects of fatty acids and hormones on fatty acid metabolism and gluconeogenesis in bovine hepatocytes.

J. Dairy Sci. **80**, 646-656

**CAMERON, R.E.B.; DYK, P.B.; HERDT, T.H.; KANEENE, J.B.; MILLER, R.;
BUCHOLTZ, H.F.; LIESMAN, J.S.; VANDEHAAR, M.J.; EMERY, R.S. (1998):**

Dry cow diet, management, and energy balance as risk factors for displaced abomasum in high producing dairy herds.

J. Dairy Sci. **81**, 132-139

CIMBAL, D. (1990):

Methodische Untersuchungen zur Messung der Rückenfettdicke beim Rind.

Fachtierarztarbeit. Humboldt-Univ., Berlin

COPPOCK, C.E.; NOLLER, C.H.; WOLFE, S.A. (1974):

Effect of energy-concentrate ratio in complete feeds fed ad libitum on energy intake in relation to requirements by dairy cows.

J. Dairy Sci. **57**, 1371-1380

CORREA, M.T.; CURTIS, C.R., ERB, H.N.; SCARLETT, J.M.; SMITH, R.D. (1990):

An ecological analysis of risk factors for postpartum disorders of Holstein-Friesian cows from thirty-two New York farms.

J. Dairy Sci. **73**, 1515-1524

DÄMMRICH, K.; LOPPNOW, H. (1990):

Stoffwechselstörungen.

In: Stünzi, H.; Weiss, E. (1990): Allgemeine Pathologie für Tierärzte und Studierende der Tiermedizin. 8., überarbeitete Auflage.

Parey Verlag, Berlin, 65-153

DE KRUIF, A.; MANSFELD, R.; HOEDEMAKER, M. (1998):

Milchleistung und Fütterung.

In: Tierärztliche Bestandsbetreuung beim Milchrind.

F. Enke Verl., Stuttgart, 118-172

DE VRIES, M.J.; VEERKAMP, R.F. (2000):

Energy balance of dairy cattle in relation to milk production variables and fertility.

J. Dairy Sci. **83**, 62-69

DOMECQ, J.J.; SKIDMORE, A.L.; LLOYD, J.W.; KANEENE, J.B. (1995):

Validation of body condition scores with ultrasound measurements of subcutaneous fat of dairy cows.

J. Dairy Sci. **78**, 2308-2313

DOMECQ, J.J.; SKIDMORE, A.L.; LLOYD, J.W.; KANEENE, J.B. (1997a):

Relationship between body condition scores and milk yield in a large dairy herd of high yielding Holstein cows.

J. Dairy Sci. **80**, 101-112

DOMECQ, J.J.; SKIDMORE, A.L.; LLOYD, J.W.; KANEENE, J.B. (1997b):

Relationship between body condition scores and conception at first artificial insemination in a large dairy herd of high yielding Holstein cows.

J. Dairy Sci. **80**, 113-120

DOMINGUEZ, M.M. (1995):

Effects of body condition, reproductive status and breed on follicular population and oocyte quality in cows.

Theriogenology **43**, 1405-1418

DYK, P.B.; EMERY, R.S.; LIESMAN, J.L.; BUCHOLTZ, H.F.;

VANDEHAAR, M.J. (1995):

Prepartum non-esterified fatty acids in plasma are higher in cows developing periparturient health problems.

J. Dairy Sci. **78**, Suppl.1, 264

ECHTERNKAMP, S.E.; HANSEL, W. (1973):

Concurrent changes in bovine plasma hormone levels prior to and during the first postpartum estrous cycle.

J. Anim. Sci. **37**, 1362-1370

EDGERTON, L.A.; HAFS, H.D. (1973):

Serum luteinizing hormone, prolactin, glucocorticoid, and progesterin in dairy cows from calving to gestation.

J. Dairy Sci. **56**, 451-458

- EDMONSON, A.J.; LEAN, I.J.; WEAVER, L.D.; FARVER, T.; WEBSTER, G. (1989):**
A body condition scoring chart for Holstein cows.
J. Dairy Sci. **72**, 68-78
- ENEVOLDSEN, C.; KRISTENSEN, T. (1997):**
Estimation of body weight from body size measurements and body condition scores in dairy cows.
J. Dairy Sci. **80**, 1988-1995
- ERB, H.N.; GROHN, Y.T. (1988):**
Symposium: Health problems in the periparturient cow. Epidemiology of metabolic disorders in the periparturient dairy cow.
J. Dairy Sci. **71**, 2557-2571
- FAULKNER, D.B.; PARRETT, D.F.; McKEITH, F.K.; BERGER, L.L. (1990):**
Prediction of fat cover and carcass composition from live and carcass measurements.
J. Anim. Sci. **68**, 604-610
- FERGUSON, J.D.; OTTO, K.A.; FOX, D.G.; SNIFFEN, C.J. (1990):**
Relationship between body condition score and composition of 9-12th rib tissue in Holstein dairy cows.
J. Dairy Sci. **73**, Suppl. 1, 190
- FERGUSON, J.D.; OTTO, K.A.; SNIFFEN, C.J.; FOX, D.G. (1991a):**
Quantitating body condition change.
J. Dairy Sci. **74**, Suppl. 1, 276
- FERGUSON, J.D.; SNIFFEN, C.J. (1991b):**
Effect of body condition on intake of rations supplemented with fat.
J. Dairy Sci. **74**, Suppl. 1, 277
- FERGUSON, J.D. (1991c):**
Nutrition and reproduction in dairy cows.
Vet. Clin. North Am.: Food Anim. Pract. **7**, 483-507
- FERGUSON, J.D. (1992):**
Body Condition Scoring.
Adv. Dairy Cattle Nutr. Sem. Am. Assoc. Bovine Pract. Conf., Minneapolis, MN
- FERGUSON, J.D.; GALLIGAN, D.T.; THOMSEN, N. (1994):**
Principal descriptors of body condition score in Holstein cows.
J. Dairy Sci. **77**, 2695-2703
- FERNANDES, L.C.; THATCHER, W.W.; WILCOX, C.J.; CALL, E.P. (1978):**
LH release in response to GnRH during the postpartum period of dairy cows.
J. Anim. Sci. **46**, 443-448
- FOSTER, L.A. (1988):**
Clinical ketosis.
Vet. Clin. North Am.: Food Anim. Pract. **4**, 253-257

FRONK, T.J.; SCHULTZ, L.H., HARDIE, A.R. (1980):

Effect of dry cow overconditioning on subsequent metabolic disorders and performance of dairy cows.

J. Dairy Sci. **63**, 1080-1090

FÜRLI, M.; KRÜGER, M. (1998):

Alternative Möglichkeiten zur Prophylaxe der Dislocatio abomasi beim Rind.

Vortragssus. BPT-Kongr. 1998 Braunschweig, Hrsg.: BPT e.V., Frankfurt/M., 8-11

FUNK, D.A.; FREEMAN, A.E.; BERGER, P.J. (1987):

Effects of previous days open, previous days dry, and present days open on lactation yield.

J. Dairy Sci. **70**, 2366-2373

GALLO, L.; CARNIER, P.; CASSANDRO, M.; MANTOVANI, R.; BAILONI, L.; CONTIERO, B.; BITTANTE, G. (1996):

Change in body condition score of Holstein cows as affected by parity and mature equivalent milk yield.

J. Dairy Sci. **79**, 1009-1015

GARNSWORTHY, P.C.; TOPPS, J.H. (1982):

The effect of body condition of dairy cows at calving on their food intake and performance when given complete diets.

Anim. Prod. **35**, 113-120

GARNSWORTHY, P.C.; JONES, G.P. (1987):

The influence of body condition at calving and dietary protein supply on voluntary food intake and performance in dairy cows.

Anim. Prod. **44**, 347-352

GEARHART, M.A.; CURTIS, C.R.; ERB, H.N.; SMITH, R.D.; SNIFFEN, C.J.; CHASE, L.E.; COOPER, M.D. (1990):

Relationship of changes in condition score to cow health in Holsteins.

J. Dairy Sci. **73**, 3132-3140

GERLOFF, B.J.; HERDT, T.H.; EMERY, R.S. (1986):

Relationship of hepatic lipidosis to health and performance in dairy cattle.

JAVMA **188**, 845-850

GOFF, J.P.; HORST, R.L. (1997):

Physiological changes at parturition and their relationships to metabolic disorders.

J. Dairy Sci. **80**, 1260-1268

GRESHAM, J.D.; HOLLOWAY, J.W.; BUTTS, W.T.; McCURLEY, J.R. (1986):

Prediction of mature cow carcass composition from live animal measurements.

J. Anim. Sci. **63**, 1041-1049

GRUM, D.E.; DRACKLEY, J.K.; YOUNKER, R.S.; LaCOUNT, D.W.; VEENHUIZEN, J.J. (1996):

Nutrition during the dry period and hepatic lipid metabolism of periparturient dairy cows.
J. Dairy Sci. **79**, 1850-1864

GRUMMER, R.R. (1993):

Etiology of lipid-related metabolic disorders in periparturient dairy cows.
J. Dairy Sci. **76**, 3882-3896

GRUMMER, R.R.; HOFFMANN, P.C.; LUCK, M.L.; BERTICS, S.J. (1995):

Effect of prepartum and postpartum dietary energy on growth and lactation of primiparous cows.
J. Dairy Sci. **78**, 172-180

HADY, P.J.; DOMEQ, J.J.; KANEENE, J.B. (1994a):

Frequency and precision of body condition scoring in dairy cattle.
J. Dairy Sci. **77**, 1543-1547

HADY, P.J.; DOMEQ, J.J.; KANEENE, J.B. (1994b):

A computer based body condition management system: case example.
Comp. Contin. Educ. Prac. Vet. **16**, 1383-1390

HAMUDIQUWANDA, H.; ERB, H.N.; SMITH, R.D. (1987):

Effects of sixty-day milk yield on postpartum breeding performance in Holstein cows.
J. Dairy Sci. **70**, 2355-2365

HANSEN, L.B.; FREEMAN, A.E.; BERGER, P.J. (1983):

Yield and fertility relationships in dairy cattle.
J. Dairy Sci. **66**, 293-305

HARRISON, R.O.; FORD, S.P.; YOUNG, J.W.; CONLEY, A.J.; FREEMAN, A.E. (1990):

Increased milk production versus reproductive and energy status of high producing dairy cows.
J. Dairy Sci. **73**, 2749-2758

HART, I.C.; BINES, J.A.; MORANT, S.V.; RIDLEY, J.L. (1978):

Endocrine control of energy metabolism in the cow: Comparison in the levels of hormones (prolactin, growth hormone, insulin and thyroxine) and metabolites in the plasma of high- and low-yielding cattle at various stages of lactation.
J. Endocrinol. **77**, 333-341

HEUER, C.; SCHUKKEN, Y.H.; DOBBELAAR, P. (1999):

Postpartum body condition score and results from the first test day milk as predictors of disease, fertility, yield, and culling in commercial dairy herds.
J. Dairy Sci. **82**, 295-304

HEUWIESER, W.; BERGMANN, J. (1996):

Body condition scoring. Kühe nach Noten füttern.
Top Agrar **3/96**, 8-11

HIGHTSHOE, R.B.; COCHRAN, R.C.; CORAH, L.R.; KIRACOFE, G.H.; HARMON, D.L.; PERRY, R.C. (1991):

Effects of calcium soaps of fatty acids on postpartum reproductive function in beef cows.
J. Anim. Sci. **69**, 4097-4103

HOFMANN, W. (1992):

Rinderkrankheiten. Band 1: Innere und chirurgische Erkrankungen.
Verlag Eugen Ulmer, Stuttgart, 304-305

HOLTER, J.B.; SLOTNICK, M.J.; HAYES, H.H.; BOZAK, C.K.; URBAN JR., W.E.; MCGILLIARD, M.L. (1990):

Effect of prepartum dietary energy on condition score, postpartum energy, nitrogen partitions, and lactation production responses.
J. Dairy Sci. **73**, 3502-3511

HOUSEKNECHT, K.L.; BAILE, C.A.; MATTERI, R.L.; SPURLOCK, M.E. (1998):

The biology of leptin: A review.
J. Anim. Sci. **76**, 1405-1420

HOUGHTON, P.L.; TURLINGTON, L.M. (1992):

Application of ultrasound for feeding and finishing animals: A review.
J. Anim. Sci. **70**, 930-941

IMAKAWA, K.; DAY, M.L., ZALESKY, D.D.; CLUTTER, A.; KITOK, R.J.; KINDER, J.E. (1987):

Effects of 17β -Estradiol and diets varying in energy on secretion of luteinizing hormone in beef heifers.
J. Anim. Sci. **64**, 805-815

JACOBI, U.; LEMKE, B.; KIRST, E.; STAUFENBIEL, R.; ROSSOW, N. (1987):

Informationsgehalt von Milchinhaltsstoffen für die Beurteilung des Energie- und Fettstoffwechsels der Milchkuh.
Ber. Humboldt-Univ. **7/11**, 50-51

JEFFERIES, B.C. (1961):

Body condition scoring and its use in management.
J. Agric., Min. Agric. **32**, 19-27

JOHNSON, D.G.; OTTERBY, D.E. (1981):

Influence of dry period diet on early postpartum health, feed intake, milk production, and reproductive efficiency of Holstein cows.
J. Dairy Sci. **64**, 290-295

KARG, H. (1995):

Regulation der Sexualfunktionen.
In: Grunert, E.; Berchtold, M. (1995): Fertilitätsstörungen beim weiblichen Rind. 2., unveränderte Auflage.
Blackwell-Wiss.-Verl., Berlin, 63-72

KERTZ, A.F.; REUTZEL, L.F.; BARTON, B.A.; ELY, R.L. (1997):

Body weight, body condition score, and wither height of prepartum Holstein cows and birth weight and sex of calves by parity: A database and summary.
J. Dairy Sci. **80**, 525-529

KING, G.J.; HURNIK, J.F.; ROBERTSON, H.A. (1976):

Ovarian function and estrus in dairy cows during early lactation.
J. Anim. Sci. **42**, 688-692

KIRCHGESSNER, M. (1992):

Hinweise zur praktischen Milchviehfütterung.
In: Tierernährung: Leitfaden für Studium, Beratung und Praxis.
DLG-Verlag, Frankfurt, 8.Aufl., 306-327

KLAWUHN, D.; STAUFENBIEL, R. (1997a):

Aussagekraft der Rückenfettdicke zum Körperfettgehalt beim Rind.
Tierärztl. Praxis **25**, 133-138

KLAWUHN, D.; STAUFENBIEL, R. (1997b):

Die Ermittlung der Körperzusammensetzung über die Gesamtkörperwasserbestimmung mit Phenazon zur Beschreibung des Körperfettansatzes beim Rind.
Dtsch. Tierärztl. Wochenschr. **104**, 515-520

KLUG, F.; FRANZ, H.; JÄNSCH, G.; LEMME, F. (1989):

Auswirkungen des Fütterungsniveaus in der Früh lactation auf die Gesundheit und die Konzeptionsergebnisse von Milchkühen bei Gruppenfütterung.
Tierzucht **43**, 56-57

KRONFELD, D.S. (1982):

Major metabolic determinants of milk volume, mammary efficiency and spontaneous ketosis in dairy cows.
J. Dairy Sci. **65**, 2204-2212

LABEN, R.L.; SHANKS, R.; BERGER, P.J.; FREEMAN, A.E. (1982):

Factors affecting milk yield and reproductive performance.
J. Dairy Sci. **65**, 1004-1015

LAMMING, G.E.; PETERS, A.R.; RILEY, G.M.; FISHER, M.W. (1982):

Endocrine regulation of postpartum function.
Curr. Top. Vet. Med. Anim. Sci. **20**, 148-172

LEUTHOLD, G.; REINECKE, P. (1987):

Züchtung auf Futteraufnahmevermögen. Möglichkeiten und Probleme.
Tierzucht **41**, 228-231

LEUTHOLD, G.; VOIGT, W.; REINECKE, P. (1988):

Ergebnisse aus Untersuchungen zur züchterischen Verbesserung der Futteraufnahme bei Milchkühen.
Ber. Humboldt-Univ. **8/4**, 52-53

LÖSCHNER, U.; STAUFENBIEL, R. (1996):

Schätzung der Rückenfettdicke als Methode der Körperkonditionsbeurteilung bei Milchrindern.

Prakt. Tierarzt **77**, 816-824

LOTTHAMMER, K.H. (1981):

Gesundheits- und Fruchtbarkeitsstörungen beim Milchrind.

Tierärztl. Praxis **9**, 541-551

LOTTHAMMER, K.H. (1995):

Umweltbedingte Fruchtbarkeitsstörungen.

In: Grunert, E.; Berchtold, M. (1995): Fertilitätsstörungen beim weiblichen Rind. 2., unveränderte Auflage.

Blackwell-Wiss.-Verl., Berlin, 390-432

LOWMAN, B.G.; SCOTT, N.A.; SOMERVILLE, S.H. (1976):

Condition scoring of cattle.

East Scotl. Coll. Agric., Anim. Prod., Bull. No. **6**

LUCY, M.C.; STAPLES, C.R.; MICHEL, F.M.; THATCHER, W.W. (1991a):

Energy balance and size and number of ovarian follicles detected by ultrasonography in early postpartum dairy cows.

J. Dairy Sci. **74**, 473-482

LUCY, M.C.; STAPLES, C.R.; MICHEL, F.M.; THATCHER, W.W.; BOLT, D.J. (1991b):

Effect of feeding calcium soaps to early postpartum dairy cows on plasma prostaglandin F_{2α}, luteinizing hormone, and follicular growth.

J. Dairy Sci. **74**, 483-489

LUSSIER, J.G.; MATTON, P.; DUFOUR, J.J. (1987):

Growth rates of follicles in the ovary of the cow.

J. Reprod. Fert. **81**, 301-307

MACMILLAN, K.L.; LEAN, I.J.; WESTWOOD, C.T. (1996):

The effects of lactation on the fertility of dairy cows.

Aust. Vet. J. **73**, 141-147

MALVEN, P.V. (1984):

Pathophysiology of the puerperium: Definition of the problem.

Proc. Int. Congr. Anim. Reprod. Artif. Insemin. **4**, 1111-1113

MARKUSFELD, O. (1985):

Relationship between overfeeding, metritis and ketosis in high yielding dairy cows.

Vet. Rec. **116**, 489-491

MARKUSFELD, O.; GALON, N.; EZRA, E. (1997):

Body condition score, health, yield and fertility in dairy cows.

Vet. Rec. **141**, 67-72

- MAURASSE, C.; MATTON, P.; DUFOUR, J.J. (1985):**
Ovarian follicular populations at two stages of an estrous cycle in heifers given high energy diets.
J. Anim. Sci. **61**, 1194-1200
- McNAMARA, J.P.; HILLERS, J.K. (1986a):**
Regulation of bovine adipose tissue metabolism during lactation. 1. Lipid synthesis in response to increased milk production and decreased energy intake.
J. Dairy Sci. **69**, 3032-3041
- McNAMARA, J.P.; HILLERS, J.K. (1986b):**
Regulation of bovine adipose tissue metabolism during lactation. 2. Lipolysis response to milk production and energy intake.
J. Dairy Sci. **69**, 3041-3050
- McNAMARA, J.P. (1991):**
Regulation of adipose tissue metabolism in support of lactation.
J. Dairy Sci. **74**, 706-719
- METZ, S.H.M.; VAN DEN BERG, H.M. (1977):**
Regulation of fat mobilization in adipose tissue of dairy cows in the period around parturition.
Neth. J. Agric. Sci. **25**, 198-206
- MEYER, H. (Hrsg.) (1993):**
Supplemente zu Vorlesungen und Übungen in der Tierernährung.
Schaper-Verl., 8. Aufl., 143-145
- MOE, P.W.; TYRRELL, H.F. (1972):**
Metabolizable energy requirements of pregnant dairy cows.
J. Dairy Sci. **55**, 480-483
- MORROW, D.A. (1976):**
Fat cow syndrome.
J. Dairy Sci. **59**, 1625-1629
- MORROW, D.A.; HILLMAN, D.; DADE, A.W. (1979):**
Clinical investigation of a dairy herd with the fat cow syndrome.
J. Am. Vet. Med. Assoc. **174**, 161-167
- MÜLLER, S.; JÄNICKE, U. (1991):**
Möglichkeiten der Konditionsbeurteilung von Milchkühen mit Hilfe der Rückenfettdickenmessung.
Tierzucht **45**, 553-555
- MULVANY, P. (1981):**
Dairy cow condition scoring.
Natl. Inst. Res. Dair., Shinfield, Reading, U.K., Handout No. **4468**

NATIONAL RESEARCH COUNCIL (1989):

Nutrient requirements of dairy cattle.
6th rev. ed. Natl. Acad. Sci., Washington, DC.

NEBEL, R.L.; MCGILLIARD, M.L. (1993):

Interactions of high milk yield and reproductive performance in dairy cows.
J. Dairy Sci. **76**, 3257-3268

**NEILSON, D.R.; WHITTEMORE, C.T.; LEWIS, M.; ALLISTON, J.C.;
ROBERTS, D.J.; HODGSON-JONES, L.S.; MILLS, J.; PARKINSON, H.;
PRESCOTT, J.H.D. (1983):**

Production characteristics of high yielding dairy cows.
Anim. Prod. **36**, 321-332

OLDHAM, J.D.; HODGSON-JONES, L.; LEWIS, M. (1994):

Nutritional and management strategies to maximize milk yield of North American
Holstein cattle in the UK.
Veterinary Annual **34**, 1-12

OTTO, K.L.; FERGUSON, J.D.; FOX, D.G.; SNIFFEN, C.J. (1991):

Relationship between body condition score and composition of ninth to eleventh rib
tissue in Holstein dairy cows.
J. Dairy Sci. **74**, 852-859

PARKER, R. (1989):

Body condition scoring of dairy cattle.
Ministry of agriculture and food Ontario, Factsheet Jan.1989, Order-No.89-091

PEDRON, O.; CHELI, F.; SENATORE, E.; BAROLI, D.; RIZZI, R. (1993):

Effect of body condition score at calving on performance, some blood parameters, and
milk fatty acid composition in dairy cows.
J. Dairy Sci. **76**, 2528-2535

**RABIEE, A.R.; LEAN, I.J.; GOODEN, J.M.; MILLER, B.G.;
SCARAMUZZI, R.J. (1997):**

An evaluation of transovarian uptake of metabolites using arterio-venous difference
methods in dairy cattle.
Anim. Reprod. Sci. **48**, 9-25

ROSSOW, N.; BOLDUAN, G.; STAUFENBIEL, R. (1994):

Störungen des Kohlenhydrat- und Fettstoffwechsels.
In: Rossow, N.; Bolduan, G. (1994): Stoffwechselstörungen bei Haustieren.
G. Fischer Verl. Jena, 51-64

RUEGG, P.L. (1991):

Body condition scoring in dairy cows: Relationships with production, reproduction,
nutrition, and health.
Comp. Contin. Educ. Prac. Vet. **13**, 1309-1313

RUEGG, P.L.; MILTON, R.L. (1995):

Body condition scores of Holstein cows on Prince Edward Island, Canada: Relationships with yield, reproductive performance, and disease.

J.Dairy Sci. **78**, 552-564

RUKKWAMSUK, T.; KRUIP, T.A.M.; WENSING, T. (1999):

Relationship between overfeeding and overconditioning in the dry period and the problems of high producing dairy cows during the postparturient period.

Vet. Q **21**, 71-77

RUKKWAMSUK, T.; GEELLEN, M.J.H.; KRUIP, T.A.M.; WENSING, T. (2000):

Interrelation of fatty acid composition in adipose tissue, serum, and liver of dairy cows during the development of fatty liver postpartum.

J.Dairy Sci. **83**, 52-59

RYAN, D.P.; SPOON, R.A.; GRIFFITH, M.K.; WILLIAMS, G.L. (1994):

Ovarian follicular recruitment, granulosa cell steroidogenic potential and growth hormone/insuline-like growth factor I relationships in suckled beef cows consuming high lipid diets: Effects of graded differences in body condition maintained during the puerperium.

Dom. Anim. Endocrinol. **11**, 161-174

SCHILLING, E. (1976):

Zur Fortpflanzung der Kühe nach dem Kalben unter Berücksichtigung fütterungsbedingter Stoffwechselstörungen.

Tierzüchter **28**, 310-312

SCHILLO, K.K. (1992):

Effects of dietary energy on control of luteinizing hormone secretion in cattle and sheep.

J. Anim. Sci., **70**, 1271-1282

SEJRSEN, K.; NEIMANN- SØRENSEN, A. (1982):

Nutritional physiology and feeding of the cow around parturition.

Curr. Top. Vet. Med. Anim. Sci. **20**, 325-357

SHANKS, R.D.; FREEMAN, A.E.; BERGER, P.J. (1979):

Relationship of reproductive factors with interval and rate of conception.

J. Dairy Sci. **62**, 74-80

SHIRLEY, J.E.; EMERY, R.S.; CONVEY, E.M.; OXENDER, W.D. (1973):

Enzymic changes in bovine adipose and mammary tissue, serum and mammary tissue hormonal changes with initiation of lactation.

J. Dairy Sci. **56**, 569-574

SMITH, T.R.; McNAMARA, J.P. (1990):

Regulation of bovine adipose tissue metabolism during lactation. 6. Cellularity and hormone-sensitive lipase activity as affected by genetic merit and energy intake.

J. Dairy Sci. **73**, 772-783

SODERHOLM, C.G.; OTTERBY, D.W.; EHLE, F.R.; LINN, J.G.; HANSON, W.P.; ANNEXSTAD, R.J. (1986):

Effects of different doses of recombinant bovine somatotropin (rbSTH) on milk production, body composition, and condition score in lactating cows.
J. Dairy Sci. **69**, Suppl.1, 152

SØRENSEN, J.T.; ENEVOLDSEN, C. (1991):

Effect of dry period length on milk production in subsequent lactation.
J. Dairy Sci. **74**, 1277-1283

SPALDING, R.W.; EVERETT, R.W.; FOOTE, R.H. (1975):

Fertility in New York artificially inseminated Holstein herds in dairy herd improvement.
J. Dairy Sci. **58**, 718-727

STAPLES, C.R.; THATCHER, W.W.; CLARK, J.H. (1990):

Relationship between ovarian activity and energy status during the early postpartum period of high producing dairy cows.
J. Dairy Sci. **73**, 938-947

STAUFENBIEL, R.; ROSSOW, N.; JACOBI, U. (1987):

Zur Milchproduktion aus der Sicht des Energie- und Fettstoffwechsels.
Ber. Humboldt-Univ. **7/11**, 26-34

STAUFENBIEL, R.; LANGHANS, J.; BAUER, J.; DARGEL, D.; ROSSOW, N.; LEUTHOLD, G. (1989a):

Untersuchungen zur Beurteilung der postpartalen Energiebilanz der Milchkuh.
Mh. Vet.-Med. **44**, 594-598

STAUFENBIEL, R.; LAURITSEN, L.; STAUFENBIEL, B.; ROSSOW, N. (1989b):

Beziehungen zwischen der Rückenfettdicke im postpartalen Zeitraum und dem Leistungsvermögen von Jungkühen.
Mh. Vet.-Med. **44**, 836-840

STAUFENBIEL, R.; STAUFENBIEL, B.; LACHMANN, I.; LUKAS, H. (1991):

Fettstoffwechsel und Fruchtbarkeit der Milchkuh.
Prakt. Tierarzt, Sonderheft Coll. Vet. **XXII**, 18-25

STAUFENBIEL, R.; MEIER, R.; HACKBARTH, K.H.; STAUFENBIEL, B.; ROSSOW, N. (1992a):

Untersuchungen zum optimalen Fettansatz bei der Milchkuh.
Mh. Vet.-Med. **47**, 125-136

STAUFENBIEL, R. (1992b):

Energie- und Fettstoffwechsel des Rindes - Untersuchungskonzept und Messung der Rückenfettdicke.
Mh. Vet.-Med. **47**, 467-474

STAUFENBIEL, R.; STAUFENBIEL, B.; ROSSOW, N.; WIEDEMANN, F. (1993):

Energie- und Fettstoffwechsel des Rindes - Vergleich der Aussage der Rückenfettdicke mit anderen Untersuchungsgrößen.

Mh. Vet. Med. **48**, 167-174

STAUFENBIEL, R. (1997):

Konditionsbeurteilung von Milchkühen mit Hilfe der sonographischen Rückenfett-dickenmessung.

Prakt. Tierarzt, coll. vet. **27**, 87-92

STEVENSON, J.S.; BRITT, J.H. (1979):

Relationships among luteinizing hormone, estradiol, progesterone, glucocorticoids, milk yield, body weight and postpartum ovarian activity in Holstein cows.

J. Anim. Sci. **48**, 570-577

TALAVERA, F.; PARK, C.S.; WILLIAMS, G.L. (1985):

Relationships among dietary lipid intake, serum cholesterol and ovarian function in Holstein heifers.

J. Anim. Sci. **60**, 1045-1051

TATMAN, W.R.; JUDKINS, M.B.; DUNN, T.G.; MOSS, G.E. (1990):

Luteinizing hormone in nutrient-restricted ovariectomized ewes.

J. Anim. Sci. **68**, 1097-1102

UPHAM, G.L.; WEAVER, L.D.; GAY, J.; FRANTI, C.E. (1990):

Associations of body condition scores with peak milk yield and reproductive performance in high producing Holstein cows.

J. Dairy Sci. **73**, Suppl. 1, 190

VANDEHAAR, M.J.; YOUSIF, G.; SHARMA, B.K.; HERDT, T.H.; EMERY, R.S.; ALLEN, M.S.; LIESMAN, J.S. (1999):

Effect of energy and protein density of prepartum diets on fat and protein metabolism of dairy cattle in the periparturient period.

J. Dairy Sci. **82**, 1282-1295

VAN ES, A.J.H.; BOEKHOLT, H.A. (1987):

Energy metabolism of farm animals. In: Versteegen, M.W.A.; Henken, A.M.: Energy metabolism in farm animals

Martinus Nijhoff Publishers, Dordrecht, Boston, Lancaster, 3-4

VAN HOUTEN, M.; POSNER, B.I.; KOPRIWA, B.M.; BRAWER, J.R. (1979):

Insulin-binding sites in the rat brain: In vivo localization to the circumventricular organs by radioautography.

Endocrinology **105**, 666-673

VAN MEIRHAEGHE, H.; DEPREZ, P.; VAN DEN HENDE, C.; MUYLLE, E. (1988):

Plasma glucose clearance and insulin response in cows with abomasal displacement.

J. Vet. Med. A **35**, 221-228

VEERKAMP, R.F.; SIMM, G.; HOLDHAM, J.D. (1994):

Effects of interaction between genotype and feeding system on milk production, feed intake, efficiency and body tissue mobilization in dairy cows.
Livest. Prod. Sci. **39**, 229-237

**VILLA-GODOY, A.; HUGHES, T.L.; EMERY, R.S.; CHAPIN, L.T.;
FOGWELL, R.L. (1988):**

Association between energy balance and luteal function in lactating dairy cows.
J. Dairy Sci. **71**, 1063-1072

**VILLA-GODOY, A.; HUGHES, T.L.; EMERY, R.S.; STANISIEWSKI, E.P.;
FOGWELL, R.L. (1990):**

Influence of energy balance and body condition on estrus and estrous cycles in Holstein heifers.
J. Dairy Sci. **73**, 2759-2765

WALTNER, S.S.; McNAMARA, J.P. (1991):

Relationships of body condition score to milk production traits.
J. Dairy Sci. **74**, Suppl. 1, 254

WALTNER, S.S.; McNAMARA, J.P.; HILLERS, J.K. (1993):

Relationships of body condition score to milk production variables in high producing Holstein dairy cattle.
J. Dairy Sci. **76**, 3410-3419

WEAVER, L.D. (1987):

Effects of nutrition on reproduction in dairy cows.
Vet. Clin. North Am.: Food Anim. Pract. **3**, 513-532

**WILDMAN, E.E.; JONES, G.M.; WAGNER, P.E., BOMAN, R.L., TROUTT, J.R.;
LESCH, T.N. (1982):**

A dairy cow body condition scoring system and its relationship to selected production characteristics.
J. Dairy Sci. **65**, 495-501

WILSON, G.F.; MACKENZIE, D.D.; BROOKES, I.M. (1988):

Importance of body tissues as sources of nutrients for milk synthesis in the cow, using ¹³C as a marker.
Br. J. Nutr. **60**, 605-617

ZUREK, E.; FOXCROFT, G.R.; KENNELLY, J.J. (1995):

Metabolic status and interval to first ovulation in postpartum dairy cows.
J. Dairy Sci. **78**, 1909-1920