

6. Literaturverzeichnis

ABRAMSON, I.J. u. SMIBERT, R.M. (1971):

Inhibition of growth of treponemes by antimicrobial agents.
British J. Venereal Dis. 47, 407-412.

AMANN, R.I., SPRINGER, N., LUDWIG, W., GÖRTZ, H.-D., SCHLEIFER, K.-H.
(1991):

Identification *in situ* and phylogeny of uncultured bacterial endosymbionts.
Nature 351, 161-164.

BASSET, H.F., MONHAGHAN, M.L., LENHAN, P., DOHERTY, M.L., CARTER, M.E.
(1990):

Bovine digital dermatitis.
Vet. Rec., 126, 164-165.

BHARIER, M.A., EISERLING, F.A., RITTENBERG, S.C. (1971):

Electron microscopic observation on the structure of *Treponema zuelzeriae* and its axial filaments.
J. Bacteriol. 105, 413-421.

BLAKE, G.C. (1968):

The microbiology of acute ulcerative gingivitis with reference to the culture of oral trichomonads and spirochaetes.
Proc. Royal Soc. Med. 61, 131-136.

BLOWEY, R.W. (1990):

Description and diagnosis of superficial digital lesions in dairy cattle.
In: Proc. 6th International Symposium on Diseases of the Ruminant Digit, Br. Vet. Cattle Assoc., Liverpool, Great Britain 1990, pp. 55-58.

BLOWEY, R. u. SHARP, M.W. (1988):

Digital dermatitis in dairy cattle.
Vet. Rec. 122, 505-508.

BLOWEY R., SHARP, M.W., DONE, S.H. (1992):

Digital dermatitis.
Vet. Rec. 131, 39.

BLOWEY, R.W., DONE, M.H., COOLEY, W. (1994):

Observations on the pathogenesis of digital dermatitis in cattle.
Vet. Rec. 135, 115-117.

BORGMANN, I.E., BAILEY, J., CLARK, E.G. (1996):

Spirochete-associated bovine digital dermatitis.
Can. Vet. J. 37, 35-37.

BOWDEN, G.H. u. HARDIE, J.M. (1971):

Anaerobic organisms from the human mouth.
In: Shapton, D. A., Board, R. G. (eds.), Isolation of anaerobes.
New York: Academic Press. S. 177-205.

BRENTROP, H. u. ADAMS, W. (1990):

Klinische Aspekte der Dermatitis digitalis beim Rind.
Tierärztl. Umschau 45, 311-316.

BROMLEY, D.B. u. CHARON, N.W. (1979):

Axial filament involvement in the motility of *Leptospira interrogans*.
J. Bacteriol. 137, 1406-1412.

BRUNNER, F., ZECCONI, A., MORTELLARO, C.M., MARCA, G., RUFFO, G. (1989):

Isolamento e identificazione di germi anaerobi da lesioni digitali dei bovino da latte.
(Isolation and identification of anaerobic bacteria from digital lesions of dairy cattle.)
Arch. Vet. Ital. 40, 3, 185-189.

BRYANT, M.P. (1952):

The isolation and characteristics of a spirochete from the bovine rumen.
J. Bacteriol. 64, 325-335.

BULL, A.T., GOODFELLOW, M., SLATER, J.H. (1992):

Biodiversity as a source of innovation in biotechnology.
Annu. Rev. Microbiol. 46, 219-252.

BURGDORFER, W., BARBOUR, A.G., HAYES, S.F., BENACH, J.L., GRUNWALDT, E., DAVIS, J.P. (1982):

Lyme-Disease- A Tick Borne Spirochetosis?
Science 216, 1317-1318.

CALDWELL, D.R. u. BRYANT, M P. (1966):

Medium without rumen fluid for nonselective enumeration and isolation of rumen bacteria.
Appl. Microbiol. 14, 794-801.

CHAN, E.C.S., SIBOO, R., TOUYZ, L.Z.G., QIU, Y.-S., KLITORINOS, A. (1993):

A successful method for quantifying viable oral anaerobic spirochetes.
Oral Microbiol. Immunol. 8, 80-83.

CHANDLER, D.P., FREDERICKSON, J.K., BROCKMAN, F.J. (1997):

Effect of PCR template concentration on the composition and distribution of total community 16S rDNA clone libraries.

Mol. Ecol. 6, 475-482.

CHELI, R. u. MORTELLARO, C. (1974):

La dermatide digitale del bovino.

In: Proc. 8th Internat. Conf. Dis. Cattle, Milan, Italy 1974, pp. 208-213.

CHELI, R. u. MORTELLARO, C. (1986):

Digital dermatitis today and tomorrow.

In: Proc. 5th Internat. Symp. Dis. Ruminant Digit, Dublin, Ireland 1986, pp. 8-13.

CHOI, B.-K., PASTER, B.J., DEWHIST, F.E., GÖBEL, U.B. (1994):

Diversity of cultivable and uncultivable oral spirochetes from a patient with severe destructive periodontitis.

Infect. Immun. 62, 1889-1895.

CHOI, B.-K., NATTERMANN, H., GRUND, S., HAIDER, W., GÖBEL, U.B. (1997):

Spirochetes from digital dermatitis lesions in cattle are closely related to treponemes associated with human periodontitis.

Int. J. Syst. Bacteriol. 47, 175-181.

COLLIGHAN, R.J. u. WOODWARD, M.J. (1997):

Spirochaetes and other bacterial species associated with bovine digital dermatitis.

FEMS Microbiol. Letters. 156, 37-41.

CORNELISSE J.L., PETERSE, D.J., TOUSSAINT RAVEN, E. (1981):

Een nieuwe aandoening aan de ondervoet van het rund. Dermatitis digitalis?

Tijdschr. Diergeneesk., 106, 452-455.

CZEKALOWSKI, J. W. u. EAVES, G. (1954):

Formation of granular structures by *Leptospirae* as revealed by the electron microscope.

J. Bacteriol. 67, 619-627.

de LONG, E.F., WICKHAM, G.S., PACE, N.R. (1989):

Phylogenetic stains: ribosomal RNA-based probes for the identification of single cells.

Science 243, 1360-1363.

DEMIRKAN, I., CARTER, S.D., MURRAY, R.D., BLOWEY, R.W., WOODWARD, M.J. (1998):

The frequent detection of a treponeme in bovine digital dermatitis by immunocytochemistry and polymerase chain reaction.

Vet. Microbiol. 60, 285-292.

DIETZ, O., NATTERMANN, H., SIEBERT, J. (1995):

Zur Ätiologie der Dermatitis digitalis des Rindes.

In: KNEZEVIC, P.F. (Hrsg.): Orthopädie bei Huf und Klauentieren. Stuttgart: Schattauer. S. 171-175.

DÖPFER, D. (1994):

Epidemiological investigations of digital dermatitis on two dairy farms.

Dissertation, Tierärztl. Hochsch. Hannover.

DÖPFER, D., KOOPMANS, A., MEIJER, F.A., SZAKÁLL, I., SCHUKKEN, Y.H., KLEE, W., BOSMA, R.B., CORNELISSE, J.L., van ASTEN, A.J.A.M., ter HUURNE, A.A.H.M. (1997):

Histological and bacteriological evaluation of digital dermatitis in cattle, with special reference to spirochaetes and *Campylobacter faecalis*.

Vet. Rec., 140, 620-623.

DONE, S.H., BLOWEY, R.W., COOLEY, W. (1993):

The pathology of digital dermatitis in cattle in the UK.

In: Proc. Amer. Assoc. Vet. Lab. Diag. Meet. Las Vegas, Nevada 1993, p. 69.

ECKERT, K.A. u. KUNKEL, T.A. (1990):

High fidelity DNA synthesis by the *Thermus aquaticus* DNA polymerase.

Nucl. Acid. Res. 18, 3739-3744.

FERGUSON, R.L., BUCKLEY, E.N., PALUMBO, A.V. (1984):

Response of marine bacterioplankton to differential filtration and confinement.

Appl. Environ. Microbiol. 47, 47-55.

FIRZGERALD, R.J. u. HAMPP, E.G. (1952):

Inhibition of oral spirochetes by antibiotic agents in vitro.

J. Dent. Res. 31, 20-24.

GERSDORF, H., PELZ, K., GÖBEL, U.B. (1993):

Fluorescence *in situ* hybridisation for direct visualisation of Gram-negative anaerobes in subgingival plaque samples.

FEMS Immun. Med. Microbiol. 6, 109-114.

GIOVANNONI, S.J. BRITSCHGI, T.B., MOYER, C.L., FIELD, K.G. (1990):

Genetic diversity in Sargasso sea bacterioplankton.

Nature 345, 60-63.

GÖBEL, U.B. u. STANBRIDGE, E.J. (1984):

Cloned mycoplasma ribosomal RNA genes for the detection of mycoplasma contamination in tissue cultures.

Science 226, 1211-1213.

GÖBEL, U.B, GEISER, A., STANBRIDGE, E.J. (1987):

Oligonucleotide probes complementary to variable regions of ribosomal RNA discriminate between *Mycoplasma* species.

J. Gen. Microbiol. 133, 1969-1974.

GOURREAU, J.M., SCOTT, D.W., ROUSSEAU, J.F. (1992):

La dermatite digitale des bovins.

Le Point Veterinaire 24, 49-57.

GRUND, S., NATTERMANN, H., HORSCH, F. (1995):

Zum elektronenmikroskopischen Spirochäten-Nachweis bei der Dermatitis digitalis des Rindes.

J. Vet. Med. 42, 533-542.

GUTELL, R.R., LARSEN, N., WOESE, C.R. (1994):

Lessons from an evolving rRNA: 16S and 23S rRNA structures from a comparative perspective.

Microbiol. Rev. 58, 10-26.

GYÖRKÖS, I., KOVÁCS, K., NYAKAS, I., TARNOKY, Z. (1998):

Influence of lameness caused by digital dermatitis on milk production in dairy cows.

In: Proc. 10th Middle-European Buiatrics Congress, Siofok, Ungarn 1998, pp. 80-84.

HAMPP, E.G. (1957):

Isolation and identification of spirochetes obtained from unexposed canals of pulp-involved teeth.

Oral Surg., Oral Med., Oral Path. 10, 1100-1104.

HAMPP, E.G., SCOTT, D., WYKOFF R.W.G. (1948):

Morphologic characteristics of certain cultured strains of oral spirochetes and *Treponema pallidum* as revealed by electron microscope.

J. Bacteriol. 56, 755-769.

HANNA, P., LOFSTEDT, J., DUIVENVOORDEN, P. (1994):

Papillomatous digital dermatitis in a Canadian dairy herd.

Can. Vet. J. 35, 657.

HANSON, A.W. (1970):

Isolation of spirochetes from primates another mammalian species.

Brit. J. Venereal Dis. 46, 303-306.

HANSON, A.W. u. CANNEFAX, G.R. (1964):

Isolation of *Borrelia refringens* in pure culture from patients with condylomata acuminata.

J. Bacteriol. 88, 111-113.

HARDY, P.H., Jr., LEE, Y.C., NELL, E.E. (1963):

Colonial growth of anaerobic spirochetes on solid media.
J. Bacteriol. 86, 616-626.

HARDY, P.H., Jr., LEE, Y.C., NELL, E.E. (1964):

Use of bacterial culture filtrate as an aid to the isolation and growth of anaerobic spirochetes.
J. Bacteriol. 87, 1512-1525.

HARRIS, D.L., KINYON, J.M., MULLIN, M.T., GLOCK, R.D. (1972):

Isolation and propagation of spirochetes from the colon of swine dysentery affected pigs.
Comp. Med. 36, 74-76.

HOLT, S.C. (1978):

Anatomy and chemistry of spirochetes.
Microbiol. Rev. 42, 114-160.

HOLT, J.G., KRIEG, N.R., SNEATH, P.H.A., STALEY, J.T., WILLIAMS, S.T. (Hrsg.) (1994):

The Spirochetes.
In: Bergey's Manual of Determinative Bacteriology 1994, 9. Edition, S. 27-31.

HOVIND-HOUGEN, K. (1972):

Electron microscopy of *Borrelia merionesi* and *Borrelia recurrentis*.
Acta Pathol. Microbiol. Scand., Sect. B., Suppl. 255, 1-41.

HUNTER, D. u. ROSS, A. (1972):

The spirochaetes from pigs affected with swine dysentery.
Med. Lab. Technol. 29, 201-202.

JOHNSON, R.C. (1976):

Comparative spirochete physiology and cellular composition.
In: JOHNSON, R.C. (ed.): The biology of the parasitic spirochetes. New York: Academic Press. S. 39-48.

JOHNSON, R.C. (1977):

The spirochetes.
Ann. Rev. Microbiol. 31, 89-106.

JOHNSON, R.C. (1986):

Introduction to the Spirochetes.
In: STARR, M.P., STOLP, H., TRÜPER, H.G., BALOWS, A., SCHLEGEL, H. G. (eds.) Bd. 1: The Prokaryotes. Berlin, Heidelberg, New York, Tokyo, Springer Verlag, S. 533-537.

JUKES, T.H. u. CANTOR, C.R. (1969):

Evolution of protein molecules.

In: MUNRO, H.N. (ed.): Mammalian Protein Metabolism. New York: Academic Press, S. 21-132.

KASPAR, C.W. u. TARTRERA, C. (1990):

Methods for detecting microbial pathogens in food and water.

In: GRIGOROVA, R. u. NORIS, J.R. (ed.): Methods in Microbiol. Techniques in Microbial Ecology, Academic Press, 22, S. 497-531.

KAWATA, T. u. INOUE, T. (1964):

Fine structure of the Reiter Treponeme as revealed by electron microscopy using thin sectioning and negative staining techniques.

Jpn. J. Microbiol. 49, 66.

KELLEY, R.O., DEKKER, R.A.F., BLUEMINK, J.G. (1973):

Ligand-mediated osmium binding: its application in coating biological specimens for scanning electron microscopy.

J. Ultrastr. Res. 45, 254-258.

KEOHAVONG, P. u. THILLY, W.G. (1989):

Fidelity of DNA polymerase in DNA amplification.

Proc. Natl. Acad. Sci. USA 86, 9253-9257.

KIMURA, Y., TAKAHASHI, M., MATSUMOTO, N., TSUKUDA, H., SATOH, M., OHKAWARA, K., KANOE, M., GOGO, N., KUBO, M., AOKI, O., HATAYA, M. (1992):

Verrucose dermatitis and digital papillomatosis in dairy cows.

J. Vet. Med., Jpn. 46, 899-906.

KOPCZYNSKI, E., BATESON, M.M., WARD, D.M. (1994):

Recognition of chimeric small-subunit ribosomal DNAs composed of genes from uncultivated microorganisms.

Appl. Environ. Microbiol. 60, 746-748.

KRÜGER, M. u. RÖPKE, M. (1997):

Bakterielle Endotoxine - Ursachen für Erkrankungen bei Tieren.

In: Proc. Endotoxinassoziierte infektiöse u. nichtinfektiöse Erkrankungen bei Tieren, Leipzig, 1997, pp. 7-12.

KÜHN, T. (1996):

Bestandsbetrachtungen im Zusammenhang mit der Immunisierung gegen die Dermatitis digitalis.

Der praktische Tierarzt 77, 1011-1014.

LAEMMLI, U.K. (1970):

Cleavage of structural proteins during the assembly of the head of bacteriophage T4. Nature (London) 227, 680-685.

LANE, D., PACE, B., OLSEN, G.J., STAHL, D.A., SOGIN, M.L., PACE, N.R. (1985):

Rapid determination of 16S ribosomal RNA sequences for phylogenetic analysis. Proc. Natl. Acad. Sci. USA. 82, 6955-6959.

LEACH, W.D., LEE, A., STUBBS, R.P. (1973):

Localization of bacteria in the gastrointestinal tract: A possible explanation of intestinal spirochaetosis.

Infec. Immun. 7, 961-972.

LEE, A. u. PHILLIPS, M. (1978):

Isolation and cultivation of spirochetes and other spiral shaped bacteria associated with the cecal mucosa of rats and mice.

Appl. Environ. Microbiol. 35, 610-613.

LESCHINE, S.B. u. CANALE PAROLA, E. (1980):

Rifampicin as a selective agent for isolation of oral spirochetes.

J. Clin. Microbiol. 12, 792-795.

LIESACK, W., WEYLAND, H., STACKEBRANDT, E. (1991):

Potential risks of gene amplification by PCR as determined by 16S rDNA analysis of a mixed-culture of strict basophilic bacteria.

Microb. Ecol. 21, 191-198.

LOESCHE, W.J. u. SOCRANSKY, S.S. (1962):

Defect in small millipore filters disclosed by new technique for isolating oral treponemes.

Science 138, 139-140.

MANIATIS, T., FRITSCH, E.F., SAMBROCK, J. (1982):

Molecular cloning: A laboratory manual.

Cold Spring Harbor Laboratory, Cold Spring Harbor N.Y.

McLENNAN, M.W. u. McKENZIE, R.A. (1996):

Digital dermatitis in a Friesian cow.

Aust. Vet. J. 74, 314-315.

METZNER, M., DÖPFER, D., PIJIL, R., KEHLER, W. (1995):

Dermatitis digitalis des Rindes: klinisches Bild, Epidemiologie und Maßnahmen.

Der Praktische Tierarzt 76 (collegium veterinarium XXV), 46-50.

METZNER, M., OELKERS, B., SCHMITT, M., KEHLER, W., DÖPFER, D., PIJIL, R., SCHOLZ, H., NATTERMANN, H., KLEE, W. (1996):

Effect of a vaccine using anaerobic isolates for treating bovine digital dermatitis.
In: XIX. World Buiatrics Congress. Edinburgh 8.- 12. July 1996.

MORGAN, J.A.W., WINSTANLEY, C., PICKUP, R.W., JONES, J.G., SAUNDERS, J.R. (1989):

Direct phenotypic and genotypic detection of a recombinant Pseudomonad population released into lake water.
Appl. Environ. Microbiol. 55, 2537-2544.

MORTELLARO, C.M. (1994)

Digital dermatitis.

In: Proc. 8th International Symposium on Disorders of the Ruminant Digit, Banff, Canada 1994, pp. 137-141.

MORTELLARO, C.M., CHELI, R., TOUSSAINT RAVEN, E., CORNELISSE, J.L. (1985):

Dermatitis digitalis bij het rund.
Pro Veterinario 3, 11.

MORTELLARO, C.M., ROMUSSI, S., SCAVIA, G. (1994):

Preliminary report on the onset and evolution of digital skin diseases in a group of 32 heifers.
In: Proc. 8th International Symposium on Disorders of the Ruminant Digit, Banff, Canada 1994, pp. 177-179.

MOTER A., HOENIG, C., CHOI, B.-K., RIEP, B., GÖBEL, U.B. (1998):

Molecular Epidemiology of oral Treponemes associated with periodontal disease.
J. Clin. Microbiol. 36, 1399-1403.

NATTERMANN, H. u. JÄKEL, L. (1994):

Die Dermatitis digitalis des Rindes (Mortellaro)- eine problematische Klauenerkrankung.
VETimpulse 2, 13.

NATTERMANN, H., GRUND, S., EHRLICH, M., ZUCKER, B., CHOI, B.-K., GÖBEL, U.B. (1996):

Zur Ätiologie der Dermatitis Digitalis des Rindes.
In: Proc. Tagung der Dtsch. Vet. Gesellschaft, Fachgruppe Bakteriologie und bakterielle Krankheiten, Rauschholzhausen 1996, pp. 345-351.

NATTERMANN, H., SCHRANK, K., EHRLICH, M., HAIDER, W., CHOI B.-K., GÖBEL, U. B. (1998):

Zur Ätiologie und Immunprophylaxe der Dermatitis digitalis des Rindes.
In: Proc. 10th Middle-European Buiatrics Congress, Siófok 1998, pp.74-84.

NERMUT, M.V. (1973):

Methoden der Negativ-Kontrastierung.

In: Schimmel, G., Vogel, W.(ed.): Methodensammlung der Elektronenmikroskopie. Stuttgart: Wiss. Verlag, S. 1-18.

NUTTER, W.T. u. MOFFITT, J.A. (1990):

Digital dermatitis control.

Vet. Rec. 126, 200-201.

OCHIAI, S., ADACHI, Y., MORI, K. (1997):

Unification of the genera *Serpulina* and *Brachyspira*, and proposal of *Brachyspira hyodysenteriae* comb. nov., *Brachyspira innocens* comb. nov. *Brachyspira pilosicoli* comb. nov.

Microbiol. Immunol. 41, 445-452.

OELKERS, B. (1996):

Untersuchungen zur Wirksamkeit bestandsspezifischer Vakzine gegen Dermatitis digitalis des Rindes in zwei Milchviehbeständen.

Dissertation, Tierärztl. Hochsch. Hannover.

OLSEN, G.J. (1990):

Variation among the masses.

Nature 345, 20.

PACE, N.R., STAHL, D.A., LANE, D.J., OLSEN, G.J. (1986):

The analysis of natural microbial populations by ribosomal RNA sequences.

Adv. Microbiol. Ecology. 9, 1-55.

PASTER, B.J. u. CANALE-PAROLA, E. (1980):

Involvement of periplasmic fibrils in motility of spirochetes.

J. Bacteriol. 141, 359-364.

PASTER, B.J. u. CANALE-PAROLA, E. (1982):

Physiological Diversity of Rumen Spirochetes.

Appl. Environ. Microbiol. 43, 686-693.

PASTER, B.J., DEWHIRST, F.E., WEISBURG, W.G., TORDOFF, L.A., FRASER, G.J., HESPELL, R.B., STANTON, T.B., ZABLEN, L., MANDELCO, L., WOESE, C.R. (1991):

Phylogenetic analysis of the spirochetes.

J. Bacteriol. 173, 6101-6109.

PETERSE, D.J. (1992):

Foot lameness- Dermatitis digitalis.

In: ANDREWS, A.H. (ed.): Bovine medicine, diseases and husbandry of cattle. 1 st ed. Blackwell Scientific Publications. Oxford, Edingburgh 1992, pp. 358-359.

PETERSE, D.J., CORNELISSE J.L., TOUSSAINT RAVEN, E. (1982):

Dermatitis digitalis.

In: Proc. 12th International Conference on Diseases of Dairy cattle, Amsterdam 1982, Groep Geneeskunde van het Rund van de Koninklijke Nederlandse Maatschappij voor

Diergeneeskunde (ed.), Utrecht 1982, pp. 830-832.

RAINEY, F.A., WARD, N., SLY, L.I., STACKEBRANDT, E. (1994):

Dependence on the taxon composition of clone libraries for PCR amplified, naturally occurring 16S rDNA, on the primer pair and the cloning system used.

Experientia 50, 796-797.

RATTRAY, E.A.S., PROSSER, J.I., KILLHAM, K., GLOVER, L.A. (1990):

Luminescence-based nonextractive technique for *in situ* detection of *Escherichia coli* in soil.

Appl. Environ. Microbiol. 133, 1423-1430.

READ, D.H. u. WALKER, R.L. (1992):

Digital papillomatosis in a californian dairy herd.

In: Proc. 7th International Symposium on Disorders of the Ruminant Digit, Rebild, Denmark 1992.

READ, D.H. u. WALKER, R.L. (1998):

Papillomatous digital dermatitis (footwarts) in California dairy cattle: clinical and gross pathologic findings.

J. Vet. Diagn. Invest. 10, 67-76.

READ, D.H., WALKER, R.L., CASTRO, A.E., SUNDBERG, J.P., THURMOND, M.C. (1992):

An invasive spirochete associated with interdigital papillomatosis of dairy cattle.

Vet. Rec. 130, 59-60.

REBHUN, W.C., PAYNE, R.M., KING, J.M., WOLFE, M., BEGG, S.N. (1980):

Interdigital papillomatosis of dairy cattle.

J. Am. Vet. Med. Assoc. 177, 437-440.

RIJPKEMA, S.G.T., DAVID, G.P., HUGHES, S.L., WOODWARD, M.J. (1997):

Partial identification of spirochaetes from two dairy cows with digital dermatitis by polymerase chain reaction analysis of the 16S ribosomal RNA gene.

Vet. Rec. 140, 257-259.

ROSEBURY, T. u. FOLEY, G. (1942):

Isolation and pure cultivation of the smaller mouth spirochetes by an improved method.

Proc. Soc. Experimental Biol. Med. 47, 368-374.

SAIKI, R.K., GELFAND, D.H., STOFFEL, S., SCHARF, S.J., HAGUCHI, R., HORN, G.T., MULLIS, K.B., ERLICH, H.A. (1988):

Primer-directed enzymatic amplification of DNA with a thermostable DNA Polymerase.

Science 239, 487-491.

SAITOU, N. u. NEI, M. (1987):

The neighbor-joining method: a new method for reconstructing phylogenetic trees.

Mol. Biol. Evol. 4, 406-425.

SANGER, F., NICKLEN, S., COULSON, R. (1977):

DNA sequencing with chain-terminating inhibitors.

Proc. Natl. Acad. Sci. 74, 5463-5467.

SAUVAGEAU, R., HIGGINS, R., JACQUES, M., BOUCHARD, E. (1994):

Bovine digital dermatitis.

Can. Vet. J. 35, 522-523.

SCAVIA, G., SIRONI, G., MORTELLARO, C.M., ROMUSSI, S. (1994):

Digital dermatitis: Further contributions on clinical and aspects in some herds in Northern Italy.

In: Proc. 8th Int. Symposium on Disease of the Ruminant Digit., pp.174-176.

SCHMIDT, T.M., DELONG, E.F., PACE, N.R. (1991):

Analysis of a marine picoplankton community by 16S rRNA gene cloning and sequencing.

J. Bacteriol. 173, 4371-4378.

SCHMITT, M. (1997):

Untersuchungen über die Wirksamkeit einer Mischvakzine aus Anaerobierisolaten zur Bekämpfung der Dermatitis digitalis des Rindes.

Dissertation, Tierärztl. Hochsch. Hannover.

SCHRANK, D. u. GRUNER, J. (1989):

Dermatitis digitalis beim Rind.

Mh. Vet.-Med. 44, 104-106.

SCHRANK, K., CHOI, B.-K., GRUND, S., MOTER, A., HEUNER, K., NATTERMANN, H., GÖBEL, U.B. (1999):

Treponema brennaborensis sp. nov., a novel spirochaete isolated from a dairy cow suffering from digital dermatitis.

J. Syst. Bacteriol. 49, 43-50.

SCHRÖDER, N.W.J., CHOI, B.-K., SCHRANK, K., NATTERMANN, H.; LAMPING, N.; GÖBEL, U.B., SCHUMANN, R.R. (1997):

TNF- stimulierende Aktivität in den Kulturüberständen bekannter und neuer Treponemenarten.

In: Poster, 49. Kongreß der DGHM vom 5.-9.10.1997 in Jena 1997, S. 71.

SMIBERT, R.M. (1986):

The Genus *Treponema*.

In: STARR, M.P., STOLP, H., TRÜPER, H.G., BALOWS, A., SCHLEGEL, H. G. (ed.): *The Prokaryotes*, Bd. 1, Berlin, Heidelberg, New York, Tokyo, Springer Verlag, S. 565-577.

SMIBERT, R.M. u. CLATERBAUGH, R.L., Jr. (1972):

A chemically defined medium for *Treponema* strain PR-7 isolated from the intestine of pig with swine dysentery.

Can. J. Microbiol. 18, 1073-1078.

SMITS, M.C.J., FRANKENA, K., METZ, J.H.M., NOORDHUIZEN, J.P.T.M. (1992):

Prevalence of digital disorders in zero-grazing dairy cows.

Livestock Production Science 32, 231-234.

SOCRANSKY, S.S. LISTGARTEN, M., HUBERSAK, C., COTMORE, J., CLARK, A. (1969):

Morphological and biochemical differentiation of three types of small oral spirochetes.

J. Bacteriol. 98, 878-882.

SONGER, J.G., KINYON, J.M., HARRIS, D.L. (1976):

Selective medium for isolation of *Treponema hyodysenteriae*.

J. Clin. Microbiol. 4, 57-60.

STANTON, T.B. u. CANALE-PAROLA, E. (1979):

Enumeration and selektive isolation of rumen spirochetes.

Appl. Environ. Microbiol. 38, 965-973.

STANTON, T.B. u. CANALE-PAROLA, E. (1980):

Treponema bryantii sp. nov., a rumen spirochete that interacts with cellulolytic bacteria.

Arch. Microbiol. 127, 145-156.

STEWART, G.S.A.B. (1990):

In vivo bioluminescence: new potentials for microbiology.

Lett. Appl. Microbiol. 10, 1-8.

SUZUKI, M.T. u. GIOVANNONI, S.J. (1996):

Bias caused by template annealing in the amplification of mixtures of 16S rRNA genes by PCR.

Appl. Environ. Microbiol. 62, 625-630.

TAYLOR, D.J. u. ALEXANDER, T.J.L. (1971):

The production of dysentery in swine by feeding cultures containing a spirochaete.

Brit. Vet. J. 127, 58-61.

van de PEER, Y. u. de WACHTER, R. (1993):

TREECON: a software package for the construction and drawing of evolutionary trees.

Comput. Appl. Biosci. 9, 177-182.

WALKER, R.L., READ, D.H., LORETZ, K.J., NORDHAUSEN, R.W. (1995):

Spirochetes isolated from dairy cattle with papillomatous digital dermatitis and interdigital dermatitis.

Vet. Microbiol. 47, 343-355.

WALKER, R.L., READ, D.H., LORETZ, K.J., HIRD, D.W., BERRY, S.L. (1997):

Humoral response of dairy cattle to spirochetes isolated from papillomatous digital dermatitis lesions.

Am. J. Vet. Res. 58, 744-748.

WARD, D.J., WELLER, R., BATESON, M.M. (1990):

16S rRNA sequences reveal numerous uncultured microorganisms in a natural community.

Nature 344, 63-65.

WAYNE, L.G., BRENNER, D.J., COLWELL, R.R., GRIMONT, P.A.D., KANDLER, O., KRICHEVSKY, M.I., MOORE, L.H. MOORE, W.E.C., MURRAY, R.G.E., STACKEBRANDT, E., STARR, M.P., TRÜPER, H.H. (1987):

Report of the Ad Hoc committee on reconciliation of approaches to bacterial systematics.

Int. J. Syst. Bacteriol. 37, 463-464.

WEAVER, A.D. (1991):

Dermatitis digitalis in cattle.

In: Proc. Assoc. of Vet. Teachers and Research Workers, Annual Congress, Scarborough, Great Britain 1991.

WEAVER, A.D. (1992):

Bovine digital papillomatosis.

In: Proc. 7th International Symposium on Disorders of the Ruminant Digit, Rebild, Denmark 1992.

WEAVER, A.D. (1994):

International terminology of digital disease.

In: Proc. 8th International Symposium on Disorders of the Ruminant Digit, Banff, Canada 1994, pp. 25-28.

WEAVER, A.D. u. COURT, C.M. (1993):

Current concepts of digital dermatitis and papillomatosis in cattle.

In: 2. Internationale Kongreß für Orthopädie bei Huf- und Klauentieren, Wien, pp. 165-170.

WECKE, J., WOLF, V., FATH, S., BERNIMOULIN, J.-P. (1995):

The occurrence of treponemes and their spherical bodies on polytetrafluoroethylene membranes.

Oral Microbiol. Immunol. 10, 278-283.

WEISBURG, W.G., BARNES, S.M., PELLETIER, D.A., LANE, D. J. (1991):

16S ribosomal DNA amplification for phylogenetic study.

J. Bacteriol. 173, 697-703.

WOLF, V., LANGE, R., WECKE, J. (1993):

Development of quasi-multicellular bodies of *Treponema denticola*.

Arch. Microbiol. 160, 206-213.

WOLF, V. u. WECKE, J. (1994):

Formation of multiple Treponemes.

Zbl. Bakt. 280, 297-303.

von WINTZINGERODE, F., GÖBEL, U.B., STACKEBRANDT, E. (1997):

Determination of microbial diversity in environmental samples: pitfalls of PCR-based rRNA analysis.

FEMS Microbiol. Rev. 21, 213-229.

WYSS, C. (1992):

Growth of *Porphyromonas gingivalis*, *Treponema denticola*, *Treponema pectinovorum*, *Treponema socranskii*, and *Treponema vincentii* in a chemically defined medium.

J. Clin. Microbiol. 30, 2225-2229.

WYSS, C., CHOI, B.-K., SCHÜPBACH, P., GUGGENHEIM, B., GÖBEL, U.B. (1996):

Treponema maltophilum sp. nov., a small oral spirochete isolated from human periodontal lesions.

Int. J. Syst. Bacteriol. 46, 745-752.

WYSS, C., CHOI, B.-K., SCHÜPBACH, P., GUGGENHEIM, B., GÖBEL, U.B. (1997):
Treponema amylovorum sp. nov., a sacharolytic spirochete of medium size isolated from an advanced human periodontal lesion.
Int. J. Syst. Bacteriol. 47, 842-845.

ZEMLIC, B. (1994):

Current investigation into the cause of dermatitis digitalis in cattle.

In: Proc. 8th International Symposium on Disorders of the Ruminant Digit, Banff, Canada 1994, pp. 164-167.

ZUCKER, B. u. NATTERMANN, H. (1996):

Subtypisierung von gramnegativen anaeroben Stäbchen aus infektiösen Klauenerkrankungen mittels PCR-Fingerprinting und Polypeptidmusteranalyse.

In: Proc. Tagung Dtsch. Vet. Gesellschaft, Fachgruppe Bakteriologie und bakterielle Krankheiten, Gießen 1996, pp. 352-358.