

Bibliography

- [1] H. Weyl. *Electron and gravitation*. Z. Phys. 56, 330–352 (1929).
- [2] F. Jegerlehner. *Theoretical precision in estimates of the hadronic contributions to $(g-2)_\mu$ and $\alpha(\text{QED})(M(Z))$* . Nucl. Phys. Proc. Suppl. 126, 325–334 (2004), hep-ph/0310234.
- [3] D. J. Gross and F. Wilczek. *Ultraviolet behavior of non-Abelian gauge theories*. Phys. Rev. Lett. 30, 1343–1346 (1973).
- [4] S. Weinberg. *Nonabelian gauge theories of the strong interactions*. Phys. Rev. Lett. 31, 494–497 (1973).
- [5] H. Fritzsch, M. Gell-Mann, and H. Leutwyler. *Advantages of the color octet gluon picture*. Phys. Lett. B47, 365–368 (1973).
- [6] D. J. Gross and F. Wilczek. *Asymptotically free gauge theories. 1*. Phys. Rev. D8, 3633–3652 (1973).
- [7] H. D. Politzer. *Reliable perturbative results for strong interactions?* Phys. Rev. Lett. 30, 1346–1349 (1973).
- [8] H. D. Politzer. *Asymptotic freedom: an approach to strong interactions*. Phys. Rept. 14, 129–180 (1974).
- [9] G. 't Hooft. Unpublished remarks at the 1972 Marseille Conference on Yang-Mills Fields.
- [10] K. G. Wilson. *Confinement of quarks*. Phys. Rev. D10, 2445–2459 (1974).
- [11] K. G. Wilson. *The renormalization group: Critical phenomena and the kondo problem*. Rev. Mod. Phys. 47, 773 (1975).
- [12] K. Symanzik. Some topics in quantum field theory. In R. Schrader et al., editor, *Mathematical problems in theoretical physics*, volume 153, pages 47–58, 1981. Presented at 6th Int. Conf. on Mathematical Physics, Berlin, West Germany.

BIBLIOGRAPHY

- [13] K. Symanzik. *Continuum limit and improved action in lattice theories. 1. principles and ϕ^4 theory*. Nucl. Phys. B226, 187 (1983).
- [14] K. Symanzik. *Continuum limit and improved action in lattice theories. 2. $O(N)$ nonlinear sigma model in perturbation theory*. Nucl. Phys. B226, 205 (1983).
- [15] M. E. Peskin and D. V. Schroeder. *An Introduction to quantum field theory*. Westview Press, 1995.
- [16] S. Weinberg. *The Quantum theory of fields. Vol. 1: Foundations*. Cambridge University Press, 1995.
- [17] T. P. Cheng and L. F. Li. *Gauge theory of elementary particle physics: Problems and solutions*. Oxford, UK: Clarendon, 2000.
- [18] I. Montvay and G. Münster. *Quantum fields on a lattice*. Cambridge Monographs on Mathematical Physics. Cambridge University Press, 1994.
- [19] H.J. Rothe. *Lattice gauge theories*. World Scientific, Singapore, 1992.
- [20] R. Gupta. Introduction to lattice QCD. Lectures given at Les Houches Summer School in Theoretical Physics, Session 68, 1997.
- [21] R. P. Feynman. *Space-time approach to non-relativistic quantum mechanics*. Rev. Mod. Phys. 20, 367–387 (1948).
- [22] K. Osterwalder and R. Schrader. *Axioms for euclidean Green's functions*. Commun. Math. Phys. 31, 83–112 (1973).
- [23] S. Eidelman et al. *Review of Particle Physics*. Physics Letters B 592, 1+ (2004).
- [24] H. B. Nielsen and M. Ninomiya. *No go theorem for regularizing chiral fermions*. Phys. Lett. B105, 219 (1981).
- [25] H. B. Nielsen and M. Ninomiya. *Absence of neutrinos on a lattice. 1. proof by homotopy theory*. Nucl. Phys. B185, 20 (1981).
- [26] H. B. Nielsen and M. Ninomiya. *Absence of neutrinos on a lattice. 2. intuitive topological proof*. Nucl. Phys. B193, 173 (1981).
- [27] L. H. Karsten and J. Smit. *Lattice fermions: species doubling, chiral invariance, and the triangle anomaly*. Nucl. Phys. B183, 103 (1981).
- [28] P. H. Ginsparg and K. G. Wilson. *A remnant of chiral symmetry on the lattice*. Phys. Rev. D25, 2649 (1982).

-
- [29] M. Lüscher. *Exact chiral symmetry on the lattice and the Ginsparg- Wilson relation*. Phys. Lett. B428, 342–345 (1998), [hep-lat/9802011](#).
- [30] M. F. Atiyah and I. M. Singer. *The Index of elliptic operators. 5*. Annals Math. 93, 139–149 (1971).
- [31] P. Hasenfratz, V. Laliena, and F. Niedermayer. *The index theorem in QCD with a finite cut-off*. Phys. Lett. B427, 125–131 (1998), [hep-lat/9801021](#).
- [32] H. Neuberger. *Exactly massless quarks on the lattice*. Phys. Lett. B417, 141–144 (1998), [hep-lat/9707022](#).
- [33] H. Neuberger. *More about exactly massless quarks on the lattice*. Phys. Lett. B427, 353–355 (1998), [hep-lat/9801031](#).
- [34] F. Niedermayer. *Exact chiral symmetry, topological charge and related topics*. Nucl. Phys. Proc. Suppl. 73, 105–119 (1999), [hep-lat/9810026](#).
- [35] P. Hernandez, K. Jansen, and M. Lüscher. *Locality properties of Neuberger’s lattice Dirac operator*. Nucl. Phys. B552, 363–378 (1999), [hep-lat/9808010](#).
- [36] D. B. Kaplan. *A Method for simulating chiral fermions on the lattice*. Phys. Lett. B288, 342–347 (1992), [hep-lat/9206013](#).
- [37] V. Furman and Y. Shamir. *Axial symmetries in lattice QCD with Kaplan fermions*. Nucl. Phys. B439, 54–78 (1995), [hep-lat/9405004](#).
- [38] K. Jansen. *Domain wall fermions and chiral gauge theories*. Phys. Rept. 273, 1–54 (1996), [hep-lat/9410018](#).
- [39] M. Lüscher, S. Sint, R. Sommer, and P. Weisz. *Chiral symmetry and $O(a)$ improvement in lattice QCD*. Nucl. Phys. B478, 365–400 (1996), [hep-lat/9605038](#).
- [40] B. Sheikholeslami and R. Wohlert. *Improved continuum limit lattice action for qcd with Wilson fermions*. Nucl. Phys. B259, 572 (1985).
- [41] S. R. Sharpe and Jr. Singleton, R. *Spontaneous flavor and parity breaking with Wilson fermions*. Phys. Rev. D58, 074501 (1998), [hep-lat/9804028](#).
- [42] R. Frezzotti and G. C. Rossi. *Chirally improving Wilson fermions. I: $O(a)$ improvement*. JHEP 08, 007 (2004), [hep-lat/0306014](#).
- [43] R. Frezzotti, P. A. Grassi, S. Sint, and P. Weisz. *A local formulation of lattice QCD without unphysical fermion zero modes*. Nucl. Phys. Proc. Suppl. 83, 941–946 (2000), [hep-lat/9909003](#).

BIBLIOGRAPHY

- [44] R. Frezzotti, P. A. Grassi, S. Sint, and P. Weisz. *Lattice QCD with a chirally twisted mass term*. JHEP 08, 058 (2001), [hep-lat/0101001](#).
- [45] R. Frezzotti, G. Martinelli, M. Papinutto, and G. C. Rossi. *Reducing cutoff effects in maximally twisted lattice QCD close to the chiral limit*. (2005), [hep-lat/0503034](#).
- [46] R. Frezzotti and G. C. Rossi. *Chirally improving Wilson fermions. II: Four-quark operators*. JHEP 10, 070 (2004), [hep-lat/0407002](#).
- [47] C. Michael. *Particle decay in lattice gauge theory*. Nucl. Phys. B327, 515 (1989).
- [48] T. A. DeGrand. *Resonance masses from Monte Carlo simulations (with emphasis on the rho meson)*. Phys. Rev. D43, 2296–2300 (1991).
- [49] R. M. Baxter et al. *Quenched heavy light decay constants*. Phys. Rev. D49, 1594–1605 (1994), [hep-lat/9308020](#).
- [50] R. Frezzotti and S. Sint. *Some remarks on $O(a)$ improved twisted mass QCD*. Nucl. Phys. Proc. Suppl. 106, 814–816 (2002), [hep-lat/0110140](#).
- [51] M. Della Morte, R. Frezzotti, and J. Heitger. *Quenched twisted mass QCD at small quark masses and in large volume*. Nucl. Phys. Proc. Suppl. 106, 260–262 (2002), [hep-lat/0110166](#).
- [52] K. Jansen, A. Shindler, C. Urbach, and I. Wetzorke. *Scaling test for Wilson twisted mass QCD*. Phys. Lett. B586, 432–438 (2004), [hep-lat/0312013](#).
- [53] T. Blum et al. *Quenched lattice QCD with domain wall fermions and the chiral limit*. Phys. Rev. D69, 074502 (2004), [hep-lat/0007038](#).
- [54] S. J. Dong et al. *Chiral properties of pseudoscalar mesons on a quenched $20^* \times 4$ lattice with overlap fermions*. Phys. Rev. D65, 054507 (2002), [hep-lat/0108020](#).
- [55] C. Gattringer et al. *Quenched spectroscopy with fixed-point and chirally improved fermions*. Nucl. Phys. B677, 3–51 (2004), [hep-lat/0307013](#).
- [56] L. Giusti, C. Hoelbling, and C. Rebbi. *Light quark masses with overlap fermions in quenched QCD*. Phys. Rev. D64, 114508 (2001), [hep-lat/0108007](#). Erratum-ibid.D65:079903,2002.
- [57] N. Garron, L. Giusti, C. Hoelbling, L. Lellouch, and C. Rebbi. *$B(K)$ from quenched QCD with exact chiral symmetry*. Phys. Rev. Lett. 92, 042001 (2004), [hep-ph/0306295](#).

- [58] Y. Chen et al. *Chiral logarithms in quenched QCD*. Phys. Rev. D70, 034502 (2004), [hep-lat/0304005](#).
- [59] R. Sommer. *A New way to set the energy scale in lattice gauge theories and its applications to the static force and alpha-s in SU(2) Yang-Mills theory*. Nucl. Phys. B411, 839–854 (1994), [hep-lat/9310022](#).
- [60] M. Albanese et al. *Glueball masses and string tension in lattice QCD*. Phys. Lett. B192, 163 (1987).
- [61] M. Lüscher and U. Wolff. *How to calculate the elastic scattering matrix in two- dimensional quantum field theories by numerical simulation*. Nucl. Phys. B339, 222–252 (1990).
- [62] E. Eichten and B. Hill. *An effective field theory for the calculation of matrix elements involving heavy quarks*. Phys. Lett. B234, 511 (1990).
- [63] A. Hasenfratz, R. Hoffmann, and F. Knechtli. *The static potential with hypercubic blocking*. Nucl. Phys. Proc. Suppl. 106, 418–420 (2002), [hep-lat/0110168](#).
- [64] M. Della Morte et al. *Lattice HQET with exponentially improved statistical precision*. Phys. Lett. B581, 93–98 (2004), [hep-lat/0307021](#).
- [65] M. Della Morte et al. *Static quarks with improved statistical precision*. Nucl. Phys. Proc. Suppl. 129, 346–348 (2004), [hep-lat/0309080](#).
- [66] M. Della Morte, A. Shindler, and R. Sommer. *On lattice actions for static quarks*. (2005), [hep-lat/0506008](#).
- [67] A. Hasenfratz and F. Knechtli. *Flavor symmetry and the static potential with hypercubic blocking*. Phys. Rev. D64, 034504 (2001), [hep-lat/0103029](#).
- [68] G. S. Bali et al. *Static potentials and glueball masses from QCD simulations with Wilson sea quarks*. Phys. Rev. D62, 054503 (2000), [hep-lat/0003012](#).
- [69] G. S. Bali, H. Neff, T. Duessel, T. Lippert, and K. Schilling. *Observation of string breaking in QCD*. Phys. Rev. D71, 114513 (2005), [hep-lat/0505012](#).
- [70] G. S. Bali et al. *String breaking with dynamical Wilson fermions*. Nucl. Phys. Proc. Suppl. 140, 609–611 (2004), [hep-lat/0409137](#).
- [71] C.-N. Yang and R. L. Mills. *Conservation of isotopic spin and isotopic gauge invariance*. Phys. Rev. 96, 191–195 (1954).

BIBLIOGRAPHY

- [72] M. Guagnelli, R. Sommer, and H. Wittig. *Precision computation of a low-energy reference scale in quenched lattice QCD*. Nucl. Phys. B535, 389–402 (1998), [hep-lat/9806005](#).
- [73] S. Necco and R. Sommer. *The $N(f) = 0$ heavy quark potential from short to intermediate distances*. Nucl. Phys. B622, 328–346 (2002), [hep-lat/0108008](#).
- [74] M. Lüscher. *A New approach to the problem of dynamical quarks in numerical simulations of lattice QCD*. Nucl. Phys. B418, 637–648 (1994), [hep-lat/9311007](#).
- [75] S. Duane, A. D. Kennedy, B. J. Pendleton, and D. Roweth. *Hybrid monte carlo*. Phys. Lett. B195, 216–222 (1987).
- [76] I. Montvay. *An Algorithm for Gluinos on the Lattice*. Nucl. Phys. B466, 259–284 (1996), [hep-lat/9510042](#).
- [77] N. Madras and A. D. Sokal. *The Pivot algorithm: a highly efficient Monte Carlo method for selfavoiding walk*. J. Statist. Phys. 50, 109–186 (1988).
- [78] U. Wolff. *Monte Carlo errors with less errors*. Comput. Phys. Commun. 156, 143–153 (2004), [hep-lat/0306017](#).
- [79] J. Garden, J. Heitger, R. Sommer, and Wittig H. *Precision computation of the strange quark’s mass in quenched QCD*. Nucl. Phys. B571, 237–256 (2000), [hep-lat/9906013](#).
- [80] D. Pleiter. XXX. PhD thesis, Freie Universitt Berlin, 2001.
- [81] S. Aoki and O. Bär. *Twisted-mass QCD, $O(a)$ improvement and Wilson chiral perturbation theory*. Phys. Rev. D70, 116011 (2004), [hep-lat/0409006](#).
- [82] S. R. Sharpe and Jackson M. S. Wu. *Twisted mass chiral perturbation theory at next-to-leading order*. Phys. Rev. D71, 074501 (2005), [hep-lat/0411021](#).
- [83] S. R. Sharpe. *Observations on discretization errors in twisted-mass lattice QCD*. (2005), [hep-lat/0509009](#).
- [84] S. Aoki and O. Bär. *Determining the low energy parameters of Wilson chiral perturbation theory*. (2005), [hep-lat/0509002](#).
- [85] *The ROOT system home page*. [root.cern.ch/](#).
- [86] *MINUIT home page*. [seal.web.cern.ch/seal/snapshot/work-packages/mathlibs/minuit/home.html](#).

- [87] C. R. Allton et al. *Gauge invariant smearing and matrix correlators using Wilson fermions at Beta = 6.2*. Phys. Rev. D47, 5128–5137 (1993), [hep-lat/9303009](#).
- [88] M. Guagnelli et al. *Finite size effects of a pion matrix element*. Phys. Lett. B597, 216–221 (2004), [hep-lat/0403009](#).
- [89] M. Gell-Mann, R. J. Oakes, and B. Renner. *Behavior of current divergences under SU(3) x SU(3)*. Phys. Rev. 175, 2195–2199 (1968).
- [90] L. Giusti, F. Rapuano, M. Talevi, and A. Vladikas. *The QCD chiral condensate from the lattice*. Nucl. Phys. B538, 249–277 (1999), [hep-lat/9807014](#).
- [91] K. Jansen et al. in preparation, 2005.
- [92] J. Heitger, R. Sommer, and H. Wittig. *Effective chiral Lagrangians and lattice QCD*. Nucl. Phys. B588, 377–399 (2000), [hep-lat/0006026](#). and references therein.
- [93] M. Foster and C. Michael. *Quark mass dependence of hadron masses from lattice QCD*. Phys. Rev. D59, 074503 (1999), [hep-lat/9810021](#).
- [94] C. McNeile and C. Michael. *The eta and eta' mesons in QCD*. Phys. Lett. B491, 123–129 (2000), [hep-lat/0006020](#).
- [95] K. Osterwalder and E. Seiler. *Gauge field theories on the lattice*. Ann. Phys. 110, 440 (1978).
- [96] K. Jansen et al. *Flavour breaking effects of Wilson twisted mass fermions*. (2005), [hep-lat/0507032](#). accepted for publication in Phys. Lett. B.
- [97] L. Scorzato. *Pion mass splitting and phase structure in twisted mass QCD*. Eur. Phys. J. C37, 445–455 (2004), [hep-lat/0407023](#).
- [98] J. Wennekers and H. Wittig. *On the renormalized scalar density in quenched QCD*. (2005), [hep-lat/0507026](#).
- [99] P. Hernandez, K. Jansen, and L. Lellouch. *A numerical treatment of Neuberger's lattice Dirac operator*. (2000), [hep-lat/0001008](#).
- [100] P. Hernandez, K. Jansen, L. Lellouch, and H. Wittig. *Non-perturbative renormalization of the quark condensate in Ginsparg-Wilson regularizations*. JHEP 07, 018 (2001), [hep-lat/0106011](#).
- [101] P. Hernandez, K. Jansen, L. Lellouch, and H. Wittig. *Scalar condensate and light quark masses from overlap fermions*. Nucl. Phys. Proc. Suppl. 106, 766–771 (2002), [hep-lat/0110199](#).

BIBLIOGRAPHY

- [102] Y. Saad. *Iterative Methods for sparse linear systems*. SIAM, 2nd edition, 2003.
- [103] C. F. Jagels and L. Reichel. *A Fast Minimal Residual Algorithm for Shifted Unitary Matrices*. *Numerical Linear Algebra with Applications* 1(6), 555–570 (1994).
- [104] L. Giusti, C. Hoelbling, M. Lüscher, and H. Wittig. *Numerical techniques for lattice QCD in the epsilon- regime*. *Comput. Phys. Commun.* 153, 31–51 (2003), [hep-lat/0212012](#).
- [105] A. Ukawa. *Computational cost of full QCD simulations experienced by CP-PACS and JLQCD Collaborations*. *Nucl. Phys. Proc. Suppl.* 106, 195–196 (2002).
- [106] T. A. DeGrand and P. Rossi. *Conditioning techniques for dynamical fermions*. *Comput. Phys. Commun.* 60, 211–214 (1990).
- [107] J. C. Sexton and D. H. Weingarten. *Hamiltonian evolution for the hybrid monte carlo algorithm*. *Nucl. Phys.* B380, 665–678 (1992).
- [108] M. Hasenbusch. *Speeding up the Hybrid-Monte-Carlo algorithm for dynamical fermions*. *Phys. Lett.* B519, 177–182 (2001), [hep-lat/0107019](#).
- [109] M. Hasenbusch and K. Jansen. *Speeding up lattice QCD simulations with clover-improved Wilson fermions*. *Nucl. Phys.* B659, 299–320 (2003), [hep-lat/0211042](#).
- [110] M. Lüscher. *Schwarz-preconditioned HMC algorithm for two-flavour lattice QCD*. *Comput. Phys. Commun.* 165, 199 (2005), [hep-lat/0409106](#).
- [111] A. Ali Khan et al. *Accelerating Hasenbusch’s acceleration of hybrid Monte Carlo*. *Nucl. Phys. Proc. Suppl.* 129, 853–855 (2004), [hep-lat/0309078](#).
- [112] A. Ali Khan et al. *Accelerating the hybrid Monte Carlo algorithm*. *Phys. Lett.* B564, 235–240 (2003), [hep-lat/0303026](#).
- [113] K. Jansen. *Actions for dynamical fermion simulations: Are we ready to go?* *Nucl. Phys. Proc. Suppl.* 129, 3–16 (2004), [hep-lat/0311039](#).
- [114] B. Orth, T. Lippert, and K. Schilling. *Finite-size effects in lattice QCD with dynamical Wilson fermions*. *Phys. Rev.* D72, 014503 (2005), [hep-lat/0503016](#).
- [115] T. Takaishi and P. de Forcrand. *Testing and tuning new symplectic integrators for hybrid Monte Carlo algorithm in lattice QCD*. (2005), [hep-lat/0505020](#).

- [116] M. A. Clark and A. D. Kennedy. *Accelerating fermionic molecular dynamics*. (2004), [hep-lat/0409134](#).
- [117] M. Della Morte et al. *Simulating the Schroedinger functional with two pseudo-fermions*. *Comput. Phys. Commun.* 156, 62–72 (2003), [hep-lat/0307008](#).
- [118] M. J. Peardon and J. Sexton. *Multiple molecular dynamics time-scales in hybrid Monte Carlo fermion simulations*. *Nucl. Phys. Proc. Suppl.* 119, 985–987 (2003), [hep-lat/0209037](#).
- [119] M. Lüscher. Lattice QCD with light Wilson quarks, July 2005. Talk given at the XXIII International Symposium on Lattice Field Theory, Dublin, Ireland.
- [120] A. Frommer, V. Hannemann, B. Nockel, T. Lippert, and K. Schilling. *Accelerating Wilson fermion matrix inversions by means of the stabilized bi-conjugate gradient algorithm*. *Int. J. Mod. Phys. C5*, 1073–1088 (1994), [hep-lat/9404013](#).
- [121] K. Jansen and C. Liu. *Study of Liapunov exponents and the reversibility of molecular dynamics algorithms*. *Nucl. Phys. Proc. Suppl.* 53, 974–976 (1997), [hep-lat/9607057](#).
- [122] C. Liu, A. Jaster, and K. Jansen. *Liapunov exponents and the reversibility of molecular dynamics algorithms*. *Nucl. Phys. B524*, 603–617 (1998), [hep-lat/9708017](#).
- [123] R. G. Edwards, I. Horvath, and A. D. Kennedy. *Instabilities and non-reversibility of molecular dynamics trajectories*. *Nucl. Phys. B484*, 375–402 (1997), [hep-lat/9606004](#).
- [124] C. Urbach. *Untersuchung der Reversibilitätsverletzung im Hybrid Monte Carlo Algorithmus*. Master’s thesis, Freie Universität Berlin, Fachbereich Physik, 2002.
- [125] R. Gupta, G. W. Kilcup, and S. R. Sharpe. *Tuning the hybrid monte carlo algorithm*. *Phys. Rev. D38*, 1278 (1988).
- [126] S. Fischer et al. *A Parallel SSOR Preconditioner for Lattice QCD*. *Comp. Phys. Commun.* 98, 20–34 (1996), [hep-lat/9602019](#).
- [127] R. C. Brower, T. Ivanenko, A. R. Levi, and K. N. Orginos. *Chronological inversion method for the Dirac matrix in hybrid Monte Carlo*. *Nucl. Phys. B484*, 353–374 (1997), [hep-lat/9509012](#).

BIBLIOGRAPHY

- [128] R. C. Brower, A. R. Levi, and K. Orginos. *Extrapolation methods for the Dirac inverter in hybrid Monte Carlo*. Nucl. Phys. Proc. Suppl. 42, 855–857 (1995), [hep-lat/9412004](#).
- [129] M. Lüscher. *Solution of the Dirac equation in lattice QCD using a domain decomposition method*. Comput. Phys. Commun. 156, 209–220 (2004), [hep-lat/0310048](#).
- [130] K. Jansen. *Recent developments in fermion simulation algorithms*. Nucl. Phys. Proc. Suppl. 53, 127–133 (1997), [hep-lat/9607051](#).
- [131] P. de Forcrand and T. Takaishi. *Fast fermion Monte Carlo*. Nucl. Phys. Proc. Suppl. 53, 968–970 (1997), [hep-lat/9608093](#).
- [132] R. Frezzotti and K. Jansen. *A polynomial hybrid Monte Carlo algorithm*. Phys. Lett. B402, 328–334 (1997), [hep-lat/9702016](#).
- [133] R. Frezzotti and K. Jansen. *The PHMC algorithm for simulations of dynamical fermions. I: Description and properties*. Nucl. Phys. B555, 395–431 (1999), [hep-lat/9808011](#).
- [134] R. Frezzotti and K. Jansen. *The PHMC algorithm for simulations of dynamical fermions. II: Performance analysis*. Nucl. Phys. B555, 432–453 (1999), [hep-lat/9808038](#).
- [135] S. Weinberg. *Phenomenological Lagrangians*. Physica A96, 327 (1979).
- [136] J. Gasser and H. Leutwyler. *Chiral perturbation theory to one loop*. Ann. Phys. 158, 142 (1984).
- [137] J. Gasser and H. Leutwyler. *Chiral perturbation theory: expansions in the mass of the strange quark*. Nucl. Phys. B250, 465 (1985).
- [138] G. Rupak and N. Shoresh. *Chiral perturbation theory for the Wilson lattice action*. Phys. Rev. D66, 054503 (2002), [hep-lat/0201019](#).
- [139] S. Aoki. *New phase structure for lattice qcd with wilson fermions*. Phys. Rev. D30, 2653 (1984).
- [140] S. Aoki. *A solution to the U(1) problem on a lattice*. Phys. Rev. Lett. 57, 3136 (1986).
- [141] S. Aoki. *On the phase structure of QCD with Wilson fermions*. Prog. Theor. Phys. Suppl. 122, 179–186 (1996), [hep-lat/9509008](#).

- [142] G. Münster. *On the phase structure of twisted mass lattice QCD*. JHEP 09, 035 (2004), [hep-lat/0407006](#).
- [143] S. R. Sharpe and J. M. S. Wu. *The phase diagram of twisted mass lattice QCD*. Phys. Rev. D70, 094029 (2004), [hep-lat/0407025](#).
- [144] E.-M. Ilgenfritz, W. Kerler, M. Müller-Preußker, A. Sternbeck, and H. Stüben. *A numerical reinvestigation of the Aoki phase with $N(f) = 2$ Wilson fermions at zero temperature*. Phys. Rev. D69, 074511 (2004), [hep-lat/0309057](#).
- [145] A. Sternbeck, E.-M. Ilgenfritz, W. Kerler, M. Müller-Preußker, and H. Stüben. *The Aoki phase for $N(f) = 2$ Wilson fermions revisited*. Nucl. Phys. Proc. Suppl. 129, 898–900 (2004), [hep-lat/0309059](#).
- [146] S. Aoki, S. Boettcher, and A. Gocksch. *Spontaneous breaking of flavor symmetry and parity in the Nambu-Jona-Lasinio model with Wilson fermions*. Phys. Lett. B331, 157–164 (1994), [hep-lat/9312084](#).
- [147] S. Aoki, A. Ukawa, and T. Umemura. *Finite temperature phase structure of lattice QCD with Wilson quark action*. Phys. Rev. Lett. 76, 873–876 (1996), [hep-lat/9508008](#).
- [148] Y. Iwasaki, K. Kanaya, S. Sakai, and T. Yoshie. *Quark confinement in multi-flavor quantum chromodynamics*. Nucl. Phys. Proc. Suppl. 30, 327–330 (1993), [hep-lat/9211035](#).
- [149] S. Aoki. *Phase structure of lattice QCD with Wilson fermion at finite temperature*. Nucl. Phys. Proc. Suppl. 60A, 206–219 (1998), [hep-lat/9707020](#).
- [150] S. Aoki et al. *Non-trivial phase structure of $N(f) = 3$ QCD with $O(a)$ -improved Wilson fermion at zero temperature*. Nucl. Phys. Proc. Suppl. 106, 263–265 (2002), [hep-lat/0110088](#).
- [151] F. Farchioni et al. *Lattice spacing dependence of the first order phase transition for dynamical twisted mass fermions*. (2005), [hep-lat/0506025](#). accepted for publication in Phys. Lett. B.
- [152] D. J. Gross and A. Neveu. *Dynamical symmetry breaking in asymptotically free field theories*. Phys. Rev. D10, 3235 (1974).
- [153] S. Aoki and K. Higashijima. *The recovery of the chiral symmetry in lattice Gross-Neveu model*. Prog. Theor. Phys. 76, 521 (1986).
- [154] T. Izubuchi, J. Noaki, and A. Ukawa. *Two-dimensional lattice Gross-Neveu model with Wilson fermion action at finite temperature and chemical potential*. Phys. Rev. D58, 114507 (1998), [hep-lat/9805019](#).

BIBLIOGRAPHY

- [155] J. Noaki, T. Izubuchi, and A. Ukawa. *Two-dimensional Gross-Neveu model with Wilson fermion action at finite temperature and density*. Nucl. Phys. Proc. Suppl. 73, 483–485 (1999), [hep-lat/9809071](#).
- [156] K Nagai. *Two-dimensional Gross-Neveu model with Wilson twisted mass fermions*. private communication.
- [157] A. Ali Khan et al. *Chiral properties of domain-wall quarks in quenched QCD*. Phys. Rev. D63, 114504 (2001), [hep-lat/0007014](#).
- [158] K. Orginos. *Chiral properties of domain wall fermions with improved gauge actions*. Nucl. Phys. Proc. Suppl. 106, 721–723 (2002), [hep-lat/0110074](#).
- [159] Y. Aoki et al. *Domain wall fermions with improved gauge actions*. Phys. Rev. D69, 074504 (2004), [hep-lat/0211023](#).
- [160] K. Jansen and K.-I. Nagai. *Reducing residual-mass effects for domain-wall fermions*. JHEP 12, 038 (2003), [hep-lat/0305009](#).
- [161] S. Aoki et al. *Bulk first-order phase transition in three-flavor lattice QCD with $O(a)$ -improved Wilson fermion action at zero temperature*. (2004), [hep-lat/0409016](#).
- [162] Y. Iwasaki. *Renormalization group analysis of lattice theories and improved lattice action. 2. four-dimensional nonabelian $SU(N)$ gauge model*. UTHEP-118.
- [163] Y. Iwasaki. *Renormalization group analysis of lattice theories and improved lattice action: two-dimensional nonlinear $O(N)$ sigma model*. Nucl. Phys. B258, 141–156 (1985).
- [164] T. Takaishi. *Heavy quark potential and effective actions on blocked configurations*. Phys. Rev. D54, 1050–1053 (1996).
- [165] P. de Forcrand et al. *Search for effective lattice action of pure QCD*. Nucl. Phys. Proc. Suppl. 53, 938–941 (1997), [hep-lat/9608094](#).
- [166] P. Weisz. *Continuum limit improved lattice action for pure Yang-Mills theory. 1*. Nucl. Phys. B212, 1 (1983).
- [167] P. Weisz and R. Wohlert. *Continuum limit improved lattice action for pure Yang-Mills theory. 2*. Nucl. Phys. B236, 397 (1984).
- [168] F. Farchioni et al. *The phase structure of lattice QCD with Wilson quarks and renormalization group improved gluons*. Eur. Phys. J. C42, 73–87 (2005), [hep-lat/0410031](#).

- [169] R. Frezzotti and G. C. Rossi. *Twisted-mass lattice QCD with mass non-degenerate quarks*. Nucl. Phys. Proc. Suppl. 128, 193–202 (2004), [hep-lat/0311008](#).
- [170] K. Jansen and C. Liu. *Implementation of Symanzik’s improvement program for simulations of dynamical Wilson fermions in lattice QCD*. Comput. Phys. Commun. 99, 221–234 (1997), [hep-lat/9603008](#).
- [171] R.W. Freund. in Numerical Linear Algebra, L. Reichel, A. Ruttan and R.S. Varga (eds.) page p. 101 (1993).
- [172] U. Glässner et al. *How to compute Green’s functions for entire mass trajectories within Krylov solvers*. (1996), [hep-lat/9605008](#).
- [173] B. Jegerlehner. *Multiple mass solvers*. Nucl. Phys. Proc. Suppl. 63, 958–960 (1998), [hep-lat/9708029](#).