

## VIII. Literaturverzeichnis

- ABERNETHY, D.A., A. RUD und P.K. THOMAS (1992):  
Neurotropic influence of the distal stump of transected peripheral nerve on axonal regeneration: absence of topographic specificity in adult nerve.  
*J Anat* **180**(3): 395-400.
- ACHESON A., P.A. BARKER, R.F. ALDERSON, F.D. MILLER und R.A. MURPHY (1991):  
Detection of BDNF-like activity in fibroblasts and schwann cells: inhibition by antibodies to NGF.  
*Neuron* **7**(2): 265-275.
- ACEBES, A. und A. FERRUS (2000):  
Cellular and molecular features of axon collaterals and dendrites.  
*Trends Neurosci* **23**: 557-565.
- AEBISCHER, P., A.N. SALESIOTIS und S.R. WINN (1989):  
Basic fibroblast growth factor released from synthetic guidance channels facilitates peripheral nerve regeneration across long nerve gaps.  
*J Neurosci Res* **23**(3): 282-289.
- ARCHIBALD, S.J., C. KRARUP, J. SHEFNER, S.T. LI und R.D. MADISON (1991):  
A collagen-based nerve guide conduit for peripheral nerve repair: an electrophysiological study of nerve regeneration in rodents and nonhuman primates.  
*J Comp Neurol* **306**(4): 685-696.
- ASSOULINE, J.G., E.P. BOSCH und R. LIM (1983):  
Purification of rat schwann cells from cultures of peripheral nerves: an immunoselective method using surfaces coated with anti-immunoglobulin antibodies.  
*Brain Res* **277**(2): 389-392.
- ASSOULINE, J.G. und N.J. PANTAZIS (1989):  
Detection of a nerve growth factor receptor on fetal schwann cells in culture: absence of the receptor on fetal human astrocytes.  
*Brain Res Dev Brain Res* **45**(1): 1-14.
- AUSTIN, R.T. und F. WALKER (1986):  
A suture-jig for peripheral nerve repair.  
*J R Coll Surg Edinb* **31**(1): 44-49.
- BACCEI, M.L. und J.D. KOCSIS (2000):  
Voltage-gated calcium currents in axotomized adult rat cutaneous afferent neurons.  
*J Neurophysiol* **83**(4): 2227-2238
- BAILEY, C.S., R. KITCHELL und R.D. JOHNSON (1982):  
Spinal nerve root origins of the cutaneous nerves arising from the canine brachial plexus.  
*Am J Vet Res* **43**(5): 820-825.
- BAILEY, C. S. (1984):  
Patterns of cutaneous anesthesia associated with brachial plexus avulsions in the dog.  
*JAVMA* **185**(5).
- BAILEY, S.B., M.E. EICHLER, A. VILLADIEGO und K.M. RICH (1993):  
The influence of fibronectin and laminin during schwann cell migration and peripheral nerve regeneration through silicon chambers.  
*J Neurocytol* **22**(3): 176-184.
- BAMBER, N.I., L. HUAYING, L. XIAOBIN, M. OUDEGA, P. AEBISCHER und X. MING XU (2001):  
Neurotrophins BDNF and NT-3 promote axonal reentry into the distal host spinal cord through Schwann cell-seeded mini-channels.  
*Europ J Neurosci* **13**(2): 257.

- BENNETT, D. (1976):  
An anatomical and histological study of the sciatic nerve, relating to peripheral nerve injuries in the dog and cat.  
*J Small Anim Pract* **17**: 379-386.
- BENNETT, D. und L.C. VAUGHAN (1976):  
The use of muscle relocation techniques in the treatment of peripheral nerve injuries in dogs and cats.  
*J Small Anim Pract* **17**(2): 99-108.
- BERTELLI, J. A., J.C. MIRA, M. PECTO-DECHAVASSINE und A. SEBILLE (1997):  
Selective motor hyperinnervation using motor rootlet transfer: an experimental study in rat brachial plexus.  
*J Neurosurg* **87**: 79-84.
- BLOCH, J., E.G. FINE, N. BOUCHE, A.D. ZURN und P. AEBISCHER (2001):  
Nerve growth factor- and neurotrophin-3-releasing guidance channels promote regeneration of the transected rat dorsal root.  
*Exp Neurol* **172**(2): 425-432.
- BOWE, C.M., C.HILDEBRAND, J.D. KOCSIS und S.G. WAXMAN (1989):  
Morphological and physiological properties of neurons after long-term axonal regeneration: observations on chronic and delayed sequelae of peripheral nerve injury.  
*J Neurol Sci* **91**: 259-292.
- BRADFORD, H.F. (1986):  
Chemical Neurobiology. An introduction to neurochemistry.  
W.H. Freeman & Comp., London.
- BRAUN, R.M. (1966):  
Comparative studies of neurorrhaphy and sutureless peripheral nerve repair.  
*Surg Gynecol Obstet* **122**(1): 15-18.
- BROCKES, J.P., K.L. FIELDS und M.C. RAFF (1979):  
Studies on cultured rat schwann cells. I. Establishment of purified populations from cultures of peripheral nerve.  
*Brain Res* **165**(1): 105-118.
- BROWN, A.G. (1991):  
Nerve cells and nervous systems.  
Springer Verlag, Berlin.
- BRUNELLI, G. (1980):  
Direct neurotization of severely damaged denervated muscles.  
*Int Surg* **65**(6):529-531.
- BRYAN, D.J., A.H. HOLWAY, K.K. WANG, A.E. SILVA, D.J. TRANTOLO, D. WISE und I.C. SUMMERHAYES (2000):  
Influence of glial growth factor and schwann cells in a bioresorbable guidance channel on peripheral nerve regeneration.  
*Tissue Eng* **6**(2): 129-138.
- BUDRAS, K.-D., W. FRICKE und R. RICHTER (1996):  
Allgemeine Anatomie: Nervensystem.  
In: Budras, K.D., W. Fricke und R. Richter: Atlas der Anatomie des Hundes. 5. Auflage.  
Schlütersche, Hannover: 148.
- BUNGE, M.B. (1994):  
Transplantation of purified populations of schwann cells into lesioned adult rat spinal cord.  
*J Neurol* **142**(1) Suppl: 36-39.
- BURIANI, A., M.J. SAVAGE, D.W. BURMEISTER und D.J. GOLDBERG (1990):  
Early changes in nuclear proteins following axotomy.  
*J Neurochem* **55**(5): 1817-1820.

BURROWS, C.F. und C.E. HARVEY (1973):  
Perineal hernia in the dog.  
J Small Anim Pract **14**(6): 315-332.

CALVO, L.J., J.U. GARGALLO, M.A. VIVES, J.U. CASAUS, M.A. CANO und M. DOMINGUEZ (1989):  
Comparaison de deux methodes de reinnervation musculaire (suture nerveuse et transposition musculaire) dans les cas de paralysie radiale basse chez le chien.  
Revue Med Vet **140**: 37-42.

CANO, M.A., J.U., EZQUERRA, J.A. RAMOS und J.A. BASCUAS (1986):  
Transposition musculaire afin de resoudre la paralysie basse du nerf radial chez le chien: etude experimentale.  
Revue Med Vet **137**: 759-764.

CASAUS, J. U., L.J. EZQUERRA, M.A. VIVES, R. GIL, A. GAZQUEZ und J.U. GARGALLO (1991):  
Deux techniques de transposition musculaire pour le traitement de la paralysie radiale motrice chez le chien.  
Revue Med Vet **124**: 395-403.

CASELLA, G.T., R.P. BUNGE und P.M. WOOD (1996) :  
Improved method for harvesting human schwann cells from mature peripheral nerve and expansion in vitro.  
Glia **17**(4): 327-338.

CASELLA, G.T., R. WIESER, R.P. BUNGE, I.S. MIARGITICH, J. KATZ, L. OLSON und P.M. WOOD (2000):  
Density dependent regulation of human Schwann cell proliferation.  
Glia **30**(2): 165-177.

CASSEL, D. und T. PFEUFFER (1978):  
Mechanism of cholera toxin action: covalent modification of the guanyl nucleotide-binding protein of the adenylate cyclase system.  
Proc Natl Acad Sci **75**(6): 2669-2673.

CEBALLOS, D., X. NAVARRO, N. DUBEY, G. WENDELSCHAFFER-CRABB, W.R. KENNED und R.T. TRANQUILLO (1999):  
Magnetically aligned collagen gel filling a collagen nerve guide improves peripheral nerve regeneration.  
Exp Neurol **158**(2): 290-300.

CHAMBERS, J. und E.M. HARDIE (1986) :  
Localization and management of sciatic nerve injury due to ischial or acetabular fracture.  
JAAHA **22**: 539-544.

CHRISMAN, C.L. (1993):  
Peripheral neuropathies.  
In: Bojrab, M.J.: Disease mechanisms in small animal surgery.  
Lea and Febiger, Philadelphia: 1158-1173.

COHEN, J.A., A.T. YACHNIS, M. ARAI, J.G. DAVIS und S.S. SCHERER (1992):  
Expression of the neu-Oncogene by Schwann Cells during peripheral nerve development and Wallerian degeneration.  
J Neurosci Res **31**(4): 622-634.

COWAN, W.M. (2001):  
Viktor Hamburger and Rita Levi-Montalcini: The path to the discovery of NGF.  
Annu Rev Neurosci **24**: 551-600.

CRANG, A.J. und W.F. BLAKEMORE (1987):  
Observations on the migratory behaviour of schwann cells from adult peripheral nerve explant cultures.  
J Neurocytol **16**: 423-431.

DANIELSEN, N., L.B. DAHLIN, Y.F. LEE und G. LUNDBORG (1983):  
Axonal growth in mesothelial chambers. The role of the distal nerve segment.  
Scand J Plast Reconst Surg **17**(2): 119-125.

- DEN DUNNEN, W., B. VAN DER LEI, J. SCHAKENRAAD, E. BLAAUW, I. STOKROOS, A. PENNINGNS und P.H. ROBINSON (1993):  
Long-term evaluation of nerve regeneration in a biodegradable nerve guide.  
*Microsurg* **14**: 508-515.
- DIETZMANN, K. (1990):  
Regenerationsvorgänge in peripheren Nerven nach Kontinuitätstrennung.  
*Zentralbl allg Pathol pathol Anat* **136**(6): 525-534.
- DUBEY, N., P.C. LETOURNEAU und R.T. TRANQUILLO (1999):  
Guided neurite elongation and schwann cell invasion into magnetically aligned collagen in simulated peripheral nerve regeneration.  
*Exp Neurol* **158**(2): 338-350.
- DUBOVY, P., I. SVIZENSKA, I. KLUSAKOVA, A. ZITKOVA, L. HOUSTAVA und P. HANINEC (2001):  
Laminin molecules in freeze-treated nerve segments are associated with migrating schwann cells that display the corresponding alpha 6 beta1 integrin receptor.  
*Glia* **33**: 36-44.
- ECCLESTON, P.A., K.FUNA und C.H. HEIDIN (1993):  
Expression of PDGF and PDGF-like alpha and beta-receptors in the peripheral neural system: an analysis of sciatic nerve and dorsal root ganglions.  
*Dev Biol* **155**(2): 459-470.
- EDELMAN, G.M., W.E. GALL und W.M. COWAN (1985):  
Molecular bases of neural development.  
Neurosciences Institute Publication, New York.
- EDWARDS, P.M., C.E. VAN DER ZEE, J. VERHAAGEN, P. SCHOTMAN, F.G. JENNEKEN und W.H. GISPEN (1984):  
Evidence that the neurotrophic actions of alpha-MSH may derive from its ability to mimick the actions of a peptide formed in degenerating nerve stumps.  
*J Neurol Sci* **64**(3): 333-340.
- EMERY, E., X. LI, J.P. BRUNSCHWIG, L. OLSON und A.D. LEVI (1999):  
Assessment of the malignant potential of mitogen stimulated human schwann cells.  
*J Peripher Nerv Syst* **4**(2): 107-116.
- ENVER, M.K. und S.M. HALL (1994):  
Are schwann cells essential for axonal regeneration into muscle autografts?.  
*Neuropathol Appl Neurobiol* **20**: 587-598.
- FANTON, J. W., C.E. BLASS und S.J. WITHROW (1983):  
Sciatic nerve injury as a complication of intramedullary pin fixation of femoral fractures.  
*JAAHA* **19**: 687-694.
- FENELEY, M.R., J.W. FAWCETT und R.J. KEYNES (1991):  
The role of schwann cells in the regeneration of peripheral nerve axons through muscle basal lamina grafts.  
*Exp Neurol* **114**(3): 275-285.
- FLORES, A.J., C.J. LAVERNIA und P.W. OWENS (2000):  
Anatomy and physiology of peripheral nerve injury and repair.  
*Am J Orthop* **29**(3): 167-173.
- FORTERRE, F., B. GUTMANNBAUER, W. SCHMAHL und U. MATIS (1998):  
CT-Myelographie zur Diagnose des Plexus-brachialis-Abrisses beim Kleintier.  
*Tierärztl Prax* **26**(K): 322-329.
- FORTERRE, F., M. BURGER und L. BRUNNBERG (2001):  
Neurotisation zur Behandlung von peripheren Nervenverletzungen beim Hund: 5 Fälle.  
*Kleintierpraxis* **46**: 571-579.

- FREY, M., H. GRUBER, J. HOLLE und G. FREILINGER (1982):  
An experimental comparison of the different kinds of muscle reinnervation: nerve suture, nerve implantation and muscular neurotization.  
*Plast Reconstr Surg* **69**(4): 656-669.
- FREY, M., W. GIRSCH und P. GIOVANOLI (1998):  
Rekonstruktionsmöglichkeiten bei der Plexus brachialis-Lähmung: Neurotisation.  
*Langenbecks Arch Chir Suppl II*: 550-553.
- GALLIN, W.J., M. GRUMET, M. GREENBERG und J.J. HEMPERLY (1983):  
Structure and modulation of neural cell adhesion molecules in early and late embryology.  
*Cold Spring Harb Symp Quant Biol* **48**(2): 515-526.
- GARRATT, A.N., O.VOICULESCU, P. TOPILKO, P. CHARNAY und C. BIRCHMEIER (2000):  
A dual role of erbB2 in myelination and in expansion of the Schwann cell precursor pool.  
*J Cell Biology* **184**(5): 1035.
- GARRATT, A.N., S. BRITSCH und C. BIRCHMEIER (2000):  
Neuregulin, a factor with many functions in the life of a schwann cells.  
*Bioessays* **22**(11): 987-996.
- GHAJI, A (1980):  
Degeneration pattern of the N. ischiadicus in the dog after partial resection.  
*Indian Vet J* **57**: 841-845.
- GIARDINO, N. NICOLI ALDINI, G. PEREGO, G. CELLA, M.C. MALTARELLO, M. FINI und M. ROCCA (1995):  
Biological and synthetic conduits in peripheral nerve repair: a comparative experimental study.  
*Int J Artif Organs* **18**(4): 252-230.
- GIBSON, K., L. REMSON, A. SMITH, N. SATTERLEE, G. STRAIN und J.K. DANILOFF (1991):  
Comparison of nerve regeneration through different types of neural prostheses.  
*Microsurg* **12**: 80-85.
- GILCHRIST, T., M.A. GLASBY, D.M. HEALY, G. KELLY, D.V. LENIHAN, K.L. MC DOWALL und I.A. MILLER (1998):  
In vitro nerve repair-in vivo. The reconstruction of peripheral nerves by entubulation with biodegradable glass tubes-a preliminary report.  
*Brit J Plast Surg* **51**: 231-237.
- GILMORE, D.R. (1982):  
Sciatic nerve injury in twenty-nine dogs.  
*JAAHA* **20**: 403-407.
- GRAF, P.F. (1998):  
Grundlagen und direkte nervale Rekonstruktion bei Plexus brachialis Lähmung.  
*Langenbecks Arch Chir Suppl II*: 547-549.
- GRAFSTEIN, B. (1975):  
The nerve cell body response to axotomy.  
*Exp Neurol* **48**(3): 32-51.
- GREGORY, R.A. (1982):  
Heterogeneity of gut and brain regulatory peptides.  
*Br Med Bull* **38**(3): 271-276
- GRIFFITHS, I. R. (1974):  
Avulsion of the brachial plexus-1. Neuropathology of the spinal cord and peripheral nerves.  
*J Small Anim Pract* **15**: 165-176.

- GRIFFITHS, I.R. (1974):  
Avulsion of the brachial plexus-2. Clinical aspects.  
*J Small Anim Pract* **15**: 177-182.
- GUENARD, V., N. KLEITMANN, T.K. MORRISSEY, R.P. BUNGE und P. AEBISCHER (1992):  
Syngeneic schwann cells derived from adult nerves seeded in semipermeable guidance channels enhance peripheral nerve regeneration.  
*J Neurosci* **12**(9): 3310-3320.
- GUEST, J.D., A. RAO, L. OLSON, M.B. BUNGE und R.P. BUNGE (1997):  
The ability of human schwann cell grafts to promote regeneration in the transected nude rat spinal cord.  
*Exp Neurol* **148**(2): 502-522.
- GULATI, A.K. (1988):  
Evaluation of acellular and cellular nerve grafts in repair of rat peripheral nerve.  
*J Neurosurg* **68**(1): 117-123.
- HADLOCK, T., C. SUNDBACK, D. HUNTER, M. CHENEY und J.P. VACANTI (2000):  
A polymer foam conduit seeded with schwann cells promotes guided peripheral nerve regeneration.  
*Tissue Engineering* **6**(2): 119-127.
- HALL, S.M. (1978):  
The schwann cell: a reappraisal of its role in the peripheral nervous system.  
*Neuropathol Appl Neurobiol* **4**: 165-176.
- HALL, S.M. (1986):  
The effect of inhibiting schwann cell mitosis on the reinnervation of acellular autografts in the peripheral nervous system of the mouse.  
*Neuropathol Appl Neurobiol* **12**(4): 401-414.
- HALL, S.M. (1986):  
Regeneration in cellular and acellular autografts in the peripheral nervous system.  
*Neuropathol Appl Neurobiol* **12**(1): 27-46.
- HALL, S.M. (1989):  
Regeneration in the peripheral nervous system.  
*Neuropathol and Appl Neurobiol* **15**: 513-529.
- HATTORI, Y., K. DOI, Y. FUCHIGAMI, Y. ABE und S. KAWAI (1997):  
Experimental study on donor nerves for brachial plexus injury: comparison between the Spinal Accessory Nerve and the Intercostal Nerve.  
*Plastic Reconstr Surg* **100**(4): 900-906.
- HOFFMANN, P.N. und D.W. CLEVELAND (1988):  
Neurofilament and tubulin expression recapitulates the developmental program during axonal regeneration: induction of specific beta-tubulin isotype.  
*Proc Natl Acad Sci USA* **85**(12): 4530-4533.
- HOFFMANN, P.N., S.C. POLLOCK und G.G. STRIPH (1993):  
Altered gene expression after optic nerve transection: reduced neurofilament expression as a general response to axonal injury.  
*Exp Neurol* **119**(1): 32-36.
- HOKFELT, T. (1987):  
Increase of galanin-like immunoreactivity in rat dorsal root ganglion cells after peripheral axotomy.  
*Neurosci Lett* **83**: 217-220.
- IDE, C., K. TOHYAMA, K. TAJIMA, K. ENDOH, K. SANO, M. TAMURA, A. MIZOGUCHI, M. KITADA, T. MORIHARA und M. SHIRASU (1998):  
Long acellular nerve transplants for allogeneic grafting and the effects of basic fibroblast growth factor on the growth of regenerating axons in dogs: a preliminary report.  
*Exp Neurol* **154**(1): 99-112.

- JACOBSON, A. und C. SCHRADER (1987):  
Peripheral nerve injury associated with fracture or fracture-dislocation of the pelvis in dogs and cats: 34 cases (1978-1982).  
*JAVMA* **19**(5): 569-572.
- JAFFE, L.F. (1979):  
Control of development by ionic currents.  
*Soc Gen Physiol Ser* **33**: 199-231.
- JEFFERY, N.D., J. PENDERIS, P.M. SMITH und R.J.M. FRANKLIN (2001):  
Bridging the divide: spinal cord repair by cellular transplantation-from research laboratory to therapeutic application.  
*J Small Anim Pract* **42**: 428-432.
- JESSEN, K.R. und R. MIRSKY (1992):  
Schwann cells: early lineage, regulation of proliferation and control of myelin formation.  
*Curr Opin Neurobiol* **2**: 575-581.
- JIANG, G., L. ZHANG, L. SHEN, J. XU und Y. GU (2000):  
Fibrillation potential amplitude to quantitatively assess denervation muscle atrophy.  
*Neuromusc Disorders* **10**: 85-91.
- JIRSOVA, K., P. SODAAR, P. MANDYS und P.R. BAR (1997):  
Cold jet: a method to obtain pure schwann cell cultures without the need for cytotoxic, apoptosis-inducing drug treatment.  
*J Neurosci Meth* **78**(1-2): 133-137
- KANDEL, E.R., J.H. SCHWARTZ und T.M. JESELL (1996):  
Neurowissenschaften.  
Spektrum Verlag, Heidelberg.
- KARPATI, G., S. CARPENTER und L. CHARRON (1981):  
Experimental reinnervation attempts of skeletal muscle cells by non motor nerves.  
In: Gorio, A., H. Millesi und S. Mingrino (Hrsg.): Posttraumatic peripheral nerve regeneration.  
Raven Press, New York: 495-506.
- KEELEY, R., T. ATAGI, E. SABELMAN, J. PADILLA, S. KADLCIK, A. KEELEY, K. NGUYEN und J. ROSEN (1993):  
Peripheral nerve regeneration across 14mm gaps: a comparison of autograft and entubulation repair methods in the rat.  
*J Reconstr Microsurg* **9**(5): 349-358.
- KEILHOFF, G., H. FANSA, W. SCHNEIDER und G. WOLF (1999):  
In vivo predegeneration of peripheral nerves: an effective technique to obtain activated schwann cells for nerve conduits.  
*J Neurosci Methods* **89**(1): 17-24.
- KELLEHER, M.O., R.K. AL-ABRI, M.L. ELEUTERIO, L.M. MYLES, D.V. LENIHAN und M.A. GLASBY (2001):  
The use of conentional and invaginated autologuous vein grafts for nerve repair by means of entubulation.  
*British J Plast Surg* **54**: 53-57.
- KIM, D., S.E. CONNOLLY, S. ZHAO, R.W. BEURERMANN, R.M. VOORHIES und D.G. KLINE (1993):  
Comparison of macropore, semipermeable and nonpermeable collagen conduits in nerve repair.  
*J Reconstr Microsurg* **9**(6): 415-420.
- KIM, D., S.E. CONNOLLY, D.G. KLINE, R.M. VOORHIES, A. SMITH, M. POWELL, T. YOES und J. DANILOFF (1994):  
Labeled Schwann cell transplants versus sural nerve grafts in nerve repair.  
*J Neurosurg* **80**: 254-260.

- KNECHT, C. D. und J.A. GREENE (1977):  
Surgical approach to the brachial plexus in small animals.
- KOO, P.H. und D.J. LIEBL (2000):  
Inhibition of Nerve Growth Factor-stimulated neurite outgrowth by Methylamine-Modified alpha 2-Macroglobulin.  
J Neurosci Res **31**(4): 678-692.
- LAKATOS, A., R.J. FRANKLIN und S.C. BARNETT (2000):  
Olfactory ensheathing cells and Schwann cells differ in their in vitro interactions with astrocytes.  
Glia **3**(3): 214-225.
- LANGFORD, L.A., S. PORTER und R.P. BUNGE (1988):  
Immortalized rat schwann cells produce tumours in vivo.  
J Neurocytol **17**(4): 521-529.
- LANGONE, F. und C.F. DA-SILVA (1990):  
Exogenous ganglioside stimulation of axonal regeneration after nerve transection and entubulation repair.  
Braz J Med Biol Res **23**(9): 823-826.
- LEE, M., A. BADACHE und G.H. DE VRIES (1999):  
Phosphorylation of CREB in axon-induced Schwann Cell proliferation.  
J Neurosci Res **55**: 702-712.
- LEECHAVENGVONGS, S., K. WITONCHART, C. UERPAIROJKIT, P. THUVASETHAKUL und W. KETMALASIRI (1998):  
Nerve transfer to biceps muscle using a part of the ulnar nerve in brachial plexus injury: a report of 32 cases.  
J Hand Surg **23A**(4): 711-716.
- LEVI, A.D.O., V. GUENARD, P. AEBISCHER und P. BUNGE (1994):  
The functional characteristics of schwann cells cultured from human peripheral nerve after transplantation into a gap within the rat sciatic nerve.  
J Neurosci **14**(3): 1309-1319.
- LEVI, A.D., R.P. BUNGE, J.A. LOFGREN, L. MEIMA, F. HEFTI, K. NIKOLIES und M.X. SLIWKOWSKI (1995):  
The influence of heregulins on human Schwann cell proliferation.  
J Neurosci **10**(2): 1329-1340.
- LEVI, A.D. (1996):  
Characterization of the technique involved in isolating schwann cells from adult human peripheral nerve.  
J Neurosci Methods **68**(1): 21-26.
- LEWIN, G. R. und L.M. MENDELL (1996):  
Maintenance of modality-specific connections in the spinal cord after neonatal nerve growth factor deprivation.  
Europ J Neurosci **8**: 1677-1684.
- LI, S.T., S.J. ARCHIBALD, C. KRARUP und R.D. MADISON (1992):  
Peripheral nerve repair with collagen conduits.  
Clin Mater **9**(3-4): 195-200.
- LI, C., B. TRAPP, S. LUDWIN, A. PETERSON und J. RODER (1998):  
Myelin Associated Glycoprotein modulates glia-axon contact in vivo.  
J Neurosci Res **51**: 210-217.
- LI, R. (1998):  
Culture methods for selective growth of normal rat and human schwann cells.  
Methods Cell Biol **57**: 167-186.



LIU, S., N. BODJARIAN, O. LANGLOIS, A.S. BONNARD, N. BOISSET, P. PEULVE und G. SAID (1998): Axonal regrowth through a collagen guidance channel bridging spinal cord to the avulsed C6 roots: functional recovery in primates with brachial plexus injury. *J Neurosci Res* **51**: 723-734.

LUNDBORG, G., B. ROSEN, S.O. ABRAHAMSON, L. DAHLIN und N. DANIELSEN (1994): Tubular repair of the median nerve in the human forearm. *J Hand Surg* **19B**: 273-276.

MACKINNON, S.E., A.L. DELLON und D.A. HUNTER (1988): Histological assessment of the effects of the distal nerve in determining regeneration across a nerve graft. *Microsurg* **9**(4): 46-51.

MADORSKY, S.J., J.E. SWETT und R.L. CRUMLEY (1997): Motor versus sensory neuron regeneration through collagen tubules. *Plast Reconstr Surg* **102**(2): 430-436.

MALESSY, M. J. A. und R. THOMEER (1998): Evaluation of intercostal to musculocutaneous nerve transfer in reconstructive brachial plexus surgery. *J Neurosurg* **88**: 266-270.

MANTHORPE, M., S. SKAPER und S. VARON (1980): Purification of mouse schwann cells using neurite-induced proliferation in serum-free monolayer culture. *Brain Res* **196**(2): 467-482.

MASON, P.W., B.L. ATTEMA und G.H. DE VRIES (1992): Isolation and characterization of neonatal Schwann Cells from cryopreserved rat sciatic nerves. *J Neurosci Res* **31**(4): 731-744.

MATTHEWS, M.R. und A. OSTBERG (1973): Effects of preganglionic nerve section upon the afferent innervation of the small granule-containing cells in the rat superior cervical ganglion. *Acta Physiol Pol* **24**(1): 215-223.

MC CORMACK, M.L., M. GODDARD, V. GUENARD und P. AEBISCHER (1991): Comparison of dorsal and ventral spinal root regeneration through semipermeable guidance channels. *J Comp Neurol* **313**(3): 449-456.

MC KERRACHER, L., C. ESSAGIAN und A.J. AGUAYO (1993): Marked increase in beta-tubulin mRNA expression during regeneration of axotomized retinal ganglion cells in adult mammals. *J Neurosci* **13**(12): 5294-5300.

MC KERRACHER, L., C. ESSAGIAN und A.J. AGUAYO (1993): Temporal changes in beta-tubulin and neurofilament mRNA levels after transection of adult rat retinal ganglion cell axons in the optic nerve. *J Neurosci* **13**(6): 2617-2626.

MEIER, C., E. PARMANTIER, A. BRANNAN, R. MIRSKY und K.R. JESSEN (1999): Developing Schwann cells acquire the ability to survive without axons by establishing an autocrine circuit involving insulin-like growth factor, neurotrophin-3 and platelet-derived growth factor-bb. *J Neurosci* **19**(10): 3847-3859.

METZ, R. und W. SEEGER (1969): Collagen wrapping of nerve homotransplants in dogs. A preliminary report. *Europ Surg Res* **1**(2): 157-160.

MILLES, H. (1981): Interfascicular nerve grafting. *Orthop Clin North Am* **12**(2): 287-301.

MIYAMOTO, Y. (1979):

Experimental studies on repair for peripheral nerves – relationship between circulatory disturbance at nerve stumps caused by tension at suture line and axonal regeneration.

Hiroshima J Med Sci **28** (2): 87-93.

MOHIUDDIN, L., J.D. DELCROIX, P. FERNYHOUGH und D.R. TOMLINSON (1999):

Focally administered nerve growth factor suppresses molecular regenerative responses of axotomized peripheral afferents in rats.

Neuroscience **91**(1): 265-271.

MOISSONNIER, P., G. DICKELE und S. LAVIEILLE (1995):

Abord du plexus brachial et de ses racines medullaires craniales chez le chien.

Le Point Veterinaire **27**(171): 53-64.

MONTGOMERY, C.T. und J.A. ROBSON (1993):

Implants of cultured schwann cells support axonal growth in the central nervous system of adult rats.

Exp Neurol **122**( 1): 107-124.

MORELL UND NORTON (1980):

Myelin.

Sci Am **242**(5): 88-90, 92-96.

MORRISSEY, T.K., N. KLEITMAN und R.P. BUNGE (1991):

Isolation and functional characterization of schwann cells derived from adult peripheral nerve.

J Neurosci **11**(8): 2433-2442.

MORRISSEY, T.K., R.P. BUNGE und N. KLEITMAN (1995):

Human schwann cells in vitro I. Failure to differentiate and support neuronal health under co-culture conditions that promote full function of rodent cells.

J Neurobiol **28**(2): 171-189.

MORRISSEY, T.K., N. KLEITMANN und R.P. BUNGE (1995):

Human schwann cells in vitro II. Myelination of sensory axons following extensive purification and heregulin-induced expansion.

J Neurobiol **28**(2): 190-201.

MORRISSEY, T.K., A.D.O. LEVI, A. NUIJENS, M.X. SLIWSKOWSKI und R.P. BUNGE (1995):

Axon-induced mitogenesis of human Schwann cells involves heregulin and p185 erbB2.

Proc Natl Acad Sci USA **92**: 1431-1435.

NADIM, W., P.N. ANDERSON und M. TURMAINE (1990):

The role of schwann cells and basal lamina tubes in the regeneration of axons through long lengths of freeze-killed nerve grafts.

Neuropathol Appl Neurobiol **16**(5): 411-421.

NAGANO, A. (1996):

Nerve grafting in brachial plexus injuries.

J Bone Joint Surg Br **78B**(5): 754-757.

NAGANO, A. (1998):

Treatment of brachial plexus injury.

J Orthop. Sci **3**: 71-80.

NICHOLLS, D.G. (1994):

Molecular aspects of neuronal development and plasticity.

In Proteins, Transmitters and Synapses.

Oxford, Blackwell Scientific Publications: 234-246.

OCHIAI, N., A. NAGANO, H. SUGIOKA und T. HARA (1996):

Nerve grafting in brachial plexus injuries.

J Bone Joint Surg Br **78B**(5): 754-758.

- ODA, Y., Y. OKADA, S. KATRUDA, K. IKEDA und I. NAKANISHI (1989):  
A simple method for the schwann cell preparation from newborn rat sciatic nerves.  
*J Neurosci Methods* **28**(3): 163-169.
- OKINAGA, S. und A. NAGANO (1999):  
Can vascularisation improve the surgical outcome of the intercostal nerve transfer for traumatic brachial plexus palsy? A clinical comparison of vascularized and non-vascularized methods.  
*Microsurgery* **19**: 176-180.
- OLAWALE, A.R., SULAIMAN und T. GORDON (2000):  
Effects of short- and long-term schwann cell denervation on peripheral nerve regeneration, myelination and size.  
*Glia* **32**: 234-246.
- OSAWA, T., K. TOHYAMA und C. IDE (1990):  
Allogeneic nerve grafts in the rat, with special reference to the role of schwann cell basal laminae in nerve regeneration.  
*J Neurocytol* **19**(6): 833-849.
- OTTOSON, D. (1983):  
The neuron.  
In: *Physiology of the nervous system*.  
The Macmillan Press LTD, London: 13-77.
- OUDEGA, M., S.E. CAUTIER, P. CHAPON, M. FRAGOSO, M.L. BATES, J.M. PAREL und M.B. BUNGE (2001):  
Axonal regeneration into Schwann cell grafts within resorbable poly(alpha-hydroxyacid)guidance channels in the adult rat spinal cord.  
*Biomaterials* **22**(10): 1125.
- PALANIVELU, R. und D. PREUSS (2000):  
Pollen tube targeting and axon guidance: parallels in tip growth mechanisms.  
*Trends Cellbiol* **10**: 517-523.
- PALMER, R.H., D. ARON und P. PURINTON (1988):  
Relationship of femoral intramedullary pins to the sciatic nerve and gluteal muscles after retrograde and normograde insertion.  
*Vet Surg* **17**(2): 65-70.
- PATEL, N. und M.M. POO (1982):  
Orientation of the direction of neurite outgrowth by pulsed and focal electric fields.  
*J Neurosci* **2**(4): 483-496.
- PENKERT, G., G.A. CARVALHO, G. NIKKHAH, M. TATAGIBA, C. MATTHIES und M. SAMII (1999):  
Diagnosis and surgery of brachial plexus injuries.  
*J Reconstr Microsurg* **15**(1).
- PHAM, H.N., J.A. PADILLA, K.D. NGUYEN und J.M. ROSEN (1990):  
Comparison of nerve repair techniques: suture vs. Avitene-polyglycolic acid tube.  
*J Reconstr Microsurg* **7**(1): 31-36.
- PORTER, S., M.B. CLARK, L. GLASER und R.P. BUNGE (1986):  
Schwann cells stimulated in the absence of neurons retain full functional capability.  
*J Neurosci* **6**(10): 3070-3078.
- PURVES, D. und W. LICHTMAN (1985):  
Principles of neural development.  
Sinauer Associates Inc., Sunderland, Massachusetts.
- RAHMATULLAH, M., A. SCHROERING, K. ROTHBLUM, R.C. STAHL, B. URBAN und D.J. CAREY (1998):  
Synergistic regulation of Schwann cell proliferation by Heregulin and Forskolin.  
*Mol Cellular Biol* **18**(11): 6245-6252.

- RAMON-CUETO, A., G.W. PLANT, J. AVILA und M. BARTLETT BUNGE (1998):  
Long-distance axonal regeneration in the transected adult rat spinal cord is promoted by olfactory ensheathing glia transplants.  
*J Neurosci* **18**(10): 3803-3815.
- RODKEY, W.G. (1993):  
Peripheral nerve surgery.  
In: Bojrab, M.J.: Disease mechanisms in small animal surgery.  
Lea and Febiger, Philadelphia: 1135-1141.
- ROSEN, J.M., H.N. PHAAM und V.R. HENTZ (1989):  
Fascicular tubulization: a comparison of experimental nerve repair techniques in the cat.  
*Ann Plast Surg* **22**(6): 467-478.
- RUTKOWSKI, J.L., G.I. TENNEKOON und J.E. GILLICUDDY (1992):  
Selective culture of mitotically active human schwann cells from adult sural nerves.  
*Ann Neurol* **31**: 580-586.
- SAALBACH, A., G. AUST, U.F. HAUSTEIN, K. HERRMANN und U. ANDEREGG (1997):  
The fibroblast-specific MAbASO2: a novel tool for detection and elimination of human fibroblasts.  
*Cell Tissue Res* **290**(3): 593-599.
- SAIKA, T., E. SENBA, K. NOGUCHI, M. SATO, T. KUBO, T. MATSUNAGA und M. TOHYAMA (1991):  
Changes in expression of peptides in rat facial motoneurons after facial nerve crushing and resection.  
*Brain Res Mol Brain Res* **11**(3-4): 187-196.
- SAMII, M., G.A. CARVALHO, G. NIKKHAH und G. PENKERT (1997):  
Surgical reconstruction of the musculocutaneous nerve in traumatic brachial plexus injuries.  
*J Neurosurg* **87**: 881-886.
- SCARPINI, E., B.Q. KREIDER, R.P. LISAK und D.E. PLEASURE (1988):  
Establishment of schwann cell cultures from adult rat peripheral nerves.  
*Exp Neurol* **102**(2): 187-176.
- SCARPINI, E., B.Q. KREIDER, R.P. LISAK, G. MEOLA, M.E. VELICOGNA, P. BARON, S. BERETTA, M. BUSCAGLIA, A.H. ROSS und G. SCARLATO (1988):  
Cultures of human schwann cells isolated from fetal nerves.  
*Brain Res* **440**(2): 261-266.
- SCHECTERSON, L.L. und M. BOTHWELL (1992):  
Novel roles for neurotrophins are suggested by BDNF and NT-3 m-RNA expression in developing neurons.  
*Neuron* **9**(3): 449-463.
- SCHREIBER, R.C. (1994):  
Galanin expression increases in adult rat sympathetic neurons after axotomy.  
*Neurosci* **60**: 17-27.
- SCHWARTZ, M. (1987):  
Molecular and cellular aspects of nerve regeneration.  
*CRC Crit Rev Biochem* **22**(2): 89-110.
- SHADIACK, A.M., S.A. VACCARIELLO, Y. SUN und R.E. ZIGMOND (1998):  
Nerve growth factor inhibits sympathetic neurons response to an injury cytokine.  
*Neurobiol* **95**(13): 7727-7730.
- SHARP, J.W., C.S. BAILEY, R.D. JOHNSON und R.L. KITCHELL (1991):  
Spinal root origin of the radial nerve and nerves innervating shoulder muscles of the dog.  
*Anat Histol Embryol* **20**: 205-214.

- SHIBIB, K., M. BROCK, H. MULLER und G. GOSZTONY (1985):  
Maximal regeneration distance. How far can a peripheral axon regenerate?.  
*Neurol Res* **7**(4): 177-181.
- SHIBIB, K., M. BROCK, G. BULJAT, G. GOSZTONY und G. SCHOKNECHT (1988):  
Polarization of nerve regeneration (electrotaxis).  
*Surg Neurol* **29**(5): 372-388.
- SHIRLEY, D.M., S.L. WILLIAMS, J.F. COVEY und P.M. SANTOS (1996):  
A functional model of nerve repair.  
*Arch Otolaryngol Head Neck Surg* **122**: 785-788.
- SKAPER, S.D., M. MANTHORPE, R. ADLER und S. VARON (1980):  
Survival, proliferation and morphological specialization of mouse Schwann cells in a serum-free, fully defined medium.  
*J Neurocytol* **9**: 683-697.
- SKENE, J.H.P. (1986):  
Axonal growth-associated proteins.  
*Ann Rev Neurosci* **12**: 127-156.
- SMAHEL, J., V.E. MEYER und W. MORGENTHALER (1993):  
Silicone cuffs for peripheral nerve repair: experimental findings.  
*J Reconstr Microsurg* **9**(4): 293-297.
- SMITH, P.M., A. LAKATOS, S.C. BARNETT, N.D. JEFFERY und R.J. FRANKLIN (2002):  
Cryopreserved cells isolated from the adult canine olfactory bulb are capable of extensive remyelination following transplantation into the adult rat central nervous system.  
*Exp Neurol* **176**(2): 402-406.
- STEUER, H., R. FADALE, E. MÜLLER, H. MÜLLER, H. PLANCK und B. SCHLOSSHAUER (1999):  
Biohybride nerve guide for regeneration: degradable polylactide fibers coated with rat schwann cells.  
*Neurosci Letters* **277**: 165-168.
- STEVENSON, T.R., V.A. KADHIRESAN und J.A. FAULKNER (1994):  
Tubular nerve guide and epineural repair: comparison of techniques for neurorrhaphy.  
*J Reconstr Microsurg* **10**(3): 171-174.
- STEWART, H.J., P.A. ECCLESTON, K.R. JESSEN und R. MIRSKY (1991):  
Interaction between cAMP elevation, identified growth factors and serum components in regulating schwann cell growth.  
*J Neurosci Res* **30**(2): 346-352.
- STICHEL, C.C. und H.W. MÜLLER, H.W. (1998):  
The CNS lesion scar: new vistas on an old regeneration barrier.  
*Cell Tissue Res* **294**(1): 1-9
- STOLL, G., J.W. GRIFFIN, C.Y. LI und B.D. TRAPP (1989):  
Wallerian degeneration in the peripheral nervous system: participation of both schwann cells and macrophages in myelin degradation.  
*J Neurocytol* **18**(5): 671-683.
- SUMMERS, B.A., J.F. CUMMINGS und A. DE LAHUNTA (1995):  
Diseases of the peripheral nervous system.  
In: *Veterinary Neuropathology*.  
Mosby, St. Louis, Missouri: 402-480.
- SUNDERLAND, S. (1970):  
Anatomical features of nerve trunks in relation to nerve injury and nerve repair.  
*Clin Neurosurg* **17**: 38-62.

- SUNDERLAND, S. (1979):  
Advances in diagnosis and treatment of root and peripheral nerve injury.  
*Adv Neurol* **22**: 271-305.
- SWAIM, S.F. (1978):  
Peripheral Nerve Surgery.  
In: *Canine Neurology*.  
W.B. Saunders, Philadelphia: 296-318.
- TANIUCHI, M., H.B. CLARK, J.P. SCHWEITZER und E.M. JOHNSON JR. (1988):  
Expression of NGF-receptors by schwann cells of axotomized peripheral nerves: ultrastructural location, suppression by axonal contact and binding properties.  
*J Neurosci* **8**(2): 664-681.
- TERRIS, D.J. und E.F. WILLARD (1993):  
Current issues in nerve repair.  
*Arch Otolaryngol Head Neck Surg* **119**: 725-731.
- THOMAS, P.K., H.M. KING und A. PHELPS (1972):  
Electron-microscope observations on the degeneration of unmyelinated axons following nerve section.  
*J Pathol* **107**(3): P8.
- THOMAS, P.K. und R.H. KING (1974):  
The degeneration of unmyelinated axons following nerve section: an ultrastructural study.  
*J Neurocytol* **3**: 497-512.
- TORVIK, A. und F. SKJÖRTEN (1971):  
Electron microscopic observations on nerve cell regeneration and degeneration after axon lesions.  
*Acta Neuropathol* **17**: 248-264.
- TREUBERT, U. und T. BRÜMMENDORF (1998):  
Functional cooperation of beta-1-intergrins and members of the Ig superfamily in neurite outgrowth induction.  
*J Neurosci* **18**(5): 1795-1805.
- TWISS, J. L., H.G. WADA, K.S. FOK, S.D.H. CHAN, A.N. VERITY, G.T. BAXTER, E.M. SHOOTER und H.H. SUSSMAN (1998):  
Duration and magnitude of nerve growth factor signaling depend on the ratio of p75 to TrkA.  
*J Neurosci Res* **51**: 442-453.
- UZIYEL, Y., S. HALL und J. COHEN (2000):  
Influence of Laminin-2 on schwann cell-axon interactions.  
*Glia* **32**: 109-121.
- VERDU, E., F.J. RODRIGUEZ, G. GUDINO-CABRERA, M. NIETO-SAMPEDRO und X. NAVARRO (2000):  
Expansion of adult schwann cells from mouse predegenerated peripheral nerves.  
*J Neurosci Methods* **99**(1-2): 111-117.
- VERGE, V.M., W. TETZLAFF, M.A. BISBY und P.M. RICHARDSON (1990):  
Influence of nerve growth factor on neurofilament gene expression in mature primary sensory neurons.  
*J Neurosci* **10**(6): 2018-2025.
- VERHAAGEN, J., P.M. EDWARDS, F.G. JENNEKENS und W.H. GISPEN (1987):  
Pharmacological aspects of the influence of melanocortins on the formation of regenerative peripheral nerve sprouts.  
*Peptides* **8**(4): 581-584.
- VERHAAGEN, J., P.M. EDWARDS und W.H. GISPEN (1988):  
Damaged rat peripheral nerves do not contain detectable amounts of alpha-MSH.  
*J Neurosci Res* **19**(1): 14-18.

- WAIKAKUL, S., S. ORAPIN und V. VANADURONGWAN (1999):  
Clinical results of contralateral C7 root neurotization to the Median Nerve in brachial plexus injuries with total root avulsions.  
*J Hand Surg (Br)* **24B**(5): 556-560.
- WARZOK, R. und J. CERVOS-NAVARRO (1990):  
Morphologische Diagnostik von Krankheiten des peripheren Nervensystems.  
*Zentralbl Allg Pathol* **136**(6): 493-502.
- WELCH, J.A. (1996):  
Peripheral Nerve Injury.  
*Seminars in Veterinary Medicine and Surgery (Small Animal)* **11**(4): 273-284.
- WELLER, R.O. und R.S. MELLICK (1966):  
Acid Phosphatase and lysosome activity in diphtheritic neuropathy and Wallerian Degeneration.  
*Brit J Exp Pathol* **47**(5): 39-50.
- WHEELER, S. J., D.G. CLAYTON JONES und J.A. WRIGHT (1986):  
The diagnosis of brachial plexus disorders in dogs: a review of 22 cases.  
*J Small Anim Pract* **27**: 147-157.
- WITHROW, S.J. und T.C. AMIS (1977):  
Sciatic nerve injury associated with intramedullary fixation of femoral fracture.  
*JAAHA* **13**: 562-568.
- WONG, J. und M.M.OBLINGER (1991):  
NGF rescues substance P expression but not neurofilament or tubulin gene expression in axotomized sensory neurons.  
*J Neurosci* **11**(2): 543-552.
- WRATHALL, J.R., D.D. RIGAMONTI, M.R. BRAFORD und C.C. KAO (1981):  
Non-neuronal cell cultures from dorsal root ganglia of the adult cat: production of schwann cell-like cell lines.  
*Brain Research* **229**: 163-181.
- WU, V. und J.P. SCHWARTZ (1998):  
Cell culture models for reactive gliosis: new perspectives.  
*J Neurosci Res* **51**: 675-681.
- WYNICK, D. (2001):  
Response: Can Galanin also be considered as growth associated proein 3.2?.  
*Trends in Neurosciences* **24**(9): 496.
- XU, X.M., V. GUENARD, N. KLEITMANN und M.B. BUNGE (1995):  
Axonal regeneration into schwann cell-seeded guidance channels grafted into transected adult rat spinal cord.  
*J Comp Neurol* **351**: 145-160.
- XU, X.M., V. GUENARD, N. KLEITMANN, P. AEBISCHER und M.B. BUNGE (1995):  
A combination of BDNF and NT-3 promotes supraspinal axonal regeneration into Schwann cell grafts in adult rat thoracic spinal cord.  
*Exp Neurol* **134**(2): 261-272.
- YANG, H., Z. XIAO, B. BECKER, R. HILLENBRAND, G. ROUGON und M. SCHACHNER (1999):  
Role for Myelin-Associated Glycoprotein as a functional Tenascin-R receptor.  
*J Neurosci Res* **55**: 687-701.
- ZANAZZI, G., S. EINHEBER, R. WESTREICH, M.J. HANNOCKS, D. BEDELL-HOGAN, M.A. MARCHIONNIK und J.L. SALZER (2001):  
Glial growth factor/neuregulinn inhibits Schwann cell myelination and induces demyelination.  
*J Cell Biol* **152**(6): 1289.

ZHASNG, L., Z.W. CHEN, S.R. HAUNG und Y.P. LING (1986):  
Experimental study of regeneration of motor end plate.  
Microsurg 7: 148-150.

ZIGMOND, R.E. (2001):  
Can galanin also be considered as growth-associated protein 3.2?  
Trends in Neurosciences 24(9): 494-496.





## IX. Verzeichnis Abbildungen, Tabellen und Graphiken

### Abbildungen

- Abb. 1: Schema des somatischen Nervensystems
- Abb. 2: Myelinogenese
- Abb. 3: Axon mit Schwannscher Scheide
- Abb. 4: nichtmyelinisierte Axone im PNS
- Abb. 5a,b: Wachstumskegel
- Abb. 6: Lipiddoppellayer
- Abb. 7: Effekte des NGF
- Abb. 8: Kinesinmodell für den schnellen anterograden Stofftransport
- Abb. 9: Elemente des neuronalen Zytoskeletts
- Abb. 10: Verletzungsarten Nerv
- Abb. 11: Schema Tubulisation
- Abb. 12: SC-Morphologie, Lichtmikroskop
- Abb. 13: Fibroblasten-Morphologie, Lichtmikroskop
- Abb. 14: Zellen während des Abtrypsinierens, Lichtmikroskop
- Abb. 15: Schema indirekte Immunfluoreszenz
- Abb. 16: DAPI-Färbung
- Abb. 17: Fluoreszenzdarstellung zu Abb. 16
- Abb. 18a,b: Unspezifität S100-Färbung, Phasenkontrast bzw. Fluoreszenz
- Abb. 19a,b: Kryoschnitt, S100-Färbung, Phasenkontrast bzw. Fluoreszenz
- Abb. 20a,b: Unspezifität S100-Färbung, Phasenkontrast bzw. Fluoreszenz
- Abb. 21a,b: Negativkontrolle S100-Färbung, Phasenkontrast bzw. Fluoreszenz
- Abb. 22a,b: S100-Kernfärbung, Phasenkontrast bzw. Fluoreszenz
- Abb. 23a,b: S100-Kernfärbung, Phasenkontrast bzw. Fluoreszenz
- Abb. 24a,b: p75-AK-Färbung, Phasenkontrast bzw. Fluoreszenz
- Abb. 25a,b: p75-AK-Färbung, Phasenkontrast bzw. Fluoreszenz
- Abb. 26a,b: p75-AK-Färbung, Phasenkontrast bzw. Fluoreszenz
- Abb. 27a,b: p75-AK-Färbung, Fluoreszenz, mit Choleratoxin
- Abb. 28a,b: p75-AK-Färbung, Fluoreszenz, ohne Choleratoxin
- Abb. 29: aus Explantat auswandernde Fibroblasten, Lichtmikroskop
- Abb. 30: aus Explantat auswandernde Fibroblasten und SC, Lichtmikroskop
- Abb. 31: aus Explantat auswandernde SC in Kettenformationen, Lichtmikroskop
- Abb. 32: Zellsuspension nach der Verdauung, Lichtmikroskop
- Abb. 33: Zellen nach dem Abtrypsinieren, Lichtmikroskop

## **Tabellen**

Tab. 1: Zusammenfassung von Material und Methode der fünf wichtigsten Studien

Tab. 2: Übersicht Material

Tab. 3A: Zählung 1: Gesamtzellzahlen nach der Verdauung

Tab. 3B: Zählung 2: Gesamtzellzahlen nach dem Abtrypsinieren

Tab. 3C: Schwannzellen: prozentuale Anteile der SC in den Kulturen

Tab. 4A: Verluste vom Ansatz bis einschließlich der Verdauung

Tab. 4B: Verluste nach der Verdauung

Tab. 4C: Verluste nach dem Abtrypsinieren

Tab. 5: Lagemasse der Graphiken 2-5

Tab. 6: Gesamtzellzahlen, SC-Anteile und absolute SC-Zahlen

## **Graphiken**

Graphik 1: Nervenmaterial: Anteile der verschiedenen Nerven

Graphik 2: Boxplot-Darstellung der Ergebnisse der Zählung 1

Graphik 3: Boxplot-Darstellung der Ergebnisse der Zählung 2

Graphik 4: Boxplot-Darstellung der Ergebnisse der prozentualen SC-Zählung

Graphik 5: Boxplot-Darstellung der Differenzen zwischen Zählung 1 und Zählung 2