

## 6 Literatur

- Adachi, W., Koike,S., Nimura,Y., Koide,N., Iida,F., Du,X.Q., Ping,Y.M., He,M., Chen,L.Q., Zhang,M.D., and Zhang,H.L. (1996). Clinicopathologic characteristics and postoperative outcome in Japanese and Chinese patients with thoracic esophageal cancer. *World J Surg.* *20*, 332-336.
- Amri, H., Li,H., Culty,M., Gaillard,J.L., Teper,G., and Papadopoulos,V. (1999). The peripheral-type benzodiazepine receptor and adrenal steroidogenesis. *Curr. Opin. Endocrin. Diab.* *6*, 179-186.
- Anholt, R.R., Pedersen,P.L., De Souza,E.B., and Snyder,S.H. (1986). The peripheral-type benzodiazepine receptor. Localization to the mitochondrial outer membrane. *J. Biol. Chem.* *261*, 576-583.
- Arber, N., Hibshoosh,H., Moss,S.F., Sutter,T., Zhang,Y., Begg,M., Wang,S., Weinstein,I.B., and Holt,P.R. (1996). Increased expression of cyclin D1 is an early event in multistage colorectal carcinogenesis. *Gastroenterology* *110*, 669-674.
- Banati, R.B., Newcombe,J., Gunn,R.N., Cagnin,A., Turkheimer,F., Heppner,F., Price,G., Wegner,F., Giovannoni,G., Miller,D.H., Perkin,G.D., Smith,T., Hewson,A.K., Bydder,G., Kreutzberg,G.W., Jones,T., Cuzner,M.L., and Myers,R. (2000). The peripheral benzodiazepine binding site in the brain in multiple sclerosis: quantitative in vivo imaging of microglia as a measure of disease activity. *Brain* *123*, 2321-2337.
- Bareiss, D., Stabenow,R., Muller,R., Eisinger,B., Stegmaier,C., Daubler,P., Zeitz,M., and Scherubl,H. (2002). Current epidemiology of carcinoma of the esophagus and cardia in Germany. *Dtsch. Med. Wochenschr.* *127*, 1367-1374.
- Batra, S. and Iosif,C.S. (1998). Elevated concentrations of mitochondrial peripheral benzodiazepine receptors in ovarian tumors. *Int. J. Oncol.* *12*, 1295-1298.
- Befeler, A.S., Hayashi,P.H., and Di Bisceglie,A.M. (2005). Liver transplantation for hepatocellular carcinoma. *Gastroenterology* *128*, 1752-1764.
- Beinlich, A., Strohmeier,R., Kaufmann,M., and Kuhl,H. (1999). Specific binding of benzodiazepines to human breast cancer cell lines. *Life Sci.* *65*, 2099-2108.
- Beinlich, A., Strohmeier,R., Kaufmann,M., and Kuhl,H. (2000). Relation of cell proliferation to expression of peripheral benzodiazepine receptors in human breast cancer cell lines. *Biochem. Pharmacol.* *60*, 397-402.
- Bernardi, P., Scorrano,L., Colonna,R., Petronilli,V., and Di Lisa,F. (1999). Mitochondria and cell death. Mechanistic aspects and methodological issues. *Eur. J. Biochem.* *264*, 687-701.
- Bernassau, J.M., Reversat,J.L., Ferrara,P., Caput,D., and LeFur,G. (1993). A 3D model of the peripheral benzodiazepine receptor and its implication in intra mitochondrial cholesterol transport. *J Mol. Graph.* *11*, 236-44, 235.
- Beurdeley-Thomas, A., Miccoli,L., Oudard,S., Dutrillaux,B., and Poupon,M.F. (2000). The peripheral benzodiazepine receptors: a review. *J. Neurooncol.* *46*, 45-56.

Blot, W.J. and McLaughlin, J.K. (1999). The changing epidemiology of esophageal cancer. *Semin. Oncol* 26, 2-8.

Bossy-Wetzell, E., Newmeyer, D.D., and Green, D.R. (1998). Mitochondrial cytochrome c release in apoptosis occurs upstream of DEVD-specific caspase activation and independently of mitochondrial transmembrane depolarization. *EMBO J.* 17, 37-49.

Braestrup, C. and Squires, R.F. (1977). Specific benzodiazepine receptors in rat brain characterized by high-affinity (3H)diazepam binding. *Proc. Natl. Acad. Sci. U. S. A.* 74, 3805-3809.

Brown, L.M., Hoover, R., Silverman, D., Baris, D., Hayes, R., Swanson, G.M., Schoenberg, J., Greenberg, R., Liff, J., Schwartz, A., Dosemeci, M., Pottern, L., and Fraumeni, J.F., Jr. (2001). Excess incidence of squamous cell esophageal cancer among US Black men: role of social class and other risk factors. *Am. J. Epidemiol.* 153, 114-122.

Canat, X., Guillaumont, A., Bouaboula, M., Poinot-Chazel, C., Derocq, J.M., Carayon, P., LeFur, G., and Casellas, P. (1993). Peripheral benzodiazepine receptor modulation with phagocyte differentiation. *Biochem. Pharmacol.* 46, 551-554.

Carmel, I., Fares, F.A., Leschiner, S., Scherübl, H., Weisinger, G., and Gavish, M. (1999). Peripheral-type benzodiazepine receptors in the regulation of proliferation of MCF-7 human breast carcinoma cell line. *Biochem. Pharmacol.* 58, 273-278.

Cornu, P., Benavides, J., Scatton, B., Hauw, J.J., and Philippon, J. (1992). Increase in omega 3 (peripheral-type benzodiazepine) binding site densities in different types of human brain tumours. A quantitative autoradiography study. *Acta Neurochir.* 119, 146-152.

Costantini, P., Jacotot, E., Decaudin, D., and Kroemer, G. (2000). Mitochondrion as a novel target of anticancer chemotherapy. *J. Natl. Cancer Inst.* 92, 1042-1053.

Culty, M., Li, H., Boujrad, N., Amri, H., Vidic, B., Bernassau, J.M., Reversat, J.L., and Papadopoulos, V. (1999). In vitro studies on the role of the peripheral-type benzodiazepine receptor in steroidogenesis. *J Steroid Biochem. Mol. Biol.* 69, 123-130.

Debruyne, J.C., Versijpt, J., Van Laere, K.J., De Vos, F., Keppens, J., Strijckmans, K., Achten, E., Slegers, G., Dierckx, R.A., Korf, J., and De Reuck, J.L. (2003). PET visualization of microglia in multiple sclerosis patients using [11C]PK11195. *Eur. J Neurol.* 10, 257-264.

Decaudin, D., Castedo, M., Nemati, F., Beurdeley-Thomas, A., De Pinieux, G., Caron, A., Pouillart, P., Wijdenes, J., Rouillard, D., Kroemer, G., and Poupon, M.F. (2002). Peripheral benzodiazepine receptor ligands reverse apoptosis resistance of cancer cells in vitro and in vivo. *Cancer Res.* 62, 1388-1393.

Deshpande, L.S., Khisti, R.T., and Chopde, C.T. (2001). Cataleptic effect of neurosteroid 3alpha-hydroxy-5alpha-pregnan-20-one in mice: modulation by serotonergic agents. *Brain Res.* 898, 13-26.

El Serag, H.B., Davila, J.A., Petersen, N.J., and McGlynn, K.A. (2003). The continuing increase in the incidence of hepatocellular carcinoma in the United States: an update. *Ann Intern. Med.* 139, 817-823.

- Fearon, E.R. and Vogelstein, B. (1990). A genetic model for colorectal tumorigenesis. *Cell* 61, 759-767.
- Fennell, D.A., Corbo, M., Pallaska, A., and Cotter, F.E. (2001). Bcl-2 resistant mitochondrial toxicity mediated by the isoquinoline carboxamide PK11195 involves de novo generation of reactive oxygen species. *Br. J. Cancer* 84, 1397-1404.
- Fischer, R., Schmitt, M., Bode, J.G., and Haussinger, D. (2001). Expression of the peripheral-type benzodiazepine receptor and apoptosis induction in hepatic stellate cells. *Gastroenterology* 120, 1212-1226.
- Galiegue, S., Casellas, P., Kramar, A., Tinel, N., and Simony-Lafontaine, J. (2004). Immunohistochemical assessment of the peripheral benzodiazepine receptor in breast cancer and its relationship with survival. *Clin. Cancer Res.* 10, 2058-2064.
- Garnier, M., Boujrad, N., Oke, B.O., Brown, A.S., Riond, J., Ferrara, P., Shoyab, M., Suarez-Quian, C.A., and Papadopoulos, V. (1993). Diazepam binding inhibitor is a paracrine/autocrine regulator of Leydig cell proliferation and steroidogenesis: action via peripheral-type benzodiazepine receptor and independent mechanisms. *Endocrinology* 132, 444-458.
- Garnier, M., Dimchev, A.B., Boujrad, N., Price, J.M., Musto, N.A., and Papadopoulos, V. (1994). In vitro reconstitution of a functional peripheral-type benzodiazepine receptor from mouse Leydig tumor cells. *Mol. Pharmacol.* 45, 201-211.
- Gavish, M., Bachman, I., Shoukrun, R., Katz, Y., Veenman, L., Weisinger, G., and Weizman, A. (1999). Enigma of the peripheral benzodiazepine receptor. *Pharmacol. Rev.* 51, 629-650.
- Gavish, M., Bar-Ami, S., and Weizman, R. (1992). The endocrine system and mitochondrial benzodiazepine receptors. *Mol. Cell Endocrinol.* 88, 1-13.
- Grabowski, P., Mann, B., Mansmann, U., Lovin, N., Foss, H.D., Berger, G., Scherübl, H., Riecken, E.O., Buhr, H.J., and Hanski, C. (2000). Expression of SIALYL-Le<sup>(x)</sup> antigen defined by MAb AM-3 is an independent prognostic marker in colorectal carcinoma patients. *Int. J. Cancer* 88, 281-286.
- Grabowski, P., Schindler, I., Anagnostopoulos, I., Foss, H.D., Riecken, E.O., Mansmann, U., Stein, H., Berger, G., Buhr, H.J., and Scherübl, H. (2001). Neuroendocrine differentiation is a relevant prognostic factor in stage III-IV colorectal cancer. *Eur. J. Gastroenterol. Hepatol.* 13, 405-411.
- Greenblatt, M.S., Bennett, W.P., Hollstein, M., and Harris, C.C. (1994). Mutations in the p53 tumor suppressor gene: clues to cancer etiology and molecular pathogenesis. *Cancer Res.* 54, 4855-4878.
- Guidotti, A., Forchetti, C.M., Corda, M.G., Konkel, D., Bennett, C.D., and Costa, E. (1983). Isolation, characterization, and purification to homogeneity of an endogenous polypeptide with agonistic action on benzodiazepine receptors. *Proc. Natl. Acad. Sci. U. S. A* 80, 3531-3535.
- Guidotti, A., Toffano, G., and Costa, E. (1978). An endogenous protein modulates the affinity of GABA and benzodiazepine receptors in rat brain. *Nature* 275, 553-555.

- Guo, P., Ma,J., Li,S., Guo,Z., Adams,A.L., and Gallo,J.M. (2001). Targeted delivery of a peripheral benzodiazepine receptor ligand-gemcitabine conjugate to brain tumors in a xenograft model. *Cancer Chemother. Pharmacol.* *48*, 169-176.
- Han, Z., Slack,R.S., Li,W., and Papadopoulos,V. (2003). Expression of peripheral benzodiazepine receptor (PBR) in human tumors: relationship to breast, colorectal, and prostate tumor progression. *J Recept. Signal. Transduct. Res.* *23*, 225-238.
- Hanski, C., Scherübl,H., and Mann,B. (2000). Colorectal cancer: New aspects of molecular biology and immunology and their clinical applications. *Ann. N. Y. Acad. Sci.* *910*, 1-273.
- Hardwick, M., Fertikh,D., Culty,M., Li,H., Vidic,B., and Papadopoulos,V. (1999). Peripheral-type benzodiazepine receptor (PBR) in human breast cancer: correlation of breast cancer cell aggressive phenotype with PBR expression, nuclear localization, and PBR-mediated cell proliferation and nuclear transport of cholesterol. *Cancer Res.* *59*, 831-842.
- Hardwick, M., Rone,J., Han,Z., Haddad,B., and Papadopoulos,V. (2001). Peripheral-type benzodiazepine receptor levels correlate with the ability of human breast cancer MDA-MB-231 cell line to grow in SCID mice. *Int. J Cancer* *94*, 322-327.
- Harpaz, N. and Talbot,I.C. (1996). Colorectal cancer in idiopathic inflammatory bowel disease. *Semin. Diagn. Pathol.* *13*, 339-357.
- Hilgard, P. and Gerken,G. (2005). *Gastro Nachrichten* *43*, 3-6.
- Hirsch, J.D., Beyer,C.F., Malkowitz,L., Beer,B., and Blume,A.J. (1989). Mitochondrial benzodiazepine receptors mediate inhibition of mitochondrial respiratory control. *Mol. Pharmacol.* *35*, 157-163.
- Hirsch, T., Decaudin,D., Susin,S.A., Marchetti,P., Larochette,N., Resche-Rigon,M., and Kroemer,G. (1998). PK11195, a ligand of the mitochondrial benzodiazepine receptor, facilitates the induction of apoptosis and reverses Bcl-2-mediated cytoprotection. *Exp. Cell Res.* *241*, 426-434.
- Jaeck, D., Bachellier,P., Oussoultzoglou,E., Weber,J.C., and Wolf,P. (2004). Surgical resection of hepatocellular carcinoma. Post-operative outcome and long-term results in Europe: an overview. *Liver Transpl.* *10*, S58-S63.
- Jemal, A., Tiwari,R.C., Murray,T., Ghafoor,A., Samuels,A., Ward,E., Feuer,E.J., and Thun,M.J. (2004). Cancer statistics, 2004. *CA Cancer J Clin.* *54*, 8-29.
- Johnson, P.J. (2002). Hepatocellular carcinoma: is current therapy really altering outcome? *Gut* *51*, 459-462.
- Joseph-Liauzun, E., Delmas,P., Shire,D., and Ferrara,P. (1998). Topological analysis of the peripheral benzodiazepine receptor in yeast mitochondrial membranes supports a five-transmembrane structure. *J Biol. Chem.* *273*, 2146-2152.
- Junck, L., Olson,J.M., Ciliax,B.J., Koeppe,R.A., Watkins,G.L., Jewett,D.M., McKeever,P.E., Wieland,D.M., Kilbourn,M.R., and Starosta-Rubinstein,S. (1989). PET imaging of human gliomas with ligands for the peripheral benzodiazepine binding site. *Ann. Neurol.* *26*, 752-758.

- Katz, Y., Ben-Baruch,G., Kloog,Y., Menczer,J., and Gavish,M. (1990a). Increased density of peripheral benzodiazepine-binding sites in ovarian carcinomas as compared with benign ovarian tumours and normal ovaries. *Clin. Sci.* 78, 155-158.
- Katz, Y., Eitan,A., and Gavish,M. (1990b). Increase in peripheral benzodiazepine binding sites in colonic adenocarcinoma. *Oncology* 47, 139-142.
- Kessel, D., Antolovich,M., and Smith,K.M. (2001). The role of the peripheral benzodiazepine receptor in the apoptotic response to photodynamic therapy. *Photochem. Photobiol.* 74, 346-349.
- Kinzler, K.W. and Vogelstein,B. (1996). Lessons from hereditary colorectal cancer. *Cell* 87, 159-170.
- Korneyev, A., Pan,B.S., Polo,A., Romeo,E., Guidotti,A., and Costa,E. (1993). Stimulation of brain pregnenolone synthesis by mitochondrial diazepam binding inhibitor receptor ligands in vivo. *J. Neurochem.* 61, 1515-1524.
- Kozikowski, A.P., Ma,D., Brewer,J., Sun,S., Costa,E., Romeo,E., and Guidotti,A. (1993). Chemistry, binding affinities, and behavioral properties of a new class of "antineophobic" mitochondrial DBI receptor complex (mDRC) ligands. *J. Med. Chem.* 36, 2908-2920.
- Krueger, K.E. (1995). Molecular and functional properties of mitochondrial benzodiazepine receptors. *Biochim. Biophys. Acta* 1241, 453-470.
- Kupczyk-Subotkowska, L., Siahaan,T.J., Basile,A.S., Friedman,H.S., Higgins,P.E., Song,D., and Gallo,J.M. (1997). Modulation of melphalan resistance in glioma cells with a peripheral benzodiazepine receptor ligand-melphalan conjugate. *J. Med. Chem.* 40, 1726-1730.
- Landau, M., Weizman,A., Zoref-Shani,E., Beery,E., Wasseman,L., Landau,O., Gavish,M., Brenner,S., and Nordenberg,J. (1998). Antiproliferative and differentiating effects of benzodiazepine receptor ligands on B16 melanoma cells. *Biochem. Pharmacol.* 56, 1029-1034.
- Larochette, N., Decaudin,D., Jacotot,E., Brenner,C., Marzo,I., Susin,S.A., Zamzami,N., Xie,Z., Reed,J., and Kroemer,G. (1999). Arsenite induces apoptosis via a direct effect on the mitochondrial permeability transition pore. *Exp. Cell Res.* 249, 413-421.
- Le Fur, G., Perrier,M.L., Vaucher,N., Imbault,F., Flamier,A., Benavides,J., Uzan,A., Renault,C., Dubroeuq,M.C., and Gueremy,C. (1983). Peripheral benzodiazepine binding sites: effect of PK 11195, 1-(2-chlorophenyl)-N-methyl-N-(1-methylpropyl)-3-isoquinolinecarboxamide. I. In vitro studies. *Life Sci.* 32, 1839-1847.
- Li, H. and Yao,S.C. (1997). Surgical treatment for carcinoma of the oesophagus in Chinese language publications. *Br J Surg.* 84, 855-857.
- Marchetti, P., Castedo,M., Susin,S.A., Zamzami,N., Hirsch,T., Macho,A., Haeffner,A., Hirsch,F., Geuskens,M., and Kroemer,G. (1996a). Mitochondrial permeability transition is a central coordinating event of apoptosis. *J. Exp. Med.* 184, 1155-1160.

- Marchetti, P., Hirsch, T., Zamzami, N., Castedo, M., Decaudin, D., Susin, S.A., Masse, B., and Kroemer, G. (1996b). Mitochondrial permeability transition triggers lymphocyte apoptosis. *J. Immunol.* *157*, 4830-4836.
- Marchetti, P., Trincavelli, L., Giannarelli, R., Giusti, L., Coppelli, A., Martini, C., Navalesi, R., and Lucacchini, A. (1996c). Characterization of peripheral benzodiazepine receptors in purified large mammal pancreatic islets. *Biochem. Pharmacol.* *51*, 1437-1442.
- Matarrese, M., Moresco, R.M., Cappelli, A., Anzini, M., Vomero, S., Simonelli, P., Verza, E., Magni, F., Sudati, F., Soloviev, D., Todde, S., Carpinelli, A., Kienle, M.G., and Fazio, F. (2001). Labeling and evaluation of N-[11C]methylated quinoline-2-carboxamides as potential radioligands for visualization of peripheral benzodiazepine receptors. *J. Med. Chem.* *44*, 579-585.
- McGlynn, K.A., Tsao, L., Hsing, A.W., Devesa, S.S., and Fraumeni, J.F., Jr. (2001). International trends and patterns of primary liver cancer. *Int. J. Cancer* *94*, 290-296.
- McLeod, H.L. and Murray, G.I. (1999). Tumour markers of prognosis in colorectal cancer. *Br. J. Cancer* *79*, 191-203.
- Mesenholler, M. and Matthews, E.K. (2000). A key role for the mitochondrial benzodiazepine receptor in cellular photosensitisation with delta-aminolaevulinic acid. *Eur. J. Pharmacol.* *406*, 171-180.
- Miettinen, H., Kononen, J., Haapasalo, H., Helen, P., Sallinen, P., Harjuntausta, T., Helin, H., and Alho, H. (1995). Expression of peripheral-type benzodiazepine receptor and diazepam binding inhibitor in human astrocytomas: relationship to cell proliferation. *Cancer Res.* *55*, 2691-2695.
- Neary, J.T., Jorgensen, S.L., Oracion, A.M., Bruce, J.H., and Norenberg, M.D. (1995). Inhibition of growth factor-induced DNA synthesis in astrocytes by ligands of peripheral-type benzodiazepine receptors. *Brain Res.* *675*, 27-30.
- Neuhaus, H. (1998). Vorsorge zur Prävention und Früherkennung des kolorektalen Karzinoms. *Deutsches Ärzteblatt* *95*, B442-B449.
- O'Connell, J.B., Maggard, M.A., and Ko, C.Y. (2004). Colon cancer survival rates with the new American Joint Committee on Cancer sixth edition staging. *J. Natl. Cancer Inst.* *96*, 1420-1425.
- Palmqvist, R., Stenling, R., Oberg, A., and Landberg, G. (1998). Expression of cyclin D1 and retinoblastoma protein in colorectal cancer. *Eur. J. Cancer* *34*, 1575-1581.
- Papadopoulos, V. (1993). Peripheral-type benzodiazepine/diazepam binding inhibitor receptor: biological role in steroidogenic cell function. *Endocr. Rev.* *14*, 222-240.
- Papadopoulos, V., Amri, H., Boujrad, N., Cascio, C., Culty, M., Garnier, M., Hardwick, M., Li, H., Vidic, B., Brown, A.S., Reversa, J.L., Bernassau, J.M., and Drieu, K. (1997). Peripheral benzodiazepine receptor in cholesterol transport and steroidogenesis. *Steroids* *62*, 21-28.
- Papadopoulos, V., Guarneri, P., Kreuger, K.E., Guidotti, A., and Costa, E. (1992). Pregnenolone biosynthesis in C6-2B glioma cell mitochondria: regulation by a

mitochondrial diazepam binding inhibitor receptor. *Proc. Natl. Acad. Sci. U. S. A.* 89, 5113-5117.

Papadopoulos, V., Kapsis, A., Li, H., Amri, H., Hardwick, M., Culty, M., Kasprzyk, P.G., Carlson, M., Moreau, J.P., and Drieu, K. (2000). Drug-induced inhibition of the peripheral-type benzodiazepine receptor expression and cell proliferation in human breast cancer cells. *Anticancer Res.* 20, 2835-2847.

Pappata, S., Cornu, P., Samson, Y., Prenant, C., Benavides, J., Scatton, B., Crouzel, C., Hauw, J.J., and Syrota, A. (1991). PET study of carbon-11-PK 11195 binding to peripheral type benzodiazepine sites in glioblastoma: a case report. *J. Nucl. Med.* 32, 1608-1610.

Parola, A.L., Stump, D.G., Pepperl, D.J., Krueger, K.E., Regan, J.W., and Laird, H.E. (1991). Cloning and expression of a pharmacologically unique bovine peripheral-type benzodiazepine receptor isoquinoline binding protein. *J. Biol. Chem.* 266, 14082-14087.

Pastorino, J.G., Simbula, G., Yamamoto, K., Glascott, P.A.J., Rothman, R.J., and Farber, J.L. (1996). The cytotoxicity of tumor necrosis factor depends on induction of the mitochondrial permeability transition. *J. Biol. Chem.* 271, 29792-29798.

Pawlikowski, M., Kunert-Radek, J., Radek, A., and Stepień, H. (1988). Inhibition of cell proliferation of human gliomas by benzodiazepines in vitro. *Acta Neurol. Scand.* 77, 231-233.

Ravagnan, L., Marzo, I., Costantini, P., Susin, S.A., Zamzami, N., Petit, P.X., Hirsch, F., Goubern, M., Poupon, M.F., Miccoli, L., Xie, Z., Reed, J.C., and Kroemer, G. (1999). Lonidamine triggers apoptosis via a direct, Bcl-2-inhibited effect on the mitochondrial permeability transition pore. *Oncogene* 18, 2537-2546.

Riond, J., Mattei, M.G., Kaghad, M., Dumont, X., Guillemot, J.C., Le Fur, G., Caput, D., and Ferrara, P. (1991). Molecular cloning and chromosomal localization of a human peripheral-type benzodiazepine receptor. *Eur. J. Biochem.* 195, 305-311.

Roux, P.P. and Blenis, J. (2004). ERK and p38 MAPK-activated protein kinases: a family of protein kinases with diverse biological functions. *Microbiol. Mol. Biol. Rev.* 68, 320-344.

Schelwies, K., Sturm, I., Grabowski, P., Scherübl, H., Schindler, I., Hermann, S., Stein, H., Buhr, H.J., Riecken, E.O., Zeitz, M., Dörken, B., and Daniel, P.T. (2002). Analysis of p53/BAX in primary colorectal carcinoma: Low BAX protein expression is a negative prognostic factor in UICC stage III tumors. *Int. J. Cancer* 99, 589-596.

Schmoll, H.J. (1997). *Kolorektales Karzinom.* 2, 694-759.

Shaheen, N. and Ransohoff, D.F. (2002). Gastroesophageal reflux, Barrett esophagus, and esophageal cancer: clinical applications. *JAMA* 287, 1982-1986.

Shimizu, S., Narita, M., and Tsujimoto, Y. (1999). Bcl-2 family proteins regulate the release of apoptogenic cytochrome c by the mitochondrial channel VDAC. *Nature* 399, 483-487.

Snyder, M.J. and Van Antwerpen, R. (1998). Evidence for a diazepam-binding inhibitor (DBI) benzodiazepine receptor-like mechanism in ecdysteroidogenesis by the insect prothoracic gland. *Cell Tissue Res.* 294, 161-168.

Sprengel, R., Werner, P., Seeburg, P.H., Mukhin, A.G., Santi, M.R., Grayson, D.R., Guidotti, A., and Krueger, K.E. (1989). Molecular cloning and expression of cDNA encoding a peripheral-type benzodiazepine receptor. *J. Biol. Chem.* *264*, 20415-20421.

Stoebner, P.E., Carayon, P., Casellas, P., Portier, M., Lavabre-Bertrand, T., Cuq, P., Cano, J.P., Meynadier, J., and Meunier, L. (2001). Transient protection by peripheral benzodiazepine receptors during the early events of ultraviolet light-induced apoptosis. *Cell Death. Differ.* *8*, 747-753.

Tanimoto, Y., Onishi, Y., Sato, Y., and Kizaki, H. (1999). Benzodiazepine receptor agonists modulate thymocyte apoptosis through reduction of the mitochondrial transmembrane potential. *Jpn. J. Pharmacol.* *79*, 177-183.

Torres, S.R., Nardi, G.M., Ferrara, P., Ribeiro, d., V, and Farges, R.C. (1999). Potential role of peripheral benzodiazepine receptors in inflammatory responses. *Eur. J. Pharmacol.* *385*, R1-R2.

Venturini, I., Zeneroli, M.L., Corsi, L., Avallone, R., Farina, F., Alho, H., Baraldi, C., Ferrarese, C., Pecora, N., Frigo, M., Ardizzone, G., Arrigo, A., Pellicci, R., and Baraldi, M. (1998). Up-regulation of peripheral benzodiazepine receptor system in hepatocellular carcinoma. *Life Sci.* *63*, 1269-1280.

Verma, A., Facchina, S.L., Hirsch, D.J., Song, S.Y., Dillahey, L.F., Williams, J.R., and Snyder, S.H. (1998). Photodynamic tumor therapy: mitochondrial benzodiazepine receptors as a therapeutic target. *Mol. Med.* *4*, 40-45.

Verma, A. and Snyder, S.H. (1989). Peripheral type benzodiazepine receptors. *Annu. Rev. Pharmacol. Toxicol.* *29*, 307-322.

Wang, J.K., Morgan, J.I., and Spector, S. (1984). Benzodiazepines that bind at peripheral sites inhibit cell proliferation. *Proc. Natl. Acad. Sci. U. S. A.* *81*, 753-756.

Xia, W., Spector, S., Hardy, L., Zhao, S., Saluk, A., Alemame, L., and Spector, N.L. (2000). Tumor selective G2/M cell cycle arrest and apoptosis of epithelial and hematological malignancies by BBL22, a benzazepine. *Proc. Natl. Acad. Sci. U. S. A.* *97*, 7494-7499.

Zorov, D.B. (1996). Mitochondrial damage as a source of diseases and aging: a strategy of how to fight these. *Biochim. Biophys. Acta* *1275*, 10-15.