

6. Literaturverzeichnis

- Allegra L, Moavero NE, Rampoldi C. Ozone-induced impairment of mucociliary transport and its prevention with N-acetylcysteine. *Am J Med.* 1991;91:67-71.
- Amann K, Gross ML, Ritz E. Pathophysiology underlying accelerated atherogenesis in renal disease: Closing in on the target. *J Am Soc Nephrol.* 2004;15:1664-1666.
- Anavekar NS, McMurray JJ, Velazquez EJ, Solomon SD, Kober L, Rouleau JL, White HD, Nordlander R, Maggioni A, Dickstein K, Zelenkofske S, Leimberger JD, Califf RM, Pfeffer MA. Relation between renal dysfunction and cardiovascular outcomes after myocardial infarction. *N Engl J Med.* 2004;351:1285-1295.
- Andrews NP, Prasad A, Quyyumi AA. N-acetylcysteine improves coronary and peripheral vascular function. *J Am Coll Cardiol.* 2001;37:117-123.
- Archer SL, Huang JMC, Hampl V, Nelson DP, Schultz PJ, Weier EK. Nitric oxide and cGMP cause vasorelaxation by activation of a charybdotoxin-sensitive K channel by cGMP-dependent protein kinase. *Proc Natl Acad Sci USA.* 1994;91:7583-7587.
- Arnadottir M, Berg AL, Hegbrant J, Hultberg B. Influence of haemodialysis on plasma total homocysteine concentration. *Nephrol Dial Transplant.* 1999;14:142-146.
- Bachmann J, Tepel M, Raidt H, Riezler R, Graefe U, Langer K, Zidek W. Hyperhomocysteinemia and the risk for vascular disease in hemodialysis patients. *J Am Soc Nephrol.* 1995;6:121-125.
- Bandyopadhyay B, Swaim W, Liu X, Redman R, Patterson R, Ambudkar I. Apical localization of a functional TRPC3/TRPC6-Ca²⁺-Signaling complex in polarized epithelial cells. *J Biol Chem.* 2005;280:12908-12916.
- Becker BN, Himmelfarb J, Henrich WL, Hakim RM. Reassessing the cardiac risk profile in chronic hemodialysis patients: a hypothesis on the role of oxidant stress and other non-traditional cardiac risk factors. *J Am Soc Nephrol.* 1997;8:475-486.
- Bergdahl A, Gomez M, Wihlborg AK, Erlinge D, Eyjolfson A, Xu SZ, Beech D, Dreja K, Hellstrand P. Plasticity of TRPC expression in arterial smooth muscle: correlation with store-operated Ca²⁺ entry. *Am J Physiol Cell Physiol.* 2005;288:872-880.
- Birnbaumer L, Zhu X, Jiang M, Boulay G, Peyton M, Vannier B, Brown D, Platano D, Sadeghi H, Stefani E, Birnbaumer M. On the molecular basis and regulation of cellular capacitative calcium entry: roles for Trp proteins. *Proc Natl Acad Sci USA.* 1996;93:15195-15202.
- Block GA, Hulbert-Shearon TE, Levin NW, Port FK. Association of serum phosphorus and calcium x phosphate product with mortality risk in chronic hemodialysis patients: a national study. *Am J Kidney Dis.* 1998;31:607-617.

- Boaz M, Smetana S, Weinstein T, Matas Z, Gafter U, Iaina A, Knecht A, Weissgarten Y, Brunner D, Fainaru M, Green MS. Secondary prevention with antioxidants of cardiovascular disease in endstage renal disease (SPACE): randomised placebo-controlled trial. *Lancet*. 2000;356:1213-1218.
- Bonetti PO, Lermann LO, Lerman A. Endothelial dysfunction: a marker of atherosclerotic risk. *Arterioscler Thromb Vasc Biol*. 2003;23:169-175.
- Bonetti PO, Pumper GM, Higano ST, Holmes DR Jr, Kuvvin JT, Lerman A. Noninvasive identification of patients with early coronary atherosclerosis by assessment of digital reactive hyperemia. *J Am Coll Cardiol*. 2004;44:2137-2141.
- Burkert A, Scholze A, Tepel M. Non-invasive continuous monitoring of digital pulse waves during hemodialysis. *ASAIO J*. 2006 im Druck.
- Calvacanti S, Cavani S, Santoro A. Role of short-term regulatory mechanism on pressure response to hemodialysis-induced hypovolemia. *Kidney Int*. 2002;61:228-238.
- Celermajer DS, Sorensen KE, Gooch VM, Spiegelhalter DJ, Miller OI, Sullivan DI, Lloyd JK, Deanfield JE. Non-invasive detection of endothelial dysfunction in children and adults at risk of atherosclerosis. *Lancet*. 1992;340:1111-1115.
- Chan CT, Li SH, Verma S. Nocturnal hemodialysis is associated with restoration of impaired endothelial progenitor cell biology in end-stage renal disease. *Am J Physiol Renal Physiol*. 2005;289:679-684.
- Chen H, Kovar J, Sissons S, Cox K, Matter W, Chadwell F, Luan P, Vlahos C, Schutz-Geschwender A, Olive M. A cell-based immunocytochemical assay for monitoring kinase signaling pathways and drug efficacy. *Anal Biochem*. 2005;338:136-142.
- Chowienczyk PJ, Kelly RP, MacCallum H, Millasseau SC, Andersson TL, Gosling RG, Ritter JM, Anggard EE. Photoplethysmographic assessment of pulse wave reflection: blunted response to endothelium-dependent beta₂-adrenergic vasodilation in type II diabetes mellitus. *J Am Coll Cardiol*. 1999;34:2007-2014.
- Clapham DE. Calcium signaling. *Cell*. 1995;80:259-268.
- Clapham DE, Runnels L, Strübing C. The TRP ion channel family. *Nature Review Neurosciencic*. 2001;2:387-396.
- Clapham DE. TRP channels as cellular sensors. *Nature*. 2003;426:517-524.
- Clapham DE, Montell C, Schultz G, Julius D; International Union of Pharmacology. International Union of Pharmacology. XLIII. Compendium of voltage-gated ion channels: transient receptor potential channels. *Pharmacol Rev*. 2003;55:591-596.

- Corretti MC, Anderson TJ, Benjamin EJ, Celermajer D, Charbonneau F, Creager MA, Deanfield J, Drexler H, Gerhard-Herman M, Herrington D, Vallance P, Vita J, Vogel R; International Brachial Artery Reactivity Task Force. Guidelines for the ultrasound assessment of endothelial-dependent flow-mediated vasodilation of the brachial artery: a report of the International Brachial Artery Reactivity Task Force. *J Am Coll Cardiol.* 2002;39:257-265.
- Daugirdas JT. Dialysis hypotension: A hemodynamic analysis. *Kidney Int.* 1991. 39:233-246.
- Daugirdas JT. Second generation logarithmic estimates of single-pool variable volume Kt/V: an analysis of error. *J Am Soc Nephrol.* 1993;4:1205-1213.
- Dietrich A, Schnitzler M, Gollasch M, Gross V, Storch U, Dubrovska G, Obst M, Yildirim E, Salanova B, Kalwa H, Essin K, Pinkenburg O, Luft F, Gudermann T, Birnbaumer L. Increased vascular smooth muscle contractility in TRPC6^{-/-} Mice. *Molecular and Cellular Biology.* 2005;25:6980-6989.
- Doshi SN, Naka KK, Payne N, Jones CJ, Ashton M, Lewis MJ and Goodfellow J. Flow-mediated dilatation following wrist and upper arm occlusion in humans: the contribution of nitric oxide. *Clin Sci (Lond).* 2001;101:629-635.
- Drager LF, Andrade L, Barros de Toledo JF, Laurindo FR, Machado Cesar LA, Seguro AC. Renal effects of N-acetylcysteine in patients at risk for contrast nephropathy: decrease in oxidant stress-mediated renal tubular injury. *Nephrol Dial Transplant.* 2004;19:1803-1807.
- Drai J, Bannier E, Chazot C, Hurot JM, Goedert G, Jean G, Charra B, Laurent G, Baltassat P, Revol A. Oxidants and antioxidants in long-term haemodialysis patients. *Farmaco.* 2001;56:463-465.
- Durak I, Akyol O, Basesm E, Canbolat O, Kavutcut M. Reduced erythrocyte defense mechanisms against free radical toxicity in patients with chronic renal failure. *Nephron.* 1994;66:76-80.
- Endemann DH, Schiffrian EL. Endothelial dysfunction. *J Am Soc Nephrol.* 2004;15:1983-1992.
- Felix R. Molecular regulation of voltage-gated Ca²⁺ channels. *J Recept Signal Transduct Res.* 2005;25:57-71.
- Garciandia A, Lopez R, Tisaire J, Arrazola A, Fortuno A, Bueno J, Diez J. Enhanced Na(+)-H⁺ exchanger activity and NHE-1 mRNA expression in lymphocytes from patients with essential hypertension. *Hypertension.* 1995;25:356-364.
- Goldman JM, Petterson MT, Kopotic RJ, Barker SJ. Masimo signal extraction pulse oximetry. *J Clin Monit Comput.* 2000;16:475-483.
- Goodman WG, Goldin J, Kuizon BD, Yoon C, Gales B, Sider D, Wang Y, Chung J, Emerick A, Greaser L, Elashoff RM, Salusky IB. Coronary-artery calcification in

- young adults with end-stage renal disease who are undergoing dialysis. *N Engl J Med.* 2000;342:1478-1483.
- Gordon CA, Himmelfarb J. Antioxidant therapy in uremia: evidence-based medicine? *Semin Dial.* 2004;17:327-332.
- Govers R, Rabelink TJ. Cellular regulation of endothelial nitric oxide synthase. *Am J Physiol Renal Physiol.* 2001;280:193-206.
- Haeckel R, Schumann G: Lehrbuch der Klinischen Chemie und Pathobiochemie, Greiling H, Gressner AM, Schattauer Verlag, 2.Auflage, Stuttgart & New York, 1989.
- Hand MF, Haynes WG, Webb DJ. Hemodialysis and L-arginine, but not D-arginine, correct renal failure-associated endothelial dysfunction. *Kidney Int.* 1998;53:1068-1077.
- Hara Y, Wakamori M, Ishii M, Maeno E, Nishida M, Yoshida T, Yamada H, Shimizu S, Mori E, Kudoh J, Shimizu N, Kurose H, Okada Y, Imoto K, Mori Y. LTRPC2 Ca-permeable channel activated by changes in redox status confers susceptibility to cell death. *Molecular Cell.* 2002;9:163-173.
- Harteneck C, Plant TD, Schultz G. From worm to man: three subfamilies of TRP channels. *Trends Neurosci.* 2000;23:159-166.
- Herzog CA, Ma JZ, Collins AJ. Poor long-term survival after acute myocardial infarction among patients on long-term dialysis. *N Engl J Med.* 1998;339:799-805.
- Himmelfarb J, Stenvinkel P, Ikizler TA, Hakim RM. The elephant in uremia: oxidant stress as a unifying concept of cardiovascular disease in uremia. *Kidney Int.* 2002;62:1524-1538.
- Hofmann T, Obukhov AG, Schaefer M, Harteneck C, Guerermann T, Schultz G. Direct activation of human TRPC6 and TRPC3 channels by diacylglycerol. *Nature.* 1999;397:259-263.
- Hofmann T, Schaefer M, Schultz G, Guerermann T. Cloning, expression and subcellular localization of two novel splice variants of mouse transient receptor potential channel 2. *Biochem J.* 2000;351:115-122.
- Hollemann AF, Wiberg E: Lehrbuch der anorganischen Chemie. Walter de Gruyter Verlag, 33.Edition, Berlin & New York,1985.
- Hotta Y, Benzer S. Abnormal electroretinograms in visual mutants of *Drosophila*. *Nature.* 1969;222:354-366.
- Inoue R. TRP channels as a newly emerging non-voltage-gated Ca²⁺ entry channel superfamily. *Curr Pharm Des.* 2005;11:1899-1914.

- Irani K. Oxidant signaling in vascular cell growth, death and survival: a review of the roles of reactive oxygen species in smooth muscle and endothelial cell mitogenic and apoptotic signaling. *Circ Res.* 2000;87:179-183.
- Iseki K, Kawazoe N, Fukiyama K. Serum albumin is a strong predictor of death in chronic dialysis patients. *Kidney Int.* 1993;44:115-119.
- Ivanovski O, Szumilak D, Nguyen-Khoa T, Ruellan N, Phan O, Lacour B, Descamps-Latscha B, Drueke TB, Massy ZA. The antioxidant N-acetylcysteine prevents accelerated atherosclerosis in uremic apolipoprotein E knockout mice. *Kidney Int.* 2005;67:2288-2294.
- Jacob J. Fluorescence response in chlortetracycline-loaded neutrophils measures release of Ca²⁺ from intracellular membrane enclosed storage sites. *Biochim Biophys Acta.* 1991;1091:317-323.
- Jaggar JH, Porter VA, Lederer WJ, Nelson MT. Calcium sparks in smooth muscle. *Am J Physiol. Cell Physiol.* 2000;278:C235-C256.
- Joannides R, Haefeli WE, Linder L, Richard V, Bakkali EH, Thuillez C, Luscher TF. Nitric oxide is responsible for flow-dependent dilatation of human peripheral conduit arteries in vivo. *Circulation.* 1995;91:1314-1349.
- Kalantar-Zadeh K, Block G, McAllister CJ, Humphreys MH, Kopple JD. Appetite and inflammation, nutrition, anemia, and clinical outcome in hemodialysis patients. *Am J Clin Nutr.* 2004a;80:299-307.
- Kalantar-Zadeh K, McAllister CJ, Lehn RS, Liu E, Kopple JD. A low serum iron level is a predictor of poor outcome in hemodialysis patients. *Am J Kidney Dis.* 2004b;43:671-684.
- Kelm M, Strauer B. Endothelial dysfunction. Therapeutic and prognostic issues. *Internist.* 1999;40:1300-1307.
- Klassen PS, Lowrie EG, Reddan DN, DeLong ER, Coladonato JA, Szczech LA, Lazarus JM, Owen WF Jr. Association between pulse pressure and mortality in patients undergoing maintenance hemodialysis. *JAMA.* 2002;287:1548-1555.
- Koeppen M, Feil R, Siegl D, Feil S, Hofmann F, Pohl U, de Wit C. cGMP-dependent protein kinase mediates NO but not Acetylcholine-induced dilations in resistance vessels in vivo. *Hypertension.* 2004;44:952-955.
- Kosch M, Levers A, Fobker M, Barenbrock M, Schaefer RM, Rahn KH, Hausberg M. Dialysis filter type determines the acute effect of haemodialysis on endothelial function and oxidative stress. *Nephrol Dial Transplant.* 2003;18:1370-1375.
- Lazarus JM, Owen WF. Role of bioincompatibility in dialysis morbidity and mortality. *Am J Kidney Dis.* 1994;24:1019-1032.

- Ligtenberg G. Regulation of blood pressure in chronic renal failure: determinants of hypertension and dialysis-related hypotension. *Neth J Med.* 1999;55:13-18.
- Lin PJ, Pearson PJ, Carter R, Schaff HV. Superoxide anion mediates the endothelium-dependent contractions to serotonin by regenerated endothelium. *Thorax Cardiovasc Surg.* 1991;102:378-385.
- Liu D, Scholze A, Zhu Z, Kreutz R, Wehland-von-Trebra M, Zidek W, Tepel M. Increased transient receptor potential channel TRPC3 expression in spontaneously hypertensive rats. *Am J Hypertens.* 2005;18:1503-1507.
- Locatelli F, Marcelli D, Conte F, D'Amico M, DelVecchio L, Limido A, Malberti F, Spotti D. Cardiovascular disease in chronic renal failure: the challenge continues. Registro Lombardo Dialisi e Trapianto. *Nephrol Dial Transplant.* 2000;15:69-80.
- Locatelli F, Aljama P, Barany P, Canaud B, Carrera F, Eckardt KU, Horl WH, Macdougal IC, Macleod A, Wiecek A, Cameron S; European Best Practice Guidelines Working Group. Revised European best practice guidelines for the management of anaemia in patients with chronic renal failure. *Nephrol Dial Transplant.* 2004;19:1-47.
- London GM, Marchais SJ, Guerin AP, Metivier F. Arteriosclerosis, vascular calcifications and cardiovascular disease in uremia. *Curr Opin Nephrol Hypertens.* 2005;14:525-531.
- Marchais SJ, Guerin AP, Pannier BM, Delavaud G, London GM. Arterial compliance and blood pressure. *Drugs.* 1993;46:82-87.
- Marcotte GV, Millard PJ, Fewtrell C. Release of calcium from intracellular stores in rat basophilic leukemia cells monitored with the fluorescent probe chlortetracycline. *J Cell Physiol.* 1990;142:78-88.
- Millasseau SC, Guigui FG, Kelly RP, Crockcroft JR, Ritter JM, Chowienczyk PJ. Noninvasive assessment of digital volume pulse. *Hypertens.* 2000;36:952-956.
- Millasseau SC, Kelly RP, Ritter JM, Chowienczyk PJ. The vascular impact of aging and vasoactive drugs: comparison of two digital volume pulse measurements. *Am J Hypertension.* 2003;16:467-472.
- Minke B, Cook B. The TRP channel proteins and signal transduction. *Physiol Rev.* 2002; 82:429-472.
- Mittermayer F, Schaller G, Pleiner J, Vchytil A, Sunder-Plassmann G, Horl WH, Wolzt M. Asymmetrical dimethylarginine plasma concentrations are related to basal nitric oxide release but not endothelium-dependent vasodilation of resistance arteries in peritoneal dialysis patients. *J Am Soc Nephrol.* 2005;16:1832-1838.
- Miyazaki H, Matsuoka H, Itabe H, Usui M, Ueda S, Okuda S, Imaizumi T. Hemodialysis impairs endothelial function via oxidative stress: effects of vitamin E-coated dialyzer. *Circulation.* 2000;101:1002-1006.

- Moens AL, Goovaerts I, Claeys MJ, Vrints CJ. Flow-mediated vasodilation: a diagnostic instrument, or an experimental tool? *Chest*. 2005;127:2254-2263.
- Montell C, Rubin GM. Molecular characterization of the *Drosophila* trp locus: a putative integral membrane protein required for phototransduction. *Neuron*. 1989;2:1313-1323.
- Montell C. Physiology, phylogeny, and functions of the TRP superfamily of cation channels. *Sci STKE*. 2001;90:1-17.
- Montell C, Birnbaum L, Flockerzi V. The TRP channels, a remarkably functional family. *Cell*. 2002;108:595-598.
- Moore ED, Becker PL, Fogarty KE, Williams DA, Fay FS. Ca²⁺ imaging in single living cells: theoretical and practical issues. *Cell Calcium*. 1990;11:157-179.
- Mourad A, Carney S, Gillies A, Jones B, Nanra R, Trevillian P. Acute effect of haemodialysis on arterial stiffness: membrane bioincompatibility? *Nephrol Dial Transplant*. 2004;19:2797-2802.
- Moustapha A, Naso A, Nahlawi M, Gupta A, Arheart KL, Jacobsen DW, Robinson K, Dennis VW. Prospective study of hyperhomocysteinemia as an adverse cardiovascular risk factor in end-stage renal disease. *Circulation*. 1998;97:138-141.
- Nakanishi T, Ishigami Y, Otaki Y, Izumi M, Hiraoka K, Inoue T, Takamitsu Y. Impairment of vascular responses to reactive hyperemia and nitric oxide in chronic renal failure. *Nephron*. 2002;92:529-535.
- Owen WF Jr, Lew NL, Liu Y, Lowrie EG, Lazarus JM. The urea reduction ratio and serum albumin concentration as predictors of mortality in patients undergoing hemodialysis. *N Engl J Med*. 1993;329:1001-1006.
- Pahnke J, Mix E, Knoblich R, Muller J, Zschiesche M, Schubert B, Koczan D, Bauer P, Bottcher T, Thiesen HJ, Lazarov L, Wree A, Rolfs A. Overexpression of glial cell line-derived neurotrophic factor induces genes regulating migration and differentiation of neuronal progenitor cells. *Exp Cell Res*. 2004;297:484-494.
- Parekh A, Putney JW. Store-Operated Calcium Channels. *Physiol Rev*. 2005;85:757-810.
- Parfrey PS. Cardiac disease in dialysis patients: diagnosis, burden of disease, prognosis, risk factors and management. *Nephrol Dial Transplant*. 2000;15:58-68.
- Peier AM, Moqrich A, Hergarden AC, Reeve AJ, Andersson DA, Story GM, Earley TJ, Dragoni I, McIntyre P, Bevan S, Patapoutian A. A TRP channel that senses cold stimuli and menthol. *Cell*. 2002;108:705-715.

- Perraud AL, Fleig A, Dunn C, Bagley LA, Launay P, Schmitz C, Stokes A, Zhu Q, Bessman M, Penner R, Kinet JP, Sacharenberg A. ADP-Ribose gating of the calcium-permeable LTRPC2 channel revealed by nudix motif homology. *Nature*. 2001;411:595-599.
- Putney JW. Muscarinic, alpha-adrenergic and peptide receptors regulate the same calcium influx sites in the parotid gland. *J Physiol*. 1977; 268:139-149.
- Putney JW, Bird GJ. The Inositol Phosphate-Calcium Signaling System in Nonexcitable Cells. *Endocrine Reviews*. 1993;14:610-631.
- Putney JW. TRP, inositol 1,4,5-trisphosphate receptors, and capacitative calcium entry. *Cell Calcium*. 1997;21:257-61.
- Putney JW, McKay RR. Capacitative calcium entry channels. *Bio Essays*. 1999;21:38-46.
- Pyke KE, Tschakovsky ME. The relationship between shear stress and flow-mediated dilatation: implications for the assessment of endothelial function. *J Physiol*. 2005;568:357-369.
- Qian F, Noben-Trauth K. Cellular and molecular function of mucolipins (TRPML) and polycystin 2 (TRPP2). *Pflugers Arch*. 2005;451:277-285.
- Reading SA, Earley S, Waldron BJ, Welsh DG, Brayden JE. TRPC3 mediates pyrimidine receptor-induced depolarization of cerebral arteries. *Am J Physiol Heart Circ Physiol*. 2005;288:2055-2061.
- Rimm EB, Stampfer MJ, Ascherio A, Giovannucci E, Colditz GA, Willett WC. Vitamin E consumption and the risk of coronary heart disease in men. *N Engl J Med*. 1993;328:1450-1456.
- Ritz E. Minor renal dysfunction: an emerging independent cardiovascular risk factor. *Heart*. 2003;89:963-964.
- Rodland K, Wersto R, Hobson S, Kohn E. Thapsigargin-induced gene expression in nonexcitable cells is dependent on calcium influx. *Molecular Endocrinology*. 1997;11:281-291.
- Rubanyi GM, Vanhoutte PM. Superoxide anions and hyperoxia inactivate endothelium-derived relaxing factor. *Am J Physiol*. 1986;250:822-827.
- Rubanyi GM. The role of endothelium in cardiovascular homeostasis and diseases. *J Cardiovasc Pharmacol*. 1993;22:1-14.
- Sagara Y, Fernandez-Belda F, Meis L, Inesi G. Characterization of the Inhibition of Intracellular Ca²⁺ Transport ATPases by Thapsigargin. *Jour Biol Chem*. 1992; 267:12606–12613.

Sarnak MJ, Levey AS, Schoolwerth AC, Coresh J, Culleton B, Hamm LL, McCullough PA, Kasiske BL, Kelepouris E, Klag MJ, Parfrey P, Pfeffer M, Raij L, Spinosa DJ, Wilson PW; American Heart Association Councils on Kidney in Cardiovascular Disease, High Blood Pressure Research, Clinical Cardiology, and Epidemiology and Prevention. Kidney disease as a risk factor for development of cardiovascular disease: a statement from the American Heart Association Councils on Kidney in Cardiovascular Disease, High Blood Pressure Research, Clinical Cardiology, and Epidemiology and Prevention. *Circulation.* 2003;108:2154-2169.

Sausbier M, Schubert R, Voigt V, Hirneiss C, Pfeifer A, Korth M, Kleppisch T, Ruth P, Hofmann F. Mechanisms of NO/cGMP-dependent vasorelaxation. *Circ Res.* 2000;87:825-830.

Saw J, Levin A, Gin K. Coronary artery disease in chronic kidney disease patients: assessing the evidence for diagnosis, screening and revascularization. *Can J Cardiol.* 2004;20:807- 813.

Scharfstein JS, Keaney JF Jr, Slivka A, Welch GN, Vita JA, Stamler JS, Loscalzo J. In vivo transfer of nitric oxide between a plasma protein-bound reservoir and low molecular weight thiols. *J Clin Invest.* 1994;94:1432-1439.

Schlossmann J, Ammendola A, Ashman K, Zong X, Huber A, Neubauer G, Wang GX, Allescher HD, Korth M, Wilm M, Hofmann F, Ruth P. Regulation of intracellular calcium by a signalling complex of IRAG, IP₃ receptor and cGMP kinase Ibeta. *Nature.* 2000;404:197-201.

Scholze A, Rinder C, Beige J, Riezler R, Zidek W, Tepel, M. Acetylcysteine Reduces Plasma Homocysteine Concentration and Improves Pulse Pressure and Endothelial Function in Patients With End-Stage Renal Failure. *Circulation.* 2004; 109:369-374.

Scholze A, Maier A, Stocks F, Karamohamad F, Vetter R, Zidek W, Tepel M. Sustained increase of extracellular calcium concentration causes arterial vasoconstriction in humans. *J Hypertens.* 2005;23:2049-2054.

Schouten WE, Grooteman MP, van Houte AJ, Schoorl M, van Limbeek J, Nube MJ. Effects of dialyser and dialysate on the acute phase reaction in clinical bicarbonate dialysis. *Nephrol Dial Transplant.* 2000;15:379-384.

Sochman J, Kolc J, Vrana M, Fabian J. Cardioprotective effects of N-acetylcysteine: The reduction in the extent of infarction and occurrence of reperfusion arrhythmias in the dog. *Int J Cardiol.* 1990;28:191-196.

Stenvinkel P, Barany P. Anaemia, rHuEPO resistance, and cardiovascular disease in end-stage renal failure; links to inflammation and oxidative stress. *Nephrol Dial Transplant.* 2002;17:32-37.

- Stephens NG, Parsons A, Schofield PM, Kelly F, Cheeseman K, Mitchinson MJ. Randomised controlled trial of vitamin E in patients with coronary disease: Cambridge Heart Antioxidant Study (CHAOS). *Lancet.* 1996;347:781-786.
- Swei A, Lacy F, Delano FA, Schmidt-Schönbei GW. Oxidative stress in the Dahl hypertensive rat. *Hypertension.* 1997;30:1628-1633.
- Takahashi K, Nammour TRM, Fukunaga M, Ebert J, Morrow JD, Roberts LJ, Hoover RL, Badr KF. Glomerula actions of a free radical-generated novel prostaglandin, 8-epi-prostaglandin F2 alpha, in the rat. Evidence for interaction with thromboxane A2 receptors. *J Clin Invest.* 1992;90:136-141.
- Takazawa K, Tanaka N, Fujita M, Matsuoka O, Saiki T, Aikawa M, Tamura S, Ibukiyama C. Assessment of vasoactive agents and vascular aging by the second derivative of photoplethysmogram waveform. *Hypertension.* 1998;32:365-370.
- Takemura H, Hughes A, Thastrup O, Putney JW. Activation of Calcium Entry by the Tumor Promoter Thapsigargin in Parotid Acinar Cells. *Jour Biol Chem.* 1989; 64:12266-12271.
- Tepel M, Schlotmann R, Barenbrock M, Kisters K, Klaus T, Spieker C, Walter M, Meyer C, Bretzel RG, Zidek W. Lymphocytic Na(+)-H⁺ exchange increases after an oral glucose challenge. *Circ Res.* 1995;77:1024-1029.
- Tepel M, Nesbit O, Tokmak F, Zidek W. Sodium-dependent Cl⁻/HCO₃⁻ exchange in patients with chronic renal failure: correlation with renal function. *Kidney Int.* 1998;53:432-438.
- Tepel M, Echelmeyer M, Orie NN, Zidek W. Increased intracellular reactive oxygen species in patients with end-stage renal failure: effect of hemodialysis. *Kidney Int.* 2000;58:867-872.
- Tepel M, Zidek W. Acetylcysteine and contrast media nephropathy. *Curr Opin Nephrol Hypertens.* 2002;11:503-506.
- Tepel M, van der Giet M, Statz M, Jankowski J, Zidek W. The antioxidant acetylcysteine reduces cardiovascular events in patients with end-stage renal failure: a randomized, controlled trial. *Circulation.* 2003;107:992-995.
- Thastrup O, Cullen P, Drobak BK, Hanley MR, Dawson AP. Thapsigargin, a tumor promoter, discharges intracellular Ca²⁺ stores by specific inhibition of the endoplasmic reticulum Ca²⁺-ATPase. *Proc Nat. Acad Sci USA.* 1990;87:2466-2470.
- Ullian M, Gelasco A, Fitzgibbon W, Beck C, Morinelli T. N-Acetylcysteine Decreases Angiotensin II Receptor Binding in Vascular Smooth Muscle Cells. *J Am Soc Nephrol.* 2005;16:2346-2353.

- Vannier B, Peyton M, Boulay G, Brown D, Qin N, Jiang M, Zhu X, Birnbaumer L. Mouse trp2, the homologue of the human trpc2 pseudogene, encodes mTrp2, a store depletion-activated capacitative Ca²⁺ entry channel. *Proc Natl Acad Sci USA*. 1999;96:2060-2064.
- Vaziri ND, Oveis F, Ding Y. Role of increased oxygen free radical activity in the pathogenesis of uremic hypertension. *Kidney Int*. 1998;53:1748-1754.
- Vaziri ND, Ni Z, Oveis F, Liang K, Pandian R. Enhanced nitric oxide inactivation and protein nitration by reactive oxygen species in renal insufficiency. *Hypertension*. 2002;39:135-141.
- Vennekens R, Voets T, Bindels RJM, Droogmans G, Nilius B. Current understanding of mammalian TRP homologues. *Cell Calcium*. 2002;31:253-264.
- Ventura P, Panini R, Pasini MC, Scarpetta G, Salvioli G. N-Acetylcysteine reduces homocysteine plasma levels after single intravenous administration by increasing thiols urinary excretion. *Pharmacol Res*. 1999;40:345-350.
- Wald NJ, Watt HC, Law MR, Weir DG, McPartlin J, Scott JM. Homocysteine and ischemic heart disease: results of a prospective study with implications regarding prevention. *Arch Intern Med*. 1998;158:862-867.
- Welsh DG, Moriellei AD, Nelso MT, Brayden JE. Transient receptor potential channels regulate myogenic tone of resistance arteries. *Circ Res*. 2002;90:248-250.
- Wolff SP. Diabete mellitus and free radicals: Free radicals, transition metals and oxidative stress in the aetiology of diabete mellitus and complications. *Br Med Bull*. 1993;49:642-665.
- Yeun JY, Kaysen GA. C-reactive protein, oxidative stress, homocysteine, and troponin as inflammatory and metabolic predictors of atherosclerosis in ESRD. *Curr Opin Nephrol Hypertens*. 2000;9:621-630.
- Yip H, Chan WY, Leung PC, Kwan HY, Liu C, Huang Y, Michel V, Yew D, Yao X. Expression of TRPC homologs in endothelial cells and smooth muscle layers of human arteries. *Histochem Cell Biol*. 2004;122:553-561.
- Zhong L, Inesi G. Role of the S3 Stalk Segment in the Thapsigargin Concentration Dependence of Sarco-endoplasmic Reticulum Ca²⁺ ATPase Inhibition. *Jour Biol Chemi*, 1998;273:12994–12998.
- Zitt C, Halaszovich CR, Luckhoff A. The TRP family of cation channels: probing and advancing the concepts on receptor-activated calcium entry. *Prog Neurobiol*. 2002;66:243-264.
- Zoccali C, Bode-Boger S, Mallamaci F, Benedetto F, Tripepi G, Malatino L, Cataliotti A, Bellanuova I, Fermo I, Frolich J, Boger R. Plasma concentration of asymmetrical dimethylarginine and mortality in patients with end-stage renal disease: a prospective study. *Lancet*. 2001;358:2113-2117.