

## **8 Literaturverzeichnis**

- Allan SM, Rothwell NJ.** Cytokines and acute neurodegeneration. *Nat Rev Neurosci.* 2001 Oct;2(10):734-44. Review.
- Arend WP.** Interleukin-1 receptor antagonist. *Adv Immunol.* 1993;54:167-227. Review.
- Asensio VC, Maier J, Milner R, Boztug K, Kincaid C, Moulard M, Phillipson C, Lindsley K, Krucker T, Fox HS, Campbell IL.** Interferon-independent, human immunodeficiency virus type 1 gp120-mediated induction of CXCL10/IP-10 gene expression by astrocytes in vivo and in vitro. *J Virol.* 2001 Aug;75(15):7067-77.
- Baker CA, Lu ZY, Zaitsev I, Manuelidis L.** Microglial activation varies in different models of Creutzfeldt-Jakob disease. *J Virol.* 1999 Jun;73(6):5089-97.
- Baldauf E, Beekes M, Diringer H.** Evidence for an alternative direct route of access for the scrapie agent to the brain bypassing the spinal cord. *J Gen Virol.* 1997 May;78 ( Pt 5):1187-97.
- Ban E, Milon G, Prudhomme N, Fillion G, Haour F.** Receptors for interleukin-1 (alpha and beta) in mouse brain: mapping and neuronal localization in hippocampus. *Neuroscience.* 1991;43(1):21-30.
- Basler K, Oesch B, Scott M, Westaway D, Walchli M, Groth DF, McKinley MP, Prusiner SB, Weissmann C.** Scrapie and cellular PrP isoforms are encoded by the same chromosomal gene. *Cell.* 1986 Aug 1;46(3):417-28.
- Basu A, Krady JK, O'Malley M, Styren SD, DeKosky ST, Levison SW.** The type 1 interleukin-1 receptor is essential for the efficient activation of microglia and the induction of multiple proinflammatory mediators in response to brain injury. *J Neurosci.* 2002 Jul 15;22(14):6071-82.
- Beekes M, Baldauf E, Diringer H.** Sequential appearance and accumulation of pathognomonic markers in the central nervous system of hamsters orally infected with scrapie. *J Gen Virol.* 1996 Aug;77 ( Pt 8):1925-34.
- Benfante RJ, Traub RD, Lim KA, Hooks J, Gibbs CJ Jr, Gajdusek DC.** Immunological reactions in kuru. Attempts to demonstrate serological relationships between kuru and other known infectious agents. *Am J Trop Med Hyg.* 1974 May;23(3):476-88.
- Bessen RA, Kocisko DA, Raymond GJ, Nandan S, Lansbury PT, Caughey B.** Non-genetic propagation of strain-specific properties of scrapie prion protein. *Nature.* 1995 Jun 22;375(6533):698-700.
- Blättler, T., Brandner, S., Raeber, A. J., Klein, M. A., Vogtländer, T., Weissmann, C., Aguzzi, A. (1997)** PrP-expressing tissue required for transfer of scrapie infectivity from spleen to brain; *Nature* 389, 69-73
- Blasi F, Riccio M, Brogi A, Strazza M, Taddei ML, Romagnoli S, Luddi A, D'Angelo R, Santi S, Costantino-Ceccarini E, Melli M.** Constitutive expression of interleukin-1beta (IL-1beta) in rat oligodendrocytes. *Biol Chem.* 1999 Feb;380(2):259-64.
- Bons N, Mestre-Frances N, Belli P, Cathala F, Gajdusek DC, Brown P.** Natural and experimental oral infection of nonhuman primates by bovine spongiform encephalopathy agents. *Proc Natl Acad Sci U S A.* 1999 Mar 30;96(7):4046-51.
- Brandner S, Raeber A, Sailer A, Blättler T, Fischer M, Weissmann C, Aguzzi A.** Normal host prion protein (PrP<sup>C</sup>) is required for scrapie spread within the central nervous system. *Proc Natl Acad Sci U S A.* 1996 Nov 12;93(23):13148-51.
- Brogi A, Strazza M, Melli M, Costantino-Ceccarini E.** Induction of intracellular ceramide by interleukin-1 beta in oligodendrocytes. *J Cell Biochem.* 1997 Sep 15;66(4):532-41.
- Brown DR, Besinger A, Herms JW, Kretschmar HA.** Microglial expression of the prion protein. *Neuroreport.* 1998 (a) May 11;9(7):1425-9.

- Brown DR, Herms JW, Schmidt B, Kretzschmar HA.** PrP and beta-amyloid fragments activate different neurotoxic mechanisms in cultured mouse cells. *Eur J Neurosci.* 1997 (a) Jun;9(6):1162-9.
- Brown DR, Kretzschmar HA.** Microglia and prion disease: a review. *Histol Histopathol.* 1997 (b) Jul;12(3):883-92. Review.
- Brown DR, Schmidt B, Groschup MH, Kretzschmar HA.** Prion protein expression in muscle cells and Toxicity of a prion protein fragment. *Eur J Cell Biol.* 1998 (b) Jan;75(1):29-37.
- Brown DR, Schmidt B, Kretzschmar HA.** A neurotoxic prion protein fragment enhances proliferation of microglia but not astrocytes in culture. *Glia.* 1996 (a) Sep;18(1):59-67.
- Brown DR, Schmidt B, Kretzschmar HA.** A prion protein fragment primes type 1 astrocytes to proliferation signals from microglia. *Neurobiol Dis.* 1998 (c) Apr;4(6):410-22.
- Brown DR, Schmidt B, Kretzschmar HA.** Role of microglia and host prion protein in neurotoxicity of a prion protein fragment. *Nature.* 1996 (b) Mar 28;380(6572):345-7.
- Brown DR, Wong BS, Hafiz F, Clive C, Haswell SJ, Jones IM.** Normal prion protein has an activity like that of superoxide dismutase. *Biochem J.* 1999 (a) Nov 15;344 Pt 1:1-5.
- Brown DR.** Prion protein peptide neurotoxicity can be mediated by astrocytes. *J Neurochem.* 1999 (b) Sep;73(3):1105-13.
- Brown KL, Stewart K, Ritchie DL, Mabbott NA, Williams A, Fraser H, Morrison WI, Bruce ME.** Scrapie replication in lymphoid tissues depends on prion protein-expressing follicular dendritic cells. *Nat Med.* 1999 Nov;5(11):1308-12.
- Brown P.** Iatrogenic Creutzfeldt-Jakob disease. *Aust N Z J Med.* 1990 Oct;20(5):633-5.
- Brown P.** The decline and fall of Creutzfeldt-Jakob disease associated with human growth hormone therapy. *Neurology.* 1988 Jul;38(7):1135-7
- Bruce ME, Fraser H.** Scrapie strain variation and its implications. *Curr Top Microbiol Immunol.* 1991;172:125-38.
- Bruce ME, Will RG, Ironside JW, McConnell I, Drummond D, Suttie A, McCardle L, Chree A, Hope J, Birkett C, Cousens S, Fraser H, Bostock CJ.** Transmissions to mice indicate that 'new variant' CJD is caused by the BSE agent. *Nature.* 1997 Oct 2;389(6650):498-501.
- Bueler H, Aguzzi A, Sailer A, Greiner RA, Autenried P, Aguet M, Weissmann C.** Mice devoid of PrP are resistant to scrapie. *Cell.* 1993 Jul 2;73(7):1339-47.
- Bueler H, Raeber A, Sailer A, Fischer M, Aguzzi A, Weissmann C.** High prion and PrP<sup>Sc</sup> levels but delayed onset of disease in scrapie-inoculated mice heterozygous for a disrupted PrP gene. *Mol Med.* 1994 Nov;1(1):19-30.
- Cao Z, Xiong J, Takeuchi M, Kurama T, Goeddel DV.** TRAF6 is a signal transducer for interleukin-1. *Nature.* 1996 Oct 3;383(6599):443-6.
- Campbell, I. L., Eddleston, M., Kemper, P., Oldstone, M.B. A., Hobbs, M. V.** (1994) Activation of cerebral cytokine gene expression and its correlation with onset of reactive astrocyte and acute-phase response gene expression in Scrapie; *J. Virol.* 68, 2383-2387
- Cashman NR, Loertscher R, Nalbantoglu J, Shaw I, Kascsak RJ, Bolton DC, Bendheim PE.** Cellular isoform of the scrapie agent protein participates in lymphocyte activation. *Cell.* 1990 Apr 6;61(1):185-92.
- Castelli JC, Hassel BA, Wood KA, Li XL, Amemiya K, Dalakas MC, Torrence PF, Youle RJ.** A study of the interferon antiviral mechanism: apoptosis activation by the 2-5A system. *J Exp Med.* 1997 Sep 15;186(6):967-72.
- Caughey B, Raymond GJ, Bessen RA.** Strain-dependent differences in beta-sheet conformations of abnormal prion protein. *J Biol Chem.* 1998 Nov 27;273(48):32230-5.

- Chesebro, B. W., Race, Wehrly, K., Nishio, J., Bloom, M., Lechner, D., Bergstrom, S., Robbins, K., Mayer, L., Keith, J.M., et al.** (1985) Identification of scrapie prion protein-specific mRNA in scrapie-infected and uninfected brain; *Nature* 315, 331-333
- Chung IY, Benveniste EN.** Tumor necrosis factor-alpha production by astrocytes. Induction by lipopolysaccharide, IFN-gamma, and IL-1 beta. *J Immunol.* 1990 Apr 15;144(8):2999-3007.
- Collee JG, Bradley R.** BSE: a decade on--Part I. *Lancet.* 1997 Mar 1;349(9052):636-41.
- Collinge J, Sidle KC, Meads J, Ironside J, Hill AF.** Molecular analysis of prion strain variation and the aetiology of 'new variant' CJD. *Nature.* 1996 Oct 24;383(6602):685-90.
- Collis SC, Kimberlin RH.** Further studies on changes in immunoglobulin G in the sera and CSF of Herdwick sheep with natural and experimental scrapie. *J Comp Pathol.* 1983 Apr;93(2):331-8.
- Creutzfeldt, H. G.** (1920) On a particular focal disease of the central nervous system (primary communication ) [classical article]; *Alzheimer Disease and Associated Disorders* 1989, 3, 3-25
- DeArmond SJ, Mobley WC, DeMott DL, Barry RA, Beckstead JH, Prusiner SB.** Changes in the localization of brain prion proteins during scrapie infection. *Neurology.* 1987 Aug;37(8):1271-80.
- DeArmond SJ, Yang SL, Cayetano-Canlas J, Groth D, Prusiner SB.** The neuropathological phenotype in transgenic mice expressing different prion protein constructs. *Philos Trans R Soc Lond B Biol Sci.* 1994 Mar 29;343(1306):415-23.
- DeArmond SJ, Yang SL, Lee A, Bowler R, Taraboulos A, Groth D, Prusiner SB.** Three scrapie prion isolates exhibit different accumulation patterns of the prion protein scrapie isoform. *Proc Natl Acad Sci U S A.* 1993 Jul 15;90(14):6449-53.
- Del Rio-Hortega P** (1919) El 'tercer elemento' de los centros nerviosos. Poder fagocitario y movilidad de la microglia. *Bol.Soc.Esp.Biol.* Ano ix:154-166
- Del Rio-Hortega P** (1932) Microglia. In Penfield W (ed): *Cytology and Cellular Pathology of the Nervous System.* New York: Paul B. Hoeber, pp. 481
- DeWitt DA, Perry G, Cohen M, Doller C, Silver J.** Astrocytes regulate microglial phagocytosis of senile plaque cores of Alzheimer's disease. *Exp Neurol.* 1998 Feb;149(2):329-40.
- Diaz-Guerra M, Rivas C, Esteban M.** Activation of the IFN-inducible enzyme RNase L causes apoptosis of animal cells. *Virology.* 1997 Sep 29;236(2):354-63.
- Dickinson AG.** Host-pathogen interactions in scrapie. *Genetics.* 1975 Jun;79 Suppl:387-95.
- Diedrich J, Wietgreffe S, Zupancic M, Staskus K, Retzel E, Haase AT, Race R.** The molecular pathogenesis of astrogliosis in scrapie and Alzheimer's disease. *Microb Pathog.* 1987 Jun;2(6):435-42.
- Diedrich JF, Bendheim PE, Kim YS, Carp RI, Haase AT.** Scrapie-associated prion protein accumulates in astrocytes during scrapie infection. *Proc Natl Acad Sci U S A.* 1991 Jan 15;88(2):375-9.
- Dinarello CA.** Interleukin-1 and interleukin-1 antagonism. *Blood.* 1991 Apr 15;77(8):1627-52. Review.
- Dinarello CA.** Interleukin-1, interleukin-1 receptors and interleukin-1 receptor antagonist. *Int Rev Immunol.* 1998;16(5-6):457-99.
- Diringer H, Beekes M, Ozel M, Simon D, Queck I, Cardone F, Pocchiari M, Ironside JW.** Highly infectious purified preparations of disease-specific amyloid of transmissible spongiform encephalopathies are not devoid of nucleic acids of viral size. *Intervirology.* 1997;40(4):238-46.
- Diringer H.** Laboratory markers for detection of scrapie. *J Am Vet Med Assoc.* 1990 May 15;196(10):1683.
- Diringer H.** Transmissible spongiform encephalopathies (TSE) virus-induced amyloidoses of the central nervous system (CNS). *Eur J Epidemiol.* 1991 (a) Sep;7(5):562-6.

- Diringer H.** Virus-induced amyloidoses. *Behring Inst Mitt.* 1991 (b) Jul;(89):146-52.
- Dower SK, Qvarnstrom EE, Page RC, Blanton RA, Kupper TS, Raines E, Ross R, Sims JE.** Biology of the interleukin-1 receptor. *J Invest Dermatol.* 1990 Jun;94(6 Suppl):68S-73S. Review.
- Eklund, C.M., Haglow, W. J., Kennedy, R. C.,** Some properties of the scrapie agent and its behaviour in mice. *Proceedings of the Society for Experimental Biology and Medicine,* 112:974-979, 1963
- Endo T, Groth D, Prusiner SB, Kobata A.** Diversity of oligosaccharide structures linked to asparagines of the scrapie prion protein. *Biochemistry.* 1989 Oct 17;28(21):8380-8.
- Fairbairn, D. W., Carnahan K. G., Thwaites, R. N., Grigsby, R. V., Holyoak, G. R. and O'Neill, K. L.,** Detection of apoptosis induced DNA cleavage in scrapie-infected sheep brain. *FEMS Microbiology Letters,* 115:341, 1994.
- Farrar WL, Kilian PL, Ruff MR, Hill JM, Pert CB.** Visualization and characterization of interleukin 1 receptors in brain. *J Immunol.* 1987 Jul 15;139(2):459-63.
- Forloni G, Angeretti N, Chiesa R, Monzani E, Salmona M, Bugiani O, Tagliavini F.** Neurotoxicity of a prion protein fragment. *Nature.* 1993 Apr 8;362(6420):543-6.
- Forloni G, Del Bo R, Angeretti N, Chiesa R, Smirolto S, Doni R, Ghibaudi E, Salmona M, Porro M, Verga L, et al.** A neurotoxic prion protein fragment induces rat astroglial proliferation and hypertrophy. *Eur J Neurosci.* 1994 Sep 1;6(9):1415-22.
- Fraser H, Brown KL, Stewart K, McConnell I, McBride P, Williams A.** Replication of scrapie in spleens of SCID mice follows reconstitution with wild-type mouse bone marrow. *J Gen Virol.* 1996 Aug;77 ( Pt 8):1935-40.
- French RA, VanHoy RW, Chizzonite R, Zachary JF, Dantzer R, Parnet P, Bluthe RM, Kelley KW.** Expression and localization of p80 and p68 interleukin-1 receptor proteins in the brain of adult mice. *J Neuroimmunol.* 1999 Jan 1;93(1-2):194-202.
- Gaiger, H.S.** Scrapie. *J. Comp. Path.* 37, 259-277, 1924
- Gajdusek DC.** Unconventional viruses and the origin and disappearance of kuru. *Science.* 1977 Sep 2;197(4307): 943-60.
- Gamberti, P., Parchi, P., Petersen, R. B., Chen, S. G., Lugaresi, E.** (1995) Fatal familial insomnia and familial Creutzfeldt-Jakob disease: clinical, pathological and molecular features; *Brain Pathol.* 5, 43-51
- Gerstmann, J., Strüssler, E., Scheinker, I.,** (1936) Über eine eigenartige hereditär-familiäre Erkrankung des Zentralnervensystems, zugleich ein Beitrag zur Frage des vorzeitigen lokalen Alterns; *Z.Neurol.* 161, 736-762
- Gibbs CJ Jr, Joy A, Heffner R, Franko M, Miyazaki M, Asher DM, Parisi JE, Brown PW, Gajdusek DC.** Clinical and pathological features and laboratory confirmation of Creutzfeldt-Jakob disease in a recipient of pituitary-derived human growth hormone. *N Engl J Med.* 1985 Sep 19;313(12):734-8.
- Giese A, Brown DR, Groschup MH, Feldmann C, Haist I, Kretzschmar HA.** Role of microglia in neuronal cell death in prion disease. *Brain Pathol.* 1998 Jul;8(3):449-57.
- Giese A, Groschup MH, Hess B, Kretzschmar HA.** Neuronal cell death in scrapie-infected mice is due to apoptosis. *Brain Pathol.* 1995 Jul;5(3):213-21.
- Giese, A., Kretzschmar, HA.,** Prion-induced neuronal damage—the mechanism of neuronal destruction in the subacute spongiform encephalopathies. *Curr Top Microbiol Immunol* 2001; 253:203-17
- Glaccum MB, Stocking KL, Charrier K, Smith JL, Willis CR, Maliszewski C, Livingston DJ, Peschon JJ, Morrissey PJ.** Phenotypic and functional characterization of mice that lack the type I receptor for IL-1. *J Immunol.* 1997 Oct 1;159(7):3364-71.

- Goldmann W.** PrP gene and its association with spongiform encephalopathies. *Br Med Bull.* 1993 Oct;49(4):839-59.
- Graeber MB, Streit WJ, Kreutzberg GW.** Axotomy of the rat facial nerve leads to increased CR3 complement receptor expression by activated microglial cells. *J Neurosci Res.* 1988 Sep;21(1):18-24.
- Greenfeder SA, Nunes P, Kwee L, Labow M, Chizzonite RA, Ju G.** Molecular cloning and characterization of a second subunit of the interleukin 1 receptor complex. *J Biol Chem.* 1995 Jun 9;270(23):13757-65.
- Hadlow WJ, Kennedy RC, Race RE.** Natural infection of Suffolk sheep with scrapie virus. *J Infect Dis.* 1982 Nov;146(5):657-64.
- Hafiz FB, Brown DR.** A model for the mechanism of astrogliosis in prion disease. *Mol Cell Neurosci.* 2000 Sep;16(3):221-32.
- Hansson E, Nilsson M, Eriksson P, Ronnback L.** Astrocytes are of vital significance for the central nervous system *Lakartidningen.* 1992 Sep 16;89(38):3036-42. Review.
- Hansson E, Ronnback L.** Glial neuronal signaling in the central nervous system. *FASEB J.* 2003 Mar;17(3):341-8.
- Haritani M, Spencer YI, Wells GA.** Hydrated autoclave pretreatment enhancement of prion protein immunoreactivity in formalin-fixed bovine spongiform encephalopathy-affected brain. *Acta Neuropathol (Berl).* 1994;87(1):86-90.
- Harvey I, Coyle E.** Creutzfeldt-Jakob disease after non-commercial dura mater graft. *Lancet.* 1992 Sep 5;340(8819):615.
- Herms, J. W., et al.,** Evidence of presynaptic localisation and function of the prion protein. *J. Neurosci.* 15, 8866-8875, 1999.
- Herms, J. W., et al.,** Increase of intracellular free Ca<sup>2+</sup> in microglia activated by prion protein fragment. *Glia.* 21, 253-257, 1997.
- Hill AF, Desbruslais M, Joiner S, Sidle KC, Gowland I, Collinge J, Doey LJ, Lantos P.** The same prion strain causes vCJD and BSE. *Nature.* 1997 Oct 2;389(6650):448-50, 526.
- Hope J, Manson J.** The scrapie fibril protein and its cellular isoform. *Curr Top Microbiol Immunol.* 1991;172:57-74.
- Hope J, Morton LJ, Farquhar CF, Multhaup G, Beyreuther K, Kimberlin RH.** The major polypeptide of scrapie-associated fibrils (SAF) has the same size, charge distribution and N-terminal protein sequence as predicted for the normal brain protein (PrP). *EMBO J.* 1986 Oct;5(10):2591-7.
- Hsiao K, Baker HF, Crow TJ, Poulter M, Owen F, Terwilliger JD, Westaway D, Ott J, Prusiner SB.** Linkage of a prion protein missense variant to Gerstmann-Straussler syndrome. *Nature.* 1989 Mar 23;338(6213):342-5.
- Huang J, Gao X, Li S, Cao Z.** Recruitment of IRAK to the interleukin 1 receptor complex requires interleukin 1 receptor accessory protein. *Proc Natl Acad Sci U S A.* 1997 Nov 25;94(24):12829-32.
- Jakob, A.M.** Über eigenartige Erkrankungen des Zentralnervensystems mit bemerkenswertem anatomischem Befunde (Spastische Pseudosklerose-Encephalomyelopathie mit disseminierten Degenerationsherden). *Dtsch. Z. Nervenheilklinik.* 70, 132-146. 1921.
- Jeffrey M, Fraser JR, Halliday WG, Fowler N, Goodsir CM, Brown DA.** Early unsuspected neuron and axon terminal loss in scrapie-infected mice revealed by morphometry and immunocytochemistry. *Neuropathol Appl Neurobiol.* 1995 Feb;21(1):41-9.
- Jeffrey M, Goodsir CM, Bruce ME, McBride PA, Scott JR, Halliday WG.** Infection specific prion protein (PrP) accumulates on neuronal plasmalemma in scrapie infected mice. *Neurosci Lett.* 1992 Nov 23;147(1):106-9.
- Jeffrey M, Goodsir CM, Holliman A, Higgins RJ, Bruce ME, McBride PA, Fraser JR.** Determination of the frequency and distribution of vascular and parenchymal amyloid with polyclonal and N-terminal-specific PrP antibodies in scrapie-affected sheep and mice. *Vet Rec.* 1998 May 16;142(20):534-7.

- Ju WK, Park KJ, Choi EK, Kim J, Carp RI, Wisniewski HM, Kim YS.** Expression of inducible nitric oxide synthase in the brains of scrapie-infected mice. *J Neurovirol.* 1998 Aug;4(4):445-50.
- Kim JI, Ju WK, Choi JH, Choi E, Carp RI, Wisniewski HM, Kim YS.** Expression of cytokine genes and increased nuclear factor-kappa B activity in the brains of scrapie-infected mice. *Brain Res Mol Brain Res.* 1999 Nov 10;73(1-2):17-27.
- Kimberlin RH, Walker CA.** The role of the spleen in the neuroinvasion of scrapie in mice. *Virus Res.* 1989 Mar;12(3):201-11.
- Kingsbury DT, Kasper KC, Stites DP, Watson JD, Hogan RN, Prusiner SB.** Genetic control of scrapie and Creutzfeldt-Jakob disease in mice. *J Immunol.* 1983 Jul;131(1):491-6.
- Kitamoto T, Muramoto T, Mohri S, Doh-Ura K, Tateishi J.** Abnormal isoform of prion protein accumulates in follicular dendritic cells in mice with Creutzfeldt-Jakob disease. *J Virol.* 1991 Nov;65(11):6292-5.
- Kitamoto T, Shin RW, Doh-ura K, Tomokane N, Miyazono M, Muramoto T, Tateishi J.** Abnormal isoform of prion proteins accumulates in the synaptic structures of the central nervous system in patients with Creutzfeldt-Jakob disease. *Am J Pathol.* 1992 Jun;140(6):1285-94.
- Klein MA, Frigg R, Flechsig E, Raeber AJ, Kalinke U, Bluethmann H, Bootz F, Suter M, Zinkernagel RM, Aguzzi A.** A crucial role for B cells in neuroinvasive scrapie. *Nature.* 1997 Dec 18-25;390(6661):687-90.
- Kopacek J, Sakaguchi S, Shigematsu K, Nishida N, Atarashi R, Nakaoke R, Moriuchi R, Niwa M, Katamine S.** Upregulation of the genes encoding lysosomal hydrolases, a perforin-like protein, and oxidases in the brains of mice affected with an experimental prion disease. *J Virol.* 2000 Jan;74(1):411-7.
- Kretschmar HA, Prusiner SB, Stowring LE, DeArmond SJ.** Scrapie prion proteins are synthesized in neurons. *Am J Pathol.* 1986 (a) Jan;122(1):1-5.
- Kretschmar HA, Stowring LE, Westaway D, Stubblebine WH, Prusiner SB, Dearmond SJ.** Molecular cloning of a human prion protein cDNA. *DNA.* 1986 (b) Aug;5(4):315-24.
- Kreutzberg GW.** Microglia: a sensor for pathological events in the CNS. *Trends Neurosci.* 1996 Aug;19(8):312-8. Review.
- Kuida K, Lippke JA, Ku G, Harding MW, Livingston DJ, Su MS, Flavell RA.** Altered cytokine export and apoptosis in mice deficient in interleukin-1 beta converting enzyme. *Science.* 1995 Mar 31;267(5206):2000-3.
- Lasmezas CI, Deslys JP, Demaimay R, Adjou KT, Lamoury F, Dormont D, Robain O, Ironside J, Hauw JJ.** BSE transmission to macaques. *Nature.* 1996 Jun 27;381(6585):743-4.
- Lasmezas CI, Deslys JP, Robain O, Jaegly A, Beringue V, Perin J-M, Fournier J-G, Hauw J-J, Rossier J, Dormout D.** (1997) Transmission of the BSE agent to mice in the absence of detectable abnormal prion protein ; *Science* 275, 402-405
- Lefrancois T, Fages C, Brugere-Picoux J, Tardy M.** Astroglial reactivity in natural scrapie of sheep. *Microb Pathog.* 1994 Nov;17(5):283-9.
- Lewicki H, Tishon A, Homann D, Mazarguil H, Laval F, Asensio VC, Campbell IL, DeArmond S, Coon B, Teng C, Gairin JE, Oldstone MB.** T cells infiltrate the brain in murine and human transmissible spongiform encephalopathies. *J Virol.* 2003 Mar;77(6):3799-808.
- Li P, Allen H, Banerjee S, Franklin S, Herzog L, Johnston C, McDowell J, Paskind M, Rodman L, Salfeld J, et al.** Mice deficient in IL-1 beta-converting enzyme are defective in production of mature IL-1 beta and resistant to endotoxic shock. *Cell.* 1995 Feb 10;80(3):401-11.
- Liberski PP, Plucienniczak A, Hrabec E, Bogucki A.** Ultrastructural studies of scrapie-associated fibrils and prion protein from hamster brains infected with scrapie. *Folia Histochem Cytobiol.* 1989;27(1):3-9.

- Liberski PP.** Astrocytic reaction in experimental scrapie in hamsters. *J Comp Pathol.* 1987 Jan;97(1):73-8.
- Mabbott NA, Williams A, Farquhar CF, Pasparakis M, Kollias G, Bruce ME.** Tumor necrosis factor alpha-deficient, but not interleukin-6-deficient, mice resist peripheral infection with scrapie. *J Virol.* 2000 Apr;74(7):3338-44.
- Mancilla J, Ikejima T, Dinarello CA.** Glycosylation of the interleukin-1 receptor type I is required for optimal binding of interleukin-1. *Lymphokine Cytokine Res.* 1992 Aug;11(4):197-205.
- Manetto, V., Medori, R., Cortelli, P., Montagna, P., Tinuper, P., Baruzzi, A., Rancurei, G., Hauw, J.-J., Vanderhaeghen, J.-J., Maillieux, P., et al.,** (1992) Fatal familial insomnia: Clinical and pathological study of five cases; *Neurology* 42, 312-319
- Manuelidis L, Sklaviadis T, Akowitz A, Fritch W.** Viral particles are required for infection in neurodegenerative Creutzfeldt-Jakob disease. *Proc Natl Acad Sci U S A.* 1995 May 23;92(11):5124-8.
- Mastrangelo P, Westaway D.** The prion gene complex encoding PrP(C) and Doppel: insights from mutational analysis. *Gene.* 2001 Sep 5;275(1):1-18.
- McBride PA, Eikelenboom P, Kraal G, Fraser H, Bruce ME.** PrP protein is associated with follicular Dendritic cells of spleens and lymph nodes in uninfected and scrapie-infected mice. *J Pathol.* 1992 Dec;168(4):413-8.
- McGowan, J.P.** Scrapie in sheep. *Scottish J. Agric.* 5, 365-375, 1922.
- McKinley MP, Meyer RK, Kenaga L, Rahbar F, Cotter R, Serban A, Prusiner SB.** Scrapie prion rod formation in vitro requires both detergent extraction and limited proteolysis. *J Virol.* 1991 Mar;65(3):1340-51.
- McMahon, C. J., Slack, J.L., Mosley, B., Cosman, D., Lupton, S. D., Brunton, L.L., Grubin, C. E., Wignall, J. M., Jenkins, N. A., Brannan, C. I., Copeland, N. G., Huebner, K., Croce, C. M., Cannizzaro, L. A., Benjamin, D., Dower, S., Spriggs, M. K. and Sims, J. E.** (1991). A novel IL-1 receptor cloned from B cells by mammalian expression is expressed in many cell types. *EMBO J.* 10, 2821-2832.
- Montrasio F, Frigg R, Glatzel M, Klein MA, Mackay F, Aguzzi A, Weissmann C.** Impaired prion replication in spleens of mice lacking functional follicular dendritic cells. *Science.* 2000 May 19;288(5469):1257-9.
- Moore RC, Lee IY, Silverman GL, Harrison PM, Strome R, Heinrich C, Karunaratne A, Pasternak SH, Chishti MA, Liang Y, Mastrangelo P, Wang K, Smit AF, Katamine S, Carlson GA, Cohen FE, Prusiner SB, Melton DW, Tremblay P, Hood LE, Westaway D.** Ataxia in prion protein (PrP)-deficient mice is associated with upregulation of the novel PrP-like protein doppel. *J Mol Biol.* 1999 Oct 1;292(4):797-817.
- Moser M, Colello RJ, Pott U, Oesch B.** Developmental expression of the prion protein gene in glial cells. *Neuron.* 1995 Mar;14(3):509-17.
- Mullis K, Faloona F, Scharf S, Saiki R, Horn G, Erlich H.** Specific enzymatic amplification of DNA in vitro: the polymerase chain reaction. 1986. *Biotechnology.* 1992;24:17-27.
- Neville LF, Mathiak G, Bagasra O.** The immunobiology of interferon-gamma inducible protein 10 kD (IP-10): a novel, pleiotropic member of the C-X-C chemokine superfamily. *Cytokine Growth Factor Rev.* 1997 Sep;8(3):207-19.
- Nguyen J, Baldwin MA, Cohen FE, Prusiner SB.** Prion protein peptides induce alpha-helix to beta-sheet conformational transitions. *Biochemistry.* 1995 Apr 4;34(13):4186-92.
- Noll/Schaub-Kuhen:** „Praxis der Immunhistochemie“
- Norris JG, Tang LP, Sparacio SM, Benveniste EN.** Signal transduction pathways mediating astrocyte IL-6 induction by IL-1 beta and tumor necrosis factor-alpha. *J Immunol.* 1994 Jan 15;152(2):841-50.

- O'Neill LA, Greene C.** Signal transduction pathways activated by the IL-1 receptor family: ancient signaling machinery in mammals, insects, and plants. *J Leukoc Biol.* 1998 Jun;63(6):650-7.
- Pan KM, Baldwin M, Nguyen J, Gasset M, Serban A, Groth D, Mehlhorn I, Huang Z, Fletterick RJ, Cohen FE, et al.** Conversion of alpha-helices into beta-sheets features in the formation of the scrapie prion proteins. *Proc Natl Acad Sci U S A.* 1993 Dec 1;90(23):10962-6.
- Park SK, Choi SI, Jin JK, Choi EK, Kim JI, Carp RI, Kim YS.** Differential expression of Bax and Bcl-2 in the brains of hamsters infected with 263K scrapie agent. *Neuroreport.* 2000 Jun 5;11(8):1677-82.
- Pattison IH, Hoare MN, Jebbett JN, Watson WA.** Further observations on the production of scrapie in sheep by oral dosing with foetal membranes from scrapie-affected sheep. *Br Vet J.* 1974 Jul-ug;130(4):lxv-lxvii.
- Pattison IH, Hoare MN, Jebbett JN, Watson WA.** Spread of scrapie to sheep and goats by oral dosing with foetal membranes from scrapie-affected sheep. *Vet Rec.* 1972 Apr 22;90(17):465-8.
- Peyrin JM, Lasmezas CI, Haik S, Tagliavini F, Salmona M, Williams A, Richie D, Deslys JP, Dormont D.** Microglial cells respond to amyloidogenic PrP peptide by the production of inflammatory cytokines. *Neuroreport.* 1999 Mar 17;10(4):723-9.
- Pinteaux E, Parker LC, Rothwell NJ, Luheshi GN.** Expression of interleukin-1 receptors and their role in interleukin-1 actions in murine microglial cells. *J Neurochem.* 2002 Nov;83(4):754-63.
- Prinz M, Huber G, Macpherson AJ, Heppner FL, Glatzel M, Eugster HP, Wagner N, Aguzzi A.** Oral Prion Infection Requires Normal Numbers of Peyer's Patches but Not of Enteric Lymphocytes. *Am J Pathol.* 2003 Apr;162(4):1103-11.
- Prusiner, S. B.,** Molecular biology of prion diseases. *Science.* 252, 1515-1522, 1991.
- Prusiner, S. B.,** Prion diseases and the BSE crisis. *Science.* 278, 245-251, 1997.
- Raeber AJ, Race RE, Brandner S, Priola SA, Sailer A, Bessen RA, Mucke L, Manson J, Aguzzi A, Oldstone MB, Weissmann C, Chesebro B.** Astrocyte-specific expression of hamster prion protein (PrP) renders PrP knockout mice susceptible to hamster scrapie. *EMBO J.* 1997 Oct 15;16(20):6057-65.
- Riemer C, Queck I, Simon D, Kurth R, Baier M.** Identification of upregulated genes in scrapie-infected brain tissue. *J Virol.* 2000 Nov;74(21):10245-8.
- Rogers CA, Gasque P, Piddlesden SJ, Okada N, Holers VM, Morgan BP.** Expression and function of membrane regulators of complement on rat astrocytes in culture. *Immunology.* 1996 May;88(1):153-61.
- Rother KI, Clay OK, Bourquin JP, Silke J, Schaffner W.** Long non-stop reading frames on the antisense strand of heat shock protein 70 genes and prion protein (PrP) genes are conserved between species. *Biol Chem.* 1997 Dec;378(12):1521-30.
- Rothwell NJ, Luheshi GN.** Interleukin 1 in the brain: biology, pathology and therapeutic target. *Trends Neurosci.* 2000 Dec;23(12):618-25.
- Rubenstein R, Merz PA, Kascak RJ, Scalici CL, Papini MC, Carp RI, Kimberlin RH.** Scrapie-infected spleens: analysis of infectivity, scrapie-associated fibrils, and protease-resistant proteins. *J Infect Dis.* 1991 Jul;164(1):29-35.
- Safar J, Wille H, Itri V, Groth D, Serban H, Torchia M, Cohen FE, Prusiner SB.** Eight prion strains have PrP(Sc) molecules with different conformations. *Nat Med.* 1998 Oct;4(10):1157-65.
- Sailer A, Bueler H, Fischer M, Aguzzi A, Weissmann C.** No propagation of prions in mice devoid of PrP. *Cell.* 1994 Jul 1;77(7):967-8.



- Salmaggi A, Gelati M, Dufour A, Corsini E, Pagano S, Baccalini R, Ferrero E, Scabini S, Silei V, Ciusani E, De Rossi M.** Expression and modulation of IFN-gamma-inducible chemokines (IP-10, Mig, and I-TAC) in human brain endothelium and astrocytes: possible relevance for the immune invasion of the central nervous system and the pathogenesis of multiple sclerosis. *J Interferon Cytokine Res.* 2002 Jun;22(6):631-40.
- Sakaguchi S, Katamine S, Nishida N, Moriuchi R, Shigematsu K, Sugimoto T, Nakatani A, Kataoka Y, Houtani T, Shirabe S, Okada H, Hasegawa S, Miyamoto T, Noda T.** Loss of cerebellar Purkinje cells in aged mice homozygous for a disrupted PrP gene. *Nature.* 1996 Apr 11;380(6574):528-31.
- Sakaguchi S, Katamine S, Shigematsu K, Nakatani A, Moriuchi R, Nishida N, Kurokawa K, Nakaoke R, Sato H, Jishage K, et al.** Accumulation of proteinase K-resistant prion protein (PrP) is restricted by the expression level of normal PrP in mice inoculated with a mouse-adapted strain of the Creutzfeldt-Jakob disease agent. *J Virol.* 1995 Dec;69(12):7586-92.
- Schilling T, Nitsch R, Heinemann U, Haas D, Eder C.** Astrocyte-released cytokines induce ramification and outward K<sup>+</sup> channel expression in microglia via distinct signalling pathways. *Eur J Neurosci.* 2001 Aug;14(3):463-73.
- Schreuder, B. E., van Keulen, L. J., Vromans, M. E., Langeveld, J.P., Smits, M. A.** (1996) Preclinical test for prion diseases; *Nature* 381, 563
- Schreuder, B. E., van Keulen, L. J., Vromans, M. E., Langeveld, J.P., Smits, M. A.** (1998) Tonsil biopsy and PrP<sup>Sc</sup> detection in the preclinical diagnosis of scrapie; *Vet.Rec.* 142, 564-568
- Schulz-Schaeffer WJ, Fatzer R, Vandeveld M, Kretzschmar HA.** Detection of PrP(Sc) in subclinical BSE with the paraffin-embedded tissue (PET) blot. *Arch Virol Suppl.* 2000;(16):173-80.
- Scott, J. R., et al.** Degenerative hippocampal pathology in mice infected with scrapie. *Acta Neuropathol.* 65, 62-68, 1984.
- Sims JE, Gayle MA, Slack JL, Alderson MR, Bird TA, Giri JG, Colotta F, Re F, Mantovani A, Shanebeck K, et al.** Interleukin 1 signaling occurs exclusively via the type I receptor. *Proc Natl Acad Sci U S A.* 1993 Jul 1;90(13):6155-9.
- Sims JE, March CJ, Cosman D, Widmer MB, MacDonald HR, McMahan CJ, Grubin CE, Wignall JM, Jackson JL, Call SM, et al.** cDNA expression cloning of the IL-1 receptor, a member of the immunoglobulin superfamily. *Science.* 1988 Jul 29;241(4865):585-9.
- Sparacio SM, Zhang Y, Vilcek J, Benveniste EN.** Cytokine regulation of interleukin-6 gene expression in astrocytes involves activation of an NF-kappa B-like nuclear protein. *J Neuroimmunol.* 1992 Aug;39(3):231-42.
- Stahl N, Baldwin MA, Teplow DB, Hood L, Gibson BW, Burlingame AL, Prusiner SB.** Structural studies of the scrapie prion protein using mass spectrometry and amino acid sequencing. *Biochemistry.* 1993 Mar 2;32(8):1991-2002.
- Stahl N, Borchelt DR, Hsiao K, Prusiner SB.** Scrapie prion protein contains a phosphatidylinositol glycolipid. *Cell.* 1987 Oct 23;51(2):229-40.
- Steinhoff BJ, Racker S, Herrendorf G, Poser S, Grosche S, Zerr I, Kretzschmar H, Weber T.** Accuracy and reliability of periodic sharp wave complexes in Creutzfeldt-Jakob disease. *Arch Neurol.* 1996 Feb;53(2):162-6.
- Stöckel, J., et al.,** Prion protein selectively binds copper (II) ions. *Biochemistry.* 37, 7185-7193, 1998.
- Streit WJ, Graeber MB, Kreutzberg GW.** Functional plasticity of microglia: a review. *Glia.* 1988;1(5):301-7. Review.
- Streit WJ, Walter SA, Pennell NA.** Reactive microgliosis. *Prog Neurobiol.* 1999 Apr;57(6):563-81.
- Streit WJ.** Microglia as neuroprotective, immunocompetent cells of the CNS. *Glia.* 2002 Nov;40(2):133-9. Review.

- Tobler I, Deboer T, Fischer M.** Sleep and sleep regulation in normal and prion protein-deficient mice. *J Neurosci.* 1997 Mar 1;17(5):1869-79.
- Tobler I, Gaus SE, Deboer T, Achermann P, Fischer M, Rulicke T, Moser M, Oesch B, McBride PA, Manson JC.** Altered circadian activity rhythms and sleep in mice devoid of prion protein. *Nature.* 1996 Apr 18;380(6575):639-42.
- Turk E, Teplow DB, Hood LE, Prusiner SB.** Purification and properties of the cellular and scrapie hamster prion proteins. *Eur J Biochem.* 1988 Sep 1;176(1):21-30.
- Ullian EM, Sapperstein SK, Christopherson KS, Barres BA.** Control of synapse number by glia. *Science.* 2001 Jan 26;291(5504):657-61.
- Viles JH, Cohen FE, Prusiner SB, Goodin DB, Wright PE, Dyson HJ.** Copper binding to the prion protein: structural implications of four identical cooperative binding sites. *Proc Natl Acad Sci U S A.* 1999 Mar 2;96(5):2042-7.
- Walz W.** Role of glial cells in the regulation of the brain ion microenvironment. *Prog Neurobiol.* 1989;33(4):309-33. Review.
- Weissmann C.** A 'unified theory' of prion propagation. *Nature.* 1991 Aug 22;352(6337):679-83.
- Weissmann C.** Molecular biology of prion diseases. *Trends Cell Biol.* 1994 Jan;4(1):10-4.
- Wells, G. A., Scott, A. C., Johnson, C. T., Gunning, R. F., Hancock, R. D., Jeffrey, M., Dawson, M., Brandley, R.** (1987) A novel progressive spongiform encephalopathy in cattle; *Vet. Rec.* 121, 419-20
- Wesche H, Korherr C, Kracht M, Falk W, Resch K, Martin MU.** The interleukin-1 receptor accessory protein (IL-1RAcP) is essential for IL-1-induced activation of interleukin-1 receptor-associated kinase (IRAK) and stress-activated protein kinases (SAP kinases). *J Biol Chem.* 1997 Mar 21;272(12):7727-31.
- Westaway D, Goodman PA, Miranda CA, McKinley MP, Carlson GA, Prusiner SB.** Distinct prion proteins in short and long scrapie incubation period mice. *Cell.* 1987 Nov 20;51(4):651-62.
- Wietgreffe S, Zupancic M, Haase A, Chesebro B, Race R, Frey W 2nd, Rustan T, Friedman RL.** Cloning of a gene whose expression is increased in scrapie and in senile plaques in human brain. *Science.* 1985 Dec 6;230(4730):1177-9.
- Will, R. G., Ironside, J. W., Zeidler, M., Cousens, S. N., Estibeiro, K., Alperovitch, A., Poser, S., Pocchiari, M., Hofman, A., Smith, P. G.** (1996) A new variant of Creutzfeldt-Jakob disease in the UK; *Lancet* 347, 921-925
- Williams A, Lucassen PJ, Ritchie D, Bruce M.** PrP deposition, microglial activation, and neuronal apoptosis in murine scrapie. *Exp Neurol.* 1997 Apr;144(2):433-8.
- Williams AE, Lawson LJ, Perry VH, Fraser H.** Characterization of the microglial response in murine scrapie. *Neuropathol Appl Neurobiol.* 1994 (a) Feb;20(1):47-55.
- Williams AE, van Dam AM, Man-A-Hing WK, Berkenbosch F, Eikelenboom P, Fraser H.** Cytokines, prostaglandins and lipocortin-1 are present in the brains of scrapie-infected mice. *Brain Res.* 1994 (b) Aug 22;654(2):200-6.
- Wilson KP, Black JA, Thomson JA, Kim EE, Griffith JP, Navia MA, Murcko MA, Chambers SP, Aldape RA, Raybuck SA, et al.** Structure and mechanism of interleukin-1 beta converting enzyme. *Nature.* 1994 Jul 28;370(6487):270-5.
- Wopfner F, Weidenhofer G, Schneider R, von Brunn A, Gilch S, Schwarz TF, Werner T, Schatzl HM.** Analysis of 27 mammalian and 9 avian PrPs reveals high conservation of flexible regions of the prion protein. *J Mol Biol.* 1999 Jun 25;289(5):1163-78.

[www.defra.gov.uk](http://www.defra.gov.uk)

[www.pcr.de](http://www.pcr.de)

- Xia MQ, Bacskai BJ, Knowles RB, Qin SX, Hyman BT.** Expression of the chemokine receptor CXCR3 on neurons and the elevated expression of its ligand IP-10 in reactive astrocytes: in vitro ERK1/2 activation and role in Alzheimer's disease. *J Neuroimmunol.* 2000 Aug 1;108(1-2):227-35.
- Ye X, Scallet AC, Kacsak RJ, Carp RI.** Astrocytosis and amyloid deposition in scrapie-infected hamsters. *Brain Res.* 1998 Nov 2;809(2):277-87.
- Ye ZC, Sontheimer H.** Glial glutamate transport as target for nitric oxide: consequences for neurotoxicity. *Prog Brain Res.* 1998;118:241-51. Review.
- Zhou A, Paranjape J, Brown TL, Nie H, Naik S, Dong B, Chang A, Trapp B, Fairchild R, Colmenares C, Silverman RH.** Interferon action and apoptosis are defective in mice devoid of 2',5'-oligoadenylate-dependent RNase L. *EMBO J.* 1997 Nov 3;16(21):6355-63.
- Zlotnik, I.,** A comparative study of lesions in the brain of sheep and goats. *Acta Neuropathol. Suppl.* 1, 61-70, 1962
- Zobeley E, Flechsig E, Cozzio A, Enari M, Weissmann C.** Infectivity of scrapie prions bound to a stainless steel surface. *Mol Med.* 1999 Apr;5(4):240-3.