

7. Literaturverzeichnis

Adam, D., Wiegmann, K., Adam-Klages, S., Ruff, A. and Krönke, M., (1996)

A novel cytoplasmic domain of the p55 tumor necrosis factor receptor initiates the neutral sphingomyelinase pathway. *J. Biol. Chem.*, **271**: 14617-22

Adam-Klages, S., Adam, D., Wiegmann, K., Struve, S., Kolanus, W., Schneider-Mergener, J. and Krönke, M., (1996)

FAN, a novel WD-repeat protein, couples the p55 TNF-receptor to neutral sphingomyelinase. *Cell*, **86**: 937-47

Adams, J.M. and Cory, S., (1998)

The Bcl-2 protein family: arbiters of cell survival. *Science*, **281**: 1322-6

Ashkenazi, A. and Dixit, V.M., (1998)

Death receptors: signaling and modulation. *Science*, **281**: 1305-8

Azuma, N., O'Brien, J.S., Moser, H.W. and Kishimoto, Y., (1994)

Stimulation of acid ceramidase activity by saposin D. *Arch. Biochem. Biophys.*, **311**: 354-7

Barbour, S., Edidin, M., Felding-Habermann, B., Taylor-Norton, J., Radin, N.S. and Fenderson, B.A., (1992)

Glycolipid depletion using a ceramide analogue (PDMP) alters growth, adhesion, and membrane lipid organization in human A431 cells. *J. Cell. Physiol.*, **150**: 610-9

Bektas, M., Dullin, Y., Wieder, T., Kolter, T., Sandhoff, K., Brossmer, R., Ihrig, P., Orfanos, C.E. and Geilen, C.C., (1998)

Induction of apoptosis by synthetic ceramide analogues in the human keratinocyte cell line HaCaT. *Exp. Dermatol.*, **7**: 342-9

Bernardo, K., Hurwitz, R., Zenk, T., Desnick, R.J., Ferlinz, K., Schuchman, E.H. and Sandhoff, K., (1995)

Purification, characterization, and biosynthesis of human acid ceramidase. *J. Biol. Chem.*, **270**: 11098-102

Bernardo, K., Krut, O., Wiegmann, K., Kreder, D., Micheli, M., Schafer, R., Sickman, A., Schmidt, W.E., Schroder, J.M., Meyer, H.E., Sandhoff, K. and Krönke, M., (2000)

Purification and characterization of a magnesium-dependent neutral sphingomyelinase from bovine brain. *J. Biol. Chem.*, **275**: 7641-7

Bianchi, L., Farrace, M.G., Nini, G. and Piacentini, M., (1994)

Abnormal Bcl-2 and "tissue" transglutaminase expression in psoriatic skin. *J. Invest. Dermatol.*, **103**: 829-33

- Bielawska, A., Crane, H.M., Liotta, D., Obeid, L.M. and Hannun, Y.A., (1993)**
Selectivity of ceramide-mediated biology. Lack of activity of erythro-dihydroceramide. *J. Biol. Chem.*, **268**: 26226-32
- Bielawska, A., Greenberg, M.S., Perry, D., Jayadev, S., Shayman, J.A., McKay, C. and Hannun, Y.A., (1996)**
(1S,2R)-D-erythro-2-(N-myristoylamino)-1-phenyl-1-propanol as an inhibitor of ceramidase. *J. Biol. Chem.*, **271**: 12646-54
- Bligh, E.G. and Dyer, W.J., (1959)**
A rapid method of total lipid extraction and purification. *Can. J. Biochem. Physiol.*, **37** (2): 911-17
- Bose, R., Verheij, M., Haimovitz-Friedman, A., Scotto, K., Fuks, Z. and Kolesnick, R., (1995)**
Ceramide synthase mediates daunorubicin-induced apoptosis: an alternative mechanism for generating death signals. *Cell*, **82**: 405-14
- Boukamp, P., Petrussevska, R.T., Breitkreutz, D., Hornung, J., Markham, A. and Fusenig, N.E., (1988)**
Normal keratinization in a spontaneously immortalized aneuploid human keratinocyte cell line. *J. Cell. Biol.*, **106**: 761-71
- Carson, D.A. and Ribeiro, J.M., (1993)**
Apoptosis and disease. *Lancet*, **341**: 1251-4
- Chen, W.W., Moser, A.B. and Moser, H.W., (1981)**
Role of lysosomal acid ceramidase in the metabolism of ceramide in human skin fibroblasts. *Arch. Biochem. Biophys.*, **208**: 444-55
- Chinnaiyan, A.M., Tepper, C.G., Seldin, M.F., O'Rourke, K., Kisichke, F.C., Hellbardt, S., Krammer, P.H., Peter, M.E. and Dixit, V.M., (1996)**
FADD/MORT1 is a common mediator of CD95 (Fas/APO-1) and tumor necrosis factor receptor-induced apoptosis. *J. Biol. Chem.*, **271**: 4961-5
- Cohen, G.M., (1997)**
Caspases: the executioners of apoptosis. *Biochem. J.*, **326**: 1-16
- Coroneos, E., Martinez, M., McKenna, S. and Kester, M., (1995)**
Differential regulation of sphingomyelinase and ceramidase activities by growth factors and cytokines. Implications for cellular proliferation and differentiation. *J. Biol. Chem.*, **270**: 23305-9

- Cuvillier, O., Pirianov, G., Kleuser, B., Vanek, P.G., Coso, O.A., Gutkind, S. and Spiegel, S., (1996)**
Suppression of ceramide-mediated programmed cell death by sphingosine-1-phosphate. *Nature*, **381**: 800-3
- Diringer, H., Marggraf, W.D., Koch, M.A. and Anderer, F.A., (1972)**
Evidence for a new biosynthetic pathway of sphingomyelin in SV 40 transformed mouse cells. *Biochem. Biophys. Res. Com.*, **47**: 1345-52
- Dobrowsky, R.T. and Hannun, Y.A., (1992)**
Ceramide stimulates a cytosolic protein phosphatase. *J. Biol. Chem.*, **267**: 5048-51
- Doering, T., Holleran, W.M., Potratz, A., Vielhaber, G., Elias, P.M., Suzuki, K. and Sandhoff, K., (1999)**
Sphingolipid activator proteins are required for epidermal permeability barrier formation. *J. Biol. Chem.*, **274**: 11038-45
- Dressler, K.A. and Kolesnick, R.N., (1990)**
Ceramide 1-phosphate, a novel phospholipid in human leukemia (HL-60) cells. Synthesis via ceramide from sphingomyelin. *J. Biol. Chem.*, **265**: 14917-21
- Duke, R.C., Ojcius, D.M. and Young, J.D., (1996)**
Cell suicide in health and disease. *Sci. Am.*, **275**: 80-7
- El Bawab, S., Bielawska, A. and Hannun, Y.A., (1999)**
Purification and characterization of a membrane-bound nonlysosomal ceramidase from rat brain. *J. Biol. Chem.*, **274**: 27948-55
- El Bawab, S., Roddy, P., Qian, T., Bielawska, A., Lemasters, J.J. and Hannun, Y.A., (2000)**
Molecular cloning and characterization of a human mitochondrial ceramidase. *J. Biol. Chem.*, **275**: 21508-13
- Elias, P.M., (1983)**
Epidermal lipids, barrier function, and desquamation. *J. Invest. Dermatol.*, **80 Suppl**: 44s-49s
- Farrell, A.M., Uchida, Y., Nagiec, M.M., Harris, I.R., Dickson, R.C., Elias, P.M. and Holleran, W.M., (1998)**
UVB irradiation up-regulates serine palmitoyltransferase in cultured human keratinocytes. *J. Lipid. Res.*, **39**: 2031-8
- Fesus, L., (1993)**
Biochemical events in naturally occurring forms of cell death. *FEBS Lett.*, **328**: 1-5

Futerman, A.H., Stieger, B., Hubbard, A.L. and Pagano, R.E., (1990)

Sphingomyelin synthesis in rat liver occurs predominantly at the cis and medial cisternae of the Golgi apparatus. *J. Biol. Chem.*, **265**: 8650-7

Gatt, S., (1963)

Enzymic hydrolysis and synthesis of ceramide. *J. Biol. Chem.*, **238**: 3131-33

Gatt, S. and Yavin, E., (1969)

Ceramidase from rat brain. *Methods Enzymol.*, **14**: 139-44

Gajewski, T.F. and Thompson, C.B., (1996)

Apoptosis meets signal transduction: elimination of a BAD influence. *Cell*, **87**: 589-92

Gandarillas, A., Goldsmith, L.A., Gschmeissner, S., Leigh, I.M. and Watt, F.M., (1999)

Evidence that apoptosis and terminal differentiation of epidermal keratinocytes are distinct processes. *Exp. Dermatol.*, **8**: 71-9

Geilen, C.C., Bektas, M., Wieder, T. and Orfanos, C.E., (1996)

The vitamin D₃ analogue, calcipotriol, induces sphingomyelin hydrolysis in human keratinocytes. *FEBS Lett.*, **378**: 88-92

Geilen, C.C., Wieder, T. and Orfanos, C.E., (1997)

Ceramide signalling: regulatory role in cell proliferation, differentiation and apoptosis in human epidermis. *Arch. Dermatol. Res.*, **289**: 559-66

Gerschenson, L.E. and Rotello, R.J., (1992)

Apoptosis: a different type of cell death. *FASEB J.*, **6**: 2450-5

Ghafourifar, P., Klein, S.D., Schucht, O., Schenk, U., Pruschy, M., Rocha, S. and Richter, C., (1999)

Ceramide induces cytochrome c release from isolated mitochondria. Importance of mitochondrial redox state. *J. Biol. Chem.*, **274**: 6080-4

Gillies, R.J., Didier, N. and Denton, M., (1986)

Determination of cell number in monolayer cultures. *Anal. Biochem.*, **159**: 109-13

Gomez-Munoz, A., (1998)

Modulation of cell signalling by ceramides. *Biochim. Biophys. Acta*, **1391**: 92-109

Gomez-Munoz, A., Frago, L.M., Alvarez, L. and Varela-Nieto, I., (1997)

Stimulation of DNA synthesis by natural ceramide 1-phosphate. *Biochem. J.*, **325**: 435-40

Green, D.R. and Ware, C.F., (1997)

Fas-ligand: privilege and peril. *Proc. Natl. Acad. Sci. U S A*, **94**: 5986-90

- Hale, A.J., Smith, C.A., Sutherland, L.C., Stoneman, V.E., Longthorne, V.L., Culhane, A.C. and Williams, G.T., (1996)**
Apoptosis: molecular regulation of cell death. *Eur. J. Biochem.*, **236**: 1-26
- Hannun, Y.A., (1996)**
Functions of ceramide in coordinating cellular responses to stress. *Science*, **274**: 1855-9
- Hannun, Y.A., (1997)**
Sphingolipid second messengers: tumor suppressor lipids. *Adv. Exp. Med. Biol.*, **305**-12
- Hannun, Y.A., Loomis, C.R., Merrill, A.H., Jr. and Bell, R.M., (1986)**
Sphingosine inhibition of protein kinase C activity and of phorbol dibutyrate binding in vitro and in human platelets. *J. Biol. Chem.*, **261**: 12604-9
- Hannun, Y.A. and Luberto, C., (2000)**
Ceramide in the eukaryotic stress response. *Trends Cell. Biol.*, **10**: 73-80
- Hassler, D.F. and Bell, R.M., (1993)**
Ceramidases: enzymology and metabolic roles. *Adv. Lipid Res.*, **26**: 49-57
- Hirsch, T., Marchetti, P., Susin, S.A., Dallaporta, B., Zamzami, N., Marzo, I., Geuskens, M. and Kroemer, G., (1997)**
The apoptosis-necrosis paradox. Apoptogenic proteases activated after mitochondrial permeability transition determine the mode of cell death. *Oncogene*, **15**: 1573-81
- Holleran, W.M., Feingold, K.R., Man, M.Q., Gao, W.N., Lee, J.M. and Elias, P.M., (1991)**
Regulation of epidermal sphingolipid synthesis by permeability barrier function. *J. Lipid Res.*, **32**: 1151-8
- Iwasaki-Bessho, Y., Banno, Y., Yoshimura, S., Ito, Y., Kitajima, Y. and Nozawa, Y., (1998)**
Decreased phospholipase D (PLD) activity in ceramide-induced apoptosis of human keratinocyte cell line HaCaT. *J. Invest. Dermatol.*, **110**: 376-82
- Jarvis, W.D. and Grant, S., (1998)**
The role of ceramide in the cellular response to cytotoxic agents. *Curr. Opin. Oncol.*, **10**: 552-9
- Ji, L., Zhang, G., Uematsu, S., Akahori, Y. and Hirabayashi, Y., (1995)**
Induction of apoptotic DNA fragmentation and cell death by natural ceramide. *FEBS Lett.*, **358**: 211-4
- Jones, K.T. and Sharpe, G.R., (1994)**
Staurosporine, a non-specific PKC inhibitor, induces keratinocyte differentiation and raises intracellular calcium, but Ro31-8220, a specific inhibitor, does not. *J. Cell Physiol.*, **159**: 324-30

Jones, M.J. and Murray, A.W., (1995)

Evidence that ceramide selectively inhibits protein kinase C-alpha translocation and modulates bradykinin activation of phospholipase D. *J. Biol. Chem.*, **270**: 5007-13

Joseph, C.K., Byun, H.S., Bittman, R. and Kolesnick, R.N., (1993)

Substrate recognition by ceramide-activated protein kinase. Evidence that kinase activity is proline-directed. *J. Biol. Chem.*, **268**: 20002-6

Koch, J., Gartner, S., Li, C.M., Quintern, L.E., Bernardo, K., Levran, O., Schnabel, D., Desnick, R.J., Schuchman, E.H. and Sandhoff, K., (1996)

Molecular cloning and characterization of a full-length complementary DNA encoding human acid ceramidase. Identification Of the first molecular lesion causing Farber disease. *J. Biol. Chem.*, **271**: 33110-5

Kolesnick, R.N., (1991)

Sphingomyelin and derivatives as cellular signals. *Prog. Lipid Res.*, **30**: 1-38

Kolesnick, R.N. and Krönke, M., (1998)

Regulation of ceramide production and apoptosis. *Annu. Rev. Physiol.*, **60**: 643-65

Kragballe, K., Beck, H.I. and Sogaard, H., (1988)

Improvement of psoriasis by a topical vitamin D3 analogue (MC 903) in a double-blind study. *Br. J. Dermatol.*, **119**: 223-30

Kragballe, K., Steijlen, P.M., Ibsen, H.H., van de Kerkhof, P.C., Esmann, J., Sorensen, L.H. and Axelsen, M.B., (1995)

Efficacy, tolerability, and safety of calcipotriol ointment in disorders of keratinization. Results of a randomized, double-blind, vehicle-controlled, right/left comparative study. *Arch. Dermatol.*, **131**: 556-60

Kroemer, G., Zamzami, N. and Susin, S.A., (1997)

Mitochondrial control of apoptosis. *Immunol. Today*, **18**: 44-51

Lansmann, S., Ferlinz, K., Hurwitz, R., Bartelsen, O., Glombitza, G. and Sandhoff, K., (1996)

Purification of acid sphingomyelinase from human placenta: characterization and N-terminal sequence. *FEBS Lett.*, **399**: 227-31

Lavie, Y., Cao, H., Bursten, S.L., Giuliano, A.E. and Cabot, M.C., (1996)

Accumulation of glucosylceramides in multidrug-resistant cancer cells. *J. Biol. Chem.*, **271**: 19530-6

Li, C.M., Hong, S.B., Kopal, G., He, X., Linke, T., Hou, W.S., Koch, J., Gatt, S., Sandhoff, K. and Schuchman, E.H., (1998)

Cloning and characterization of the full-length cDNA and genomic sequences encoding murine acid ceramidase. *Genomics*, **50**: 267-74

Li, C.M., Park, J.H., He, X., Levy, B., Chen, F., Arai, K., Adler, D.A., Disteche, C.M., Koch, J., Sandhoff, K. and Schuchman, E.H., (1999)

The human acid ceramidase gene (ASAH): structure, chromosomal location, mutation analysis, and expression. *Genomics*, **62**: 223-31

Liu, B., Obeid, L.M. and Hannun, Y.A., (1997)

Sphingomyelinases in cell regulation. *Semin. Cell Dev. Biol.*, **8**: 311-22

Liu, J., Mathias, S., Yang, Z. and Kolesnick, R.N., (1994)

Renaturation and tumor necrosis factor-alpha stimulation of a 97-kDa ceramide-activated protein kinase. *J. Biol. Chem.*, **269**: 3047-52

Luberto, C. and Hannun, Y.A., (1998)

Sphingomyelin synthase, a potential regulator of intracellular levels of ceramide and diacylglycerol during SV40 transformation. Does sphingomyelin synthase account for the putative phosphatidylcholine-specific phospholipase C? *J. Biol. Chem.*, **273**: 14550-9

Luberto, C. and Hannun, Y.A., (1999)

Sphingolipid metabolism in the regulation of bioactive molecules. *Lipids*, **34**: S5-11

Lucci, A., Han, T.Y., Liu, Y.Y., Giuliano, A.E. and Cabot, M.C., (1999)

Multidrug resistance modulators and doxorubicin synergize to elevate ceramide levels and elicit apoptosis in drug-resistant cancer cells. *Cancer*, **86**: 300-11

Madison, K.C. and Howard, E.J., (1996)

Ceramides are transported through the Golgi apparatus in human keratinocytes in vitro. *J. Invest. Dermatol.*, **106**: 1030-5

Mandon, E.C., Ehses, I., Rother, J., van Echten, G. and Sandhoff, K., (1992)

Subcellular localization and membrane topology of serine palmitoyltransferase, 3-dehydroosphinganine reductase, and sphinganine N-acetyltransferase in mouse liver. *J. Biol. Chem.*, **267**: 11144-8

Mao, C., Xu, R., Bielawska, A. and Obeid, L.M., (2000)

Cloning of an alkaline ceramidase from *Saccharomyces cerevisiae*. An enzyme with reverse (CoA-independent) ceramide synthase activity. *J. Biol. Chem.*, **275**: 6876-84

Mao, C., Xu, R., Bielawska, A., Szulc, Z.M. and Obeid, L.M., (2000)

Cloning and characterization of a *Saccharomyces cerevisiae* alkaline ceramidase with specificity for dihydroceramide. *J. Biol. Chem.*, **275**: 31369-78

McCall, C.A. and Cohen, J.J., (1991)

Programmed cell death in terminally differentiating keratinocytes: role of endogenous endonuclease. *J. Invest. Dermatol.*, **97**: 111-4

Merrill, A.H., Jr., Schmelz, E.M., Dillehay, D.L., Spiegel, S., Shayman, J.A., Schroeder, J.J., Riley, R.T., Voss, K.A. and Wang, E., (1997)

Sphingolipids--the enigmatic lipid class: biochemistry, physiology, and pathophysiology. *Toxicol. Appl. Pharmacol.*, **142**: 208-25

Merrill, A.H., Jr., Wang, E., Vales, T.R., Smith, E.R., Schroeder, J.J., Menaldino, D.S., Alexander, C., Crane, H.M., Xia, J., Liotta, D.C., Meredith, F.I. and Riley, R.T., (1996)
Fumonisin toxicity and sphingolipid biosynthesis. *Adv. Exp. Med. Biol.*, **392**: 297-306**Mitra, R.S., Wrone-Smith, T., Simonian, P., Foreman, K.E., Nunez, G. and Nickoloff, B.J., (1997)**

Apoptosis in keratinocytes is not dependent on induction of differentiation. *Lab. Invest.*, **76**: 99-107

Müller, G., Ayoub, M., Storz, P., Rennecke, J., Fabbro, D. and Pfizenmaier, K., (1995)

PKC zeta is a molecular switch in signal transduction of TNF-alpha, bifunctionally regulated by ceramide and arachidonic acid. *EMBO J.*, **14**: 1961-9

Müller-Wieprecht, V., Riebeling, C., Stooss, A., Orfanos, C.E. and Geilen, C.C., (2000)

Bcl-2 transfected HaCaT keratinocytes resist apoptotic signals of ceramides, tumor necrosis factor alpha and 1 alpha, 25-dihydroxyvitamin D(3). *Arch. Dermatol. Res.*, **292**: 455-62

Nagata, S., (1997)

Apoptosis by death factor. *Cell*, **88**: 355-65

Nickel, W. and Wieland, F.T., (1997)

Biogenesis of COP I-coated transport vesicles. *FEBS Lett.*, **413**: 395-400

Nikolova-Karakashian, M. and Merrill, A.H., Jr., (2000)

Ceramidases. *Methods Enzymol.*, **311**: 194-201

Nikolova-Karakashian, M., Morgan, E.T., Alexander, C., Liotta, D.C. and Merrill, A.H., Jr., (1997)

Bimodal regulation of ceramidase by interleukin-1beta. Implications for the regulation of cytochrome p450 2C11. *J. Biol. Chem.*, **272**: 18718-24

Nilsson, A., (1969)

The presence of spingomyelin- and ceramide-cleaving enzymes in the small intestinal tract. *Biochim. Biophys. Acta*, **176**: 339-47

Nyberg, L., Duan, R.D., Axelson, J. and Nilsson, A., (1996)

Identification of an alkaline sphingomyelinase activity in human bile. *Biochim. Biophys. Acta*, **1300**: 42-8

Obeid, L.M., Linardic, C.M., Karolak, L.A. and Hannun, Y.A., (1993)

Programmed cell death induced by ceramide. *Science*, **259**: 1769-71

Okazaki, T., Bell, R.M. and Hannun, Y.A., (1989)

Sphingomyelin turnover induced by vitamin D₃ in HL-60 cells. Role in cell differentiation. *J. Biol. Chem.*, **264**: 19076-80

Okazaki, T., Bielawska, A., Domae, N., Bell, R.M. and Hannun, Y.A., (1994)

Characteristics and partial purification of a novel cytosolic, magnesium-independent, neutral sphingomyelinase activated in the early signal transduction of 1 alpha,25-dihydroxyvitamin D₃-induced HL-60 cell differentiation. *J. Biol. Chem.*, **269**: 4070-7

Okino, N., Tani, M., Imayama, S. and Ito, M., (1998)

Purification and characterization of a novel ceramidase from *Pseudomonas aeruginosa*. *J. Biol. Chem.*, **273**: 14368-73

Perry, D.K. and Hannun, Y.A., (1998)

The role of ceramide in cell signaling. *Biochim. Biophys. Acta*, **1436**: 233-43

Proksch, E. and Brasch, J., (1997)

Influence of epidermal permeability barrier disruption and Langerhans' cell density on allergic contact dermatitis. *Acta Derm. Venereol.*, **77**: 102-4

Pyne, S., Tolan, D.G., Conway, A.M. Geilen and Pyne, N., (1997)

Sphingolipids as differential regulators of cellular signalling processes. *Biochem. Soc. Trans.*, **25**: 549-56

Radin, N.S., (1999)

Chemotherapy by slowing glucosphingolipid synthesis. *Biochem. Pharmacol.*, **57**: 589-95

Raisova, M., Bektas, M., Wieder, T., Daniel, P., Eberle, J., Orfanos, C.E. and Geilen, C.C., (2000)

Resistance to CD95/Fas-induced and ceramide-mediated apoptosis of human melanoma cells is caused by a defective mitochondrial cytochrome c release. *FEBS Lett.*, **473**: 27-32

Raisova, M., Hossini, A.M., Eberle, J., Riebeling, C., Wieder, T., Sturm, I., Daniel, P.T., Orfanos, C.E. and Geilen, C.C., (2001)

The Bax/Bcl-2 ratio determines the susceptibility of human melanoma cells to CD95/Fas-mediated apoptosis. *J. Invest. Dermatol.*, **117**: 333-40

Raskin, C.A., (1997)

Apoptosis and cutaneous biology. *J. Am. Acad. Dermatol.*, **36**: 885-96; quiz 897-8

Rother, J., van Echten, G., Schwarzmann, G. and Sandhoff, K., (1992)

Biosynthesis of sphingolipids: dihydroceramide and not sphinganine is desaturated by cultured cells. *Biochem. Biophys. Res. Commun.*, **189**: 14-20

Saiki, R.K., Scharf, S., Falloona, F., Mullis, K.B., Horn, G.T., Erlich, H.A. and Arnheim, N., (1985)

Enzymatic amplification of beta-globin genomic sequences and restriction site analysis for diagnosis of sickle cell anemia. *Science*, **230**: 1350-4

Sakakura, C., Sweeney, E.A., Shirahama, T., Hakomori, S. and Igarashi, Y., (1996)

Suppression of bcl-2 gene expression by sphingosine in the apoptosis of human leukemic HL-60 cells during phorbol ester-induced terminal differentiation. *FEBS Lett.*, **379**: 177-80

Sandhoff, K. and Kolter, T., (1998)

Processing of sphingolipid activator proteins and the topology of lysosomal digestion. *Acta Biochim. Pol.*, **45**: 373-84

Sandhoff, K., Kolter, T. and Van Echten-Deckert, G., (1998)

Sphingolipid metabolism. Sphingoid analogs, sphingolipid activator proteins, and the pathology of the cell. *Ann. N. Y. Acad. Sci.*, **845**: 139-51

Santana, P., Pena, L.A., Haimovitz-Friedman, A., Martin, S., Green, D., McLoughlin, M., Cordon-Cardo, C., Schuchman, E.H., Fuks, Z. and Kolesnick, R., (1996)

Acid sphingomyelinase-deficient human lymphoblasts and mice are defective in radiation-induced apoptosis. *Cell*, **86**: 189-99

Sawai, H., Okazaki, T., Takeda, Y., Tashima, M., Sawada, H., Okuma, M., Kishi, S., Umehara, H. and Domae, N., (1997)

Ceramide-induced translocation of protein kinase C-delta and -epsilon to the cytosol. Implications in apoptosis. *J. Biol. Chem.*, **272**: 2452-8

Scaffidi, C., Fulda, S., Srinivasan, A., Friesen, C., Li, F., Tomaselli, K.J., Debatin, K.M., Krammer, P.H. and Peter, M.E., (1998)

Two CD95 (APO-1/Fas) signaling pathways. *EMBO J.*, **17**: 1675-87

Schuette, C.G., Doering, T., Kolter, T. and Sandhoff, K., (1999)

The glycosphingolipidoses-from disease to basic principles of metabolism. *Biol. Chem.*, **380**: 759-66

Schütze, S., Potthoff, K., Machleidt, T., Berkovic, D., Wiegmann, K. and Krönke, M., (1992)

TNF activates NF-kappa B by phosphatidylcholine-specific phospholipase C-induced "acidic" sphingomyelin breakdown. *Cell*, **71**: 765-76

Selzner, M., Bielawska, A., Morse, M.A., Rüdiger, H.A., Sindram, D., Hannun, Y.A. and Clavien, P.-A. (2001)

Induction of apoptotic cell death and prevention of tumor growth by ceramide analogues in metastatic human colon cancer. *Cancer Research*, **61**: 1233-40

Sharma, K. and Shi, Y., (1999)

The yins and yangs of ceramide. *Cell Res.*, **9**: 1-10

Shinghal, R., Scheller, R.H. and Bajjalieh, S.M., (1993)

Ceramide 1-phosphate phosphatase activity in brain. *J. Neurochem.*, **61**: 2279-85

Slife, C.W., Wang, E., Hunter, R., Wang, S., Burgess, C., Liotta, D.C. and Merrill, A.H., Jr., (1989)

Free sphingosine formation from endogenous substrates by a liver plasma membrane system with a divalent cation dependence and a neutral pH optimum. *J. Biol. Chem.*, **264**: 10371-7

Smith, P.K., Krohn, R.I., Hermanson, G.T., Mallia, A.K., Gartner, F.H., Provenzano, M.D., Fujimoto, E.K., Goeke, N.M., Olson, B.J. and Klenk, D.C., (1985)

Measurement of protein using bicinchoninic acid [published erratum appears in Anal Biochem 1987 May 15;163(1):279]. *Anal. Biochem.*, **150**: 76-85

Spence, M.W., Beed, S. and Cook, H.W., (1986)

Acid and alkaline ceramidases of rat tissues. *Biochem. Cell. Biol.*, **64**: 400-4

Spence, M.W., Byers, D.M., Palmer, F.B. and Cook, H.W., (1989)

A new Zn²⁺-stimulated sphingomyelinase in fetal bovine serum. *J. Biol. Chem.*, **264**: 5358-63

Spiegel, S., Foster, D. and Kolesnick, R., (1996)

Signal transduction through lipid second messengers. *Curr. Opin. Cell Biol.*, **8**: 159-67

Stoffel, W. and Melzner, I., (1980)

Studies in vitro on the biosynthesis of ceramide and sphingomyelin. A reevaluation of proposed pathways. *Hoppe Seylers Z. Physiol. Chem.*, **361**: 755-71

Strelow, A., Bernardo, K., Adam-Klages, S., Linke, T., Sandhoff, K., Krönke, M. and Adam, D., (2000)

Overexpression of acid ceramidase protects from tumor necrosis factor-induced cell death. *J. Exp. Med.*, **192**: 601-12

Sugita, M., Dulaney, J.T. and Moser, H.W., (1972)

Ceramidase deficiency in Farber's disease (lipogranulomatosis). *Science*, **178**: 1100-2

Sugita, M., Willians, M., Dulaney, J.T. and Moser, H.W., (1975)

Ceramidase and ceramide synthesis in human kidney and cerebellum. Description of a new alkaline ceramidase. *Biochim. Biophys. Acta*, **398**: 125-31

Touchstone, J.C., Chen, J.C. and Beaver, K.M., (1980)

Improved separation of phospholipids in thin layer chromatography. *Lipids*, **15**: 61-2

van Echten, G. and Sandhoff, K., (1993)

Ganglioside metabolism. Enzymology, topology, and regulation. *J. Biol. Chem.*, **268**: 5341-4

Venable, M.E., Lee, J.Y., Smyth, M.J., Bielawska, A. and Obeid, L.M., (1995)

Role of ceramide in cellular senescence. *J. Biol. Chem.*, **270**: 30701-8

Verheij, M., Bose, R., Lin, X.H., Yao, B., Jarvis, W.D., Grant, S., Birrer, M.J., Szabo, E., Zon, L.I., Kyriakis, J.M., Haimovitz-Friedman, A., Fuks, Z. and Kolesnick, R.N., (1996)
Requirement for ceramide-initiated SAPK/JNK signalling in stress- induced apoptosis. *Nature*, **380**: 75-9

Villa, P., Kaufmann, S.H. and Earnshaw, W.C., (1997)

Caspases and caspase inhibitors. *Trends Biochem. Sci.*, **22**: 388-93

Waggoner, D.W., Gomez-Munoz, A., Dewald, J. and Brindley, D.N., (1996)

Phosphatidate phosphohydrolase catalyzes the hydrolysis of ceramide 1-phosphate, lysophosphatidate, and sphingosine 1-phosphate. *J. Biol. Chem.*, **271**: 16506-9

Wakita, H., Tokura, Y., Yagi, H., Nishimura, K., Furukawa, F. and Takigawa, M., (1994)

Keratinocyte differentiation is induced by cell-permeant ceramides and its proliferation is promoted by sphingosine. *Arch. Dermatol. Res.*, **286**: 350-4

Wertz, P.W., Swartzendruber, D.C., Abraham, W., Madison, K.C. and Downing, D.T., (1987)

Essential fatty acids and epidermal integrity. *Arch. Dermatol.*, **123**: 1381-4

Wieder, T., Geilen, C.C., Kolter, T., Sadeghlar, F., Sandhoff, K., Brossmer, R., Ihrig, P., Perry, D., Orfanos, C.E. and Hannun, Y.A., (1997)

Bcl-2 antagonizes apoptotic cell death induced by two new ceramide analogues. *FEBS Lett.*, **411**: 260-4

Wiegmann, K., Schütze, S., Machleidt, T., Witte, D. and Krönke, M., (1994)

Functional dichotomy of neutral and acidic sphingomyelinases in tumor necrosis factor signaling. *Cell*, **78**: 1005-15

Wolff, R.A., Dobrowsky, R.T., Bielawska, A., Obeid, L.M. and Hannun, Y.A., (1994)

Role of ceramide-activated protein phosphatase in ceramide-mediated signal transduction. *J. Biol. Chem.*, **269**: 19605-9

Wrone-Smith, T., Mitra, R.S., Thompson, C.B., Jasty, R., Castle, V.P. and Nickoloff, B.J., (1997)

Keratinocytes derived from psoriatic plaques are resistant to apoptosis compared with normal skin. *Am. J. Pathol.*, **151**: 1321-9

Wyllie, A., (1998)

Apoptosis. An endonuclease at last. *Nature*, **391**: 20-1

Yada, Y., Higuchi, K. and Imokawa, G., (1995)

Purification and biochemical characterization of membrane-bound epidermal ceramidases from guinea pig skin. *J. Biol. Chem.*, **270**: 12677-84

Yang, E. and Korsmeyer, S.J., (1996)

Molecular thanatopsis: a discourse on the BCL2 family and cell death. *Blood*, **88**: 386-401

Yang, J., Liu, X., Bhalla, K., Kim, C.N., Ibrado, A.M., Cai, J., Peng, T.I., Jones, D.P. and Wang, X., (1997)

Prevention of apoptosis by Bcl-2: release of cytochrome c from mitochondria blocked. *Science*, **275**: 1129-32

Yao, B., Zhang, Y., Delikat, S., Mathias, S., Basu, S. and Kolesnick, R., (1995)

Phosphorylation of Raf by ceramide-activated protein kinase. *Nature*, **378**: 307-10

Yavin, E. and Gatt, S., (1969)

Enzymatic hydrolysis of sphingolipids. 8. Further purification and properties of rat brain ceramidase. *Biochemistry*, **8**: 1692-8

Zhang, H., Desai, N.N., Olivera, A., Seki, T., Brooker, G. and Spiegel, S., (1991)

Sphingosine-1-phosphate, a novel lipid, involved in cellular proliferation. *J. Cell. Biol.*, **114**: 155-67

Zhang, J., Alter, N., Reed, J.C., Borner, C., Obeid, L.M. and Hannun, Y.A., (1996)

Bcl-2 interrupts the ceramide-mediated pathway of cell death. *Proc. Natl. Acad. Sci. U S A*, **93**: 5325-8

Zhang, Y., Yao, B., Delikat, S., Bayoumy, S., Lin, X.H., Basu, S., McGinley, M., Chan-Hui, P.Y., Lichenstein, H. and Kolesnick, R., (1997)

Kinase suppressor of Ras is ceramide-activated protein kinase. *Cell*, **89**: 63-72