

## 6. Literatur

Adams, J.C. und Watt, F.M. (1993):

Regulation of development and differentiation by the extracellular matrix.  
*Development*, 117: 1183-98.

Albanese, C., Johnson, J., Watanabe, G., Eklund, N., Vu, D., Arnold, A. und Pestell, R.G. (1995):

Transforming p21ras mutants and c-Ets-2 activate the cyclin D1 promoter through distinguishable regions.  
*J Biol Chem*, 270: 23589-97.

Albelda, S.M. und Buck, C.A. (1990):

Integrins and other cell adhesion molecules.  
*FASEB J*, 4: 2868-80.

Allison, D.E., Gourlay, S.G., Koren, E., Miller, R.M. und Fox, J.A. (2002):

Pharmacokinetics of rhuMAb CD18, a recombinant humanised monoclonal antibody fragment to CD18, in normal healthy human volunteers.  
*BioDrugs*, 16: 63-70.

Altun-Gultekin, Z.F., Chandriani, S., Bougeret, C., Ishizaki, T., Narumiya, S., de Graaf, P., Van Bergen en Henegouwen, P., Hanafusa, H., Wagner, J.A. und Birge, R.B. (1998):

Activation of Rho-dependent cell spreading and focal adhesion biogenesis by the v-Crk adaptor protein.  
*Mol Cell Biol*, 18: 3044-58.

Anderson, K.L. und Ferreira, A. (2004):

alpha1 Integrin activation: a link between beta-amyloid deposition and neuronal death in aging hippocampal neurons.  
*J Neurosci Res*, 75: 688-97.

Anton, E.S., Kreidberg, J.A. und Rakic, P. (1999):

Distinct functions of alpha3 and alpha(v) integrin receptors in neuronal migration and laminar organization of the cerebral cortex.  
*Neuron*, 22: 277-89.

Aplin, A.E., Howe, A., Alahari, S.K. und Juliano, R.L. (1998):

Signal transduction and signal modulation by cell adhesion receptors: the role of integrins, cadherins, immunoglobulin-cell adhesion molecules, and selectins.  
*Pharmacol Rev*, 50: 197-263.

Arahata, K., Ishii, H. und Hayashi, Y.K. (1995):

Congenital muscular dystrophies.

Curr Opin Neurol, 8: 385-90.

Arias, A.M., Brown, A.M. und Brennan, K. (1999):

Wnt signalling: pathway or network?

Curr Opin Genet Dev, 9: 447-54.

Arregui, C.O., Carbonetto, S. und McKerracher, L. (1994):

Characterization of neural cell adhesion sites: point contacts are the sites of interaction between integrins and the cytoskeleton in PC12 cells.

J Neurosci, 14: 6967-77.

Arthur, W.T., Noren, N.K. und Burridge, K. (2002):

Regulation of Rho family GTPases by cell-cell and cell-matrix adhesion.

Biol Res, 35: 239-46.

Aumailley, M., El Khal, A., Knoss, N. und Tunggal, L. (2003):

Laminin 5 processing and its integration into the ECM.

Matrix Biol, 22: 49-54.

Aumailley, M. und Smyth, N. (1998):

The role of laminins in basement membrane function.

J Anat, 193 ( Pt 1): 1-21.

Aumailley, M., Timpl, R. und Sonnenberg, A. (1990):

Antibody to integrin alpha 6 subunit specifically inhibits cell-binding to laminin fragment 8.

Exp Cell Res, 188: 55-60.

Bader, B.L., Rayburn, H., Crowley, D. und Hynes, R.O. (1998):

Extensive vasculogenesis, angiogenesis, and organogenesis precede lethality in mice lacking all alpha v integrins.

Cell, 95: 507-19.

Bahr, B.A., Staubli, U., Xiao, P., Chun, D., Ji, Z.X., Esteban, E.T. und Lynch, G. (1997):

Arg-Gly-Asp-Ser-selective adhesion and the stabilization of long-term potentiation: pharmacological studies and the characterization of a candidate matrix receptor.

J Neurosci, 17: 1320-9.

Bakre, M.M., Zhu, Y., Yin, H., Burton, D.W., Terkeltaub, R., Defetos, L.J. und Varner, J.A. (2002):

Parathyroid hormone-related peptide is a naturally occurring, protein kinase A-dependent angiogenesis inhibitor.

Nat Med, 8: 995-1003.

Balch, W.E. (1990):

Small GTP-binding proteins in vesicular transport.

Trends Biochem Sci, 15: 473-7.

Banerjee, S.A., Hadjiargyrou, M. und Patterson, P.H. (1997):

An antibody to the tetraspan membrane protein CD9 promotes neurite formation in a partially alpha3beta1 integrin-dependent manner.

J Neurosci, 17: 2756-65.

Barberis, L., Wary, K.K., Fiucci, G., Liu, F., Hirsch, E., Brancaccio, M., Altruda, F., Tarone, G. und Giancotti, F.G. (2000):

Distinct roles of the adaptor protein Shc and focal adhesion kinase in integrin signaling to ERK.

J Biol Chem, 275: 36532-40.

Beglova, N., Blacklow, S.C., Takagi, J. und Springer, T.A. (2002):

Cysteine-rich module structure reveals a fulcrum for integrin rearrangement upon activation.

Nat Struct Biol, 9: 282-7.

Belkin, A.M. und Stepp, M.A. (2000):

Integrins as receptors for laminins.

Microsc Res Tech, 51: 280-301.

Benson, D.L., Schnapp, L.M., Shapiro, L. und Huntley, G.W. (2000):

Making memories stick: cell-adhesion molecules in synaptic plasticity.

Trends Cell Biol, 10: 473-82.

Berditchevski, F., Bazzoni, G. und Hemler, M.E. (1995):

Specific association of CD63 with the VLA-3 and VLA-6 integrins.

J Biol Chem, 270: 17784-90.

Berditchevski, F., Toliyas, K.F., Wong, K., Carpenter, C.L. und Hemler, M.E. (1997):

A novel link between integrins, transmembrane-4 superfamily proteins (CD63 and CD81), and phosphatidylinositol 4-kinase.

J Biol Chem, 272: 2595-8.

- Berditchevski, F., Zutter, M.M. und Hemler, M.E. (1996):  
Characterization of novel complexes on the cell surface between integrins and proteins with 4 transmembrane domains (TM4 proteins).  
*Mol Biol Cell*, 7: 193-207.
- Berman, A.E., Kozlova, N.I. und Morozevich, G.E. (2003):  
Integrins: structure and signaling.  
*Biochemistry (Mosc)*, 68: 1284-99.
- Berrier, A. L., Martinez, R., LaFlamme, S. E. (2002):  
The integrin beta tail is required and sufficient to regulate adhesion signaling to Rac1.  
*J Cell Sci*, 115: 4285-91
- Bilderback, T.R., Gazula, V.R., Lisanti, M.P. und Dobrowsky, R.T. (1999):  
Caveolin interacts with Trk A and p75(NTR) and regulates neurotrophin signaling pathways.  
*J Biol Chem*, 274: 257-63.
- Blasi, F. und Carmeliet, P. (2002):  
uPAR: a versatile signalling orchestrator.  
*Nat Rev Mol Cell Biol*, 3: 932-43.
- Bosman, F.T. und Stamenkovic, I. (2003):  
Functional structure and composition of the extracellular matrix.  
*J Pathol*, 200: 423-8.
- Boudreau, N.J. und Jones, P.L. (1999):  
Extracellular matrix and integrin signalling: the shape of things to come.  
*Biochem J*, 339 ( Pt 3): 481-8.
- Boyer, H.W. und Roulland-Dussoix, D. (1969):  
A complementation analysis of the restriction and modification of DNA in *Escherichia coli*.  
*J Mol Biol*, 41: 459-72.
- Brakebusch, C., Hirsch, E., Potocnik, A. und Fassler, R. (1997):  
Genetic analysis of beta1 integrin function: confirmed, new and revised roles for a crucial family of cell adhesion molecules.  
*J Cell Sci*, 110 ( Pt 23): 2895-904.

Breitschopf, K., Haendeler, J., Malchow, P., Zeiher, A.M. und Dimmeler, S. (2000):  
Posttranslational modification of Bcl-2 facilitates its proteasome-dependent degradation: molecular characterization of the involved signaling pathway.  
*Mol Cell Biol*, 20: 1886-96.

Briesewitz, R., Kern, A. und Marcantonio, E.E. (1995):  
Assembly and function of integrin receptors is dependent on opposing alpha and beta cytoplasmic domains.  
*Mol Biol Cell*, 6: 997-1010.

Brooks, J.E. (1987):  
Properties and uses of restriction endonucleases.  
*Methods Enzymol*, 152: 113-29.

Brooks, P.C. (1996):  
Role of integrins in angiogenesis.  
*Eur J Cancer*, 32A: 2423-9.

Brown, J.C. und Timpl, R. (1995):  
The collagen superfamily.  
*Int Arch Allergy Immunol*, 107: 484-90.

Brummendorf, T. und Rathjen, F.G. (1995):  
Cell adhesion molecules 1: immunoglobulin superfamily.  
*Protein Profile*, 2: 963-1108.

Buck, C.A. und Horwitz, A.F. (1987):  
Integrin, a transmembrane glycoprotein complex mediating cell-substratum adhesion.  
*J Cell Sci Suppl*, 8: 231-50.

Burridge, K. und Wennerberg, K. (2004):  
Rho and Rac take center stage.  
*Cell*, 116: 167-79.

Buttner, B., Reutter, W. und Horstkorte, R. (2004):  
Cytoplasmic domain of NCAM 180 reduces NCAM-mediated neurite outgrowth.  
*J Neurosci Res*, 75: 854-60.

Caniggia, I., Han, R., Liu, J., Wang, J., Tanswell, A.K. und Post, M. (1995):  
Differential expression of collagen-binding receptors in fetal rat lung cells.  
*Am J Physiol*, 268: L136-43.

- Caniggia, I., Liu, J., Han, R., Wang, J., Tanswell, A.K., Laurie, G. und Post, M. (1996): Identification of receptors binding fibronectin and laminin on fetal rat lung cells. *Am J Physiol*, 270: L459-68.
- Carter, W.G., Kaur, P., Gil, S.G., Gahr, P.J. und Wayner, E.A. (1990): Distinct functions for integrins alpha 3 beta 1 in focal adhesions and alpha 6 beta 4/bullous pemphigoid antigen in a new stable anchoring contact (SAC) of keratinocytes: relation to hemidesmosomes. *J Cell Biol*, 111: 3141-54.
- Carter, W.G., Ryan, M.C. und Gahr, P.J. (1991): Epiligrin, a new cell adhesion ligand for integrin alpha 3 beta 1 in epithelial basement membranes. *Cell*, 65: 599-610.
- Cary, L.A., Han, D.C., Polte, T.R., Hanks, S.K. und Guan, J.L. (1998): Identification of p130Cas as a mediator of focal adhesion kinase-promoted cell migration. *J Cell Biol*, 140: 211-21.
- Chan, B. M., Kassner, P. D., Schiro, J. A., Byers, H. R., Kupper, T. S., Hemler, M. E. (1992): Distinct cellular functions mediated by different VLA integrin alpha subunit cytoplasmic domains. *Cell*, 68: 1051-60
- Champlaud, M.F., Lunstrum, G.P., Rousselle, P., Nishiyama, T., Keene, D.R. und Burgeson, R.E. (1996): Human amnion contains a novel laminin variant, laminin 7, which like laminin 6, covalently associates with laminin 5 to promote stable epithelial-stromal attachment. *J Cell Biol*, 132: 1189-98.
- Chardin, P., Boquet, P., Madaule, P., Popoff, M. R., Rubin, E. J., Gill, D. M. (1998): The mammalian G protein rhoC is ADP-ribosylated by Clostridium botulinum exoenzyme C3 and affects actin microfilaments in Vero cells., *Embo J*, 4: 1087-92
- Chandrasekaran, S., Guo, N.H., Rodrigues, R.G., Kaiser, J. und Roberts, D.D. (1999): Pro-adhesive and chemotactic activities of thrombospondin-1 for breast carcinoma cells are mediated by alpha3beta1 integrin and regulated by insulin-like growth factor-1 and CD98. *J Biol Chem*, 274: 11408-16.

- Chen, X.Q., Tan, I., Leung, T. und Lim, L. (1999):  
The myotonic dystrophy kinase-related Cdc42-binding kinase is involved in the regulation of neurite outgrowth in PC12 cells.  
*J Biol Chem*, 274: 19901-5.
- Chen, Y.P., O'Toole, T.E., Shipley, T., Forsyth, J., LaFlamme, S.E., Yamada, K.M., Shattil, S.J. und Ginsberg, M.H. (1994):  
"Inside-out" signal transduction inhibited by isolated integrin cytoplasmic domains.  
*J Biol Chem*, 269: 18307-10.
- Chen, Y.R., Wang, X., Templeton, D., Davis, R.J. und Tan, T.H. (1996):  
The role of c-Jun N-terminal kinase (JNK) in apoptosis induced by ultraviolet C and gamma radiation. Duration of JNK activation may determine cell death and proliferation.  
*J Biol Chem*, 271: 31929-36.
- Choma, D.P., Pumiglia, K. und DiPersio, C.M. (2004):  
Integrin alpha3beta1 directs the stabilization of a polarized lamellipodium in epithelial cells through activation of Rac1.  
*J Cell Sci*, 117: 3947-59.
- Chrzanowska-Wodnicka, M. und Burridge, K. (1996):  
Rho-stimulated contractility drives the formation of stress fibers and focal adhesions.  
*J Cell Biol*, 133: 1403-15.
- Clark, E.A. und Brugge, J.S. (1995):  
Integrins and signal transduction pathways: the road taken.  
*Science*, 268: 233-9.
- Clark, E.A., King, W.G., Brugge, J.S., Symons, M. und Hynes, R.O. (1998):  
Integrin-mediated signals regulated by members of the rho family of GTPases.  
*J Cell Biol*, 142: 573-86.
- Cohen, M.W., Hoffstrom, B.G. und DeSimone, D.W. (2000):  
Active zones on motor nerve terminals contain alpha 3beta 1 integrin.  
*J Neurosci*, 20: 4912-21.
- Colognato, H., MacCarrick, M., O'Rear, J.J. und Yurchenco, P.D. (1997):  
The laminin alpha2-chain short arm mediates cell adhesion through both the alpha1beta1 and alpha2beta1 integrins.  
*J Biol Chem*, 272: 29330-6.

- Coppolino, M., Leung-Hagesteijn, C., Dedhar, S. und Wilkins, J. (1995):  
Inducible interaction of integrin alpha 2 beta 1 with calreticulin. Dependence on the activation state of the integrin.  
*J Biol Chem*, 270: 23132-8.
- Coppolino, M.G. und Dedhar, S. (2000):  
Bi-directional signal transduction by integrin receptors.  
*Int J Biochem Cell Biol*, 32: 171-88.
- Coppolino, M.G., Woodside, M.J., Demaurex, N., Grinstein, S., St-Arnaud, R. und Dedhar, S. (1997):  
Calreticulin is essential for integrin-mediated calcium signalling and cell adhesion.  
*Nature*, 386: 843-7.
- Corbi, A.L., Miller, L.J., O'Connor, K., Larson, R.S. und Springer, T.A. (1987):  
cDNA cloning and complete primary structure of the alpha subunit of a leukocyte adhesion glycoprotein, p150,95.  
*Embo J*, 6: 4023-8.
- Cowin, P. und Burke, B. (1996):  
Cytoskeleton-membrane interactions.  
*Curr Opin Cell Biol*, 8: 56-65.
- Cox, E.A., Sastry, S.K. und Huttenlocher, A. (2001):  
Integrin-mediated adhesion regulates cell polarity and membrane protrusion through the Rho family of GTPases.  
*Mol Biol Cell*, 12: 265-77.
- Cress, A.E., Rabinovitz, I., Zhu, W. und Nagle, R.B. (1995):  
The alpha 6 beta 1 and alpha 6 beta 4 integrins in human prostate cancer progression.  
*Cancer Metastasis Rev*, 14: 219-28.
- Culley, B., Murphy, J., Babaie, J., Nguyen, D., Pagel, A., Rousselle, P. und Clegg, D.O. (2001):  
Laminin-5 promotes neurite outgrowth from central and peripheral chick embryonic neurons.  
*Neurosci Lett*, 301: 83-6.
- Danen, E.H., Lafrenie, R.M., Miyamoto, S. und Yamada, K.M. (1998):  
Integrin signaling: cytoskeletal complexes, MAP kinase activation, and regulation of gene expression.  
*Cell Adhes Commun*, 6: 217-24.



Danen, E.H. und Yamada, K.M. (2001):  
Fibronectin, integrins, and growth control.  
J Cell Physiol, 189: 1-13.

Daniels, R.H., Hall, P.S. und Bokoch, G.M. (1998):  
Membrane targeting of p21-activated kinase 1 (PAK1) induces neurite outgrowth from PC12 cells.  
Embo J, 17: 754-64.

Danker, K., Gabriel, B., Heidrich, C. und Reutter, W. (1998):  
Focal adhesion kinase pp125FAK and the beta 1 integrin subunit are constitutively complexed in HaCaT cells.  
Exp Cell Res, 239: 326-31.

Danker, K., Mechai, N., Lucka, L., Reutter, W. und Horstkorte, R. (2001):  
The small GTPase ras is involved in growth factor-regulated expression of the alpha1 integrin subunit in PC12 cells.  
Biol Chem, 382: 969-72.

de Melker, A.A. und Sonnenberg, A. (1999):  
Integrins: alternative splicing as a mechanism to regulate ligand binding and integrin signaling events.  
Bioessays, 21: 499-509.

Dedhar, S., Gray, V., Robertson, K. und Saulnier, R. (1992):  
Identification and characterization of a novel high-molecular-weight form of the integrin alpha 3 subunit.  
Exp Cell Res, 203: 270-5.

DeFreitas, M.F., Yoshida, C.K., Frazier, W.A., Mendrick, D.L., Kypta, R.M. und Reichardt, L.F. (1995):  
Identification of integrin alpha 3 beta 1 as a neuronal thrombospondin receptor mediating neurite outgrowth.  
Neuron, 15: 333-43.

deHart, G.W., Healy, K.E. und Jones, J.C. (2003):  
The role of alpha3beta1 integrin in determining the supramolecular organization of laminin-5 in the extracellular matrix of keratinocytes.  
Exp Cell Res, 283: 67-79.

- Delwel, G.O., de Melker, A.A., Hogervorst, F., Jaspars, L.H., Fles, D.L., Kuikman, I., Lindblom, A., Paulsson, M., Timpl, R. und Sonnenberg, A. (1994):  
Distinct and overlapping ligand specificities of the alpha 3A beta 1 and alpha 6A beta 1 integrins: recognition of laminin isoforms.  
*Mol Biol Cell*, 5: 203-15.
- Delwel, G.O., Kuikman, I. und Sonnenberg, A. (1995):  
An alternatively spliced exon in the extracellular domain of the human alpha 6 integrin subunit - functional analysis of the alpha 6 integrin variants.  
*Cell Adhes Commun*, 3: 143-61.
- DeMali, K.A., Wennerberg, K. und Burridge, K. (2003):  
Integrin signaling to the actin cytoskeleton.  
*Curr Opin Cell Biol*, 15: 572-82.
- Dikic, I., Batzer, A.G., Blaikie, P., Obermeier, A., Ullrich, A., Schlessinger, J. und Margolis, B. (1995):  
Shc binding to nerve growth factor receptor is mediated by the phosphotyrosine interaction domain.  
*J Biol Chem*, 270: 15125-9.
- DiPersio, C.M., Hodivala-Dilke, K.M., Jaenisch, R., Kreidberg, J.A. und Hynes, R.O. (1997):  
alpha3beta1 Integrin is required for normal development of the epidermal basement membrane.  
*J Cell Biol*, 137: 729-42.
- DiPersio, C.M., Trevithick, J.E. und Hynes, R.O. (2001):  
Functional comparison of the alpha3A and alpha3B cytoplasmic domain variants of the chicken alpha3 integrin subunit.  
*Exp Cell Res*, 268: 45-60.
- DiPersio, C.M., van der Neut, R., Georges-Labouesse, E., Kreidberg, J.A., Sonnenberg, A. und Hynes, R.O. (2000):  
alpha3beta1 and alpha6beta4 integrin receptors for laminin-5 are not essential for epidermal morphogenesis and homeostasis during skin development.  
*J Cell Sci*, 113 ( Pt 17): 3051-62.
- Dolfi, F., Garcia-Guzman, M., Ojaniemi, M., Nakamura, H., Matsuda, M. und Vuori, K. (1998):  
The adaptor protein Crk connects multiple cellular stimuli to the JNK signaling pathway.  
*Proc Natl Acad Sci U S A*, 95: 15394-9.

- Domanico, S.Z., Pelletier, A.J., Havran, W.L. und Quaranta, V. (1997):  
Integrin alpha 6A beta 1 induces CD81-dependent cell motility without engaging the extracellular matrix migration substrate.  
*Mol Biol Cell*, **8**: 2253-65.
- Dowling, J., Yu, Q.C. und Fuchs, E. (1996):  
Beta4 integrin is required for hemidesmosome formation, cell adhesion and cell survival.  
*J Cell Biol*, **134**: 559-72.
- Downward, J. (1990):  
The ras superfamily of small GTP-binding proteins.  
*Trends Biochem Sci*, **15**: 469-72.
- Dulabon, L., Olson, E.C., Taglienti, M.G., Eisenhuth, S., McGrath, B., Walsh, C.A., Kreidberg, J.A. und Anton, E.S. (2000):  
Reelin binds alpha3beta1 integrin and inhibits neuronal migration.  
*Neuron*, **27**: 33-44.
- Dustin, M.L. und Springer, T.A. (1991):  
Role of lymphocyte adhesion receptors in transient interactions and cell locomotion  
*Annu Rev Immunol*, **9**: 27-66
- Dziadek, M. (1995):  
Role of laminin-nidogen complexes in basement membrane formation during embryonic development.  
*Experientia*, **51**: 901-13.
- Edelman, G.M. und Crossin, K.L. (1991):  
Cell adhesion molecules: implications for a molecular histology.  
*Annu Rev Biochem*, **60**: 155-90.
- Elices, M.J., Urry, L.A. und Hemler, M.E. (1991):  
Receptor functions for the integrin VLA-3: fibronectin, collagen, and laminin binding are differentially influenced by Arg-Gly-Asp peptide and by divalent cations.  
*J Cell Biol*, **112**: 169-81.
- Farrelly, N., Lee, Y.J., Oliver, J., Dive, C. und Streuli, C.H. (1999):  
Extracellular matrix regulates apoptosis in mammary epithelium through a control on insulin signaling.  
*J Cell Biol*, **144**: 1337-48.

Fassler, R. und Meyer, M. (1995):

Consequences of lack of beta 1 integrin gene expression in mice.  
*Genes Dev*, 9: 1896-908.

Feltri, M.L., Graus Porta, D., Previtali, S.C., Nodari, A., Migliavacca, B., Casseti, A., Littlewood-Evans, A., Reichardt, L.F., Messing, A., Quattrini, A., Mueller, U. und Wrabetz, L. (2002):

Conditional disruption of beta 1 integrin in Schwann cells impedes interactions with axons.  
*J Cell Biol*, 156: 199-209.

Filardo, E.J. und Cheresh, D.A. (1994):

A beta turn in the cytoplasmic tail of the integrin alpha v subunit influences conformation and ligand binding of alpha v beta 3.  
*J Biol Chem*, 269: 4641-7.

Fishman, D.A., Kearns, A., Chilukuri, K., Bafetti, L.M., O'Toole, E.A., Georgacopoulos, J., Ravosa, M.J. und Stack, M.S. (1998):

Metastatic dissemination of human ovarian epithelial carcinoma is promoted by alpha2beta1-integrin-mediated interaction with type I collagen.  
*Invasion Metastasis*, 18: 15-26.

Forster, E., Tielsch, A., Saum, B., Weiss, K.H., Johanssen, C., Graus-Porta, D., Muller, U. und Frotscher, M. (2002):

Reelin, Disabled 1, and beta 1 integrins are required for the formation of the radial glial scaffold in the hippocampus.  
*Proc Natl Acad Sci U S A*, 99: 13178-83.

Frank, D.E. und Carter, W.G. (2004):

Laminin 5 deposition regulates keratinocyte polarization and persistent migration.  
*J Cell Sci*, 117: 1351-63.

Frisch, S.M. und Francis, H. (1994):

Disruption of epithelial cell-matrix interactions induces apoptosis.  
*J Cell Biol*, 124: 619-26.

Fujiwara, H., Kikkawa, Y., Sanzen, N. und Sekiguchi, K. (2001):

Purification and characterization of human laminin-8. Laminin-8 stimulates cell adhesion and migration through alpha3beta1 and alpha6beta1 integrins.  
*J Biol Chem*, 276: 17550-8.

Fukushima, Y., Ohnishi, T., Arita, N., Hayakawa, T. und Sekiguchi, K. (1998):

Integrin alpha3beta1-mediated interaction with laminin-5 stimulates adhesion, migration and invasion of malignant glioma cells.

Int J Cancer, 76: 63-72.

Gadek, T.R., Burdick, D.J., McDowell, R.S., Stanley, M.S., Marsters, J.C., Jr., Paris, K.J., Oare, D.A., Reynolds, M.E., Ladner, C., Zioncheck, K.A., Lee, W.P., Gribling, P., Dennis, M.S., Skelton, N.J., Tumas, D.B., Clark, K.R., Keating, S.M., Beresini, M.H., Tilley, J.W., Presta, L.G. und Bodary, S.C. (2002):

Generation of an LFA-1 antagonist by the transfer of the ICAM-1 immunoregulatory epitope to a small molecule.

Science, 295: 1086-9.

Gagnoux-Palacios, L., Allegra, M., Spirito, F., Pommeret, O., Romero, C., Ortonne, J.P. und Meneguzzi, G. (2001):

The short arm of the laminin gamma2 chain plays a pivotal role in the incorporation of laminin 5 into the extracellular matrix and in cell adhesion.

J Cell Biol, 153: 835-50.

Gardner, H., Kreidberg, J., Koteliansky, V. und Jaenisch, R. (1996):

Deletion of integrin alpha 1 by homologous recombination permits normal murine development but gives rise to a specific deficit in cell adhesion.

Dev Biol, 175: 301-13.

Gauthier, R., Harnois, C., Drolet, J.F., Reed, J.C., Vezina, A. und Vachon, P.H. (2001):

Human intestinal epithelial cell survival: differentiation state-specific control mechanisms.

Am J Physiol Cell Physiol, 280: C1540-54.

Gebbink, M.F., Kranenburg, O., Poland, M., van Horck, F.P., Houssa, B. und Moolenaar, W.H. (1997):

Identification of a novel, putative Rho-specific GDP/GTP exchange factor and a RhoA-binding protein: control of neuronal morphology.

J Cell Biol, 137: 1603-13.

Gehlsen, K.R., Sriramarao, P., Furcht, L.T. und Skubitz, A.P. (1992):

A synthetic peptide derived from the carboxy terminus of the laminin A chain represents a binding site for the alpha 3 beta 1 integrin.

J Cell Biol, 117: 449-59.

Geiger, B. und Bershadsky, A. (2002):

Exploring the neighborhood: adhesion-coupled cell mechanosensors.

Cell, 110: 139-42.

Geiger, B., Bershadsky, A., Pankov, R. und Yamada, K.M. (2001):

Transmembrane crosstalk between the extracellular matrix--cytoskeleton crosstalk.

Nat Rev Mol Cell Biol, 2: 793-805.

Georges-Labouesse, E., Mark, M., Messaddeq, N. und Gansmuller, A. (1998):

Essential role of alpha 6 integrins in cortical and retinal lamination.

Curr Biol, 8: 983-6.

Georges-Labouesse, E., Messaddeq, N., Yehia, G., Cadalbert, L., Dierich, A. und Le Meur, M. (1996):

Absence of integrin alpha 6 leads to epidermolysis bullosa and neonatal death in mice.

Nat Genet, 13: 370-3.

Giancotti, F.G. (1997):

Integrin signaling: specificity and control of cell survival and cell cycle progression.

Curr Opin Cell Biol, 9: 691-700.

Giancotti, F.G. und Ruoslahti, E. (1999):

Integrin signaling.

Science, 285: 1028-32.

Giannelli, G., Falk-Marzillier, J., Schiraldi, O., Stetler-Stevenson, W.G. und Quaranta, V. (1997):

Induction of cell migration by matrix metalloprotease-2 cleavage of laminin-5.

Science, 277: 225-8.

Ginsberg, M.H., Du, X. und Plow, E.F. (1992):

Inside-out integrin signalling.

Curr Opin Cell Biol, 4: 766-71.

Goh, K.L., Yang, J.T. und Hynes, R.O. (1997):

Mesodermal defects and cranial neural crest apoptosis in alpha5 integrin-null embryos.

Development, 124: 4309-19.

Goldfinger, L.E., Hopkinson, S.B., deHart, G.W., Collawn, S., Couchman, J.R. und Jones, J.C. (1999):

The alpha3 laminin subunit, alpha6beta4 and alpha3beta1 integrin coordinately regulate wound healing in cultured epithelial cells and in the skin.

J Cell Sci, 112 ( Pt 16): 2615-29.

Goldfinger, L.E., Stack, M.S. und Jones, J.C. (1998):

Processing of laminin-5 and its functional consequences: role of plasmin and tissue-type plasminogen activator.

J Cell Biol, 141: 255-65.

Gomez, T.M., Roche, F.K. und Letourneau, P.C. (1996):

Chick sensory neuronal growth cones distinguish fibronectin from laminin by making substratum contacts that resemble focal contacts.

J Neurobiol, 29: 18-34.

Gonzalez-Amaro, R. und Sanchez-Madrid, F. (1999):

Cell adhesion molecules: selectins and integrins.

Crit Rev Immunol, 19: 389-429.

Gottschalk, K.E. und Kessler, H. (2004a):

A computational model of transmembrane integrin clustering.

Structure (Camb), 12: 1109-16.

Gottschalk, K.E. und Kessler, H. (2004b):

Evidence for hetero-association of transmembrane helices of integrins.

FEBS Lett, 557: 253-8.

Gout, S.P., Jacquier-Sarlin, M.R., Rouard-Talbot, L., Rousselle, P. und Block, M.R. (2001):

RhoA-dependent switch between alpha2beta1 and alpha3beta1 integrins is induced by laminin-5 during early stage of HT-29 cell differentiation.

Mol Biol Cell, 12: 3268-81.

Graus-Porta, D., Blaess, S., Senften, M., Littlewood-Evans, A., Damsky, C., Huang, Z., Orban, P., Klein, R., Schittny, J.C. und Muller, U. (2001):

Beta1-class integrins regulate the development of laminae and folia in the cerebral and cerebellar cortex.

Neuron, 31: 367-79.

Greene, L.A. und Tischler, A.S. (1976):

Establishment of a noradrenergic clonal line of rat adrenal pheochromocytoma cells which respond to nerve growth factor.

Proc Natl Acad Sci U S A, 73: 2424-8.

Gu, J., Sumida, Y., Sanzen, N. und Sekiguchi, K. (2001):

Laminin-10/11 and fibronectin differentially regulate integrin-dependent Rho and Rac activation via p130(Cas)-CrkII-DOCK180 pathway.

J Biol Chem, 276: 27090-7.

Guan, J.L., Trevithick, J.E. und Hynes, R.O. (1991):

Fibronectin/integrin interaction induces tyrosine phosphorylation of a 120-kDa protein.

Cell Regul, 2: 951-64.

Guo, N., Templeton, N.S., Al-Barazi, H., Cashel, J.A., Sipes, J.M., Krutzsch, H.C. und Roberts, D.D. (2000):

Thrombospondin-1 promotes alpha3beta1 integrin-mediated adhesion and neurite-like outgrowth and inhibits proliferation of small cell lung carcinoma cells.

Cancer Res, 60: 457-66.

Hadjigrygou, M., Kaprielian, Z., Kato, N. und Patterson, P.H. (1996):

Association of the tetraspan protein CD9 with integrins on the surface of S-16 Schwann cells.

J Neurochem, 67: 2505-13.

Hall, A. (1998):

G proteins and small GTPases: distant relatives keep in touch.

Science, 280: 2074-5.

Hall, D.E., Reichardt, L.F., Crowley, E., Holley, B., Moezzi, H., Sonnenberg, A. und Damsky, C.H. (1990):

The alpha 1/beta 1 and alpha 6/beta 1 integrin heterodimers mediate cell attachment to distinct sites on laminin.

J Cell Biol, 110: 2175-84.

Hantgan, R.R., Paumi, C., Rocco, M. und Weisel, J.W. (1999):

Effects of ligand-mimetic peptides Arg-Gly-Asp-X (X = Phe, Trp, Ser) on alphaIIb beta3 integrin conformation and oligomerization.

Biochemistry, 38: 14461-74.



- Hayashi, Y., Haimovich, B., Reszka, A., Boettiger, D. und Horwitz, A. (1990):  
Expression and function of chicken integrin beta 1 subunit and its cytoplasmic domain mutants  
in mouse NIH 3T3 cells.  
*J Cell Biol*, 110: 175-84.
- Hemler, M.E. (1998):  
Integrin associated proteins.  
*Curr Opin Cell Biol*, 10: 578-85.
- Hemler, M.E. (2001):  
Specific tetraspanin functions.  
*J Cell Biol*, 155: 1103-7.
- Hemler, M.E., Huang, C., Takada, Y., Schwarz, L., Strominger, J.L. und Clabby, M.L. (1987):  
Characterization of the cell surface heterodimer VLA-4 and related peptides.  
*J Biol Chem*, 262: 11478-85.
- Hemler, M.E., Kassner, P.D. und Chan, B.M. (1992):  
Functional roles for integrin alpha subunit cytoplasmic domains.  
*Cold Spring Harb Symp Quant Biol*, 57: 213-20.
- Hertle, M.D., Adams, J.C. und Watt, F.M. (1991):  
Integrin expression during human epidermal development in vivo and in vitro.  
*Development*, 112: 193-206.
- Hibbs, M.L., Jakes, S., Stacker, S.A., Wallace, R.W. und Springer, T.A. (1991a):  
The cytoplasmic domain of the integrin lymphocyte function-associated antigen 1 beta subunit:  
sites required for binding to intercellular adhesion molecule 1 and the phorbol ester-stimulated  
phosphorylation site.  
*J Exp Med*, 174: 1227-38.
- Hibbs, M.L., Xu, H., Stacker, S.A. und Springer, T.A. (1991b):  
Regulation of adhesion of ICAM-1 by the cytoplasmic domain of LFA-1 integrin beta subunit.  
*Science*, 251: 1611-3.
- Higgs, H.N. und Pollard, T.D. (1999):  
Regulation of actin polymerization by Arp2/3 complex and WASp/Scar proteins.  
*J Biol Chem*, 274: 32531-4.

Hildebrand, J.D., Taylor, J.M. und Parsons, J.T. (1996):

An SH3 domain-containing GTPase-activating protein for Rho and Cdc42 associates with focal adhesion kinase.

Mol Cell Biol, 16: 3169-78.

Hirsch, E., Barberis, L., Brancaccio, M., Azzolino, O., Xu, D., Kyriakis, J.M., Silengo, L., Giancotti, F.G., Tarone, G., Fassler, R. und Altruda, F. (2002):

Defective Rac-mediated proliferation and survival after targeted mutation of the beta1 integrin cytodomain.

J Cell Biol, 157: 481-92.

Hodivala-Dilke, K.M., DiPersio, C.M., Kreidberg, J.A. und Hynes, R.O. (1998):

Novel roles for alpha3beta1 integrin as a regulator of cytoskeletal assembly and as a trans-dominant inhibitor of integrin receptor function in mouse keratinocytes.

J Cell Biol, 142: 1357-69.

Hogg, N., Clive Landis, R., Bates, P.A., Stanley, P. und Randi, A.M. (1994):

The sticking point: How integrins bind to their ligands.

Trends Cell Biol, 4: 379-82.

Hogg, N., Stewart, M.P., Scarth, S.L., Newton, R., Shaw, J.M., Law, S.K. und Klein, N. (1999):

A novel leukocyte adhesion deficiency caused by expressed but nonfunctional beta2 integrins Mac-1 and LFA-1.

J Clin Invest, 103: 97-106.

Hotchin, N.A., Gandarillas, A. und Watt, F.M. (1995):

Regulation of cell surface beta 1 integrin levels during keratinocyte terminal differentiation.

J Cell Biol, 128: 1209-19.

Howe, A.K. und Juliano, R.L. (1998):

Distinct mechanisms mediate the initial and sustained phases of integrin-mediated activation of the Raf/MEK/mitogen-activated protein kinase cascade.

J Biol Chem, 273: 27268-74.

Huang, E.J. und Reichardt, L.F. (2003):

Trk receptors: roles in neuronal signal transduction.

Annu Rev Biochem, 72: 609-42.

Humphries, M.J., McEwan, P.A., Barton, S.J., Buckley, P.A., Bella, J. und Paul Mould, A. (2003):

Integrin structure: heady advances in ligand binding, but activation still makes the knees wobble.

Trends Biochem Sci, 28: 313-20.

Humphries, M.J. und Newham, P. (1998):

The structure of cell-adhesion molecules.

Trends Cell Biol, 8: 78-83.

Hynes, R.O. (1987):

Integrins: a family of cell surface receptors.

Cell, 48: 549-54.

Hynes, R.O. (1992):

Integrins: versatility, modulation, and signaling in cell adhesion.

Cell, 69: 11-25.

Hynes, R.O. (2002a):

Integrins: bidirectional, allosteric signaling machines.

Cell, 110: 673-87.

Hynes, R.O. (2002b):

A reevaluation of integrins as regulators of angiogenesis.

Nat Med, 8: 918-21.

Hynes, R.O. und Lander, A.D. (1992):

Contact and adhesive specificities in the associations, migrations, and targeting of cells and axons.

Cell, 68: 303-22.

Ignatius, M.J., Large, T.H., Houde, M., Tawil, J.W., Barton, A., Esch, F., Carbonetto, S. und Reichardt, L.F. (1990):

Molecular cloning of the rat integrin alpha 1-subunit: a receptor for laminin and collagen.

J Cell Biol, 111: 709-20.

Ilic, D., Damsky, C.H. und Yamamoto, T. (1997):

Focal adhesion kinase: at the crossroads of signal transduction.

J Cell Sci, 110 (Pt 4): 401-7.

Ishizaki, T., Uehata, M., Tamechika, I., Keel, J., Nonomura, K., Maekawa, M. und Narumiya, S. (2000):

Pharmacological properties of Y-27632, a specific inhibitor of rho-associated kinases. *Mol Pharmacol*, 57: 976-83.

Ivankovic-Dikic, I., Gronroos, E., Blaukat, A., Barth, B.U. und Dikic, I. (2000):

Pyk2 and FAK regulate neurite outgrowth induced by growth factors and integrins. *Nat Cell Biol*, 2: 574-81.

Ivaska, J., Reunanen, H., Westermarck, J., Koivisto, L., Kahari, V.M. und Heino, J. (1999): Integrin alpha2beta1 mediates isoform-specific activation of p38 and upregulation of collagen gene transcription by a mechanism involving the alpha2 cytoplasmic tail.

*J Cell Biol*, 147: 401-16.

Ivins, J.K., Colognato, H., Kreidberg, J.A., Yurchenco, P.D. und Lander, A.D. (1998):

Neuronal receptors mediating responses to antibody activated laminin-1.

*J Neurosci*, 18: 9703-15.

Jin, H. und Varner, J. (2004):

Integrins: roles in cancer development and as treatment targets.

*Br J Cancer*, 90: 561-5.

Jing, S., Tapley, P. und Barbacid, M. (1992):

Nerve growth factor mediates signal transduction through trk homodimer receptors.

*Neuron*, 9: 1067-79.

Jones, R.S. (1996):

Short- and long-term alterations in glutamate transmission in the entorhinal cortex: relevance to epileptogenesis.

*Epilepsy Res Suppl*, 12: 229-37.

Kajiji, S., Tamura, R.N. und Quaranta, V. (1989):

A novel integrin (alpha E beta 4) from human epithelial cells suggests a fourth family of integrin adhesion receptors.

*EMBO J*, 8: 673-80.

Kao, W.J. (1999):

Evaluation of protein-modulated macrophage behavior on biomaterials: designing biomimetic materials for cellular engineering.

*Biomaterials*, 20: 2213-21.

Kaplan, D.R., Hempstead, B.L., Martin-Zanca, D., Chao, M.V. und Parada, L.F. (1991a):  
The trk proto-oncogene product: a signal transducing receptor for nerve growth factor.  
*Science*, 252: 554-8.

Kaplan, D.R., Martin-Zanca, D. und Parada, L.F. (1991b):  
Tyrosine phosphorylation and tyrosine kinase activity of the trk proto-oncogene product induced by NGF.  
*Nature*, 350: 158-60.

Kassner, P.D., Alon, R., Springer, T.A. und Hemler, M.E. (1995):  
Specialized functional properties of the integrin alpha 4 cytoplasmic domain.  
*Mol Biol Cell*, 6: 661-74.

Kassner, P.D. und Hemler, M.E. (1993):  
Interchangeable alpha chain cytoplasmic domains play a positive role in control of cell adhesion mediated by VLA-4, a beta 1 integrin.  
*J Exp Med*, 178: 649-60.

Kassner, P.D., Kawaguchi, S. und Hemler, M.E. (1994):  
Minimum alpha chain cytoplasmic tail sequence needed to support integrin-mediated adhesion.  
*J Biol Chem*, 269: 19859-67.

Katoh, K., Kano, Y., Masuda, M., Onishi, H. und Fujiwara, K. (1998):  
Isolation and contraction of the stress fiber.  
*Mol Biol Cell*, 9: 1919-38.

Katoh, K., Langford, G., Hammar, K., Smith, P.J. und Oldenbourg, R. (1997):  
Actin bundles in neuronal growth cone observed with the Pol-Scope.  
*Biol Bull*, 193: 219-20.

Kaufmann, R., Frosch, D., Westphal, C., Weber, L. und Klein, C.E. (1989):  
Integrin VLA-3: ultrastructural localization at cell-cell contact sites of human cell cultures.  
*J Cell Biol*, 109: 1807-15.

Kawaguchi, S. und Hemler, M.E. (1993):  
Role of the alpha subunit cytoplasmic domain in regulation of adhesive activity mediated by the integrin VLA-2.  
*J Biol Chem*, 268: 16279-85.

- Keely, P.J., Westwick, J.K., Whitehead, I.P., Der, C.J. und Parise, L.V. (1997):  
Cdc42 and Rac1 induce integrin-mediated cell motility and invasiveness through PI(3)K.  
*Nature*, 390: 632-6.
- Khyrul, W.A., Lalonde, D.P., Brown, M.C., Levinson, H. und Turner, C.E. (2004):  
The Integrin-linked kinase regulates cell morphology and motility in a ROCK-dependent manner.  
*J Biol Chem*, 14: im Druck
- Kieffer, J.D., Plopper, G., Ingber, D.E., Hartwig, J.H. und Kupper, T.S. (1995):  
Direct binding of F actin to the cytoplasmic domain of the alpha 2 integrin chain in vitro.  
*Biochem Biophys Res Commun*, 217: 466-74.
- Kikkawa, Y., Sanzen, N., Fujiwara, H., Sonnenberg, A. und Sekiguchi, K. (2000):  
Integrin binding specificity of laminin-10/11: laminin-10/11 are recognized by alpha 3 beta 1, alpha 6 beta 1 and alpha 6 beta 4 integrins.  
*J Cell Sci*, 113 ( Pt 5): 869-76.
- Kikkawa, Y., Sanzen, N. und Sekiguchi, K. (1998):  
Isolation and characterization of laminin-10/11 secreted by human lung carcinoma cells. laminin-10/11 mediates cell adhesion through integrin alpha3 beta1.  
*J Biol Chem*, 273: 15854-9.
- Kim, S., Bakre, M., Yin, H. und Varner, J.A. (2002):  
Inhibition of endothelial cell survival and angiogenesis by protein kinase A.  
*J Clin Invest*, 110: 933-41.
- Kim, S., Harris, M. und Varner, J.A. (2000):  
Regulation of integrin alphav beta3-mediated endothelial cell migration and angiogenesis by integrin alpha5beta1 and protein kinase A.  
*J Biol Chem*, 275: 33920-8.
- Klesse, L.J. und Parada, L.F. (1999):  
Trks: signal transduction and intracellular pathways.  
*Microsc Res Tech*, 45: 210-6.
- Knezevic, I., Leisner, T.M. und Lam, S.C. (1996):  
Direct binding of the platelet integrin alphaIIbbeta3 (GPIIb-IIIa) to talin. Evidence that interaction is mediated through the cytoplasmic domains of both alphaIIb and beta3.  
*J Biol Chem*, 271: 16416-21.

Koch, F.H., Gumbel, H.O., Hattenbach, L.O. und Ohrloff, C. (1999):  
[Intravitreal endoscopic visualization of intraocular ganciclovir devices: improved long-term treatment of CMV retinitis].

Klin Monatsbl Augenheilkd, 214: 107-11.

Korhonen, M., Ylanne, J., Laitinen, L. und Virtanen, I. (1990):

The alpha 1-alpha 6 subunits of integrins are characteristically expressed in distinct segments of developing and adult human nephron.

J Cell Biol, 111: 1245-54.

Kozma, R., Sarner, S., Ahmed, S. und Lim, L. (1997):

Rho family GTPases and neuronal growth cone remodelling: relationship between increased complexity induced by Cdc42Hs, Rac1, and acetylcholine and collapse induced by RhoA and lysophosphatidic acid.

Mol Cell Biol, 17: 1201-11.

Kreidberg, J.A. (1996):

Gene targeting in kidney development.

Med Pediatr Oncol, 27: 445-52.

Kuhn, T.B., Brown, M.D. und Bamburg, J.R. (1998):

Rac1-dependent actin filament organization in growth cones is necessary for beta1-integrin-mediated advance but not for growth on poly-D-lysine.

J Neurobiol, 37: 524-40.

Kunneken, K., Pohlentz, G., Schmidt-Hederich, A., Odenthal, U., Smyth, N., Peter-Katalinic, J., Bruckner, P. und Eble, J.A. (2004):

Recombinant human laminin-5 domains. Effects of heterotrimerization, proteolytic processing, and N-glycosylation on alpha3beta1 integrin binding.

J Biol Chem, 279: 5184-93.

Kuwahara, M., Sugimoto, M., Tsuji, S., Miyata, S. und Yoshioka, A. (1999):

Cytosolic calcium changes in a process of platelet adhesion and cohesion on a von Willebrand factor-coated surface under flow conditions.

Blood, 94: 1149-55.

Laemmli, U.K. (1970):

Cleavage of structural proteins during the assembly of the head of bacteriophage T4.

Nature, 227: 680-5.

- LaFlamme, S.E., Thomas, L.A., Yamada, S.S. und Yamada, K.M. (1994):  
Single subunit chimeric integrins as mimics and inhibitors of endogenous integrin functions in receptor localization, cell spreading and migration, and matrix assembly.  
*J Cell Biol*, 126: 1287-98.
- Lamoureux, P., Altun-Gultekin, Z.F., Lin, C., Wagner, J.A. und Heidemann, S.R. (1997):  
Rac is required for growth cone function but not neurite assembly.  
*J Cell Sci*, 110 ( Pt 5): 635-41.
- Languino, L.R. und Ruoslahti, E. (1992):  
An alternative form of the integrin beta 1 subunit with a variant cytoplasmic domain.  
*J Biol Chem*, 267: 7116-20.
- Laplantine, E., Vallar, L., Mann, K., Kieffer, N. und Aumailley, M. (2000):  
Interaction between the cytodomains of the alpha 3 and beta 1 integrin subunits regulates re-modelling of adhesion complexes on laminin.  
*J Cell Sci*, 113 ( Pt 7): 1167-76.
- Lee, J.O., Rieu, P., Arnaout, M.A. und Liddington, R. (1995):  
Crystal structure of the A domain from the alpha subunit of integrin CR3 (CD11b/CD18).  
*Cell*, 80: 631-8.
- Lein, P., Gallagher, P.J., Amodeo, J., Howie, H. und Roth, J.A. (2000):  
Manganese induces neurite outgrowth in PC12 cells via upregulation of alpha(v) integrins.  
*Brain Res*, 885: 220-30.
- Leitinger, B. und Hogg, N. (2000):  
From crystal clear ligand binding to designer I domains.  
*Nat Struct Biol*, 7: 614-6.
- Leung, T., Chen, X.Q., Manser, E. und Lim, L. (1996):  
The p160 RhoA-binding kinase ROK alpha is a member of a kinase family and is involved in the reorganization of the cytoskeleton.  
*Mol Cell Biol*, 16: 5313-27.
- Leung, T., Manser, E., Tan, L. und Lim, L. (1995):  
A novel serine/threonine kinase binding the Ras-related RhoA GTPase which translocates the kinase to peripheral membranes.  
*J Biol Chem*, 270: 29051-4.



Leung-Hagesteijn, C.Y., Milankov, K., Michalak, M., Wilkins, J. und Dedhar, S. (1994):  
Cell attachment to extracellular matrix substrates is inhibited upon downregulation of expression of calreticulin, an intracellular integrin alpha-subunit-binding protein.  
*J Cell Sci*, 107 ( Pt 3): 589-600.

Leverrier, Y., Thomas, J., Mathieu, A.L., Low, W., Blanquier, B. und Marvel, J. (1999):  
Role of PI3-kinase in Bcl-X induction and apoptosis inhibition mediated by IL-3 or IGF-1 in Baf-3 cells.  
*Cell Death Differ*, 6: 290-6.

Levi, A., Eldridge, J.D. und Paterson, B.M. (1985):  
Molecular cloning of a gene sequence regulated by nerve growth factor.  
*Science*, 229: 393-5.

Lewis, J.M. und Schwartz, M.A. (1995):  
Mapping in vivo associations of cytoplasmic proteins with integrin beta 1 cytoplasmic domain mutants.  
*Mol Biol Cell*, 6: 151-60.

Liang, X., Draghi, N.A. und Resh, M.D. (2004):  
Signaling from integrins to Fyn to Rho family GTPases regulates morphologic differentiation of oligodendrocytes.  
*J Neurosci*, 24: 7140-9.

Libby, P. und Lee, R.T. (2000):  
Matrix matters.  
*Circulation*, 102: 1874-6.

Lichtner, R.B., Howlett, A.R., Lerch, M., Xuan, J.A., Brink, J., Langton-Webster, B. und Schneider, M.R. (1998):  
Negative cooperativity between alpha 3 beta 1 and alpha 2 beta 1 integrins in human mammary carcinoma MDA MB 231 cells.  
*Exp Cell Res*, 240: 368-76.

Liddington, R.C. und Ginsberg, M.H. (2002):  
Integrin activation takes shape.  
*J Cell Biol*, 158: 833-9.

Littlewood Evans, A. und Muller, U. (2000):

Stereocilia defects in the sensory hair cells of the inner ear in mice deficient in integrin  $\alpha 8\beta 1$ .

Nat Genet, 24: 424-8.

Liu, B.P. und Burridge, K. (2000):

Vav2 activates Rac1, Cdc42, and RhoA downstream from growth factor receptors but not  $\beta 1$  integrins.

Mol Cell Biol, 20: 7160-9.

Liu, S., Calderwood, D.A. und Ginsberg, M.H. (2000):

Integrin cytoplasmic domain-binding proteins.

J Cell Sci, 113 ( Pt 20): 3563-71.

Liu, Y.W., Sanders, M.A. und Basson, M.D. (1998):

Human Caco-2 intestinal epithelial motility is associated with tyrosine kinase and cytoskeletal focal adhesion kinase signals.

J Surg Res, 77: 112-8.

Loftus, J.C., Smith, J.W. und Ginsberg, M.H. (1994):

Integrin-mediated cell adhesion: the extracellular face.

J Biol Chem, 269: 25235-8.

Löster, K., Baum, O., Hofmann, W. und Reutter, W. (1995):

Characterization of molecular aggregates of  $\alpha 1 \beta 1$ -integrin and other rat liver membrane proteins by combination of size-exclusion chromatography and chemical cross-linking.

J Chromatogr A, 711: 187-99.

Löster, K., Voigt, S., Heidrich, C., Hofmann, W. und Reutter, W. (1994):

Cell-collagen adhesion is inhibited by monoclonal antibody 33.4 against the rat  $\alpha 1$ -integrin subunit.

Exp Cell Res, 212: 155-60.

Löster, K., Vossmeier, D., Hofmann, W., Reutter, W. und Danker, K. (2001):

$\alpha 1$  Integrin cytoplasmic domain is involved in focal adhesion formation via association with intracellular proteins.

Biochem J, 356: 233-40.

Luna, E.J. und Hitt, A.L. (1992):

Cytoskeleton-plasma membrane interactions.

Science, 258: 955-64.

- Mainiero, F., Soriani, A., Strippoli, R., Jacobelli, J., Gismondi, A., Piccoli, M., Frati, L. und Santoni, A. (2000):  
RAC1/P38 MAPK signaling pathway controls beta1 integrin-induced interleukin-8 production in human natural killer cells.  
*Immunity*, 12: 7-16.
- Manohar, A., Shome, S.G., Lamar, J., Stirling, L., Iyer, V., Pumiglia, K. und DiPersio, C.M. (2004):  
{alpha}3{beta}1 integrin promotes keratinocyte cell survival through activation of a MEK/ERK signaling pathway.  
*J Cell Sci*, 117: 4043-4054.
- Marinkovich, M.P., Lunstrum, G.P. und Burgeson, R.E. (1992):  
The anchoring filament protein kalinin is synthesized and secreted as a high molecular weight precursor.  
*J Biol Chem*, 267: 17900-6.
- Matsui, C., Nelson, C.F., Hernandez, G.T., Herron, G.S., Bauer, E.A. und Hoeffler, W.K. (1995a):  
Gamma 2 chain of laminin-5 is recognized by monoclonal antibody GB3.  
*J Invest Dermatol*, 105: 648-52.
- Matsui, C., Wang, C.K., Nelson, C.F., Bauer, E.A. und Hoeffler, W.K. (1995b):  
The assembly of laminin-5 subunits.  
*J Biol Chem*, 270: 23496-503.
- Mayer, U., Saher, G., Fassler, R., Bornemann, A., Echtermeyer, F., von der Mark, H., Miosge, N., Poschl, E. und von der Mark, K. (1997):  
Absence of integrin alpha 7 causes a novel form of muscular dystrophy.  
*Nat Genet*, 17: 318-23.
- McCarty, J.H., Monahan-Earley, R.A., Brown, L.F., Keller, M., Gerhardt, H., Rubin, K., Shani, M., Dvorak, H.F., Wolburg, H., Bader, B.L., Dvorak, A.M. und Hynes, R.O. (2002):  
Defective associations between blood vessels and brain parenchyma lead to cerebral hemorrhage in mice lacking alphav integrins.  
*Mol Cell Biol*, 22: 7667-77.
- Melchiori, A., Mortarini, R., Carlone, S., Marchisio, P.C., Anichini, A., Noonan, D.M. und Albini, A. (1995):  
The alpha 3 beta 1 integrin is involved in melanoma cell migration and invasion.  
*Exp Cell Res*, 219: 233-42.

Miner, J.H., Patton, B.L., Lentz, S.I., Gilbert, D.J., Snider, W.D., Jenkins, N.A., Copeland, N.G. und Sanes, J.R. (1997):

The laminin alpha chains: expression, developmental transitions, and chromosomal locations of alpha1-5, identification of heterotrimeric laminins 8-11, and cloning of a novel alpha3 isoform. *J Cell Biol*, 137: 685-701.

Miosge, N., Klenczar, C., Herken, R., Willem, M. und Mayer, U. (1999):

Organization of the myotendinous junction is dependent on the presence of alpha7beta1 integrin.

*Lab Invest*, 79: 1591-9.

Mostafavi-Pour, Z., Askari, J.A., Parkinson, S.J., Parker, P.J., Ng, T.T. und Humphries, M.J. (2003):

Integrin-specific signaling pathways controlling focal adhesion formation and cell migration. *J Cell Biol*, 161: 155-67.

Mould, A.P. (1996):

Getting integrins into shape: recent insights into how integrin activity is regulated by conformational changes.

*J Cell Sci*, 109 ( Pt 11): 2613-8.

Mould, A.P., Askari, J.A. und Humphries, M.J. (2000):

Molecular basis of ligand recognition by integrin alpha 5beta 1. I. Specificity of ligand binding is determined by amino acid sequences in the second and third NH2-terminal repeats of the alpha subunit.

*J Biol Chem*, 275: 20324-36.

Muller, K.E., Hoek, A., Rutten, V.P., Bernadina, W.E. und Wentink, G.H. (1997):

Antigen-specific immune responses in cattle with inherited beta2-integrin deficiency.

*Vet Immunol Immunopathol*, 58: 39-53.

Müller, M.M., Singer, B.B., Öbrink, B., Reutter, W. & Lucka, L, Transmembrane CEACAM1 affects integrin-dependent signaling and regulates extracellular matrix protein-specific morphology and migration of endothelial cells. (2004) eingereicht bei Blood

Mullis, K.B. und Faloona, F.A. (1987):

Specific synthesis of DNA in vitro via a polymerase-catalyzed chain reaction.

*Methods Enzymol*, 155: 335-50.

Nakamoto, T., Kain, K.H. und Ginsberg, M.H. (2004):

Neurobiology: New connections between integrins and axon guidance.

*Curr Biol*, 14: R121-3.

- Nakamura, K., Iwamoto, R. und Mekada, E. (1995):  
Membrane-anchored heparin-binding EGF-like growth factor (HB-EGF) and diphtheria toxin receptor-associated protein (DRAP27)/CD9 form a complex with integrin alpha 3 beta 1 at cell-cell contact sites.  
*J Cell Biol*, 129: 1691-705.
- Nguyen, B.P., Ryan, M.C., Gil, S.G. und Carter, W.G. (2000):  
Deposition of laminin 5 in epidermal wounds regulates integrin signaling and adhesion.  
*Curr Opin Cell Biol*, 12: 554-62.
- Nievers, M.G., Schaapveld, R.Q., Oomen, L.C., Fontao, L., Geerts, D. und Sonnenberg, A. (1998):  
Ligand-independent role of the beta 4 integrin subunit in the formation of hemidesmosomes.  
*J Cell Sci*, 111 ( Pt 12): 1659-72.
- Nishiuchi, R., Murayama, O., Fujiwara, H., Gu, J., Kawakami, T., Aimoto, S., Wada, Y. und Sekiguchi, K. (2003):  
Characterization of the ligand-binding specificities of integrin alpha3beta1 and alpha6beta1 using a panel of purified laminin isoforms containing distinct alpha chains.  
*J Biochem (Tokyo)*, 134: 497-504.
- Nobes, C.D. und Hall, A. (1995):  
Rho, rac and cdc42 GTPases: regulators of actin structures, cell adhesion and motility.  
*Biochem Soc Trans*, 23: 456-9.
- Nusser, N., Gosmanova, E., Zheng, Y. und Tigyi, G. (2002):  
Nerve growth factor signals through TrkA, phosphatidylinositol 3-kinase, and Rac1 to inactivate RhoA during the initiation of neuronal differentiation of PC12 cells.  
*J Biol Chem*, 277: 35840-6.
- O'Toole, T.E. (1997):  
Integrin signaling: building connections beyond the focal contact?  
*Matrix Biol*, 16: 165-71.
- O'Toole, T.E., Katagiri, Y., Faull, R.J., Peter, K., Tamura, R., Quaranta, V., Loftus, J.C., Shattil, S.J. und Ginsberg, M.H. (1994):  
Integrin cytoplasmic domains mediate inside-out signal transduction.  
*J Cell Biol*, 124: 1047-59.

Obermeier, A., Bradshaw, R.A., Seedorf, K., Choidas, A., Schlessinger, J. und Ullrich, A. (1994):

Neuronal differentiation signals are controlled by nerve growth factor receptor/Trk binding sites for SHC and PLC gamma.

EMBO J, 13: 1585-90.

Obermeier, A., Lammers, R., Wiesmüller, K.H., Jung, G., Schlessinger, J. und Ullrich, A. (1993):

Identification of Trk binding sites for SHC and phosphatidylinositol 3'-kinase and formation of a multimeric signaling complex.

J Biol Chem, 268: 22963-6.

Odintsova, E., Voortman, J., Gilbert, E. und Berditchevski, F. (2003):

Tetraspanin CD82 regulates compartmentalisation and ligand-induced dimerization of EGFR.

J Cell Sci, 116: 4557-66.

Orsulic, S. und Peifer, M. (1996):

Cell-cell signalling: Wingless lands at last.

Curr Biol, 6: 1363-7.

Paddison, P.J., Caudy, A.A., Bernstein, E., Hannon, G.J. und Conklin, D.S. (2002):

Short hairpin RNAs (shRNAs) induce sequence-specific silencing in mammalian cells.

Genes Dev, 16: 948-58.

Pakkala, T., Virtanen, I., Oksanen, J., Jones, J.C. und Hormia, M. (2002):

Function of laminins and laminin-binding integrins in gingival epithelial cell adhesion.

J Periodontol, 73: 709-19.

Paulsson, M. (1992):

The role of laminin in attachment, growth, and differentiation of cultured cells: a brief review.

Cytotechnology, 9: 99-106.

Paulus, W., Baur, I., Schuppan, D. und Roggendorf, W. (1993):

Characterization of integrin receptors in normal and neoplastic human brain.

Am J Pathol, 143: 154-63.

Paulus, W. und Jellinger, K. (1993):

Comparison of integrin adhesion molecules expressed by primary brain lymphomas and nodal lymphomas.

Acta Neuropathol (Berl), 86: 360-4.

Pavalko, F.M., Chen, N.X., Turner, C.H., Burr, D.B., Atkinson, S., Hsieh, Y.F., Qiu, J. und Duncan, R.L. (1998):

Fluid shear-induced mechanical signaling in MC3T3-E1 osteoblasts requires cytoskeleton-integrin interactions.

Am J Physiol, 275: C1591-601.

Pfaff, M., Liu, S., Erle, D.J. und Ginsberg, M.H. (1998):

Integrin beta cytoplasmic domains differentially bind to cytoskeletal proteins.

J Biol Chem, 273: 6104-9.

Pinkstaff, J.K., Detterich, J., Lynch, G. und Gall, C. (1999):

Integrin subunit gene expression is regionally differentiated in adult brain.

J Neurosci, 19: 1541-56.

Pochee, E., Litynska, A., Amoresano, A. und Casbarra, A. (2003):

Glycosylation profile of integrin alpha 3 beta 1 changes with melanoma progression.

Biochim Biophys Acta, 1643: 113-23.

Posern, G., Saffrich, R., Ansorge, W. und Feller, S.M. (2000):

Rapid lamellipodia formation in nerve growth factor-stimulated PC12 cells is dependent on Rac and PI3K activity.

J Cell Physiol, 183: 416-24.

Pozzi, A., Moberg, P.E., Miles, L.A., Wagner, S., Soloway, P. und Gardner, H.A. (2000):

Elevated matrix metalloprotease and angiostatin levels in integrin alpha 1 knockout mice cause reduced tumor vascularization.

Proc Natl Acad Sci U S A, 97: 2202-7.

Price, L.S., Leng, J., Schwartz, M.A. und Bokoch, G.M. (1998):

Activation of Rac and Cdc42 by integrins mediates cell spreading.

Mol Biol Cell, 9: 1863-71.

Pytela, R., Pierschbacher, M.D. und Ruoslahti, E. (1985):

Identification and isolation of a 140 kd cell surface glycoprotein with properties expected of a fibronectin receptor.

Cell, 40: 191-8.

Rabb, H., Michishita, M., Sharma, C.P., Brown, D. und Arnaout, M.A. (1993):

Cytoplasmic tails of human complement receptor type 3 (CR3, CD11b/CD18) regulate ligand avidity and the internalization of occupied receptors.

J Immunol, 151: 990-1002.

Reichardt, L.F., Bossy, B., Carbonetto, S., de Curtis, I., Emmett, C., Hall, D.E., Ignatius, M.J., Lefcort, F., Napolitano, E., Large, T. und et al. (1990):

Neuronal receptors that regulate axon growth.

Cold Spring Harb Symp Quant Biol, 55: 341-50.

Ren, X.D., Bokoch, G.M., Traynor-Kaplan, A., Jenkins, G.H., Anderson, R.A. und Schwartz, M.A. (1996):

Physical association of the small GTPase Rho with a 68-kDa phosphatidylinositol 4-phosphate 5-kinase in Swiss 3T3 cells.

Mol Biol Cell, 7: 435-42.

Ren, X.D., Kiosses, W.B., Sieg, D.J., Otey, C.A., Schlaepfer, D.D. und Schwartz, M.A. (2000):

Focal adhesion kinase suppresses Rho activity to promote focal adhesion turnover.

J Cell Sci, 113 ( Pt 20): 3673-8.

Renaudin, A., Lehmann, M., Girault, J. und McKerracher, L. (1999):

Organization of point contacts in neuronal growth cones.

J Neurosci Res, 55: 458-71.

Renshaw, M.W., Ren, X.D. und Schwartz, M.A. (1997):

Growth factor activation of MAP kinase requires cell adhesion.

Embo J, 16: 5592-9.

Retta, S.F., Balzac, F., Ferraris, P., Belkin, A.M., Fassler, R., Humphries, M.J., De Leo, G., Silengo, L. und Tarone, G. (1998):

beta1-Integrin cytoplasmic subdomains involved in dominant negative function.

Mol Biol Cell, 9: 715-31.

Richardson, A. und Parsons, T. (1996):

A mechanism for regulation of the adhesion-associated proteintyrosine kinase pp125FAK.

Nature, 380: 538-40.

Ridley, A.J. und Hall, A. (1992a):

Distinct patterns of actin organization regulated by the small GTP-binding proteins Rac and Rho.

Cold Spring Harb Symp Quant Biol, 57: 661-71.

Ridley, A.J. und Hall, A. (1992b):

Eye development. Function for Ras in sight.

Nature, 355: 497-8.



Ridley, A.J. und Hall, A. (1992c):

The small GTP-binding protein rho regulates the assembly of focal adhesions and actin stress fibers in response to growth factors.

Cell, 70: 389-99.

Ridley, A.J. und Hall, A. (1994):

Signal transduction pathways regulating Rho-mediated stress fibre formation: requirement for a tyrosine kinase.

EMBO J, 13: 2600-10.

Rosner, K., Ross, C., Karlsmark, T. und Skovgaard, G.L. (2001):

Role of LFA-1/ICAM-1, CLA/E-selectin and VLA-4/VCAM-1 pathways in recruiting leukocytes to the various regions of the chronic leg ulcer.

Acta Derm Venereol, 81: 334-9.

Rosso, F., Giordano, A., Barbarisi, M. und Barbarisi, A. (2004):

From cell-ECM interactions to tissue engineering.

J Cell Physiol, 199: 174-80.

Rousselle, P. und Aumailley, M. (1994):

Kalinin is more efficient than laminin in promoting adhesion of primary keratinocytes and some other epithelial cells and has a different requirement for integrin receptors.

J Cell Biol, 125: 205-14.

Rousselle, P., Lunstrum, G.P., Keene, D.R. und Burgeson, R.E. (1991):

Kalinin: an epithelium-specific basement membrane adhesion molecule that is a component of anchoring filaments.

J Cell Biol, 114: 567-76.

Ruoslahti, E. und Giancotti, F.G. (1989):

Integrins and tumor cell dissemination.

Cancer Cells, 1: 119-26.

Saher, G. und Hildt, E. (1999):

Activation of c-Raf-1 kinase signal transduction pathway in alpha(7) integrin-deficient mice.

J Biol Chem, 274: 27651-7.

Saiki, R.K., Gelfand, D.H., Stoffel, S., Scharf, S.J., Higuchi, R., Horn, G.T., Mullis, K.B. und Erlich, H.A. (1988):

Primer-directed enzymatic amplification of DNA with a thermostable DNA polymerase.

Science, 239: 487-91.

- Sambrook, J., Fritsch, E.F. und Maniatis, T. (1989):  
Molecular cloning: A laboratory manual.  
Cold Spring Harbour Laboratory Press, Cold Spring Harbour., New York.
- Sanes, J.R. und Yamagata, M. (1999):  
Formation of lamina-specific synaptic connections.  
Curr Opin Neurobiol, 9: 79-87.
- Sarner, S., Kozma, R., Ahmed, S. und Lim, L. (2000):  
Phosphatidylinositol 3-kinase, Cdc42, and Rac1 act downstream of Ras in integrin-dependent neurite outgrowth in N1E-115 neuroblastoma cells.  
Mol Cell Biol, 20: 158-72.
- Sastry, S.K. und Horwitz, A.F. (1993):  
Integrin cytoplasmic domains: mediators of cytoskeletal linkages and extra- and intracellular initiated transmembrane signaling.  
Curr Opin Cell Biol, 5: 819-31.
- Sato, K., Katagiri, K., Hattori, S., Tsuji, T., Irimura, T., Irie, S. und Katagiri, T. (1999):  
Laminin 5 promotes activation and apoptosis of the T cells expressing alpha3beta1 integrin.  
Exp Cell Res, 247: 451-60.
- Schaller, M.D., Otey, C.A., Hildebrand, J.D. und Parsons, J.T. (1995):  
Focal adhesion kinase and paxillin bind to peptides mimicking beta integrin cytoplasmic domains.  
J Cell Biol, 130: 1181-7.
- Schlaepfer, D.D., Broome, M.A. und Hunter, T. (1997):  
Fibronectin-stimulated signaling from a focal adhesion kinase-c-Src complex: involvement of the Grb2, p130cas, and Nck adaptor proteins.  
Mol Cell Biol, 17: 1702-13.
- Schlaepfer, D.D., Hanks, S.K., Hunter, T. und van der Geer, P. (1994):  
Integrin-mediated signal transduction linked to Ras pathway by GRB2 binding to focal adhesion kinase.  
Nature, 372: 786-91.
- Schoenwaelder, S.M. und Burridge, K. (1999a):  
Bidirectional signaling between the cytoskeleton and integrins.  
Curr Opin Cell Biol, 11: 274-86.

Schoenwaelder, S.M. und Burridge, K. (1999b):

Evidence for a calpeptin-sensitive protein-tyrosine phosphatase upstream of the small GTPase Rho. A novel role for the calpain inhibitor calpeptin in the inhibition of protein-tyrosine phosphatases.

J Biol Chem, 274: 14359-67.

Schulze, A., Lehmann, K., Jefferies, H.B., McMahon, M. und Downward, J. (2001):

Analysis of the transcriptional program induced by Raf in epithelial cells.

Genes Dev, 15: 981-94.

Schwartz, M.A. (2001):

Integrin signaling revisited.

Trends Cell Biol, 11: 466-70.

Schwartz, M.A. und Shattil, S.J. (2000):

Signaling networks linking integrins and rho family GTPases.

Trends Biochem Sci, 25: 388-91.

Sebok, A., Nusser, N., Debreceni, B., Guo, Z., Santos, M.F., Szeberenyi, J. und Tigyi, G.

(1999):

Different roles for RhoA during neurite initiation, elongation, and regeneration in PC12 cells.

J Neurochem, 73: 949-60.

Serafini, T., Orci, L., Amherdt, M., Brunner, M., Kahn, R.A. und Rothman, J.E. (1991):

ADP-ribosylation factor is a subunit of the coat of Golgi-derived COP-coated vesicles: a novel role for a GTP-binding protein.

Cell, 67: 239-53.

Shaw, L.M. und Mercurio, A.M. (1993):

Regulation of alpha 6 beta 1 integrin laminin receptor function by the cytoplasmic domain of the alpha 6 subunit.

J Cell Biol, 123: 1017-25.

Shaw, L.M., Rabinovitz, I., Wang, H.H., Toker, A. und Mercurio, A.M. (1997):

Activation of phosphoinositide 3-OH kinase by the alpha6beta4 integrin promotes carcinoma invasion.

Cell, 91: 949-60.

Shinjo, K., Koland, J.G., Hart, M.J., Narasimhan, V., Johnson, D.I., Evans, T. und Cerione, R.A. (1990):

Molecular cloning of the gene for the human placental GTP-binding protein Gp (G25K): identification of this GTP-binding protein as the human homolog of the yeast cell-division-cycle protein CDC42.

Proc Natl Acad Sci U S A, 87: 9853-7.

Smith, P.K., Krohn, R.I., Hermanson, G.T., Mallia, A.K., Gartner, F.H., Provenzano, M.D., Fujimoto, E.K., Goeke, N.M., Olson, B.J. und Klenk, D.C. (1985):

Measurement of protein using bicinchoninic acid.

Anal Biochem, 150: 76-85.

Smith, R.J., Sam, L.M., Justen, J.M., Bundy, G.L., Bala, G.A. und Bleasdale, J.E. (1990):

Receptor-coupled signal transduction in human polymorphonuclear neutrophils: effects of a novel inhibitor of phospholipase C-dependent processes on cell responsiveness.

J Pharmacol Exp Ther, 253: 688-97.

Solowska, J., Guan, J.L., Marcantonio, E.E., Trevithick, J.E., Buck, C.A. und Hynes, R.O. (1989):

Expression of normal and mutant avian integrin subunits in rodent cells.

J Cell Biol, 109: 853-61.

Sonnenberg, A., Gehlsen, K.R., Aumailley, M. und Timpl, R. (1991):

Isolation of alpha 6 beta 1 integrins from platelets and adherent cells by affinity chromatography on mouse laminin fragment E8 and human laminin pepsin fragment.

Exp Cell Res, 197: 234-44.

Sonnenberg, A., Hogervorst, F., Osterop, A. und Veltman, F.E. (1988):

Identification and characterization of a novel antigen complex on mouse mammary tumor cells using a monoclonal antibody against platelet glycoprotein Ic.

J Biol Chem, 263: 14030-8.

Sriramarao, P., Steffner, P. und Gehlsen, K.R. (1993):

Biochemical evidence for a homophilic interaction of the alpha 3 beta 1 integrin.

J Biol Chem, 268: 22036-41.

Staubli, U., Chun, D. und Lynch, G. (1998):

Time-dependent reversal of long-term potentiation by an integrin antagonist.

J Neurosci, 18: 3460-9.

Stephens, L.E., Sutherland, A.E., Klimanskaya, I.V., Andrieux, A., Meneses, J., Pedersen, R.A. und Damsky, C.H. (1995):

Deletion of beta 1 integrins in mice results in inner cell mass failure and peri-implantation lethality.

Genes Dev, 9: 1883-95.

Stewart, M. und Hogg, N. (1996):

Regulation of leukocyte integrin function: affinity vs. avidity.

J Cell Biochem, 61: 554-61.

Stewart, M.P., Cabanas, C. und Hogg, N. (1996):

T cell adhesion to intercellular adhesion molecule-1 (ICAM-1) is controlled by cell spreading and the activation of integrin LFA-1.

J Immunol, 156: 1810-7.

Stipp, C.S. und Hemler, M.E. (2000):

Transmembrane-4-superfamily proteins CD151 and CD81 associate with alpha 3 beta 1 integrin, and selectively contribute to alpha 3 beta 1-dependent neurite outgrowth.

J Cell Sci, 113 ( Pt 11): 1871-82.

Symington, B.E. und Carter, W.G. (1995):

Modulation of epidermal differentiation by epiligrin and integrin alpha 3 beta 1.

J Cell Sci, 108 ( Pt 2): 831-8.

Takada, Y., Elices, M.J., Crouse, C. und Hemler, M.E. (1989):

The primary structure of the alpha 4 subunit of VLA-4: homology to other integrins and a possible cell-cell adhesion function.

EMBO J, 8: 1361-8.

Takada, Y. und Hemler, M.E. (1989):

The primary structure of the VLA-2/collagen receptor alpha 2 subunit (platelet GPIa): homology to other integrins and the presence of a possible collagen-binding domain.

J Cell Biol, 109: 397-407.

Takada, Y., Kamata, T., Irie, A., Puzon-McLaughlin, W. und Zhang, X.P. (1997):

Structural basis of integrin-mediated signal transduction.

Matrix Biol, 16: 143-51.

Takeichi, M. (1990):

Cadherins: a molecular family important in selective cell-cell adhesion.

Annu Rev Biochem, 59: 237-52.

Tamura, M., Gu, J., Matsumoto, K., Aota, S., Parsons, R. und Yamada, K.M. (1998):  
Inhibition of cell migration, spreading, and focal adhesions by tumor suppressor PTEN.  
*Science*, 280: 1614-7.

Tamura, R.N., Cooper, H.M., Collo, G. und Quaranta, V. (1991):  
Cell type-specific integrin variants with alternative alpha chain cytoplasmic domains.  
*Proc Natl Acad Sci U S A*, 88: 10183-7.

Tashiro, K., Monji, A., Yoshida, I., Hayashi, Y., Matsuda, K., Tashiro, N. und Mitsuyama, Y.  
(1999):  
An IKLLI-containing peptide derived from the laminin alpha1 chain mediating heparin-  
binding, cell adhesion, neurite outgrowth and proliferation, represents a binding site for integrin  
alpha3beta1 and heparan sulphate proteoglycan.  
*Biochem J*, 340 ( Pt 1): 119-26.

Taverna, D., Disatnik, M.H., Rayburn, H., Bronson, R.T., Yang, J., Rando, T.A. und Hynes,  
R.O. (1998):  
Dystrophic muscle in mice chimeric for expression of alpha5 integrin.  
*J Cell Biol*, 143: 849-59.

Tawil, N.J., Gowri, V., Djoneidi, M., Nip, J., Carbonetto, S. und Brodt, P. (1996):  
Integrin alpha3beta1 can promote adhesion and spreading of metastatic breast carcinoma cells  
on the lymph node stroma.  
*Int J Cancer*, 66: 703-10.

Tawil, N.J., Wilson, P. und Carbonetto, S. (1994):  
Expression and distribution of functional integrins in rat CNS glia.  
*J Neurosci Res*, 39: 436-47.

Tedder, T.F., Steeber, D.A., Chen, A. und Engel, P. (1995):  
The selectins: vascular adhesion molecules.  
*FASEB J*, 9: 866-73.

Teller, I.C. und Beaulieu, J.F. (2001):  
Interactions between laminin and epithelial cells in intestinal health and disease.  
*Expert Rev Mol Med*, 2001: 1-18.

Thorsteinsdottir, S., Roelen, B.A., Goumans, M.J., Ward-van Oostwaard, D., Gaspar, A.C. und Mummery, C.L. (1999):

Expression of the alpha 6A integrin splice variant in developing mouse embryonic stem cell aggregates and correlation with cardiac muscle differentiation. *Differentiation*, 64: 173-84.

Timpl, R. (1989):

Structure and biological activity of basement membrane proteins.

*Eur J Biochem*, 180: 487-502.

Timpl, R. (1996):

Macromolecular organization of basement membranes.

*Curr Opin Cell Biol*, 8: 618-24.

Timpl, R. und Brown, J.C. (1996):

Supramolecular assembly of basement membranes.

*Bioessays*, 18: 123-32.

Timpl, R., Johansson, S., van Delden, V., Oberbaumer, I. und Hook, M. (1983):

Characterization of protease-resistant fragments of laminin mediating attachment and spreading of rat hepatocytes.

*J Biol Chem*, 258: 8922-7.

Timpl, R., Rohde, H., Robey, P.G., Rennard, S.I., Foidart, J.M. und Martin, G.R. (1979):

Laminin--a glycoprotein from basement membranes.

*J Biol Chem*, 254: 9933-7.

Timpl, R., Tisi, D., Talts, J.F., Andac, Z., Sasaki, T. und Hohenester, E. (2000):

Structure and function of laminin LG modules.

*Matrix Biol*, 19: 309-17.

Togari, A. und Guroff, G. (1985):

Partial purification and characterization of a nerve growth factor-sensitive kinase and its substrate from PC12 cells.

*J Biol Chem*, 260: 3804-11.

Tomaselli, K.J., Damsky, C.H. und Reichardt, L.F. (1987):

Interactions of a neuronal cell line (PC12) with laminin, collagen IV, and fibronectin: identification of integrin-related glycoproteins involved in attachment and process outgrowth.

*J Cell Biol*, 105: 2347-58.

- Tomaselli, K.J., Damsky, C.H. und Reichardt, L.F. (1988):  
Purification and characterization of mammalian integrins expressed by a rat neuronal cell line (PC12): evidence that they function as alpha/beta heterodimeric receptors for laminin and type IV collagen.  
*J Cell Biol*, 107: 1241-52.
- Tomaselli, K.J., Hall, D.E., Flier, L.A., Gehlsen, K.R., Turner, D.C., Carbonetto, S. und Reichardt, L.F. (1990):  
A neuronal cell line (PC12) expresses two beta 1-class integrins-alpha 1 beta 1 and alpha 3 beta 1-that recognize different neurite outgrowth-promoting domains in laminin.  
*Neuron*, 5: 651-62.
- Tomaselli, K.J. und Reichardt, L.F. (1988):  
Peripheral motoneuron interactions with laminin and Schwann cell-derived neurite-promoting molecules: developmental regulation of laminin receptor function.  
*J Neurosci Res*, 21: 275-85.
- Towbin, H., Staehelin, T. und Gordon, J. (1979):  
Electrophoretic transfer of proteins from polyacrylamide gels to nitrocellulose sheets: procedure and some applications.  
*Proc Natl Acad Sci U S A*, 76: 4350-4.
- Treisman, R., Alberts, A.S. und Sahai, E. (1998):  
Regulation of SRF activity by Rho family GTPases.  
*Cold Spring Harb Symp Quant Biol*, 63: 643-51.
- Tsuji, T., Kawada, Y., Kai-Murozono, M., Komatsu, S., Han, S.A., Takeuchi, K., Mizushima, H., Miyazaki, K. und Irimura, T. (2002):  
Regulation of melanoma cell migration and invasion by laminin-5 and alpha3beta1 integrin (VLA-3).  
*Clin Exp Metastasis*, 19: 127-34.
- Tuckwell, D.S., Brass, A. und Humphries, M.J. (1992):  
Homology modelling of integrin EF-hands. Evidence for widespread use of a conserved cation-binding site.  
*Biochem J*, 285 ( Pt 1): 325-31.
- Turner, C.E. (2000):  
Paxillin interactions.  
*J Cell Sci*, 113 Pt 23: 4139-40.



Turner, D.C., Flier, L.A. und Carbonetto, S. (1989):

Identification of a cell-surface protein involved in PC12 cell-substratum adhesion and neurite outgrowth on laminin and collagen.

J Neurosci, 9: 3287-96.

Uehata, M., Ishizaki, T., Satoh, H., Ono, T., Kawahara, T., Morishita, T., Tamakawa, H., Yamagami, K., Inui, J., Maekawa, M. und Narumiya, S. (1997):

Calcium sensitization of smooth muscle mediated by a Rho-associated protein kinase in hypertension.

Nature, 389: 990-4.

Vadlamudi, R.K., Li, F., Adam, L., Nguyen, D., Ohta, Y., Stossel, T.P. und Kumar, R. (2002):

Filamin is essential in actin cytoskeletal assembly mediated by p21-activated kinase 1.

Nat Cell Biol, 4: 681-90.

van der Flier, A. und Sonnenberg, A. (2001):

Function and interactions of integrins.

Cell Tissue Res, 305: 285-98.

van der Neut, R., Krimpenfort, P., Calafat, J., Niessen, C.M. und Sonnenberg, A. (1996):

Epithelial detachment due to absence of hemidesmosomes in integrin beta 4 null mice.

Nat Genet, 13: 366-9.

van der Rest, M. und Garrone, R. (1991):

Collagen family of proteins.

FASEB J, 5: 2814-23.

van Kooyk, Y. und Figdor, C.G. (2000):

Avidity regulation of integrins: the driving force in leukocyte adhesion.

Curr Opin Cell Biol, 12: 542-7.

van Kooyk, Y., Weder, P., Heije, K. und Figdor, C.G. (1994):

Extracellular Ca<sup>2+</sup> modulates leukocyte function-associated antigen-1 cell surface distribution on T lymphocytes and consequently affects cell adhesion.

J Cell Biol, 124: 1061-70.

van Kooyk, Y., Weder, P., Hogervorst, F., Verhoeven, A.J., van Seventer, G., te Velde, A.A., Borst, J., Keizer, G.D. und Figdor, C.G. (1991):

Activation of LFA-1 through a Ca<sup>2+</sup>(+)-dependent epitope stimulates lymphocyte adhesion.

J Cell Biol, 112: 345-54.

van Leeuwen, F.N., van Delft, S., Kain, H.E., van der Kammen, R.A. und Collard, J.G. (1999): Rac regulates phosphorylation of the myosin-II heavy chain, actinomyosin disassembly and cell spreading.

Nat Cell Biol, 1: 242-8.

Vogel, B.E., Tarone, G., Giancotti, F.G., Gailit, J. und Ruoslahti, E. (1990):

A novel fibronectin receptor with an unexpected subunit composition (alpha v beta 1).

J Biol Chem, 265: 5934-7.

Vogelezang, M.G., Liu, Z., Relvas, J.B., Raivich, G., Scherer, S.S. und French-Constant, C. (2001):

Alpha4 integrin is expressed during peripheral nerve regeneration and enhances neurite outgrowth.

J Neurosci, 21: 6732-44.

Voigt, S., Gossrau, R., Baum, O., Loster, K., Hofmann, W. und Reutter, W. (1995):

Distribution and quantification of alpha 1-integrin subunit in rat organs.

Histochem J, 27: 123-32.

Vossmeier, D., Hofmann, W., Loster, K., Reutter, W. und Danker, K. (2002):

Phospholipase Cgamma binds alpha1beta1 integrin and modulates alpha1beta1 integrin-specific adhesion.

J Biol Chem, 277: 4636-43.

Vossmeier, D., Kaufmann, C., Loster, K., Lucka, L., Horstkorte, R., Reutter, W. und Danker, K. (2000):

The cytoplasmic domain of the alpha1 integrin subunit influences stress fiber formation via the conserved GFFKR motif.

Exp Cell Res, 256: 321-7.

Vuori, K., Hirai, H., Aizawa, S. und Ruoslahti, E. (1996):

Introduction of p130cas signaling complex formation upon integrin-mediated cell adhesion: a role for Src family kinases.

Mol Cell Biol, 16: 2606-13.

Wary, K.K., Mainiero, F., Isakoff, S.J., Marcantonio, E.E. und Giancotti, F.G. (1996):

The adaptor protein Shc couples a class of integrins to the control of cell cycle progression.

Cell, 87: 733-43.

- Wary, K.K., Mariotti, A., Zurzolo, C. und Giancotti, F.G. (1998):  
A requirement for caveolin-1 and associated kinase Fyn in integrin signaling and anchorage-dependent cell growth.  
*Cell*, 94: 625-34.
- Watanabe, N., Kato, T., Fujita, A., Ishizaki, T. und Narumiya, S. (1999):  
Cooperation between mDia1 and ROCK in Rho-induced actin reorganization.  
*Nat Cell Biol*, 1: 136-43.
- Wayner, E.A. und Carter, W.G. (1987):  
Identification of multiple cell adhesion receptors for collagen and fibronectin in human fibrosarcoma cells possessing unique alpha and common beta subunits.  
*J Cell Biol*, 105: 1873-84.
- Wei, Y., Yang, X., Liu, Q., Wilkins, J.A. und Chapman, H.A. (1999):  
A role for caveolin and the urokinase receptor in integrin-mediated adhesion and signaling.  
*J Cell Biol*, 144: 1285-94.
- Weisel, J.W., Nagaswami, C., Vilaire, G. und Bennett, J.S. (1992):  
Examination of the platelet membrane glycoprotein IIb-IIIa complex and its interaction with fibrinogen and other ligands by electron microscopy.  
*J Biol Chem*, 267: 16637-43.
- Weitzman, J.B., Pasqualini, R., Takada, Y. und Hemler, M.E. (1993):  
The function and distinctive regulation of the integrin VLA-3 in cell adhesion, spreading, and homotypic cell aggregation.  
*J Biol Chem*, 268: 8651-7.
- Wewer, U.M., Durkin, M.E., Zhang, X., Laursen, H., Nielsen, N.H., Towfighi, J., Engvall, E. und Albrechtsen, R. (1995):  
Laminin beta 2 chain and adhalin deficiency in the skeletal muscle of Walker-Warburg syndrome (cerebro-ocular dysplasia-muscular dystrophy).  
*Neurology*, 45: 2099-101.
- Williams, M.J., Hughes, P.E., O'Toole, T.E. und Ginsberg, M.H. (1994):  
The inner world of cell adhesion: integrin cytoplasmic domains.  
*Trends Cell Biol*, 4: 109-12.

Wixler, V., Geerts, D., Laplantine, E., Westhoff, D., Smyth, N., Aumailley, M., Sonnenberg, A. und Paulsson, M. (2000):

The LIM-only protein DRAL/FHL2 binds to the cytoplasmic domain of several alpha and beta integrin chains and is recruited to adhesion complexes.

J Biol Chem, 275: 33669-78.

Wong, L.D., Sondheim, A.B., Zachow, K.R., Reichardt, L.F. und Ignatius, M.J. (1996):

Heterologous expression of alpha 1-integrin cDNA generates variable ligand specificities and alterations in cell shape.

Cell Adhes Commun, 4: 201-21.

Wu, C., Keivens, V.M., O'Toole, T.E., McDonald, J.A. und Ginsberg, M.H. (1995):

Integrin activation and cytoskeletal interaction are essential for the assembly of a fibronectin matrix.

Cell, 83: 715-24.

Xia, Y., Gil, S.G. und Carter, W.G. (1996):

Anchorage mediated by integrin alpha6beta4 to laminin 5 (epiligrin) regulates tyrosine phosphorylation of a membrane-associated 80-kD protein.

J Cell Biol, 132: 727-40.

Xiong, J.P., Stehle, T., Diefenbach, B., Zhang, R., Dunker, R., Scott, D.L., Joachimiak, A., Goodman, S.L. und Arnaout, M.A. (2001):

Crystal structure of the extracellular segment of integrin alpha Vbeta3.

Science, 294: 339-45.

Yamaguchi, Y., Katoh, H., Yasui, H., Mori, K. und Negishi, M. (2001):

RhoA inhibits the nerve growth factor-induced Rac1 activation through Rho-associated kinase-dependent pathway.

J Biol Chem, 276: 18977-83.

Yamashita, T., Tucker, K.L. und Barde, Y.A. (1999):

Neurotrophin binding to the p75 receptor modulates Rho activity and axonal outgrowth.

Neuron, 24: 585-93.

Yanez-Mo, M., Alfranca, A., Cabanas, C., Marazuela, M., Tejedor, R., Ursa, M.A., Ashman, L.K., de Landazuri, M.O. und Sanchez-Madrid, F. (1998):

Regulation of endothelial cell motility by complexes of tetraspan molecules CD81/TAPA-1 and CD151/PETA-3 with alpha3 beta1 integrin localized at endothelial lateral junctions.

J Cell Biol, 141: 791-804.

Yang, J.T., Rayburn, H. und Hynes, R.O. (1993):

Embryonic mesodermal defects in alpha 5 integrin-deficient mice.

Development, 119: 1093-105.

Yauch, R.L., Berditchevski, F., Harler, M.B., Reichner, J. und Hemler, M.E. (1998):

Highly stoichiometric, stable, and specific association of integrin alpha3beta1 with CD151 provides a major link to phosphatidylinositol 4-kinase, and may regulate cell migration.

Mol Biol Cell, 9: 2751-65.

Yurchenco, P.D. und Schittny, J.C. (1990):

Molecular architecture of basement membranes.

FASEB J, 4: 1577-90.

Zhu, X., Ohtsubo, M., Bohmer, R.M., Roberts, J.M. und Assoian, R.K. (1996):

Adhesion-dependent cell cycle progression linked to the expression of cyclin D1, activation of cyclin E-cdk2, and phosphorylation of the retinoblastoma protein.

J Cell Biol, 133: 391-403.