

## Contents

<b>Acknowledgments.....</b>	<b>3</b>
<b>Summary .....</b>	<b>5</b>
<b>Zusammenfassung.....</b>	<b>7</b>
<b>Contents.....</b>	<b>10</b>
<b>Abbreviations.....</b>	<b>13</b>
<b>List of amino acids and their abbreviations.....</b>	<b>17</b>
<b>1      Introduction.....</b>	<b>18</b>
<b>2      Aims.....</b>	<b>35</b>
<b>3      Materials .....</b>	<b>36</b>
3.1    Reagents and substances .....	36
3.2    Cells and cell culture.....	39
3.3    Technical equipment and software .....	39
3.3.1    Technical equipment.....	39
3.3.2    Software .....	41
3.4    Isolation and purification systems, kits.....	41
3.5    Molecular standards .....	41
3.6    Radioactive labeled substances .....	42
3.7    Antibodies .....	42
3.7.1    First antibodies:.....	42
3.7.2    Secondary antibodies:.....	43
3.8    Enzymes .....	43
3.9    Vectors .....	43
3.10   Oligonucleotides (5' to 3').....	43
3.10.1   Sequencing primers for the V2R.....	43
3.10.2   Sequencing primers for the pcDNA3.1 vector.....	44
3.10.3   Insertion primer for BamHI restriction site and N-terminal FLAG-tag in the V2R .....	44
3.10.4   Insertion primer for BamHI restriction site and N-terminal HA-tag in the V2R .....	44
3.10.5   Mutagenesis primers for FLAG-tagged receptor mutants .....	44
3.11   Bacteria .....	45

---

3.11.1 Strains .....	45
3.11.2 Media and reagents .....	45
3.11.3 Selection .....	45
<b>4 Methods .....</b>	<b>46</b>
4.1 General methods of Molecular Biology .....	46
4.1.1 Preparation of competent cells .....	46
4.1.2 Transformation of competent cells .....	47
4.1.3 Plasmid replication and isolation.....	48
4.1.4 Plasmid construction of pFLAG.V2R and pH.A.V2R with PCR .....	49
4.1.5 Molecular cloning.....	50
4.1.6 Site-directed mutagenesis of pFLAG.V2R and pH.A.V2R .....	51
4.1.7 GFP plasmids.....	52
4.1.8 Sequence analysis .....	52
4.2 Cell culture and establishing of stably expressing HEK293 cell clones .....	53
4.2.1 Cell culture .....	53
4.2.2 Transient transfection with Lipofectamine™ 2000 transfection reagent .....	53
4.2.3 Generating stably expressing cell clones.....	54
4.2.4 RNA isolation and reverse transcription (RT).....	55
4.3 Biochemical methods .....	57
4.3.1 Whole cell lysates.....	57
4.3.2 Determination of protein concentration.....	58
4.3.3 Subcellular fractionation .....	58
4.3.4 Immunoprecipitation .....	59
4.3.5 Gel electrophoresis and western blot analysis.....	60
4.3.6 Saturation binding experiments with [ <sup>3</sup> H]AVP.....	62
4.3.7 Adenylyl cyclase activity assay.....	63
4.3.8 Ubiquitination assay with ubiquitinated protein enrichment beads .....	66
4.3.9 Digestion with the glycosidases Endo H and PNGase F.....	67
4.3.10 Detection of mitogen-activated protein kinases .....	68
4.3.11 Pulse-chase assay.....	68
4.3.12 Protein identification by mass spectrometry (MS).....	69
4.4 Microscopic Methods .....	71
4.4.1 Live cell imaging .....	71
4.4.2 Immunofluorescence .....	71
<b>5 Results.....</b>	<b>73</b>
5.1 Characterization of HEK293 cell clones stably expressing N-terminal FLAG-tagged wild-type and mutant V2Rs .....	73
5.1.1 Expression of the wild-type V2R .....	73
5.1.2 Characterization of the saturation ligand binding activity of the wild-type V2R.....	75
5.1.3 Adenylyl cyclase (AC) activity induced by the wild-type receptor .....	76

5.1.4 Activation of the MAPK signaling cascade.....	77
5.1.5 Internalization of activated V2Rs to lysosomal structures .....	77
5.1.6 Localization of three NDI-causing mutant V2Rs in the early secretory pathway .....	78
5.1.7 Adenylyl cyclase activity of mutant receptors.....	82
5.2 Degradation pathways of V2Rs .....	84
5.2.1 Pulse-chase analysis reveals insight in degradation pathways of wild-type and intracellular retained V2Rs .....	84
5.2.2 Lysosomal localization determined in living cells.....	87
5.2.3 Ubiquitination and proteasomal degradation .....	92
5.2.4 ER-associated degradation (ERAD) .....	96
5.2.5 Involvement of different ERAD pathways in turnover of V2Rs .....	98
5.2.6 The E3 ligase Hrd1 is presumably involved in the ubiquitination of V2Rs .....	101
5.2.7 Identification of new interacting proteins in the ERAD pathway of V2Rs .....	102
5.2.8 Analysis of the interaction between the V2Rs and the regulatory subunit Rpt1 of the 26S proteasome.....	104
5.2.9 V2Rs show no interaction with the regulatory subunit Rpn10.....	106
5.2.10 Immature V2Rs are retrotranslocated into the cytosol .....	106
5.2.11 Characterization of the influence of polyubiquitinated V2Rs on co-precipitation of phosphodiesterase isoform 4 (PDE4) .....	108
<b>6 Discussion.....</b>	<b>111</b>
6.1 Degradation pathways of misfolded proteins .....	112
6.2 Quality control and transport in the secretory pathway .....	116
6.3 ERAD and different ERAD pathways .....	120
6.4 Recognition by the 26S proteasome .....	125
6.5 Pharmacological influence on the UPS and ERAD .....	127
<b>Appendix: Figures .....</b>	<b>129</b>
<b>Literature .....</b>	<b>135</b>
<b>Publications list.....</b>	<b>145</b>
<b>Congress abstracts.....</b>	<b>146</b>

## Abbreviations

$\lambda$	wavelength
AAA ATPase	adenosine triphosphatase associated with various cellular activities
AC	adenylyl cyclase
APS	ammonium persulfate
AQP2	aquaporin-2
ARF6	ADP-ribosylation factor 6
ATP	adenosine triphosphate
ATPase	adenosine triphosphatase
AVP	8-arginine vasopressin
$\beta_2$ AR	$\beta_2$ -adrenoceptor
BiP	immunoglobulin heavy chain binding protein
$B_{\max}$	maximal amount of specific binding sites
BSA	bovine serum albumin
cAMP	cyclic adenosine 3',5'-monophosphate
CBB	Coomassie Brilliant blue G250
cDNA	complementary deoxyribonucleic acid
CF	cystic fibrosis
CFTR	cystic fibrosis transmembrane conductance regulator
CHIP	C terminus of the heat-shock protein 70-interacting protein
CLSM	confocal laser scanning microscope
COP	coat protein complex
CP	core particle of the 26S proteasome
cpm	counts per minute
CPY*	carboxypeptidase Y mutant
Der1	Derlin-1
dH <sub>2</sub> O	deionized water

DMEM	Dulbecco´s Modified Eagle´s Medium
DNA	deoxyribonucleic acid
dNTP	deoxynucleoside triphosphate
Doa10	ubiquitin ligase required for degradation of Alpha2p
DPBS	Dulbecco´s phosphate buffer
DUB	deubiquitinating enzyme
E1	ubiquitin-activating enzyme
E2	ubiquitin-conjugating enzyme
E3	ubiquitin ligase
EC50	half maximal effective concentration
EDEM	ER degradation enhancer, mannosidase $\alpha$ -like
EDTA	ethylenediaminetetraacetic acid
eEF1A	translation elongation factor 1A
Endo H	endoglycosidase H
ER	endoplasmic reticulum
ERAD	ER-associated degradation
ERGIC	ER-Golgi intermediate compartment
ERK	extracellular signal-regulated kinase
FCS	fetal calf serum
GAPDH	glyceraldehyde 3-phosphate dehydrogenase
GDP	guanosine diphosphate
GFP	green fluorescent protein of <i>Aequorea victoria</i>
GPCR	G protein-coupled receptor
G protein	guanine nucleotide binding protein
gp78	RING finger-dependent ubiquitin ligase (E3)
GRK	G protein-coupled receptor kinase
GRP	glucose-regulated protein
GT	reglycosylating enzyme
GTP	guanosine triphosphate
HA	haemagglutinin

HEK293	human embryonic kidney (clone 293)
Hrd1	3-hydroxy-3-methylglutaryl-coenzymA reductase degradation (E3)
Hsc	heat-shock cognate protein
Hsp	heat-shock protein
IB	immunoblot
IgG	immunoglobulin class G
Ire1	inositol-requiring enzyme 1
K <sub>D</sub>	dissociation constant
LB-Medium	Luria-Bertani medium
mAb	monoclonal antibody
MAPK	mitogen-activated protein kinase pathway
mRNA	messenger ribonucleic acid
MEK	mitogen-activated protein kinase
MG132	carbobenzoxy-L-leucyl-L-leucyl-L-leucinal
MHC	major histocompatibility complex
MS	mass spectrometry
MS/MS	tandem mass spectrometry
nano-ESI	nanoelectrospray ionization
NDI	nephrogenic diabetes insipidus
NEB	New England Biolabs
NF-κB	nuclear factor-kappa B
OD	optical density
pAb	polyclonal antibody
PAGE	polyacrylamide gel electrophoresis
PBS	phosphate buffered saline
PCR	polymerase chain reaction
PDE	phosphodiesterase
PDE4	phosphodiesterase isoform 4
PDI	protein disulfide isomerase
PERK	ER transmembrane protein kinase (UPR)

PFA	paraformaldehyde
PIPES	piperazine-1,4-bis(2-ethanesulfonic acid)
PKA	protein kinase A
PMSF	phenylmethylsulfonyl fluoride
PNGase F	peptide-N-(N-acetyl- $\beta$ -glucosaminyl) asparagine amidase F
POD	horseradish peroxidase
RING	really interesting new gene
RNA	ribonucleic acid
RP	regulatory particle of the 26S proteasome
rpm	rotations per minute
Rpn	regulatory particle non-ATPase
Rpt	regulatory particle AAA ATPase
RT	room temperature
SDS	sodium dodecyl sulfate
SDS-PAGE	sodium dodecyl sulfate-polyacrylamide gel electrophoresis
Sec61	<i>Saccharomyces cerevisiae</i> protein 61
SEM	standard error of the mean
SRP	signal recognition particle
Taq	<i>Thermophilus aquaticus</i>
TEB4	ubiquitin ligase
TBS	Tris(hydroxymethyl)-aminomethan-buffered saline
TEMED	N,N,N',N'-tetramethylethylenediamine
Tris	Tris(hydroxymethyl)-aminomethan
Triton X-100	octylphenylpoly(ethylene glycol ether) <sub>n</sub>
UPR	unfolded protein response
V2R	V2 vasopressin receptor
V2 receptor	V2 vasopressin receptor
VCP	valosin-containing protein
VIMP	valosin-containing protein-interacting membrane protein

## List of amino acids and their abbreviations

A	Ala	alanine
C	Cys	cysteine
D	Asp	aspartic acid
E	Glu	glutamic acid
F	Phe	phenylalanine
G	Gly	glycine
H	His	histidine
I	Ile	isoleucine
K	Lys	lysine
L	Leu	leucine
M	Met	methionine
N	Asn	asparagine
P	Pro	proline
Q	Gln	glutamine
R	Arg	arginine
S	Ser	serine
T	Thr	threonine
V	Val	valine
W	Trp	tryptophan
Y	Tyr	tyrosine