

## **8. References**

**Adams, O.R. (1964):**

In: Equine lameness panel.  
Proc. 10. Conv. Am. Assoc. Equine Pract.: 266-267.

**Adams, O.R. (1969):**

Chip fractures of the first phalanx in the metacarpophalangeal (fetlock) joint.  
J. Am. Vet. Med. Ass., 148: 360-366.

**Adams, O. R. (1974):**

Lameness.  
In: Lameness in horses. Ed. O.R. Adams. 3<sup>rd</sup> ed. Philadelphia: Lea & Febiger: 241.

**Allan, G.S. (1979):**

Radiography of the equine fetlock.  
Equine pract., 1 (3): 40-47.

**Annon (1991):**

Guide for Veterinary Service and Judging of Equestrian Events, 4<sup>th</sup> edn.  
Am. Assoc. Equine Pract., Lexington, Kentucky: p 19.

**Auer, J. A.; Jordan, P.; Lischer, C.; et al. (2003):**

Computer assisted orthopedic surgery (CAOS) in equine fracture treatment.  
Proc. ECVS (large animal session): 70-73.

**Baez, C.; Haack, D. and Hertsch, B. (1989):**

Zystoide Defekte im Bereich des Schultergelenkes beim Pferd.  
Pferdheilkunde, 5 (1): 41-45.

**Bain, G. I.; Hunt, J. and Mehta, J. A. (1997):**

Operative fluoroscopy in hand and upper limb surgery.  
J. Hand Surg., 22 (5): 5556-558.

**Baker, R.H. (1963):**

Osteochondrosis dessicans, free bodies.  
In: Bone, F. J. (1963) (Hrsg.): Equine medicine and surgery.  
American veterinary publications Santa Barbara, California.

**Baker, R. H. (1979):**

Comments on the incidence, repair of cannon bone fractures extending into the fetlock joint.  
Proc. Annu. Meet. Am. Assoc. equine Pract.: 163-164.

**Bale, R.; Huser, C.; Rosenberger, R.; et al. (2001):**

Osteochondral lesions of the talus: Computer-assisted retrograde drilling feasibility and accuracy in initial experience.  
Radiology, 218 (1): 278-282.

## *References*

---

- Barclay, W. P.; Foerner, J. J. and Philips, T. N. (1985):**  
Axial sesamoid injuries associated with lateral condylar fractures in horses.  
JAVMA, 186: 278-279.
- Barclay, W. P.; Foerner, J. J. and Philips, T. N. (1987):**  
Lameness attributable to osteochondral fragmentations of the plantar aspect of the proximal phalanx in horses: 19 cases (1981-1985).  
JAVMA, 191: 855- 857.
- Barr, A. R. S.; Denny, H. R.; Waterman, A. E.; et al. (1988):**  
Proximal phalangeal fractures in the horse.  
Vet Comp Orthop. Trauma, 2: 86-90.
- Bassage, L. H. and Richardson, D. W. (1998):**  
Longitudinal fractures of the condyles of the third metacarpal and metatarsal bones in racehorses: 224 cases (1986-1995).  
JAVMA, 212 (11): 1757-1764.
- Bathe, A. P. (1994):**  
254 fractures in Thoroughbred racehorses: results of 2 –year prospective study in Newmarket.  
Proc. Am. Assoc. equine Pract., 40:175.
- Baxter, G. M. (1996):**  
Subchondral cystic lesions in horses.  
In: Joint disease in the horse. Eds: C.W. MacIlwraith and G. W. Trotter.  
W.B. Saunders Co., Philadelphia: 384-397.
- Berleman, U.; Langlotz, F. and Nolte, L. P. (1997).**  
Computer assistierte orthoppaedische chirurgie: Von der Pedikelschraubeninsertion zu weiteren applikationen.  
Orthopädie, 26 (5): 463-469.
- Berton, A. L. (1996):**  
Fractures of the distal phalanx and proximal sesamoid bones.  
In: Equine fracture repair. Ed.: A.J. Nixon. Philadelphia: WB Saunders: 36-43 and 146-152.
- Berton, A. L. (2002):**  
Osteochondral (chip) fractures of the proximal (first) phalanx in the metacarpophalangeal or the metatarsophalangeal (fetlock) joint.  
In: Adam's Lameness in horses. Ed.: T. S. Stashack.  
5<sup>th</sup> edn. Lea& Febiger Philadelphia: 768-773.
- Bhandari, M. and Shaughnessy, S. (2001):**  
A minimally invasive percutaneous technique of intramedullary nail insertion in an animal model of fracture healing.  
Arch. Orthop. Trauma Surg., 121: 591-593.

## *References*

---

**Birkland, R. (1972):**

Chip fractures in the metatarsophalangeal joint of the horse.  
Acta Radiol Suppl., 319:73-77.

**Birkland, R. and Haakenstad, L.H. (1968):**

Intracapsular bony fragments of the distal tibia of the horse.  
J. Am. Vet. Med. Ass., 152: 1526-1529.

**Blume, H. (1998):**

The imaging chain.  
In: Nickoloff, E. L. and Strauss, K. J., eds.  
Syllabus: a categorical course in diagnostic radiology. Physics-cardiac catheterization  
imaging. Oak Brook, III: Radiological Society of North America: 83-103.

**Boening, K. J. (1980):**

Komplikationen bei diagnostischen und therapeutischen eingriffen am Hufgelenk des  
Pferdes.  
Prakt. Tierärztliche Wochenschr., 74: 205-210.

**Boening, K. J. (2002):**

Arthroscopic surgery of the distal and proximal interphalangeal joints.  
Clinical techniques in equine practice, 1 (4): 218-225.

**Boening, K. J.; Saldern, F. Ch.; Leenderste, I. P; et al. (1989):**

Diagnosis and surgical arthroscopy of the equine coffin joint.  
Proc. 34<sup>th</sup> Annu. Meet. Am Assoc. Equine Pract., 311-317.

**Bohanon, T. C. (1998).**

Tarsal arthrodesis.  
In: Current techniques of equine surgery and lameness. Eds. N. A. White and J. N. Moore.  
Philadelphia, WB Saunders: 433-440.

**Boure, L.; Macoux, M.; Laverty, S. and Lepage, O. M. (1999):**

Use of electrocutery probes in arthroscopic removal of apical sesamoid fracture fragments  
in 18 Standardbred horses.  
Vet. Surg., 28: 226-230.

**Bowman, K. F.; Sweeny, C. L. and Tate, L. F. (1987):**

Compression bone plating of a medial condylar fracture of the third metatarsal bone in a  
Thoroughbred filly.  
JAVMA, 190: 305-307.

**Böhm, D. and Nagel, M. L. (1980):**

Beitrag zur Röntgendiagnostik des Gelenkerkrankungen bei jungen Pferden.  
Berl. Münch. Tierärztl. Wochenschr., 93: 161-163.

**Bramlage, L. R. (1979):**

Practical orthopedic surgery- case presentation and survey results.  
25<sup>th</sup> Annu. Meet. Am. Assoc. Equine Pract.: 165-194.

## *References*

---

**Bramlage, L. R. (1981):**

Autologus cancellous bone grafting in the horse.  
Proc. Am. Assoc. Equine Pract., 26: 243-247.

**Bramlage, L. R. (1993):**

Osteochondrosis-related bone cysts.  
Proc. Am. Ass. Equine Pract., 39, 83-85.

**Brems, R; Cronau, P.; Fister, D.; et al. (1986):**

Fixation von Knochenfragmenten mit dem fibrinkleber beim Pferd am beispiel der fraktur des processus extensorius und des os carpi accessorium.  
Pferdeheilkunde, 2: 261-266.

**Breuer, D. and Becker, M. (1985):**

Diagnose und Therapie der Arthropathien des Pferdes.  
Prakt. Tierarzt, 66, Collegium veterinarium: 42-50.

**Bukowiecki, C. F.; Bramlage, L. R. and gabel, A. A. (1985):**

Proximal sesamoid bone fracture in horses: current treatment and prognosis.  
Comend. Contin. Educ. Pract. Vet., 7: 684-698.

**Bushberg, J. T.; Seibert, J.A.; Leidholdt, E.M. (1994):**

The essential physics of medical imaging.  
Baltimore, Md: Williams and Wilkins.

**Butler, J. A., Colles, C. M.; Dyson, S. J.; et al. (1993):**

Foot, pastern and fetlock.  
In: Clinical radiology of the horse. Ed: J. A. Butler; et al.  
Backwell Wissenschafts-Verlag, Berlin, Germany: 25-100.

**Carlsten, J.; Sandgren, B. and Dalin, G. (1993):**

Development of osteochondrosis in the tarsocrural joint and osteochondral fragments in the fetlock joints of Standardbred trotters. I. A radiological survey.  
Equine Vet. J. , Suppl., 16: 42-47.

**Churchill, E. A. (1956):**

Surgical treatment of fractures of the proximal sesamoid bones in the horse.  
J. Am. Vet. Med. Assoc., 132: 378-382.

**Colahan, P.T.; Wheat, J.D. and Meagher, D. M. (1981):**

Treatment of middle phalangeal fractures in the horse.  
JAVMA, 178: 1182-1185.

**Colles (1983):**

Interpreting Radiographs 1: The foot.  
Equine Vet. J., 14 (4): 297-303.

## *References*

---

**Colon, J. L.; Bramlage, L. R.; Hance, S. R. and Embertson, R. M. (2000):**

Qualitative and quantitative documentation of the racing performance of 461 Thoroughbred racehorses after arthroscopic removal of dorsoproximal first phalanx osteochondral fractures (1986-1995).

Equine Vet. J., 32 (6): 475.

**Coltman, J. W. (1948):**

Fluoroscopic image brightening by electronic means.

Radiology, 51: 359.

**Cook, J.; Tomlinson, J. and Reed, A. (1999):**

Fluoroscopically guided closed reduction and internal fixation of fractures of the lateral portion of the humeral condyle: Prospective clinical study of the technique and results in ten dogs.

Vet. Surg., 28: 315-321

**Copelan, R. W. (1964):**

In: Equine lameness panel.

Proc. 10. Conv. Am. Assoc. Equine Pract. : 259-275.

**Copelan, R. W. and Bramlage, L.R. (1983):**

Surgery in the fetlock joint.

Vet. Clin. North Am. Large Anim. Pract., 5 (2): 221-231.

**Dämmrich, K. (1985):**

Wachstumsstörungen des Skelettes bei jungen Pferden.

Pferdeheilkunde, 1 (1): 5-13.

**Dalin, G.; Sandgren, B. and Carlsten, j. (1993):**

Plantar osteochondral fragments in the metatarsophalangeal joints in Standardbred trotters; results of osteochondrosis or trauma?

Equine Vet. J., 4: 139-143.

**Dechant, J. E.; Trotter, G. W.; Stashak, T. S. and hendrickson, D. A. (2000):**

Removal of large fragments of the extensor process of the distal phalanx via arthrotomy in horses: 14 cases (1992-1998).

JAVMA, 217 (9): 1351-1355.

**Diethelm, L.(1971):**

Osteochondrosis dissecans.

In: Diethelm, L.; Olsson,O.; Strand, F.; Vieten, H. and Zuppiner, A. (Hrsg.):

Handbuch der Medizinischen Radiologie, Band V. Springer-Verlag, Berlin.

**Dietz, O. and Nagel, E. (1960):**

Zur Klinik der Gleichbeinfrakturendes Pferdes.

Berl. Mensch Tierärztl. Wochenschr., 73: 361-380.

## *References*

---

**Dietz, O.; Nagel, E. and Richter, W. (1975):**

Zur Problematic von intraartikulären Absprungsfrakturen bzw. einer Osteochondrosis dissecans am fesselgelenk des Pferdes.  
Monatsh. Veterinärmed., 31: 141-145.

**Dik, K. J. (1988):**

Die röntgennologische Entwicklung von osteochondrotischen Erscheinungsformen im Sprung und Kniegelenk bei niederländischen Warmblutfohlen im Alter von 1 bis 11 Monaten.  
Vortrag, DVG, 15. Arbeitstagung Fachgruppe Pferdkrankheiten, Wiesbaden.

**Dik, K. J. and Gunsser (1987):**

Atlas der Röntgendiagnostik beim Pferd.  
Schlütersche Verlagsanstalt, hannover, Bd.1.

**Dobberstein, J.; Pallaske, G. and Stünzi, H (1985):**

In: Joest, E. (1985): handbuch der speziellen pathologischen Anatomie der Haustiere, 3. Aufl. , Bd. IV, Verlag P. Parey, Berlin, Hamburg, P. 593-608.

**Dowling, B. A.; Dart, A. J. and Hodgson, D. R. (1998):**

Subchondral cystic lesions involving the second phalanx in two horses.  
Aust. Vet. J., 76 (5) 328-330.

**Duncan, D. B.; and Dingwall, J. S. (1971):**

Surgical removal of avulsed portions of the extensor process of the third phalanx in the horse.  
JAVMA, 174: 1337- 1343.

**Edwards, G. B. (1984):**

Interpreting radiographs 2: the fetlock joint and pastern.  
Equine Vet. J., 16 (1): 4-10.

**Eisenberg, R. L. (1992):**

Radiology: an illustrated history.  
St. Louis, Mo: Mosby-Year Book: 145-155.

**Elce, Y. A. and Richardson, D. W. (2002):**

Arthroscopic removal of dorsoproximal chip fractures of the proximal phalanx in standing horses.  
Vet. Surg., 31: 195-200.

**El Guindy, M.; Ali, M.; Samy, M. and Zeller, R. (1986):**

Chronic osteoarthritis in the equine proximal interphalangeal joint.  
Equine Practice, 8 (4): 6-15.

**Ellis, D. R. (1994):**

Some observations on condylar fractures of the third metacarpus and metatarsus in young Thoroughbreds.  
Equine Vet. J., 26: 178-183.

## *References*

---

**Ellis, D. R. and Reynolds, P. (2001):**

Surgical treatment of osteochondral chip fractures.  
Proc. ECVS: 62-64.

**Ellis, D. R.; Simpson, D. J.; Greenwood: R. E. and Crowhurst, J. S. (1987):**

Observations and management of fractures of the proximal phalanx in young Thoroughbreds.  
Equine Vet. J., 19: 43-49.

**Evans, L. and Jenny, J (1970):**

Surgical and clinical management of subchondral bone cyst.  
Proc. Am. Ass. Equine Pract., 26: 195-197.

**Fackelmann, G. E. (1978):**

Compression screw fixation of proximal sesamoid fractures.  
J. Equine Med. Surg., 2: 32-39.

**Fackelmann, G. E. (1983):**

Fetlock disease.  
Proc. 29. Conv. Am. Assoc. Equine Pract. : 111-117.

**Fackelmann, G. E. and Nunamaker, D. M. (1982):**

Manual of internal fixation in the horse.  
1<sup>st</sup> edn. Springer-Verlag, Berlin: 56-60, 86-89.

**Ferraro, G. L. (1978):**

Selected injuries of the fetlock.  
Proc. 24. Conv. Am. Assoc. Equine Pract. : 315-317.

**Ferraro, G. L. (1990):**

Lameness diagnosis and treatment in the Thoroughbred racehorse.  
Vet. Clin. North Am.: Equine Pract., 6: 63-84.

**Fessl. L. and Girtler, D. (1983):**

Zur Klinik der Gelenkkörper im Fesselgelenk des Pferdes.  
In: Knezevic, P. F. (Hrsg.) (1985): orthopädie bei Huf- und Klautentieren.  
Schlütersche Verlagsanstalt, hannover, P 251-260.

**Foerner, J. J.; Barclay, W.; Philips, T. and McHarg, M. (1987):**

Osteochondral fragments of the palmar/plantar aspect of the fetlock joint.  
Proc. 33<sup>rd</sup> Ann. Conv. Am. Ass. Equine pract.: 739-743.

**Foerner, J. J. (1992):**

Surgical treatment of selected musculoskeletal disorders of the rear limb.  
In: Equine surgery. Ed.: J. A. Auer.  
WB Saunders Co., Philadelphia: 1055-1058.

**Foerner, J. P. and McIlwraith, C.W. (1990):**

Orthopedic surgery in the racehorse.  
Vet. Clin. N. Am.: equine pract., 6: 147-177.

## *References*

---

**Fortier, L. A.; Foerner, J. J. and Nixon, A. J. (1995):**

Arthroscopic removal of axial osteochondral fragments of the plantar/palmar aspect of the proximal phalanx in horses: 119 cases (1988-1992).  
JAVMA, 206 (1): 71-74.

**Fretz, P. B.; Barber, S. M.; Bailey, J. V.; et al. (1984):**

Management of proximal sesamoid bone fractures in the horse.  
JAVMA, 185: 282-284.

**Fuchs, M; Schmid, A; Eiteljorg, T; et al. (1998):**

Radiation dosage of the surgery from intraoperative roentgen procedures: Risks and dose management in the operating room.  
Langenbecks Arch. Chir. Suppl. Kongress, 115: 1111-1113.

**Gabel, A. A. (1990):**

Fractures of the proximal sesamoid bones.  
In: Current practice of equine surgery. Philadelphia: JB Lippincott Co.: 558-566.

**Gabel, A.A. and Bukowiecki, C. F. (1983):**

Fractures of the phalanges.  
Vet. Clin. North Am.: Large Anim. Pract., 2: 233-260.

**Gehrke, j. C.; Mellenberg, D. E.; Donnelly, R. E. and Johnson, K. A. (1993):**

The fluoroscan imaging system in foot and ankle surgery.  
Foot and Ankle, 14 (9): 345-549.

**Glaccone, G.; Ciuffreda, L.; Donadio, M.; et al. (1987):**

Bone marrow evaluation in small cell carcinoma of the lung.  
Acta Oncol., 26: 185-188.

**Goldstone, N.E.; Wright, H. and Cohen, B. (1993):**

Radiation exposure to the hands of orthopaedic surgeons during procedures under fluoroscopic X- ray control.  
Br. J. Radiol., 66 (790): 899-901.

**Grant, D. B. (1982):**

The fetlock joint.  
In: Hansman, R. A. and McAllister, E. S. (Hrsg.): Equine medicine and surgery, Bd. 2.  
American Veterinary Publications, Santa Barbara, California.

**Gröndahl, A. M. (1992):**

The incidence of bony fragments and osteochondrosis in the metacarpo- and metatarsophalangeal joints of the Standardbred trotters. A radiographic study.  
J. Equine Vet. Sci., 12 (2): 81-85.

**Hanson, R. R.; Smalley, L. R.; Huff, G. K.; et al. (1997):**

Oral treatment with glucosamine-chondroitin sulphate compound for degenerative joint disease in horses: 25 cases.  
Equine Pract., 19: 16-22.



## *References*

---

**Harfst, L. (1986):**

Röntgenologische und klinische Reihenuntersuchung an den Zehen und Sprunggelenken Junger Reitpferde.  
Hannover, Tierärztl. Hochsch., Diss.

**Harfst, L. and Hertsch, B (1988):**

Die Isolierte Verschattung an der proximalen palmar bzw. plantarfläche des Fesselbeines-  
klinische und röntgenologische Befunde und differential-diagnostische Abgrenzung.  
10 arbeitstagung der DVG, 25-26 March Wiesbaden.

**Haynes, P. F. (1980)**

Disease of the metacarpophalangeal joint and metacarpus.  
Vet. Clin. North Am. Large Anim. Pract., 2: 33.

**Haynes, P. F. and Adams, O. R. (1974):**

Internal fixation of fractured external process of third phalanx in a horse.  
JAVMA, 164: 61-63.

**Heinze, C.D. (1972):**

Fractures of special interest.  
Equine Medicine and Surgery, 2<sup>nd</sup> Ed. Wheaton, Illinois: Am. Vet. Publications Inc.

**Hempfling, H. (1982):**

Combined endoscopic-radiologic examination of the knee joint.  
Ortop. Ihre Gren zgeb., 120 (6): 874-876.

**Henninger, R. W.; Bramlage, L. R.; Schneider, R. K.; et al. (1991)**

Lag screw and cancellous bone graft fixation of transverse proximal sesamoid bone.  
Fractures in horses: 25 cases (1983-1989).  
JAVMA, 199: 606-612.

**Hertsch, B. (1991):**

Die Arthroskopie des Talokruralgelenkes bei der osteochondrosis dissecans beim Pferd.  
Swiss Vet., 8 (11a): 67-71.

**Hertsch, B. (1992):**

Technik und Ergebnisse der Sequestrotomie im Hufgelenk des Pferdes.  
In: 12 Arbeitstagung d. DVG, Fachgr. Pferdekrankheiten, Wiesbaden 1992,  
Kongreß-Ber.:209-218.

**Hertsch, B. and Haack, D. (1987):**

Zur Konservativen Behandlung der Sagittal- und Astfraktur des Hufbeines des Pferdes.  
Wien Tierärztl. Mschr, 3:86-93.

**Hertsch, B.; Haack, D. and Baez, C. (1988):**

Zur röntologischen Abgrenzung von zystoiden Knochendefekten beim Pferd.  
Pferdeheilkunde, 4 (5): 189-191.

## *References*

---

**Hertsch, B. and Höppner, S. (1999):**

Gelenkchirurgie beim Pferd- Steine werden aus dem Weg geräumt.  
Pferdeheilkunde, 15 (2): 159-166.

**Hertsch, B. and Höppner, S. (2000):**

Minimal-invasive Knochen und Gelenkchirurgie mit Hilfe der C-Bogen Technik beim Pferd.  
Der Praktische Tierarzt., 81 (10): 830-842.

**Hertsch, B.; Höppner, S.; Leonhardt, K. M. and Merz, A. (1997):**

Röntgenologische Befunde Warmblutiger deutschen Auktionpferde.  
Pferdeheilkunde, 13 (2): 97-109.

**Hertsch, B.; Höppner, S. and Stuckenberg, R. (2000).**

Die minimal-invasive Behandlung bei Spat und zystoiden Defekten beim Pferd durch autologe Spongiosatransplantation mit Hilfe einer modifizierten Jamschidi-Nadel.  
DVG Tagung "Pferdekrankheiten", 16-17 Mars 2000, Wiesbaden.

**Hickman, J.; Kold, S. E.; Ellis, D. E. and Greenwood, R. E. S. (1984):**

Use of bone cement in two equine orthopaedic cases.  
Equine vet. J., 16: 543-545.

**Hogan, P. M.; McIlwraith, C. W.; Honnas, C. M.; et al. (1997)**

Surgical treatment of subchondral cystic lesions of the third metacarpal bone: results in 15 horses (1986-1994).  
Equine Vet. J., 29 (6): 477-482.

**Holcombe, S.J.; Schneider, R. K.; Bramlage, L. R.; et al. (1995):**

Lag screw fixation of noncomminuted sagittal fractures of the proximal phalanx in racehorses: 59 cases (1973-1991).  
JAVMA, 206: 1195-1199.

**Honnas, C. M. (1992):**

Surgical treatment of selected musculoskeletal disorders of the forelimb.  
In: Equine Surgery. Ed: J. A. Auer.  
Philadelphia: W. B. Saunders: 985-1054.

**Honnas, C. M.; O' Brien, T.R. and Linford, R. L. (1988):**

Asurvey of 274 horses with radiographic assessment of healing in 36 horses.  
Vet. Radiol. Ultrasound, 29: 98-107.

**Honnas, C. M.; Vacek, J. R. and Schumacher, j. (1992):**

Diagnosis and treatment of articular fractures of the equine distal phalanx.  
Vet. Med., 87: 1208-1214.

**Hopen, L. A.; Colahan, P.T.; Turner, T. A., et al. (1992):**

Nonsurgical treatment of cubital subchondral cyst-like lesions in horses: seven cases (1983-1987).  
J Am Vet Med Assoc, 200: 527-530.

## *References*

---

**Hoppe, F. (1984):**

Radiological investigation of O. d. in Standardbred trotters and Swedish Warmblood horses .  
Equine Vet. J., 16 (5): 425-429.

**Hornof, W. J.; O'Brien, T. R. and Pool, R. R. (1981):**

Osteochondritis dissecans of the distal metacarpus in the adult racing Thoroughbred horse.  
Vet. Radiol., 22 (3): 98-106.

**Houttu, J. (1991):**

Arthroscopic removal of osteochondral fragments of the palmar/plantar aspect of the metacarpo/metatarsophalangeal joints.  
Equine Vet. J., 23(39): 163-165

**Howard, R. D.; Mellwraith, C. W. and Trotter, G.W. (1995):**

Arthroscopic surgery for subchondral cystic lesions of the medial femoral condyle in horses: 41 cases (1988-1991).  
J Am Vet Med Assoc, 206: 842-850.

**Humanns, S. R. and Wintzer, H. J. (1961):**

Einige neue Indikationen zur Knochen- und Gelenkchirurgie beim Pferd.  
Berl. Münch. Tierärztl. Wochenschr., 47: 271-230.

**Humanns, S. R. and Wintzer, H. J. (1964):**

Zur Knochen- und Gelenkchirurgie beim Pferd.  
Wien. Tierärztl. Monatsschr., 51: 217-230.

**Hurtienne, H. (1986):**

Ein im Subchondralen Knochendefekt des Metacarpus Hängender Arthrolith als Lahmheitsursache beim Pferd.  
Tierärztliche Umschau, 41: 131-134.

**Inwood, M. J. (1975):**

Jamshidi bone marrow needle modification.  
J. Lab. Clin. Med., 86 (3): 535-537.

**Jann, H. W.; Fackelman, G. E.; Kobic, P.D. and Predue, B. D. (1986):**

Electrosurgical arthrotomy and incision in the metacarpophalangeal joint of the horse.  
Vet. Surg., 15: 429-434.

**Johnson, B.; Ardans, A.; Stover, A.; et al. (1994):**

California racehorse post-mortem program: A 4 year overview.  
Proc. Am. Assoc. equine pract.: 167-169.

**Johnston, G. (1975):**

Equine joint surgery in the standing position.  
Vet. Med. Small Anim. Clin.; 70 (11): 1293-1296.

## *References*

---

**Kawcak, C. E. and Mellwraith, C. W. (1994):**

Proximodorsal first phalanx osteochondral chip fragmentation in 336 horses.  
Equine Vet. J., 26 (5): 392-396.

**Keegen, K. and Dyson, S. (2003):**

Fluoroscopy.

In: Diagnosis and management of lameness in the horse. Eds. M. Ross and S. Dyson.  
Philadelphia, Saunders: 246.

**King, J; Champlin, A.; Kelsey, C. and Tripp, D. (2002):**

Using a sterile disposable protective surgical drapes for reduction exposure to interventionalists.

Am. J. Rad., 178: 153-157.

**Knezevic, R. F. and Wrushs, O. (1977):**

Arthroscopy in the horse, Ox, Pig and dog.

Vet. Med. Rev., 1: 54-63.

**Kold, S. E. (1990):**

Clinical, radiological and therapeutic aspects of subchondral bone cysts of the equine femoro-tibial Joint. A clinical Investigation and experimental study.

Doctorate Thesis, Copenhagen.

**Kold, S. E. and Heickman, J. (1983):**

Use of an autogenous cancellous bone graft in the treatment of subchondral bone cyst in the medial femoral condyle of the horse.

Equine Vet. J., 15: 312-316.

**Kold, S. E. and Heickman, J. (1984):**

Results of treatment of subchondral bone cysts in the medial condyle of the equine femure with an autogenous cancellous bone graft.

Equine vet J, 16: 414-418.

**Kold, S. E. and Heickman, J. (1990):**

Three cases of subchondral bone cysts in the distal limb of the horse treated by bone grafting via an extra-articular approach.

Equine Vet. Educ., 2: 70-74.

**Kold, S. E. and Killingbeck, M. (1998):**

The use of autogenous cancellous bone graft for the treatment of subchondral bone cysts in the distal phalanges: 3 cases.

Equine Vet. Educ., 10: 307-312.

**Krause, P.; Steinbeck, J. and Halm, H. (1996):**

Endoscopische Spongiosaplastik bei einer Luunatumzyste mit perkutan durchgeführter Beckenkammspanentnahme.

Arthroskopie, 9: 258-261.

**Krettek, C.; Miclau, T.; Grön, O.; et al. (1998):**

Intraoperative control of axes, rotation and length in femoral and tibial fractures.

Injury, 29 (3): 29-39.

## *References*

---

**Krohmer, J. S. (1989):**

Radiography and fluoroscopy, 1920 to the present.  
Radiographics, 9: 1129-1153.

**Larson, B. J.; Egbert, J. and Goble, E. M. (1995):**

Radiation exposure during fluoroarthroscopically assisted anterior cruciate reconstruction.  
Am. J. Sports Med., 23 (4): 462-464.

**Levin, P. E.; Schoen, R. W. and Browner, B. D. (1987):**

Radiation exposure to the surgeon during closed interlocking intramedullary nailing.  
J Bone Joint Surg., 69-A: 761-766.

**Lewis, V. L.; Bailey, M.H.; Pulawski, G.; et al. (1988):**

The diagnosis of osteomyelitis in patients with pressure sores.  
Plast. Reconstr. Surg., 81: 229-232.

**Lo, N. N.; Goh, P. S. and Khorig, K. S. (1996):**

Radiation dosage from use of the image intensifier in orthopaedic surgery.  
Singapore Med. J., 73: 69-71.

**Loyer, C. and Thomas, W. P. (1995):**

Biplane Transoesophageal echocardiography in the dog: technique, anatomy and imaging planes.  
Vet. Radiol. Ultrasound, 36: 221-226.

**MacLellan, K. N.; MacDonald, D. G. and Grawford, W. H. (1997):**

Lag screw fixation of an extensor process fracture in a foal with a flexural deformity.  
Can. Vet. J., 38: 226-228.

**Mahesh, M. (2001):**

Fluoroscopy: Patient Radiation Exposure Issues.  
RadioGraphics., 21: 1033-1045.

**Markel, M. D. (1990):**

Fractures of the proximal phalanx.  
In: Current practice of equine surgery. Eds: N. A. White and J. N. Moore.  
Philadelphia: JB Lippincott Co.: 610-617.

**Markel, M. D. and Richardson, D.W. (1985):**

Noncomminuted fractures of the proximal phalanx in 69 horses.  
JAVMA, 186: 573-579.

**Martin, B. B.; Nunmaker, D. M.; Evans, L. H.; et al. (1991):**

Circumferential wiring of mid-body and large basilar fractures of the proximal sesamoid bone in 15 horses.  
Vet. Surg., 20 (1): 9-14.

**Mattews, M. G. (2000):**

The image intensifier as an operating table: A dangerous practice.  
J. Bone Joint Surg. Br., 82: 774.

## *References*

---

**McIlwraith, C. W. (1982):**

Subchondral cystic lesions (osteochondrosis) in the horse.  
Comp.Cont. Educ. Pract. Vet., 4: 394-403.

**McIlwraith, C. W. (1984):**

Experiences in diagnostic and surgical arthroscopy in the horse.  
Equine Vet. J. , 16: 11-19.

**McIlwraith, C. W. (1986):**

Arthroskopische Chirurgie beim Pferd, Teil II.  
Pferdeheilkunde, 2: 176-178.

**McIlwraith, C. W. (1987):**

Osteochondrosis.  
In: Stashak T.S. (ed): Adams' Lamenesses in horses, ed 4.  
Philadelphia, Lea & Febiger: pp 396-410.

**McIlwraith, C. W. (1990a):**

Diagnostic and surgical arthroscopy in the horse, 2<sup>nd</sup> Ed.  
Philadelphia, Lea & Febiger.

**McIlwraith, C. W. (1990b):**

Subchondral cystic lesions in the horse- The indications, methods and results of surgery.  
Equine Vet. Ed., 2: 75-80.

**McIlwraith, C. W. (1998):**

Subchondral bone cysts in the horse: aetiology, diagnosis and treatment options.  
Equine vet. Educ., 10 (6): 313-317.

**McIlwraith, C. W. and Bramlage, L. R. (1996):**

Surgical treatment of joint injury.  
In: Joint disease in the horse. Eds.: C. W. McIlwraith and G. W. Trotter.  
Philadelphia: 292-317

**McIlwraith, C. W. and Foerner, J. J. (1990):**

Removal of osteochondral fragments from the proximal palmar or plantar aspect of the first phalanx.  
In: Diagnostic and surgical arthroscopy. Ed.: C. W. McIlwraith.  
Philadelphia Lea & Febiger: 105-112.

**McIlwraith, C. W.; Foerner, J. J. and Davis, D. M. (1991):**

Osteochondritis dissecans of the tarsocrural joint: results of treatment with arthroscopic surgery.  
Equine. Vet. J., 23 (3): 155-162.

**McKibbin, L. S. and Armstrong, K. N. (1970):**

Bone screws as a method of immobilising sesamoid fragments.  
Proc. 16<sup>th</sup> Ann. Am. Assoc. Equine Pract.: 203-231.

## *References*

---

**Meagher, D. M. (1974):**

Joint surgery in the horse: The selection of surgical cases and consideration of the alternatives.

Proc. Of the 20<sup>th</sup> Annu. Meeting Am. Assoc. equine Pract.:81-88.

**Meagher, D. M. (1976):**

Lateral condylar fractures of the metacarpus and metatarsus in horses.

Proc. Am. Assoc. equine Pract., 22: 147-154.

**Medina, L. E.; Wheat, J. D.; Morgan, J. P. and Pool, R. R. (1980):**

Treatment of basilar fractures of the proximal sesamoid bone in the horse using an autogenous bone graft.

Proc. Am. Assoc. equine Pract., 26: 345-380.

**Medina, L. E., Wheat, J. D.; Morgan, j. P.; et al. (1980):**

Treatment of basal fractures of the proximal sesamoid bone in the horse using an autogenous bone graft.

Proc. Am. Assoc. equine Pract., 26: 345-380.

**Mehlman, C. T. and DIPasquale, T. G. (1997):**

Radiation exposure to the orthopaedic surgical team during fluoroscopy:” How far away is far enough?”.

J. Orthop. Trauma, 11: 392-398.

**Mettler, F. A. and Upton, A. C. (1995):**

Direct effects of radiation.

In: Medical effects of ionizing radiation. 2<sup>nd</sup> ed. Philadelphia: WB Saunders Co.: 215-306.

**Miller, S. M. and Bohanon, T. C. (1994):**

Arthroscopic surgery for the treatment of extensor process fractures of the distal phalanx in the horse.

Vet. Comp. Orthop. Traumatol, 7: 2.

**Miller, M. E.; Davis, M. L.; McClean, C.R.; et al. (1983):**

Radiation exposure and associated risks to operating room personnel during use of fluoroscopic guidance for selected orthopaedic surgical procedures.

J, Bone and Joint Surg., 65 (1): 1-4.

**Milne, D.W. and Turner, A. S. (1979):**

An atlas of surgical approaches to the bones of the horse.

Philadelphia: WB Saunders: 168-173.

**Milne, F. J. (1964):**

In: equine lameness panel.

Proc. 10. Conv. Am. Assoc. equine Pract.: 259.

**Mitchell, N. and Shepard, N. (1980):**

Healing of articular cartilage in intra-articular fractures of rabbits.

J. bone Joint Surg., 62A : 628-634.

## *References*

---

- Mondransky, P.D.; Grant, B. D.; Rantanen, N. W. and Corey, D. G. (1982):**  
Surgical treatment of a palmar midsagittal fracture of the proximal second phalanx in a horse.  
Vet. Surg., 11: 129-131.
- Moore, A. (2001):**  
Removal of oesophageal foreign bodies in dogs: Use of the fluoroscopic method and outcome.  
J. Small Anim. Pract., 42: 227-230.
- Morgan, J. P. (1999):**  
Radiology of Veterinary Orthopedics.  
Venture Press, California.
- Müller, F. (1982):**  
Röntgenologische Reihenuntersuchungen an den Vordergliedmaßen drei- bis siebenjähriger hannoverscher Pferde.  
Hannover, Tierärztl. Hochsch. Dissi.
- Nilsson, G. and Olsson, S.E. (1973):**  
Radiologic and patho-anatomic changes in the distal joints and the phalanges of the Standardbred horse.  
Acta Vet. Scand., 44: 1-57
- Nixon, A. J. (1990):**  
Osteochondrosis and Osteochondritis Dissecans of the Equine Fetlock.  
Comp. Cont. Educ. Pract. Vet., 12 (10): 1463-1475.
- Nixon, A. J. and Pool, R. R. (1995):**  
Histologic appearance of axial osteochondral fragments from the proximo palmar/plantar aspect of the proximal phalanx in horse.  
J. Am. Vet. Med. Ass., 207 (8): 1076-1079.
- Nölker, A. and Ueltschi, G. (2001):**  
Die Strahlenexposition der Untersuchungs personals bei vetrinärmedizinischen Röntgenuntersuchungen unter Einsatz der C-Boogen-Bildverstärker.  
Tierärztl. Umschau, 65: 519-527.
- NRPB (1990):**  
Patient dose reduction in diagnostic radiology.  
Documents of the National Radiological Protection Board, 1: 3.
- Numan, O. R. and Wintzer, H. J. (1961):**  
Eine neue indikation zur Knochen und gelenk chirurgie des Pferdes.  
Berl. Münsch. Tierärztliche wochenschr., 74: 205-210.
- O'Brien, T. R. (1973):**  
Radiology of the equine stifle.  
Proc. 19<sup>th</sup> Annu. Conv. AAEP: 271-287.



## *References*

---

**O'Brien, T. R. (1977):**

Diseases of the Thoroughbred fetlock- a comparison of radiographic signs with gross pathologic lesions.  
Proc. 23. Conv. Am. Assoc. Equine Pract.: 367-380.

**Ommert, W. (1981):**

Equine arthroscopic surgery.  
J. Equine Vet. Sci., 5: 177-182.

**O'Rourke, P. J.; Cerand, S.; Harington, P.; et al. (1996):**

Risks of radiation exposure to orthopaedic surgeons.  
J. Rad. Coll. Surg. Edinb., 41: 40-43.

**Palmar, S. E. (1982):**

Radiography of the abaxial surface of the proximal sesamoid bones of the horse.  
JAVMA, 181: 264.

**Palmar, S. E. (1989):**

Arthroscopic removal of apical and abaxial sesamoid fracture fragments in five horses.  
Vet. Surg., 18: 34-35.

**Parenta, E. J.; Richardson, D. W. and Spencer, P. (1993):**

Basal sesamoidean fractures in horses: 57 cases (1989-1992).  
JAVMA, 217 (2): 236-240.

**Peters, J. E. (1949):**

Fractures of the third phalanx and sesamoids in the race horse.  
JAVMA, 115: 405-408.

**Pettersson, H. (1976):**

Fractures of the pedal bone in the horse.  
Equine Vet. J., 8: 104-109.

**Pettersson, H. and Reiland, S. (1968):**

Periarticular subchondral bone cysts in horses.  
Proc. 14<sup>th</sup> Annu. Conv. AAEP: 245-264.

**Pettersson, H. and Reiland, S. (1969):**

Periarticular subchondral bone cysts in horses.  
Clin. Orth. Rel. res., 62: 63-69.

**Pettersson, H. and Ryden, G. (1982):**

Avulsion fractures of the caudoproximal extremity of the fist phalanx.  
Equine Vet. J., 14: 333-335.

**Pettersson, H. and Sevelius, F. (1968):**

Subchondral bone cysts in the horse: a clinical study.  
Equine Vet. J., 1: 75-80.

## *References*

---

- Philipsson, J. E.; Andreasson, E.; Sandgren, B.; Dalin, G. and Carlsten, J. (1993):**  
Osteochondrosis in the tarsocrural joint and osteochondral fragments in the fetlock joints in Standardbred trotters. II. Heritability.  
Equine Vet. J., Suppl., 16: 38-41.
- Pool, R. (1993):**  
Difficulties in definition of equine O. d., differentiation of developmental and acquired lesions.  
Equine Vet. J., Suppl., 16: 5-12.
- Pool, R. and Meagher, D. M. (1990):**  
Pathologic findings and pathogenesis of racetrack injuries.  
Vet. Clin. North Am.: Equine Pract., 6: 1-30.
- Pooley, R. A.; McKinney, J. M. and Miller, D.A. (2001):**  
Digital fluoroscopy.  
Radiographics, 21: 521-534.
- Prolo, D. J. and Rodrigo, J. J. (1985):**  
Contemporary bone graft physiology and surgery.  
Clin. Orthop. Rel. Res., 62: 95-103.
- Raker, C. W. (1973):**  
Orthopedic surgery: Errors in surgical evaluation and management.  
Proc. 19. Conv. Am. Assoc. equine Pract.: 205-210.
- Raker, C. W. (1975):**  
Calcification of the equine metacarpophalangeal joint following removal of chip fractures.  
Arch. Am. Coll. Vet. Surg., 4: 66-68.
- Ramos, C. C. B. (1987):**  
Zu Vorkommen und Klinischer Bedeutung Zystoider Knochen defecte beim Pferd.  
Thesis, Hannover.
- Reagan, B.; McInerny, V.; Treadwel, B.; et al. (1983):**  
Irrigating solutions for arthroscopy.  
J. Bone Joint Surgery, 65A: 629-631.
- Reid, C. F. (1970):**  
Radiographic diagnosis and appearance of osseous cyst-like lesions in horses previously reported as periarticular subchondral bone cysts.  
Proc. Am. Ass. Equine Pract., 16: 185-187.
- Rejnö, S. and Strömberg, B. (1978):**  
Osteochondrosis in the horse. II. Pathology.  
Acta Radiol. Suppl., 358: 153-178.
- Richardson, D. W. (1984):**  
Medial condylar fractures of the third metatarsal bone in horses.  
JAVMA, 185: 761-765.

## *References*

---

**Richardson, G. L.; Pool, R. R.; Pascoe, J. R. and Wheat, J. D. (1986)**

Autogenous cancellous bone grafts from the sternum in horses, comparison with other donor sites and result of use in orthopaedic surgery.  
Vet. Surg., 15 (1): 9-15.

**Rick, M.C; O'Brien, T. R.; Pool, R. R. and Meagher, D. M. (1983):**

Condylar fractures of the third metacarpal bone and third metatarsal bone in 75 horses: Radiographic features, treatments and outcome.  
JAVMA, 183, 287-296.

**Rooney, J. R. (1974):**

Distal condylar fractures of the cannon bone in the horse.  
Mod. Pract., 52: 113-114.

**Rooney, J. R. (1975):**

Osteochondrosis in the horse.I.  
Mod. Vet. Pract., 54 (14): 41-43 and 113-116.

**Rose, J. E.; Sande, R. D. and Rose, E.M. (1985):**

Results of conservative management of osteochondrosis in the horse.  
Proc Am Assoc Equine Pract, 31: 617-626.

**Rose, R. J.; Taylor, B. J. and Bellenger, C. R. (1979):**

Internal fixation of fractures of the third phalanx in three horses.  
Aust. Vet. J., 55: 29-33.

**Ross, M. W.; Nolan, P. M.; Palmar, J. A. and Seeherman, H. J. (1991):**

Proc. 37<sup>th</sup> Annu. Conv. Am. Assoc. Equine Pract.: 741.

**Saldern, F. Ch. (2003):**

Surgical treatment of osseous fragments associated with the fetlock joint.  
Proc. ECVS: 217-218.

**Samy, M. (1977):**

Osteochondrosis dissecans bei Mensch, Hund Und Pferd.  
Hannover, Tierärztl. Hochsch., Diss.

**Sandgren, B. (1988):**

Bony fragments in the tarsocrural and metacarpo- or metatarsophalangeal joints on the Standardbred horse- a radiographic survey.  
Equine Vet. J. Suppl., 6: 66-70.

**Sandgren, B.; Dalin, G. and Carlsten, J. (1993):**

Osteochondrosis in the tarsocrural joint and osteochondral fragments in the fetlock joints in Standardbred trotters. I. Epidemiology.  
Equine Vet. J., Suppl., 16: 31-37.

**Schebitz, H.; Dämmrich, K. and Waibl, H. (1975):**

Intraartikuläre Absprengungsfrakturen im Articuluss talocruralis beim Pferd.  
Berl. Münch. Tierärztl. Wochenschr., 88: 308-316.

## *References*

---

**Schneider, R. K. (1979):**

Incidence and location of fractures of the proximal sesamoids and proximal extremity of the first phalanx.

Proc. Am. Assoc, Equine Pract.: 157-158.

**Schneider, R. K.; Ragle, C.A.; Earter, B. G. and Davis, W.E. (1994):**

Arthroscopic removal of osteochondral fragments from the proximal interphalangeal joint of the pelvic limbs in three horses.

JAVMA, 205 (1): 79-82.

**Schube, S.; Dämmrich, K.; Lauk, H. and Von Plocki, K. (1991):**

Untersuchungen zur Pathogenese der Arthropathia deformans der Entstehung von "Chips" im Fesselgelenk der Pferd.

Pferdeheilkunde, 7 (2): 69-77.

**Schueler, B. A. (2000):**

General overview of fluoroscopic imaging.

Radiographics, 20: 115-1126.

**Scott, E. A.; McDole, M. and Shires, M. H. (1979):**

A review of third phalanx fractures in the horse: 65 cases.

JAVMA, 174: 1337-1343.

**Sevelius, F. and Tufvesson, G. (1963):**

Treatment for fractures of the sesamoid bones in horses.

JAVMA, 142:981-988.

**Shaltot, A.; Michell, P. A.; Betts, J. A.; et al. (1982):**

Jamshidi needle biopsy of bone lesions.

Clin. Radiol., 33 (2): 193-196.

**Smith, M. (1975):**

Arthroscopy in large animals.

Proc. Of the 11th Conference of the European Society of Vet. Surg.

**Sönnichsen, H. V.; Kristoffersen, J. and Falk-Rønne (1982):**

Joint mice in the fetlock joint-osteochondritis dissecans.

Nord. Vet. Med., 34: 399-403.

**Southwood, L. L. and McIlwraith, C. W. (2000):**

Arthroscopic removal of fracture fragments involving a portion of the base of the proximal sesamoid bone in horses: 26 cases (1984-1997).

JAVMA, 217 (2): 236-240.

**Southwood, L. L.; Trotter, G. W. and McIlwraith, C. W. (2000):**

Arthroscopic removal of abaxial fracture fragments of the proximal sesamoid bones in horses: 47 cases (1989-1997).

JAVMA, 213 (7): 1016-1021.

## *References*

---

- Specht, T. E.; Nixon, A.J.; Colahan, P.T. and Moore, B.G. (1988):**  
Subchondral cyst-like lesions in the distal portion of the radius of 4 horses.  
J. Am. Vet. Med. Assoc., 139: 949-952.
- Stanek, V. Ch. and Edinger, H. (1990):**  
Operative Behandlung eines subchondralen Zystsoides im Hufbein mit Implantation von autologer Spongiosa bei einem Traberwallach.  
Wien. Tierärztl. Mschr., 77: 198-202.
- Stashak, T. S. (1987):**  
Lameness.  
In: Adam's Lameness in horses. Ed.: T. S. Stashack.  
4<sup>th</sup> ed. Lea & Febiger Philadelphia: 526-563.
- Stashak, T. S. (2002):**  
Lameness.  
In: Adam's lameness in horses. Ed. T. S. Stashak.  
5<sup>th</sup> ed. Lea & Febiger Philadelphia: 697-702.
- Stashak, T. S. and Adams, O. R. (1975):**  
Collection of bone grafts from the tuber coxae of the horse.  
J Am. Vet. Med. Assoc., 176: 397-400.
- Stewart, B. and Reid, C.F. (1982):**  
Osseous cyst-like lesions of the medial femoral condyle in horse.  
J Am Vet Med Assoc, 180: 254-257.
- Stöckli, M. and Ultschi, G (1992):**  
Radiologische Untersuchung am Fesselgelenk klinisch gesunder und lahmer Pferde.  
Pferdeheilkunde, 8 (4): 209-214.
- Stromberg, B. (1979):**  
A review of the salient features of osteochondrosis in the horse.  
Equine Vet. J., 11(4): 211-214.
- Suhm, N.; Jacob, A.; Nolte, L.; et al. (2001):**  
Surgical navigation based on fluoroscopy-clinical application for computer-assisted distal locking of intramedullary implants.  
Computer Aided Surg., 5: 391-400.
- Suhm, N.; Müller, P.; Hehli, M.; et al. (2002):**  
Adapting the fluoroscope to image –guided surgery.  
Injury, 34: 307-311.
- Superlock, G. H. and Gabel, A. A. (1983):**  
Apical fractures of the proximal sesamoid bones in 109 Standardbred horses.  
JAVMA, 183: 76-79.

## *References*

---

**Sutherland, A. G.; Finlayson, D.F. (1998):**

Screening time with image intensifier in orthopaedic trauma surgery.  
J. R. coll. Surg. Edinb., 43: 265-266.

**Takagi, K. (1933):**

Experience using Takagi's arthroscope.  
Nippon Seikeigeka Gakkai Zasshi, 8: 132.

**Tasbas, B. A.; Yagmurlu, M. F.; Bayrakci, K.; et al. (2003):**

Which one is at risk in intraoperative fluoroscopy? Assistant surgeon or orthopaedic surgeon?  
Arch. Orthop. Trauma Surg., 123 (5): 242-244.

**Taylor, R. H.; Lavalee, S.; Burdea, G. C. and Mosges, R. (1996):**

Computer integrated surgery: Technology and clinical applications.  
Cambridge: The MIT Press.

**Terberger, M. (1988):**

Die differentialdiagnostische Abgrenzung der Erkrankungen des Processus extensorius des Hufbeins beim Pferd-anatomische, klinische, röntgenologische, pathomorphologische und angiographische Untersuchungen.  
Hannover, Tierärztl. Hochsch. Diss.

**Tetens, J.; Ross, M. W. and Lloyd, J. W. (1997):**

Comparison of racing performance before and after treatment of incomplete midsagittal fractures of the proximal phalanx in Standardbreds: (49 cases 1986-1992).  
JVMA, 210(1): 82-86.

**Thomas, H.; Trout, D.; Dobson, H. and McFadden, C. (1999):**

Radiation exposure to personnel during examination of limbs of horses with a portable hand-held fluoroscopic unit.  
JAVMA, 215 (3): 372-379.

**Torre, F. (1997):**

Osteochondral chip fractures of the palmar/plantar aspect of the middle phalanx in the horse: 5 cases (1991-1994).  
Pferdeheilkunde, 13 (6): 673-678.

**Torre, K. and Molta, M. (1999):**

Incidance and distribution of 369 proximal sesamoid bone fractures in 354 Standardbred horses (1984-1995).  
Equine Pract., 21 (8): 6.

**Tremains, M.; Georgiadis, G. and Dennis, M. (2001):**

Radiation exposure with use of the inverted C-arm technique in upper extremity surgery.  
J. Bone and Joint Surg., 83 (5): 674-678.

## *References*

---

**Trotter, G. W. and McIlwraith, C. W. (1981):**

Osteochondritis dissecans and subchondral cystic lesions and their relationship to osteochondrosis in the horse.  
Equine Vet. Sci., 1: 157-162.

**Trotter, G. W. and McIlwraith, C. W.; Nordin, R. W.; et al. (1982):**

Degenerative joint disease with osteochondrosis of the proximal interphalangeal joint in young horses.  
JAVMA, 180: 1312-1318.

**Turner, A. S. (1977):**

Surgical repair of fractures of the third metatarsal bones in a Standardbred gelding.  
J. Am. Vet. Med. Assoc., 171: 655-658.

**Turner, A. S. (1982):**

Fractures of specific bones.  
In: Equine Medicine and Surgery. Eds: R. A. Mansmann and E. S. McAllister.  
3<sup>rd</sup> ed. Santa Barbara, CA: American Vet. Publications: 1011.

**Urist, M. R. (1980):**

Transplants and implants:  
In: Fundamental and Clinical Physiology of Bone. Ed.: M.R. Urist.  
J.P. Lippincott Co., Philadelphia : 331

**Vail, T. B. and McIlwraith, C. W. (1992):**

Arthroscopic removal of an osteochondral fragment from the middle phalanx of a horse.  
Vet. Surg., 4: 269-272.

**Valdez, H.; Richmond, J.; Wain, L. and Fackelman, G. (1983):**

Operative arthroscopy in the horse.  
Equine Pract., 5: 35-42.

**Van Staden, G.; Farrant, K.; Richards, R. and Bunker, T. (2000):**

Image intensifier position for hand and wrist fractures.  
Injury, 31: 351-352.

**Van Suntum, M. (1983):**

Untersuchungen zur Röntgendiagnostik degenerativer Zehengelenkserkrankungen des Pferdes. Ein Vergleich röntgenologisch und pathologisch-anatomischer Befunde.  
Berlin, Freie Univ., Fachber. Veterinärmed., Diss.

**Wagner, P. C. and Watrous, B. J. (1990):**

Equine pediatric orthopaedics: clinical, radiographic, and therapeutic aspects: part 1.  
Osteochondrosis.  
Equine pract, 12: 32-37.

**Waseem, M. and Kenny, N. (2000):**

The image intensifier as an operating table: A dangerous practice.  
J. Bone Joint Surg. Br., 82: 95-96.

## *References*

---

**Watanabe, M. (1949):**

Arthroscopy of the ankle joint of the horse.  
Nippon Seikeigeka Gakkai Zasshi, 22: 59.

**Watkins, J. P. (1996):**

Fractures of the middle phalanx.  
In: Equine fracture repair. Ed: A. J. Nixon. Philadelphia: 129-145.

**Welch, R. and Watkins, J. (1991):**

Osteochondral fractures of the proximal palmar middle phalanx in a Thoroughbred.  
Equine Vet. J., 23 (1): 67-69.

**Wheat, J. D. and Rhode, E. A. (1958):**

The surgical treatment of fractures of the proximal sesamoid bones in the horse.  
JAVMA, 132: 378-382.

**White, K. K.; McIlwraith, C. W. and Allen, D. (1988):**

Curettage of subchondral bone cysts in medial femoral condyles of the horse.  
Equine Vet J., Suppl., 6: 120-124.

**Whitton, R. C. and Kannegieter, N. J. (1994):**

Osteochondral fragmentation of the plantar/palmar proximal aspect of the phalanx in racing horses.  
Aust. Vet. J., 71 (10): 318-321.

**Wintzer, H. J. (1997):**

Krankheiten des Pferds- Ein leitfaden für Studium und Praxis. 2. Auflage.  
Verlag Paul Parey, Berlin, Hamburg.

**Wirstad, H. F. (1963):**

Fracture of the proximal sesamoid bones.  
Vet. Rec., 75: 509-513.

**Wohlenberg, H.; Lorbacher, P.; Drechsel, U. and Schmarsow, R. (1978):**

Die perkutane Wirbelkörperstranzbiopsie mit der Jamshidi-Biopsinadel.  
Dtsch. Med. Wochenschr., 103 (21): 902-904.

**Woodie, J. B.; Ruggles, A. J.; Bertone, A. L.; et al. (1999):**

Apical fracture of the proximal sesamoid bone in Standardbred horses: 43 cases (1990-1996).  
JAVMA, 214 (11): 1653-1656.

**Yovich, J. V. (1989):**

Fractures of the distal phalanx in horse.  
Vet. Clin. North Am. Equine Pract., 5: 145-160.

**Yovich, J. V.; Hilbert, B. J. and McGill, C. A. (1982):**

Fractures of the distal phalanx in horses.  
Aust. Vet. J., 59: 180-182.



## *References*

---

**Yovich, J. V.; McIlwraith, C. W. and Stashak. T.S. (1985):**

Osteochondritis dissecans of the sagittal ridge of the third metacarpal and metatarsal bones in horse.

J. Am. Vet. Med. Assoc., 186 (11): 1186-1191.

**Yovich, J. V. and McIlwraith, C. W. (1986):**

Arthroscopic surgery for osteochondral fractures of the proximal phalanx of the metacarpophalangeal and metatarsophalangeal joints in horses.

Am. Vet. Med. Assoc., 188: 273-279.

**Zekas, L. J.; Bramlage, L. R.; Emberston, R. M. and Hance, C. R. (1999):**

Characterisation of the type and location of fractures of the third metacarpal/metatarsal condyles in 135 horses in central Kentucky (1986-1994).

Equine vet. J., 31 (4) 304-308.

**Zeller, R. B.; Hertsch, B. and Samy. T. (1978):**

Vorkommen und klinische Beurteilung der Osteochondrosis dissecans im Talokruralgelenk beim Pferd.

Dtsch. Tierärztl. Wschr., 85, 189-272.

**Zöttl, B.; Boening, K. J. and Saldern, F. Ch. (1995):**

Beitrag zur chirurgischen Arthroskopie im palmaren/plantaren Bereich des Fesselgelenkes.

Prakt. Tierarzt, 9 (75): 759-766.