

## Bibliography

- Adamski, F.M., Donly, B.C. and Tate, W.P. (1993) Competition Between Frameshifting, Termination and Suppression at the Frameshift Site in the *Escherichia coli* Release Factor-2 Messenger RNA. *Nucleic Acids Res*, 21, 5074-5078.
- Agrawal, R.K., Spahn, C.M.T., Penczek, P., Grassucci, R.A., Nierhaus, K.H. and Frank, J. (2000) Visualization of tRNA movements on the *Escherichia coli* 70S ribosome during the elongation cycle. *J. Cell. Biol.*, 150, 447-459.
- Allen, D.W. and Zamecnik, P.C. (1962) The effect of puromycin on rabbit reticulocyte ribosomes. *Biochim. Biophys. Acta*, 55, 865-874.
- Arkov, A.L., Freistroffer, D.V., Pavlov, M.Y., Ehrenberg, M. and Murgola, E.J. (2000) Mutations in conserved regions of ribosomal RNAs decrease the productive association of peptide-chain release factors with the ribosome during translation termination. *Biochimie*, 82, 671-82.
- Atkins J. A., H.A.J., MAssire C. O'Connor M., Ivanov I., and Gesteland R. F. (2000) Poking a Hole in the Sancity of the Triplet Code: Inferences for Framing. In R. A. Garret, S.R.D., A. Liljas, A. T. Matheson, P. B. Moore, and H. F. Noller (ed.) *The Ribosome Structure, Function, Antibiotics, and Cellular Interactions*. ASM Press American Society for Microbiology, Washington, DC, pp. 369-384.
- Balakin, A.G., Skripkin, E.A., Shatsky, I.N. and Bogdanov, A.A. (1992) Unusual Ribosome Binding Properties of Messenger RNA Encoding Bacteriophage lambda Repressor. *Nucl. Acids Res.*, 20, 563-571.
- Baranov PV, Gesteland RF and JF, A. (2002) Release Factor 2 framshifting sites in different bacteria. *EMBO reports*, 3, 1-5.
- Bartetzko, A. and Nierhaus, K.H. (1988) A simple  $Mg^{2+}/NH_4^+$ /polyamine system for poly(U) dependent poly(Phe) synthesis with near *in vivo* characteristics. *Methods Enzymol.*, 164, 650-658.
- Belitsina, N.V., Tnalina, G.Z. and Spirin, A.S. (1981) Template-free ribosomal synthesis of polylysine from lysyl-tRNA. *FEBS Lett.*, 131, 289-292.
- Belitsina, N.V., Tnalina, G.Z. and Spirin, A.S. (1982) Template-free ribosomal synthesis of polypeptides from aminoacyl-tRNAs. *Biosystems*, 15, 233-421.
- Berg, P., Bergmann, F.H., Ofengand, E.J. and Dieckmann, M. (1961) The enzymatic

- synthesis of amino acyl derivatives of ribonucleic acid: I. The mechanism of leucyl-, valyl-, isoleucyl-, and methionyl ribonucleic acid formation. *J. Biol. Chem.*, 236, 1726-1734.
- Bergemann, K. and Nierhaus, K.H. (1983) Spontaneous, elongation factor G independent translocation of *Escherichia coli* ribosomes. *J. Biol. Chem.*, 258, 15105-15113.
- Beyer, D., Skripkin, E., Wadzack, J. and Nierhaus, K.H. (1994) How the ribosome moves along the mRNA during protein synthesis. *J. Biol. Chem.*, 269, 30713-30717.
- Blaha, G., Burkhardt, N. and Nierhaus, K.H. (2002) Formation of 70S ribosomes: Large activation energy is required for the adaptation of exclusively the small ribosomal subunit. *Biophys. Chem.*, 96, 153-161.
- Blaha, G. and Nierhaus, K.H. (2001) Features and functions of the ribosomal E site. *Cold Spring Harbor Symposia on Quantitative Biology*, 65, 135-145.
- Blaha, G., Stelzl, U., Spahn, C.M.T., Agrawal, R.K., Frank, J. and Nierhaus, K.H. (2000) Preparation of functional ribosomal complexes and the effect of buffer conditions on tRNA positions observed by cryoelectron microscopy. *Methods Enzymol.*, 317, 292-309.
- Blumberg, B.M., Nakamoto, T. and Kezdy, F.J. (1979) Kinetics of Initiation of Bacterial Protein Synthesis. *PNAS USA*, 68, 3122-3126.
- Boni, I.V., Isaeva, D.M., Musychenko, M.L. and Tzareva, N.V. (1991) Ribosome messenger recognition: mRNA target sites for ribosomal protein S1. *Nucleic Acids Research*, 19, 155-162.
- Brown, C.M., Stockwell, P.A., Trotman, C.N.A. and Tate, W.P. (1990) The Signal for the Termination of Protein-Synthesis in Prokaryotes. *Nucleic Acids Research*, 18, 2079-2086.
- Brown, C.M. and Tate, W.P. (1994) Direct recognition of mRNA stop signals by *Escherichia coli* polypeptide chain release factor two. *J Biol Chem*, 269, 33164-33170.
- Burkhardt, N., Jünemann, R., Spahn, C.M.T. and Nierhaus, K.H. (1998) Ribosomal tRNA Binding Sites: Three-Sites Models of Translation. *Crit. Rev. Biochem. Mol. Biol.*, 33, 95-149.
- Carter, A.P., Clemons, W.M., Jr., Brodersen, D.E., Morgan-Warren, R.J., Hartsch, T., Wimberly, B.T. and Ramakrishnan, V. (2001) Crystal structure of an initiation

- factor bound to the 30S ribosomal subunit. *Science*, 291, 498-501.
- Caskey, C.T., Forrester, W.C., Tate, W. and Ward, C.D. (1984) Cloning of the *Escherichia coli* release factor 2 gene. *J Bacteriol*, 158, 365-8.
- Chaconas, G. and Sande, J.H.v.d. (1980) 5' <sup>32</sup>P labelling of RNA and DNA restriction fragments. *Methods Enzymol.*, 65, 75-88.
- Cobianchi, F. and Wilson, S. (1987) Enzymes for modifying and labeling DNA and RNA. *Meth. Enzymol*, 152, 94-110.
- Connell, S. and Nierhaus, K. (2000) Translational Termination yet at ist End. *CHEMBIOCHEM*, 1, 250-253.
- Craigie, W.J. and Caskey, T. (1986) Expression of peptide chain release factor 2 requires a high efficiency frameshift. *Nature*, 322, 273-275.
- Craigie, W.J., Cook, R.G., Tate, W.P. and Caskey, C.T. (1985) Bacterial peptide chain release factors: conserved primary structure and possible frameshift regulation of release factor 2. *Proc. Natl. Acad. Sci. USA*, 82, 3616-3620.
- Curran, J.F. (1993) Analysis of Effects of Transfer RNA - Message Stability on Frameshift Frequency at the *Escherichia-Coli* RF2 Programmed Frameshift Site. *Nucleic Acids Res*, 21, 1837-1843.
- Curran, J.F. and Yarus, M. (1988) Use of tRNA Suppressors to Probe Regulation of *Escherichia coli* Release Factor 2. *J. Mol. Biol.*, 203, 75-83.
- Dabrowski, M., Spahn, C.M.T. and Nierhaus, K.H. (1995) Interaction of tRNAs with the ribosome at the A and P sites. *EMBO J.*, 14, 4872-4882.
- Dabrowski, M., Spahn, C.M.T., Schäfer, M.A., Patzke, S. and Nierhaus, K.H. (1998) Contact patterns of tRNAs do not change during ribosomal translocation. *J. Biol. Chem.*, 273, 32793-32800.
- Dahlquist, K.D. and Puglisi, J.D. (2000) Interaction of translation initiation factor IF1 with the *E. coli* ribosomal A site. *J Mol Biol*, 299, 1-15.
- Dallas, A. and Noller, H.F. (2001) Interaction of translation initiation factor 3 with the 30S ribosomal subunit. *Mol. Cell.*, 8, 855-864.
- de Smit, M.H. and van Duin, J. (1990) Secondary structure of the ribosome binding site determines translational efficiency: A quantitative analysis. *Proc. Natl. Acad. Sci. USA*, 87, 7668-7672.
- Dincbas-Renqvist, V., Engstrom, A., Mora, L., Heurgue-Hamard, V., Buckingham, R. and Ehrenberg, M. (2000) A post-translational modification in the GGQ motif of RF2 from *Escherichia coli* stimulates termination of translation. *EMBO J*, 19,

6900-7.

- Donly, B.C., Edgar, C.D., Adamski, F.M. and Tate, W.P. (1990) Frameshift autoregulation in the gene for *Escherichia coli* release factor-2 - Partly functional mutants result in frameshift enhancement. *Nucl. Acids Res.*, 18.
- Dube, P., Wieske, M., Stark, H., Schatz, M., Stahl, J., Zemlin, F., Lutsch, G. and van Heel, M. (1998) The 80S rat liver ribosome at 25 Å resolution by electron cryomicroscopy and angular reconstitution. *Structure*, 6, 389-99.
- Durnoff, J.S. and Maitra, U. (1971) Isolation and properties of proteins factors involved in polypeptide chain initiation in *Escherichia coli*. *Meth. Enzymol.*, 20, 248-261.
- Farabaugh, P. and Björk, G. (1999) How translational accuracy influences reading frame maintenance. *EMBO J*, 18, 1427-1434.
- Freistroffer, D.V., Pavlov, M.Y., MacDougall, J., Buckingham, R.H. and Ehrenberg, M. (1997) Release factor RF3 in *E. coli* accelerates the dissociation of release factors RF1 and RF2 from the ribosome in a GTP-dependent manner. *EMBO J*, 16, 4126-4133.
- Frolova, L., Tsivkovskii, R., Sivolobova, G., Oparina, N., Serpinski, O., Blinov, V., Tatkov, S. and Kisselev, L. (1999) Mutations in the highly conserved GGQ motif of class 1 polypeptide release factors abolish the ability of human eRF1 to trigger peptidyl-tRNA hydrolysis. *RNA*, 5, 1014-1020.
- Ganoza, M.C., Cunningham, C. and Green, R.M. (1985) Isolation and point action of a factor from *Escherichia coli* required to reconstruct translation. *Proc. Natl. Acad. Sci. USA*, 82, 1648-1652.
- Gavrilova, L.P., Kostyashkina, O.E., Koteliansky, V.E., Rutkevitch, N.M. and Spirin, A.S. (1976) Factor-free (non-enzymic and factor-dependent) systems of translation of polyU by *E. coli* ribosomes. *J. Mol. Biol.*, 101, 537-552.
- Geigenmüller, U. and Nierhaus, K.H. (1990) Significance of the third tRNA binding site, the E Site, on *E. coli* ribosomes for the accuracy of translation : an occupied E site prevents the binding of non-cognate aminoacyl-transfer RNA to the A site. *EMBO J.*, 9, 4527-4533.
- Gillam, I., Milward, S., Blew, D., von Tigerstrom, M., Wimmer, E. and Tener, G.M. (1967) The separation of soluble ribonucleic acids on benzoylated diethylaminoethylcellulose. *Biochemistry*, 6, 3043-3056.
- Gnirke, A., Geigenmüller, U., Rheinberger, H.-J. and Nierhaus, K.H. (1989) The

- allosteric three-site model for the ribosomal elongation cycle. *J. Biol. Chem.*, 264, 7291-7301.
- Gnirke, A. and Nierhaus, K.H. (1986) tRNA binding sites on the subunits of *Escherichia coli* ribosomes. *J. Biol. Chem.*, 261, 14506-14514.
- Gnirke, A. and Nierhaus, K.H. (1989) Large-scale synthesis of the mRNA analogue C<sub>17</sub>AUGA<sub>4</sub>C<sub>17</sub>. *Biochem. Int.*, 18, 551-559.
- Goringer, H.U., Hijazi, K.A., Murgola, E.J. and Dahlberg, A.E. (1991) Mutations in 16S rRNA That Affect UGA (Stop Codon)-Directed Translation Termination. *Proc Natl Acad Sci USA*, 88, 6603-6607.
- Grajevskaja, R.A., Ivanov, Y.V. and Saminsky, E.S. (1982) 70S ribosomes of *Escherichia coli* have an additional site for deacylated tRNA. *Eur. J. Biochem.*, 128, 47-52.
- Grill, S., Lodei, P., Gualerzi, C.O. and Bläsi, U. (2000) Selective stimulation of translation of leaderless mRNA by initiation factor 2: evolutionary implications for translation. *EMBO J*, 19, 4101-4110.
- Gualerzi, C.O. and Pon, C.L. (1990) Initiation of Messenger-RNA Translation in Prokaryotes. *Biochemistry*, 29, 5881-5889.
- Haenni, A. and Chapeville, F. (1966) The behaviour of acetylphenylalanyl soluble ribonucleic acid in polyphenylalanine synthesis. *Biochim. Biophys. Acta*, 114, 135-148.
- Hansen, J.L., Schmeing, T.M., Moore, P.B. and Steitz, T.A. (2002) Structural insights into peptide bond formation. *Proc. Natl. Acad. Sci. USA*, 99, 11670-11675.
- Hapke, B. and Noll, H. (1976) Structural dynamics of bacterial ribosomes: IV. Classification of ribosomes by subunit interaction. *J. Mol. Biol.*, 105, 97-109.
- Hartwick, R.A., Assenza, S.P. and Brown, P.R. (1979) Identification and quantitation of nucleotides, bases and other UV-absorbing compounds in serum, using reversed-phase High-Performance Liquid Chromatography. *J. Chromatogr.*, 186, 647-658.
- Hentzen, D., Mandel, P. and Garel, J.P. (1972) Relation between aminoacyl tRNA stability and the fixed amino acid. *Biochim. Biophys. Acta*, 281, 228-232.
- Hirashima, A. and Kaji, A. (1970) Factor dependent breakdown of polysomes. *Biochem Biophys Res Com*, 41 (4), 877-883.
- Hirashima, A. and Kaji, A. (1972) Purification and properties of ribosome-releasing factor. *Biochemistry*, 11, 4037-4044.

- Hirokawa, G., Kiel, M.C., Muto, A., Selmer, M., Raj, V.S., Liljas, A., Igarashi, K., Kaji, H. and Kaji, A. (2002) Post-termination complex disassembly by ribosome recycling factor, a functional tRNA mimic. *Embo J*, 21, 2272-81.
- Ito, K., Ebihara, K. and Nakamura, Y. (1998a) The stretch of C-terminal acidic amino acids of translational release factor eRF1 is a primary binding site for eRF3 of fission yeast. *RNA*, 4, 958-972.
- Ito, K., Uno, M. and Nakamura, Y. (1998b) Single amino acid substitution in prokaryote polypeptide release factor 2 permits it to terminate translation at all three stop codons. *Proc Natl Acad Sci USA*, 95, 8165-9.
- Ito, K., Uno, M. and Nakamura, Y. (2000) A tripeptide 'anticodon' deciphers stop codons in messenger RNA. *Nature*, 403, 680-4.
- Ivanov V, Beniaminov A , Mikheyev A and E, M. (2001) Hypothesis A mechanism for stop codon recognition by the ribosome: A bioinformatic approach. *RNA*, 7, 1683-1692.
- Janosi, L., Ricker, R. and Kaji, A. (1996) Dual functions of ribosome recycling factor in protein biosynthesis: Disassembling the termination complex and preventing translational errors. *Biochimie*, 78, 959-969.
- Janosi, L., Shimizu, I. and Kaji, A. (1994) Ribosome recycling factor (ribosome releasing factor) is essential for bacterial growth. *Proc Natl Acad Sci USA*, 91, 4249-4253.
- Jermutus, L., Ryabova, L.A. and Plückthun, A. (1998) Recent advances in producing and selecting functional proteins by using cell free translation. *Current Opinion in Biotechnology*, 9, 534-548.
- Jinks, R.S., Baughman, G. and Nomura, M. (1984) Regulation of ribosome biosynthesis in *E. coli*. *Alfred Benzon Symp.*
- Jinks, R.S. and Nomura, M. (1987) Ribosomes and tRNA. *Escherichia coli and Salmonella typhimurium*, Vol. 2, pp. 1358-1381.
- Jorgensen, F. and Kurland, C.G. (1990) Processivity errors of gene expression in *Escherichia coli*. *J. Mol. Biol.*, 215, 511-521.
- Karimi, R., Pavlov, M., Buckingham, R. and Ehrenberg, M. (1999) Novel roles for classical factors at the interface between translation termination and initiation. *Mol. Cell*, 3, 601-609.
- Kelmers, A.D., Weeren, H.O., Weiss, J.F., Pearson, R.L., Stulberg, M.P. and Novelli, D. (1971) Reversed-phase chromatography system for transfer ribonucleic

- acids-preparatory-scale methods. *Meth. Enzymol.*, 20, 9-34.
- Klenow, H. and Henningsen, I. (1970) Selective elimination of the exonuclease activity of the deoxyribonucleic acid polymerase from *Escherichia coli* B by limited proteolysis. *Proc. Natl. Acad. Sci. USA*, 65, 168-175.
- Kung, H.F., Redfield, B., Treadwell, B.V., Eskin, B., Spears, C. and Weissbach, H. (1977) DNA-directed in vitro synthesis of  $\beta$ -galactosidase. *Journal of Biological Chemistry*, 252, 6889-6894.
- La Teana, A., Pon, C.L. and Gualerzi, C.O. (1996) Late events in translation initiation. Adjustment of fMet-tRNA in the ribosomal P-site. *J. Mol. Biol.*, 256, 667-675.
- Lamla, T. and Erdmann, V.A. (2001) In vitro selection of other proteins than antibodies by means of ribosome display. *FEBS Letters*, 502, 35-40.
- Lancaster, L., Kiel, M.C., Kaji, A. and Noller, H.F. (2002) Orientation of ribosome recycling factor from directed hydroxyl radical probing. *Cell*, 111, 129-140.
- Lill, R., Robertson, J.M. and Wintermeyer, W. (1984) tRNA binding sites of ribosomes from *Escherichia coli*. *Biochemistry*, 23, 6710-6717.
- Lim, V.I. and Curran, J.F. (2001) Analysis of codon:anticodon interactions within the ribosome provides new insights into codon reading and the genetic code structure. *RNA*, 7, 942-957.
- Lindsley, D. and Gallant, J. (1993) On the directional specificity of ribosome frameshifting at a "hungry" codon. *Proc Natl Acad Sci U S A*, 90, 5469-73.
- Lipmann, F. (1963) Messenger ribonucleic acid. *Prog. Natl. Acad. Res.*, 1, 135-161.
- Lockwood, A.H., Chakraborty, P.R. and Maitra, U. (1971) A complex between initiation factor IF2, guanosine triphosphate, and fMet-tRNA: an intermediate in initiation complex formation. *PNAS USA*, 68, 3122-3126.
- Luchin, S., Putzer, H., Hershey, J.W.B., Cenatiempo, Y., Grunberg-Manago, M. and Laalami, S. (1999) In vitro study of two dominant inhibitory GTPase mutants of *Escherichia coli* translation initiation factor IF2 - Direct evidence that GTP hydrolysis is necessary for factor recycling. *Journal of Biological Chemistry.*, 274, 6074-6079.
- Márquez, V., Wilson, D.N. and Nierhaus, K.N. (2002) Functions and interplay of the tRNA-binding sites of the ribosome. *Biochemical Society Transactions*, 30, 133-140.
- Maxam, A.M. and Gilbert, W. (1977) A new method for sequencing DNA. *Proc. Natl.*

- Acad. Sci. U.S.A.*, 74, 560-564.
- Meinzel, T., Sacerdot, C., Graffe, M., Blanquet, S. and Springer, M. (1999) Discrimination by *Escherichia coli* initiation factor IF3 against initiation on non-canonical codons relies on complementarity rules. *J Mol Biol*, 290, 825-837.
- Mignone, F., Gissi, C., Liuni, S. and Pesole, G. (2002) Untranslated regions of mRNAs. *Genome Biology*, 3, 4.1-4.10.
- Milligan, F. and Uhlenbeck, O.C. (1989) Synthesis of small RNAs using T7 RNA polymerase. *Meth. Enzymol.*, 180, 51-62.
- Moazed, D. and Noller, H.F. (1989) Intermediate states in the movement of transfer RNA in the ribosome. *Nature*, 342, 142-148.
- Mohr, D., Wintermeyer, W. and Rodnina, M.V. (2002) GTPase activation of elongation factors Tu and G on the ribosome. *Biochemistry*, 41, 12520-12528.
- Moll, I. and Bläsi, U. (2002) Differential inhibition of 30S and 70S translation initiation complexes on leaderless mRNA by kasugamycin. *Biochemical and Biophysical Research Communications*, 297, 1021-1026.
- Moll, I., Grill, S., Gualerzi, C.O. and Bläsi, U. (2002) Leaderless mRNAs in bacteria surprises in ribosomal recruitment and translational control. *Molecular Microbiology*, 43, 239-246.
- Moore P., B., and Steitz T. A. (2002) The involvement of RNA in ribosome function. *Nature*, 418, 229-235.
- Mottagui, S.T. (1998) Quantitative analysis of in vivo ribosomal events at UGA and UAG stop codons. *Nucleic Acid Research*, 26, 2789-2796.
- Murgola, E.J., Goring, H.U., Dahlberg, A.E. and Hijazi, K.A. (1989) Ribosomal RNA and UGA-dependent peptide chain termination. *Molecular Biology of RNA*, 221-229.
- Murgola, E.J., Hijazi, K.A., Goring, H.U. and Dahlberg, A.E. (1988) Mutant 16S ribosomal RNA: a codon specific translational suppressor. *Proc. Natl. Acad. Sci. USA*, 85, 4162-4165.
- Nierhaus, K.H. (1990) The allosteric three-site model for the ribosomal elongation cycle: features and future. *Biochemistry*, 29, 4997-5008.
- Nierhaus, K.H., Wadzack, J., Burkhardt, N., Jünemann, R., Meerwinck, W., Willumeit, R. and Stuhmann, H.B. (1998) Structure of the elongating ribosome: Arrangement of the two tRNAs before and after translocation. *Proc. Natl. Acad. Sci. USA*, 95, 945-950.



- Nirenberg, M. and Leder, P. (1964) RNA codewords and protein synthesis. The effect of trinucleotides upon the binding of sRNA to ribosomes. *Science*, 145, 1399-1407.
- Noller, H.F., Yusupov, M.M., Yusupova, G.Z., Baucom, A. and Cate, J.H.D. (2002) Translocation of tRNA during protein synthesis. *FEBS Letter*, 514, 11-16.
- Odom, O.W., Deng, H.Y. and Hardesty, B. (1988) Fluorescence labeling and isolation of labeled RNA and ribosomal proteins. *Methods Enzymol*, 164, 174-87.
- Pavlov, M., Freistroffer, D., Dincbas, V., MacDougall, J., Buckingham, R. and Ehrenberg, M. (1998) A direct estimation of the context effect on the efficiency of termination. *J. Mol. Biol*, 284, 579-590.
- Pavlov, M.Y. and Ehrenberg, M. (1996) Rate of translation of natural mRNAs in an optimized in vitro system. *Arch Biochem Biophys*, 328, 9-16.
- Pavlov, M.Y., Freistroffer, D.V., Heurgue-Hamard, V., Buckingham, R.H. and Ehrenberg, M. (1997) Release factor RF3 abolishes competition between release factor RF1 and ribosome recycling factor (RRF) for a ribosome binding site. *J Mol Biol*, 273, 389-401.
- Poole, E.S., Brown, C.M. and Tate, W.P. (1995) The identity of the base following the stop codon determines the efficiency of in vivo translational termination in *Escherichia coli*. *EMBO J*, 14, 151-158.
- Qian, Q., Li, J., Zhao, H., Hagervall, T., Farabaugh, P. and Björk, G. (1998) A new model for phenotypic suppression of frameshift mutations by mutant tRNAs. *Mol Cell*, 1, 471-482.
- Ramakrishnan, V. and Moore, P.B. (2001) Atomic structures at last: the ribosome in 2000. *Curr. Opin. Struct. Biol.*, 11, 144-154.
- Rappoport, S. and Lapidot, Y. (1974) The chemical preparation of acetoaminoacyl-tRNA. *Meth. Enzymol.*, 29, 685-688.
- Remme, J., Margus, T., VILLEMS, R. and Nierhaus, K.H. (1989) The third ribosomal tRNA-binding site, the E site, is occupied in native polysomes. *Eur. J. Biochem.*, 183, 281-284.
- Rheinberger, H.J. and Nierhaus, K.H. (1990) Partial Release of AcPhe-Phe-Transfer RNA from Ribosomes During Poly(U)-Dependent Poly(Phe) Synthesis and the Effects of Chloramphenicol. *Eur. J. Biochem.*, 193, 643-650.
- Rheinberger, H.-J., Geigenmüller, U., Wedde, M. and Nierhaus, K.H. (1988) Parameters for the preparation of *Escherichia coli* ribosomes and ribosomal

- subunits active in tRNA binding. *Methods Enzymol.*, 164, 658-670.
- Rheinberger, H.-J. and Nierhaus, K.H. (1980) Simultaneous binding of the 3 tRNA molecules by the ribosome of E coli. *Biochem. Internatl.*, 1, 297-303.
- Rheinberger, H.-J. and Nierhaus, K.H. (1983) Testing an alternative model for the ribosomal peptide elongation cycle. *Proc. Natl. Acad. Sci. USA*, 80, 4213-4217.
- Rheinberger, H.-J. and Nierhaus, K.H. (1986a) Adjacent codon-anticodon interactions of both tRNAs present at the ribosomal A and P or P and E sites. *FEBS Lett.*, 204, 97-99.
- Rheinberger, H.-J. and Nierhaus, K.H. (1986b) Allosteric interactions between the ribosomal transfer RNA-binding sites A and E. *J. Biol. Chem.*, 261, 9133-9139.
- Rheinberger, H.-J., Sternbach, H. and Nierhaus, K.H. (1981) Three tRNA binding sites on *Escherichia coli* ribosomes. *Proc. Natl. Acad. Sci. USA*, 78, 5310-5314.
- Rheinberger, H.-J., Sternbach, H. and Nierhaus, K.H. (1986) Codon-anticodon interaction at the ribosomal E site. *J. Biol. Chem.*, 261, 9140-9143.
- Richardson, C.C. (1981) Bacteriophage T4 polynucleotide kinase. In ed., P.D.B. (ed.) *The Enzymes*. Acad. Press., New York, Vol. 14A, pp. 299-314.
- Ryabova, L.A., Vinokurov, L.M., Shekhovtsova, E.A., Alakhov, Y.B. and Spirin, A.S. (1995) Acetyl phosphate as an energy source for bacterial cell-free translation systems. *Anal Biochem*, 226, 184-186.
- Sambrook, J., Fritsch, E.F. and Maniatis, T. (1989) *Molecular Cloning, a laboratory manual: 2nd edition*. Cold Spring Harbour Laboratory Press, Cold Spring Harbour, NY.
- Schilling-Bartetzko, S., Bartetzko, A. and Nierhaus, K.H. (1992a) Kinetic and thermodynamic parameters for transfer RNA binding to the ribosome and for the translocation reaction. *J. Biol. Chem.*, 267, 4703-4712.
- Schilling-Bartetzko, S., Franceschi, F., Sternbach, H. and Nierhaus, K.H. (1992b) Apparent Association Constants of Transfer RNAs for the Ribosomal A-Site, P-Site, and E-Site. *J. Biol. Chem.*, 267, 4693-4702.
- Selmer, M., Al-Karadaghi, S., Hirakawa, G., Kaji, A. and Liljas, A. (1999) Crystal structure of *Thermotoga maritima* ribosome recycling factor: A tRNA mimic. *Science*, 286, 2349-2352.
- Shimizu, Y., Inone, A., Tomari, Y., Suzuki, T., Yokogawa, T., Nishikawa, K. and Ueda, T. (2001) Cell-free translation reconstituted with purified components. *Nature Biotechnology*, 19, 751-755.

- Song, H., Mugnier, P., Das, A., Webb, H., Evans, D., Tuite, M., Hemmings, B. and Barford, D. (2000) The crystal structure of human eukaryotic release factor eRF1 - Mechanism of stop codon recognition and peptidyl-tRNA hydrolysis. *Cell*, 100, 311-321.
- Stryer, L. (1999) Metabolism: Basic concepts and Design. In University, S. (ed.) *Biochemistry*. W. H. Freeman and Company, New York, pp. 443-462.
- Subramanian, A.R. (1983) Structure and functions of ribosomal protein S1. *Prog. Nucleic Acids Res. Mol. Biol.*, 28, 101-142.
- Subramanian, A.R. (1984) Structure and functions of the largest Escherichia coli ribosomal protein. *Trends Biochem. Sci. (Pers. Ed.)*, 9, 491-4.
- Tate, W.P. and Caskey, C.T. (1990) Termination of protein synthesis. In Spedding, G. (ed.) *Ribosomes and Protein Synthesis: a practical approach*. Oxford University Press, Oxford, pp. 81-100.
- Traub, P. and Nomura, M. (1969) Structure and function of the Escherichia coli ribosome. Mechanism of assembly of 30S ribosomes studied in vitro. *J. Mol. Biol.*, 40, 391-413.
- Traut, R.R. and Monro, R.E. (1964) The puromycin reaction and its relation to protein synthesis. *J. Mol. Biol.*, 10, 63-72.
- Triana-Alonso, F., Spahn, C., Burkhardt, N., Röhrdanz, B. and Nierhaus, K. (2000) Experimental prerequisites for determination of tRNA binding to ribosomes from *Escherichia coli*. *Meth. Enzymol.*, 317, 261-276.
- Triana-Alonso, F.J., Chakraborty, K. and Nierhaus, K.H. (1995a) The elongation factor 3 unique in higher fungi and essential for protein biosynthesis is an E site factor. *J. Biol. Chem.*, 270, 20473-20478.
- Triana-Alonso, F.J., Dabrowski, M., Wadzack, J. and Nierhaus, K.H. (1995b) Self-coded 3'-extension of run-off transcripts produces aberrant products during *in vitro* transcription with T7 RNA polymerase. *J. Biol. Chem.*, 270, 6298-6307.
- Uno, M., Ito, K. and Nakamura, Y. (1996) Functional specificity of amino acid at position 246 in the tRNA mimicry domain of bacterial release factor 2. *Biochimie*, 78, 935-943.
- Valle, M., Sengupta, J., Swami, N.K., Grassucci, R.A., Burkhardt, N., Nierhaus, K.H., Agrawal, R.K. and Frank, J. (2002) Cryo-EM reveals an active role for aminoacyl-tRNA in the accommodation process. *EMBO J.*, 21, 3557-3567.
- Vestergaard, B., Van, L., Andersen, G., Nyborg, J., Buckingham, R. and Kjeldgaard,

- M. (2001) Bacterial polypeptide release factor RF2 is structurally distinct from eukaryotic eRF1. *Mol. Cell.*, 8, 1375-1382.
- Wadzack, J., Burkhardt, N., Jünemann, R., Diedrich, G., Nierhaus, K.H., Frank, J., Penczek, P., Meerwinck, W., Schmitt, M., Willumeit, R. and Stuhmann, H.B. (1997) Direct localization of the tRNAs within the elongating ribosome by means of neutron scattering (Proton-spin contrast-variation). *J. Mol. Biol.*, 266, 343-356.
- Wallace, R.B. and Miyada, C.G. (1987) Oligonucleotide probes for the screening of recombinant DNA libraries. *Meth. Enzymol.*, 152, 432-442.
- Walters, L.C. and Novelli, G.D. (1971) Analytical reversed-phase chromatography of *Escherichia coli* aminoacyl-tRNAs. *Meth. Enzymol.*, 20, 39-44.
- Watanabe, S. (1972) Interaction of siomycin with the acceptor site of *Escherichia coli* ribosomes. *J. Mol. Biol.*, 67, 443-457.
- Watson, J.D. (1963) Involvement of tRNA in the synthesis of proteins. *Science*, 140, 17-26.
- Watson, J.D. (1964) *Bull. Soc. Chim. Biol.*, 46, 1399-1425.
- Weiss, R.B., Dunn, D.M., Dalhberg, A.E., Atkins, J.F. and Gesteland, R.F. (1988) Reading frame switch caused by base-pair formation between the 3' end of 16S rRNA and the mRNA during elongation of protein synthesis in *Escherichia coli*. *EMBO J*, 7, 1503-1507.
- Weiss, R.B., Murphy, J.P. and Gallant, J.A. (1984) Genetic screen for cloned release factor genes. *J Bacteriol*, 158, 362-364.
- Wilson, D.N., Blaha, G., Connell, S.R., Ivanov, P.V., Jenke, H., Stelzl, U., Teraoka, Y. and Nierhaus, K.H. (2002) Protein synthesis at atomic resolution: Mechanistics of translation in the light of highly resolved structures for the ribosome. *Curr. Prot. Pept. Sci.*, in press.
- Wilson, D.N., Guevremont, D. and Tate, W.P. (2000) The ribosomal binding and peptidyl-tRNA hydrolysis functions of *Escherichia coli* release factor 2 are linked through residue 246. *RNA*, 6, 1704-1713.
- Wilson, K.S. and Noller, H.F. (1998) Molecular movement inside the translational engine. *Cell*, 92, 337-349.
- Wimmer, E., Maxwell, J.H. and Tener, G.M. (1968) A simple method for isolating highly purified yeast phenylalanine transfer ribonucleic acid. *Biochemistry*, 7, 2623-2628.

- Woodwar, W.R., Wilairat, P. and Herbert, E. (1974) Preparation of reticulocyte aminoacyl-tRNA and the assay of codon recognition properties of isoacceptor tRNA's in a reticulocyte cell-free system. *Meth. Enzymol.*, 30, 740-746.
- Yang, W.K. and Novelli, G.D. (1971) Analysis of isoaccepting tRNA's in mammalian tissues and cells. *Meth. Enzymol.*, 20, 44-55.
- Yusupov, M.M., Yusupova, G.Z., Baucom, A., Lieberman, K., Earnest, T.N., Cate, J.H. and Noller, H.F. (2001) Crystal structure of the ribosome at 5.5 Å resolution. *Science*, 292, 883-896.
- Zaniewski, R., Petkaites, E. and Deutscher, M.P. (1984) A multiple mutant of *Escherichia coli* lacking the exoribonucleases RNase II, RNase D, and RNase BN. *J. Biol. Chem.*, 259, 11651-3.
- Zavialov, A.V., Buckingham, R.H. and Ehrenberg, M. (2001) A Posttermination Ribosomal Complex Is the Guanine Nucleotide Exchange Factor for Peptide Release Factor RF3. *Cell*, 107, 115-124.
- Zhang, J. and Deutscher, M.P. (1989) Analysis of the upstream region of the *Escherichia coli* rnd gene encoding RNase D. Evidence for translational regulation of a putative tRNA processing enzyme. *Journal of Biological Chemistry*, 264, 18228-18233.
- Zhang, J. and Deutscher, M.P. (1992) An uridine rich sequence required for translation of prokaryotic mRNA. *Proc. Natl. Acad. Sci. USA*, 89, 2605-2609.