

## 6. Literaturverzeichnis:

1. Alaranta H, Hurri H, Heliovaara M, Soukka A, Harju R: Flexibility of the spine: normative values of goniometric and tape measurements. *Scand J Rehab Med* 26 (1994) 147-154
2. Alund M, Larsson SE: Three-Dimensional Analysis of Neck Motion - A clinical method. *Spine* 15 (1990) 87-91
3. Amevo B, Aprill C, Bogduk N: Abnormal instantaneous axes of rotation in patients with neck pain. *Spine* 17 (1992) 748 - 756
4. Bennett J, Bergmanis LE, Carpenter JK, Skowlund HV: Range of motion of the neck. *J Am Phys Ther Assoc, New York* 43 (1963) 45-47
5. Bourdillon JF, Day EA, Bookhout MR: *Spinal manipulation*. Butterworth Heinemann 5<sup>th</sup> Edition Oxford 1994
6. Brodin H: Cervical pain and mobilization. *Manual Med* 2 (1985) 18-22
7. Buck CA, Dameron FB, Dow MJ, Skowlund HV: Study of normal range of motion in the neck utilizing a bubble goniometer. *Arch Phys Med Rehabil* 40 (1959) 390-392
8. Capuano-Pucci D, Rheault W, Aukai J, Bracke M, Day R, Pastrick M: Intratester and Intertester Reliability of the Cervical Range of Motion Device. *Arch Phys Med Rehabil* 72 (1991) 338-340
9. Cassidy JD, Lopes AA, Yong-Hing K: The immediate effect of manipulation versus mobilization on pain and range of motion in the cervical spine: A randomized controlled trial. *J Manipulative Physiol Ther* 15 (1992) 570-575
10. Cassidy JD, Quon JA, Lafrance LJ, Yong-Hing K: The effect of manipulation on pain and range of motion in the cervical spine: A pilot study. *J Manipulative Physiol Ther* 15 (1992) 495-500

11. Castro WHM, Sautmann A, Schilgen M, Sautmann M: Noninvasive three-dimensional analysis of cervical spine motion in normal subjects in relation to age and sex. An experimental examination. *Spine* 25 (2000) 443-449
12. Chen J; Solinger AB, Poncet JF, Lantz CA: Meta-Analysis of Normative Cervical Motion. *Spine* 24 (1999) 1571-1578
13. Clark CR, Goel VK, Galles K, Liu YK: Kinematics of the occipito-atlanto-axial complex. *Trans. Cervical Spine Res. Soc.* (1986)
14. Depreaux R., Mestdagh H: Anatomie Fonctionnelle d'Articulation sous occipitale. *Lille Med.*, 19 (1974) 122
15. Deyo RA: Practice variations, treatment fads, rising disability: Do we need a new clinical research paradigm? *Spine* 18 (1993) 2153-2162
16. Dvorak J, Antinnes JA, Panjabi M, Loustalot D, Bonomo M: Age and Gender Related Normal Motion of the Cervical spine. *Spine* 17 (1992) 393-396
17. Dvorak J, Dvorak V: Systematik der funktionellen Untersuchung der Halswirbelsäule in Dvorak J, Grob D (Hrsg): *Halswirbelsäule*, Thieme New York 1998
18. Dvorak J, Hayek J, Zehnder R: CT – functional diagnostics of the rotatory instability of the upper cervical spine. Part 2. An evaluation on healthy adults and patients with suspected instability. *Spine* 12 (1987) 726
19. Dvorak J, Panjabi MM, Gerber M: CT – functional diagnostics of the rotatory instability of the upper cervical spine; an experimental study in cadavers. *Spine*, 12 (1987) 197
20. Dvorak J, Panjabi MM, Gerber M, Wichmann W: CT – Functional diagnostics of the Rotatory instability of the upper cervical spine [abstr]. *Trans. Cervical Spine Res. Soc.*, (1986)

21. Fuhr AW, Winters J, Osterbauer PJ: Non-invasive method for determining kinematic movement of the cervical spine. United States Patent (1993) No 5 203 346
22. Feipel V, Rondelet B, Le Pallec JP, Rooze M: Normal global motion of the cervical spine: an electrogoniometric study. Clin Biomech 14 (1999) 462 – 470
23. Feipel V, Rondelet B, LePallee JP, DeWitte O, Rooze M: The use of disharmonic motion curves in problems of the cervical spine. Int Orthop 23 (1999) 205-209
24. Fick, R.: Handbuch der Anatomie und Mechanik der Gelenke. Jena 1911
25. Gaus W, Hingst V, Mattern R, Reinhardt G, Seidel HJ, Sonntag HG: Ökologisches Stoffgebiet: Teil B Arbeitsmedizin, Hippokrates Stuttgart 1999
26. Glanville AD, Kreezer G: The maximum amplitude and velocity of joint movements in normal male human adults. Hum Biol Detroit, Michigan 9 (1937) 197 – 211
27. Gore DR, Sepic SB, Gardner GM: Roentgenographic findings of the cervical spine in asymptomatic people. Spine 11 (1986) 521-524
28. Gore DR, Sepic SB, Gardner GM, Murray MP: Neck pain: a long term follow-up of 205 patients. Spine 12 (1987) 1-5
29. Haaker R, Schopphoff E, Kielich T: Untersuchungen zur HWS-Beweglichkeit mit dem Zebris-Bewegungsanalysesystem. Orthopädische Praxis 10 (1990) 653-660
30. Hagen KB, Harms-Ringdahl K, Engert NO, Hedenstad R, Morten H: Relationship between subjective neck disorders and cervical spine mobility and motion-related pain in male machine operators. Spine 22 (1999) 1501-1507
31. Hartmann, B: Prävention arbeitsbedingter Rücken- und Gelenkerkrankungen: Ergonomie und arbeitsmedizinische Praxis, Landsberg 2000

32. Highland TR, Dreisinger TE, Vie LL, Russel, GS: Changes in isometric strength and range of motion of the isolated cervical spine after eight weeks of clinical rehabilitation. *Spine* 17 Suppl. (1992) 77 - 82
33. Hurwitz EL, Aker PD, Adams AH, Meeker WC, Shekelle PG: Manipulation and mobilisation of the cervical spine. *Spine* 21 (1996) 1746-1759
34. Jirout J: Significance of the time factor in the dynamics of the cervical spine. *J Manual Med* 6 (1991) 59-61
35. Jordan A, Mehlsen J, Ostergaard K: A comparison of physical characteristics between patients seeking treatment for neck pain and age-matched healthy people. *J Manipulative Physiol Ther* 20 (1997) 468-475
36. Junghanns H: Die Wirbelsäule in der Arbeitsmedizin: Teil I Biomechanische und biochemische Probleme der Wirbelsäulenbelastung, Stuttgart 1979
37. Kaltenborn FM: Manual Therapy for the extremity joints, Oslo 1974
38. Kamwendo K, Linton SJ, Moritz U: Neck and shoulder disorders in medical secretaries. *Scand J Rehab Med* 23 (1991) 127-152
39. Kamwendo K, Linton SJ, Moritz U: Why are back schools not more effective? *Läkartidningen* 85 (1988) 4440-4442 (In schwedisch)
40. Keller HA: A clinical study of the mobility of the human spine, its extent and its clinical importance. *Arch. Surg* 8 (1924) 627
41. Kilbom A: Intervention programmes for work-related neck and upper limb disorders: strategies and evaluation. *Ergonomics* 31 (1988) 735-747

42. Koes BW, Assendelft WJJ, van der Heijden GJMG, Bouter LM, Knipschild PG: Spinal manipulation and mobilization for back and neck pain: a blinded review. *Br Med J* 303 (1991) 1298-1303
43. Koes BW, Bouter LM, van Mameren H, Essers AHM, Verstegen GMJR, Hofhuizen, DM, Houben JP, Knipschild PG: The effectiveness of manual therapy, physiotherapy, and treatment by the General Practitioner for nonspecific back and neck complaints: A randomized clinical trial. *Spine* 17 (1992) 28-35
44. Koes BW, Bouter LM, van Mameren H, Essers AHM, Verstegen GJMG, Hofhuizen DM, Houben JP, Knipschild PG: A blinded randomized clinical trial of manual therapy and physiotherapy for chronic back and neck complaints: physical outcome measures. *J Manipulative Physiol Ther* 15 (1992) 16-23
45. Koes BW, Bouter LM, van Mameren H, Essers AHM, Verstegen GJMG, Hofhuizen DM, Houben JP, Knipschild PG: A randomized clinical trial of manual therapy and physiotherapy for persistent back and neck complaints: subgroup analysis and relationship between outcome measures. *J Manipulative Physiol Ther* 16 (1993) 211-219
46. Koes BW, Bouter LM, van Mameren H, Essers AHM, Verstegen GJMG, Hofhuizen DM, Houben JP, Knipschild PG: A randomized clinical trial of manual therapy and physiotherapy for persistent back and neck complaints: subgroup analysis and relationship between outcome measures. *J Manipulative Physiol Ther* 16 (1993) 211-219
47. Kuhlmann KA: Cervical range of motion in the elderly. *Arch Phys Med Rehabil* 74 (1993) 1071-1079
48. Lantz CA, Chen J, Buch D: Clinical validity and stability of active and passive cervical range of motion with regard to total and unilateral uniplanar motion. *Spine* 24 (1999) 1082-1089
49. v. Lantz T, Wachsmuth W: *Praktische Anatomie II/ 7 Rücken*, Berlin/ Heidelberg 1982

50. Leggett SH, Graves JE, Pollock ML, Shank M, Carpenter DM, Holmes B, Fulton M: Quantitative assessment and training of isometric cervical extension strength. *Am J Sports Med* 19 (1991) 653-659
51. Lewit K: *Manuelle Medizin*, Leipzig, Heidelberg 1992
52. Lowery WD, Horn TJ, Boden SD, Wiesel SW: Impairment evaluation based on spinal range of motion in normal subjects. *J Spinal Disord* 5 (1992) 398-
53. Lucas DB, Bresler B: *Stability of the ligamentous spine*. Biomechanics Laboratory, Univ. Calif., San Francisco and Berkeley. Technical Report. Ser. 11 (1961)
54. Lysell, E: Motion in the cervical spine. *Acta Orthop. Scand.*, 123 [Suppl.] (1969)
55. Maigne R: *Douleurs d'origine vertebrale et traitements par manipulations*, Paris 1968
56. Mannion AF, Klein GN, Dvorak J, Lanz C: Range of global motion of the cervical spine: intraindividual reliability and the influence of measurement device. *Eur Spine J* 9 (2000) 379-385
57. Mayer T, Brady S, Bovasso E, Pope P, Gatchel RJ: Noninvasive measurement of cervical tri-planar motion in normal subjects. *Spine* 18 (1993) 2191 - 2195
58. Mayer TG, Kondraske G, Brady Beals S, Gatchel RJ: Spinal range of motion: Accuracy and sources of error with inclinometric measurement. *Spine* 22 (1997) 1976-1984
59. Mayer T, Gatchel RJ, Keeley J, Mayer H, Richling D: A male incumbent worker industrial database. *Spine* 19 (1994) 755 - 761
60. McClure P, Siegler S, Nobilini R: Three-Dimensional flexibility characteristics of the human cervical spine in vivo. *Spine* 23 (1998) 216 - 223

61. Mellin G, Kiiski R, Weekström A: Effects of subject position on measurements of flexion, extension, and lateral flexion of the spine. *Spine* 16 (1991) 1108-1110
62. Moroney SP, Schultz AB, Miller JAA, Andersson GBJ: Load-displacement properties of lower cervical spine motion segments. *J. Biomech.* 21 (1988) 769
63. Natalis M, König A: Nichtinvasive, akkurate und reliable Messung der Halswirbelsäulenbeweglichkeit mittels ultraschallgestützter 3D-Echtzeit-Bewegungsanalyse. *Ultraschall in Med* 20 (1999) 70-73
64. Natalis M, Loehr J: Die objektive Erfassung des cervikalen Bewegungsumfanges – eine nicht invasive Technik. (nicht veröffentlicht)
65. Nentwig CG, Krämer J, Ullrich CH: *Die Rückenschule*, Stuttgart 1997
66. Newell DJ, Nichols PJR: The accuracy of estimating neck movements. *Ann Phys Med* 8 (1965) 120-124
67. Nilsson N, Christensen HW, Hartvigsen J: Lasting changes in passive range of motion after spinal manipulation: A randomized, blind, controlled trial. *J Manipulative and Physiol Ther* 19 (1996) 165-168
68. Nitschcke JE, Nattrass CL, Disler PB, Chou MJ, Ooi KT: Reliability of the American Medical Association guides` model for measuring spinal range of motion. *Spine* 24 (1999) 262-268
69. Nordemar R, Thorner C: Treatment of acute cervical pain: A comparative group study. *Pain* 10 (1981) 93-101
70. Norlander S, Aste-Norlander U, Nordgren B, Sahlstedt B: Mobility in the cervico-thoracic motion segment: An indicative factor of musculo -skeletal neck-shoulder pain. *Scand J Rehab Med* 28 (1996) 183-192

71. Ordway NR, Seymour R, Donelson RG, Hojnowski L, Lee E, Edwards WT: Cervical Sagittal Range-of-Motion Analysis using three Methods. *Spine* 22 (1997) 762-764
72. Panjabi M, Dvorak J, Duranceau J, Yamamoto I, Gerber M, Rauschning W, Bueff HU: Three-dimensional movements of the upper cervical spine. *Spine* 13 (1988) 726
73. Panjabi MM, Summers DJ, Pelker RR, Videman T, Friedlaender GE, Southwick WO: Three-dimensional load displacement curves of the cervical spine. *J. Orthop. Res.* 4 (1986) 152
74. Panjabi M, Dvorak J, Duranceau J, Yamamoto I, Gerber M, Rauschning W, Bueff HU: Three-Dimensional Movements of the Upper Cervical Spine. *Spine* 13 (1988) 726-730
75. Panjabi MM, Oda T, Crisco JJ, Dvorak J, Grob D: Posture affects motion coupling patterns of the upper cervical spine. *J Orthop Res* 11 (1993) 525-536
76. Paris SV: Physical signs of instability. *Spine* 10 (1985) 277-279
77. Pearson ND, Walmsley RP: Trial into the effects of repeated neck retractions in normal subjects. *Spine* 20 (1995) 1245 - 1251
78. Penning L: Normal movements of the cervical spine. *Am J Roentgenol* 130 (1978) 317-326
79. Penning L, Wilmink JT: Rotation of the Cervical Spine. *Spine* 12 (1987) 732-738
80. Poirier P, Charpy A: *Traite d'Anatomie Humaine.* 1 (1976) 74
81. Rodriguez AA, Bilkey WJ, Agre JC: Therapeutic exercise in chronic neck and back pain. *Arch of Phys Med Rehabil* 73 (1992) 870-875
82. Sachse J, Schildt-Rudloff K: *Wirbelsäule: Manuelle Untersuchung und Mobilisationsbehandlung,* Berlin 1997



83. Schöps P, Seichert N, Schenk M, Petri U, Senn E: Alters- und geschlechtsspezifische Bewegungsausmaße der Halswirbelsäule. *Phys Rehab Kur Med* 7 (1997) 80-87
84. Schöps P, Stäbler A, Petri U, Schmitz U, Seichert N: Reliability of functional radiograph analysis of cervical spine flexion and extension. *Der Unfallchirurg* 102 (1999) 548 - 553
85. Schopphoff E, Stevens C, Stumpf H: A new approach to analysing cervical spinal motion. XV International Symposium on Biomechanics in Sports (1997)
86. Schreiber TU, Bak P, Müller WD, Ziegenthaler H, Smolenski U: Funktionelles Assessment am Bewegungssystem. *Phys Rehab Kur Med* 9 (1999) 110-121
87. Schüldt K, Ekholm J, Harms-Ringdahl K, Nemeth G, Arborelius UP: Effects of changes in sitting work posture on static neck and shoulder muscle activity. *Ergonomics* 29 (1986) 1525-1537
88. Smolenski UC, Endres G, Schreiber TU: Drei-dimensionale Bewegungsfunktionsanalyse der Halswirbelsäule mit dem System zebris - Standardisierung der Untersuchungsbedingungen. *Phys Rehab Kur Med* 8 (1998) 22-24
89. Solinger AB, Chen J, Lantz CA: Standardized initial head position in cervical range of motion assessment: reliability and error analysis. *J Manipulative Physiol. Ther* 23 (2000) 20-26
90. Statistisches Bundesamt: Kosten nach Krankheitsarten (Kurzfassung). (2000)
91. Statistisches Bundesamt: Statistisches Jahrbuch. (2000)
92. Stoddard A: *Manual of osteopathic technique*, London 1959
93. Swinkels RAHM, Oostendorp RAB: Upper cervical instability: fact or fiction? *J Manipulative Physiol Ther* 19 (1996) 185-194

94. Takala EP, Viikari-Juntura E, Tynkkynen EM: Does group gymnastics at the workplace help in neck pain? *Scand J Rehab Med* 26 (1994) 17-20
95. Tilscher H, Eder M: *Der Wirbelsäulenpatient*, Berlin Heidelberg New York 1989
96. Töndury G: Zur Entwicklung funktioneller Strukturen im Bereich der Zwischenwirbelscheiben. *Schweiz Med Wschr* 77 (1947) 643-650
97. Trott PH, Pearcy MJ, Ruston SA, Fulton I, Brien C: Three-dimensional analysis of active cervical motion: the effect of age and gender. *Clin Biomech* 11 (1996) 201 - 206
98. Werne S: Studies in spontaneous atlas dislocation. *Acta Orthop. Scand.*, 23 [Suppl] (1957)
99. White AA, Panjabi M: *Clinical biomechanics of the spine*, Philadelphia New York 1990
100. Wiles P: Movements of the lumbar vertebrae during flexion and extension. *Proc. R. Soc. Med.*, 28 (1935) 647
101. Worth DR: *Cervical spine kinematics [thesis]*. School of Medicine, Flinders University of South Australia, 1985
102. Youdas JW, Carey JR, Garrett TR: Reliability of measurements of cervical spine range of motion – comparison of three methods. *Phys Ther*, Alexandria, VA 71 (1991) 98-106
103. Youdas JW, Garrett TR, Suman VJ, Bogard CL, Hallman HO, Carey JR: Normal range of motion of the cervical spine: An initial goniometer study. *Phys Ther*, Alexandria, Va. 72 (1992) 770-780