

11. Literatur

- Abdullaev, F.I., Rivera-Luna, R., Garcia-Carranca, A., Ayala-Fierro, F. & Espinosa-Aguirre, J.J. (2001): Cytotoxic effect of three arsenic compounds in HeLa human tumor and bacterial cells. *Mutat Res* **493**, 31-38.
- Adams, J.M. & Cory, S. (1998): The Bcl-2 protein family: arbiters of cell survival. *Science* **281**, 1322-1326.
- Agis, H., Weltermann, A., Mitterbauer, G., Thalhammer, R., Edelhauser, M., Seewann, H.L., Valent, P., Lechner, K., Fonatsch, C. & Geissler, K. (1999): Successful treatment with arsenic trioxide of a patient with ATRA-resistant relapse of acute promyelocytic leukemia. *Ann Hematol* **78**, 329-332.
- Ahmad, S., Kitchin, K.T. & Cullen, W.R. (2000): Arsenic species that cause release of iron from ferritin and generation of activated oxygen. *Arch Biochem Biophys* **382**, 195-202.
- Akao, Y., Nakagawa, Y. & Akiyama, K. (1999): Arsenic trioxide induces apoptosis in neuroblastoma cell lines through the activation of caspase 3 in vitro. *FEBS Lett* **455**, 59-62.
- Allison, A.C. & Eugui, E.M. (2000): Mycophenolate mofetil and its mechanisms of action. *Immunopharmacology* **47**, 85-118.
- Antman, K.H. (2001): Introduction: the history of arsenic trioxide in cancer therapy. *Oncologist* **6**, 1-2.
- Antonsson, B., Conti, F., Ciavatta, A., Montessuit, S., Lewis, S., Martinou, I., Bernasconi, L., Bernard, A., Mermoud, J.J., Mazzei, G., Maundrell, K., Gambale, F., Sadoul, R. & Martinou, J.C. (1997): Inhibition of Bax channel-forming activity by Bcl-2. *Science* **277**, 370-372.
- Apoptosis - Applied Reagents and Technologies(1998): *2nd edition* Instruction Manual. 98; BD Pharmingen. San Diego, California, USA.
- Aronson, S.M. (1994): Arsenic and old myths. *R I Med* **77**, 233-234.
- Arrigo, A.P. (1998): Small stress proteins: chaperones that act as regulators of intracellular redox state and programmed cell death. *Biol Chem* **379**, 19-26.
- Ashkenazi, A. & Dixit, V.M. (1999): Apoptosis control by death and decoy receptors. *Curr Opin Cell Biol* **11**, 255-260.
- Au, W.Y., Chim, C.S., Lie, A.K., Liang, R. & Kwong, Y.L. (2002): Combined arsenic trioxide and all-trans retinoic acid treatment for acute promyelocytic leukaemia recurring from previous relapses successfully treated using arsenic trioxide. *Br J Haematol* **117**, 130-132.
- Ausubel, F., Brent, R. & Kingston, R. (1991): Current Protocols in Molecular Biology. Wiley & Sons, Inc. New York, NY, USA.
- Baker, S.J. & Reddy, E.P. (1996): Transducers of life and death: TNF receptor superfamily and associated proteins. *Oncogene* **12**, 1-9.
- Baldus, C., Knauf, W., Rojewski, M., Blau, I.W., Thiel, E. & Schrezenmeier, H. (2000): Treatment with arsenic trioxide in secondary acute leukemia resistant to conventional chemotherapy - a case report. *Onkologie* **23**, 115.
- Barbey, J.T. (2001a): Cardiac toxicity of arsenic trioxide. *Blood* **98**, 1632; discussion 1633-1634.
- Barbey, J.T. & Soignet, S. (2001b): Prolongation of the QT interval and ventricular tachycardia in patients treated with arsenic trioxide for acute promyelocytic leukemia. *Ann Intern Med* **135**, 842-843.
- Barchowsky, A., Klei, L.R., Dudek, E.J., Swartz, H.M. & James, P.E. (1999a): Stimulation of reactive oxygen, but not reactive nitrogen species, in vascular endothelial cells exposed to low levels of arsenite. *Free Radic Biol Med* **27**, 1405-1412.
- Barchowsky, A., Roussel, R.R., Klei, L.R., James, P.E., Ganju, N., Smith, K.R. & Dudek, E.J. (1999b): Low levels of arsenic trioxide stimulate proliferative signals in primary vascular cells without activating stress effector pathways. *Toxicol Appl Pharmacol* **159**, 65-75.
- Basanez, G., Nechushtan, A., Drozhinin, O., Chanturiya, A., Choe, E., Tutt, S., Wood, K.A., Hsu, Y., Zimmerberg, J. & Youle, R.J. (1999): Bax, but not Bcl-xL, decreases the lifetime of planar phospholipid bilayer membranes at subnanomolar concentrations. *Proc Natl Acad Sci U S A* **96**, 5492-5497.
- Bauer, M.K., Schubert, A., Rocks, O. & Grimm, S. (1999): Adenine nucleotide translocase-1, a component of the permeability transition pore, can dominantly induce apoptosis. *J Cell Biol* **147**, 1493-1502.
- Bazarbachi, A., El-Sabban, M.E., Nasr, R., Quignon, F., Awaraji, C., Kersual, J., Dianoux, L., Zermati, Y., Haidar, J.H., Hermine, O. & de The, H. (1999): Arsenic trioxide and interferon-alpha

- synergize to induce cell cycle arrest and apoptosis in human T-cell lymphotropic virus type I-transformed cells. *Blood* **93**, 278-283.
- Beck, W.T., Cirtain, M.C., Danks, M.K., Felsted, R.L., Safa, A.R., Wolverson, J.S., Suttle, D.P. & Trent, J.M. (1987): Pharmacological, molecular, and cytogenetic analysis of "atypical" multidrug-resistant human leukemic cells. *Cancer Res* **47**, 5455-5460.
- Bellosillo, B., Colomer, D., Pons, G. & Gil, J. (1998): Mitoxantrone, a topoisomerase II inhibitor, induces apoptosis of B-chronic lymphocytic leukaemia cells. *Br J Haematol* **100**, 142-146.
- Ben-Bassat, H., Shlomai, Z., Kohn, G. & Prokocimer, M. (1990): Establishment of a human T-acute lymphoblastic leukemia cell line with a (16;20) chromosome translocation. *Cancer Genet Cytogenet* **49**, 241-248.
- Bennett, J.M., Catovsky, D., Daniel, M.T., Flandrin, G., Galton, D.A., Gralnick, H.R. & Sultan, C. (1976): Proposals for the classification of the acute leukaemias. French-American-British (FAB) co-operative group. *Br J Haematol* **33**, 451-458.
- Bennett, J.M., Catovsky, D., Daniel, M.T., Flandrin, G., Galton, D.A., Gralnick, H.R. & Sultan, C. (1980): A variant form of hypergranular promyelocytic leukaemia (M3). *Br J Haematol* **44**, 169-170.
- Bennett, J.M., Catovsky, D., Daniel, M.T., Flandrin, G., Galton, D.A., Gralnick, H.R. & Sultan, C. (1985): Proposed revised criteria for the classification of acute myeloid leukemia. A report of the French-American-British Cooperative Group. *Ann Intern Med* **103**, 620-625.
- Bennett, J.M., Catovsky, D., Daniel, M.T., Flandrin, G., Galton, D.A., Gralnick, H.R. & Sultan, C. (1991): Proposal for the recognition of minimally differentiated acute myeloid leukaemia (AML-MO). *Br J Haematol* **78**, 325-329.
- Beran, M. (2000): Intensive chemotherapy for patients with high-risk myelodysplastic syndrome. *Int J Hematol* **72**, 139-150.
- Berghammer, H., Ebner, M., Marksteiner, R. & Auer, B. (1999): pADPRT-2: a novel mammalian polymerizing (ADP-ribosyl)transferase gene related to truncated pADPRT homologues in plants and *Caenorhabditis elegans*. *FEBS Lett* **449**, 259-263.
- Borrow, J., Goddard, A.D., Sheer, D. & Solomon, E. (1990): Molecular analysis of acute promyelocytic leukemia breakpoint cluster region on chromosome 17. *Science* **249**, 1577-1580.
- Bosson, A. (2001): Le traitement de la rage chez l'homme dans les campagnes vaudoises et fribourgeoises avant Pasteur: les observations thérapeutiques des Drs Guisan et Schaller au milieu du XIXe siècle. *Gesnerus* **58**, 339-349.
- Brady, H.J. & Gil-Gomez, G. (1998): Bax. The pro-apoptotic Bcl-2 family member, Bax. *Int J Biochem Cell Biol* **30**, 647-650.
- Bratton, D.L., Fadok, V.A., Richter, D.A., Kailey, J.M., Frasch, S.C., Nakamura, T. & Henson, P.M. (1999): Polyamine regulation of plasma membrane phospholipid flip-flop during apoptosis. *J Biol Chem* **274**, 28113-28120.
- Bredius, R.G., de Vries, C.E., Troelstra, A., van Alphen, L., Weening, R.S., van de Winkel, J.G. & Out, T.A. (1993): Phagocytosis of *Staphylococcus aureus* and *Haemophilus influenzae* type B opsonized with polyclonal human IgG1 and IgG2 antibodies. Functional hFc gamma RIIa polymorphism to IgG2. *J Immunol* **151**, 1463-1472.
- Brenner, C., Cadiou, H., Vieira, H.L., Zamzami, N., Marzo, I., Xie, Z., Leber, B., Andrews, D., Duclouhier, H., Reed, J.C. & Kroemer, G. (2000): Bcl-2 and Bax regulate the channel activity of the mitochondrial adenine nucleotide translocator. *Oncogene* **19**, 329-336.
- Brune, B., von Knethen, A. & Sandau, K.B. (1998): Nitric oxide and its role in apoptosis. *Eur J Pharmacol* **351**, 261-272.
- Bruserud, O., Gjertsen, B.T. & Huang, T. (2000): Induction of differentiation and apoptosis- a possible strategy in the treatment of adult acute myelogenous leukemia. *Oncologist* **5**, 454-462.
- Bucana, C., Saiki, I. & Nayar, R. (1986): Uptake and accumulation of the vital dye hydroethidine in neoplastic cells. *J Histochem Cytochem* **34**, 1109-1115.
- Burgoyne, L.A., Hewish, D.R. & Mobbs, J. (1974): Mammalian chromatin substructure studies with the calcium-magnesium endonuclease and two-dimensional polyacrylamide-gel electrophoresis. *Biochem J* **143**, 67-72.
- Bustamante, J., Bersier, G., Romero, M., Badin, R.A. & Boveris, A. (2000): Nitric oxide production and mitochondrial dysfunction during rat thymocyte apoptosis. *Arch Biochem Biophys* **376**, 239-247.
- Cai, J., Yang, J. & Jones, D.P. (1998): Mitochondrial control of apoptosis: the role of cytochrome c. *Biochim Biophys Acta* **1366**, 139-149.
- Calleja, E.M. & Warrell, R.P., Jr. (2000): Differentiating agents in pediatric malignancies: all-trans-retinoic acid and arsenic in acute promyelocytic leukemia. *Curr Oncol Rep* **2**, 519-523.

- Camacho, L.H., Soignet, S.L., Chanel, S., Ho, R., Heller, G., Scheinberg, D.A., Ellison, R. & Warrell, R.P., Jr. (2000): Leukocytosis and the retinoic acid syndrome in patients with acute promyelocytic leukemia treated with arsenic trioxide. *J Clin Oncol* **18**, 2620-2625.
- Cardone, M.H., Salvesen, G.S., Widmann, C., Johnson, G. & Frisch, S.M. (1997): The regulation of anoikis: MEKK-1 activation requires cleavage by caspases. *Cell* **90**, 315-323.
- Caserini, C., Pratesi, G., Tortoreto, M., Bedogne, B., Carenini, N., Supino, R., Perego, P., Righetti, S.C. & Zunino, F. (1997): Apoptosis as a determinant of tumor sensitivity to topotecan in human ovarian tumors: preclinical in vitro/in vivo studies. *Clin Cancer Res* **3**, 955-961.
- Castedo, M., Hirsch, T., Susin, S.A., Zamzami, N., Marchetti, P., Macho, A. & Kroemer, G. (1996): Sequential acquisition of mitochondrial and plasma membrane alterations during early lymphocyte apoptosis. *J Immunol* **157**, 512-521.
- Cecconi, F. (1999): Apaf1 and the apoptotic machinery. *Cell Death Differ* **6**, 1087-1098.
- Cell Signaling Technology(2002a): *2002 edition* 2002 catalog & technical reference. Seite 235; Cell Signaling Technology™. Beverly, MA, USA.
- Cell Signaling Technology(2002b): *2002 edition* 2002 catalog & technical reference. Seite 236; Cell Signaling Technology™. Beverly, MA, USA.
- CellQuest™ Software User's Guide(1996): Rev. A. Becton Dickinson Immunocytometry Systems. San Jose, CA, USA.
- Ceneviva, G.D., Tzeng, E., Hoyt, D.G., Yee, E., Gallagher, A., Engelhardt, J.F., Kim, Y.M., Billiar, T.R., Watkins, S.A. & Pitt, B.R. (1998): Nitric oxide inhibits lipopolysaccharide-induced apoptosis in pulmonary artery endothelial cells. *Am J Physiol* **275**, L717-728.
- Chambers, T.C., Pohl, J., Raynor, R.L. & Kuo, J.F. (1993): Identification of specific sites in human P-glycoprotein phosphorylated by protein kinase C. *J Biol Chem* **268**, 4592-4595.
- Chang, H.Y., Nishitoh, H., Yang, X., Ichijo, H. & Baltimore, D. (1998): Activation of apoptosis signal-regulating kinase 1 (ASK1) by the adapter protein Daxx. *Science* **281**, 1860-1863.
- Chello, M., Mastroberto, P., Quirino, A., Cuda, G., Perticone, F., Cirillo, F. & Covino, E. (2002): Inhibition of neutrophil apoptosis after coronary bypass operation with cardiopulmonary bypass. *Ann Thorac Surg* **73**, 123-129; discussion 129-130.
- Chen Chiao, Y.C., Gurudath Rao, K., Hook, J.W., 3rd, Krugh, T.R. & Sengupta, S.K. (1979): 7-Amino-actinomycin D complexes with deoxynucleotides as models for the binding of the drug to DNA. *Biopolymers* **18**, 1749-1762.
- Chen, F. & Cushion, M.T. (1994): Use of fluorescent probes to investigate the metabolic state of *Pneumocystis carinii* mitochondria. *J Eukaryot Microbiol* **41**, 79S.
- Chen, F., Lu, Y., Zhang, Z., Vallyathan, V., Ding, M., Castranova, V. & Shi, X. (2001): Opposite effect of NF-kappa B and c-Jun N-terminal kinase on p53-independent GADD45 induction by arsenite. *J Biol Chem* **276**, 11414-11419.
- Chen, G.C., Guan, L.S., Hu, W.L. & Wang, Z.Y. (2002): Functional repression of estrogen receptor a by arsenic trioxide in human breast cancer cells. *Anticancer Res* **22**, 633-638.
- Chen, G.Q., Shi, X.G., Tang, W., Xiong, S.M., Zhu, J., Cai, X., Han, Z.G., Ni, J.H., Shi, G.Y., Jia, P.M., Liu, M.M., He, K.L., Niu, C., Ma, J., Zhang, P., Zhang, T.D., Paul, P., Naoe, T., Kitamura, K., Miller, W., Waxman, S., Wang, Z.Y., de The, H., Chen, S.J. & Chen, Z. (1997): Use of arsenic trioxide (As₂O₃) in the treatment of acute promyelocytic leukemia (APL): I. As₂O₃ exerts dose-dependent dual effects on APL cells. *Blood* **89**, 3345-3353.
- Chen, G.Q., Zhu, J., Shi, X.G., Ni, J.H., Zhong, H.J., Si, G.Y., Jin, X.L., Tang, W., Li, X.S., Xiong, S.M., Shen, Z.X., Sun, G.L., Ma, J., Zhang, P., Zhang, T.D., Gazin, C., Naoe, T., Chen, S.J., Wang, Z.Y. & Chen, Z. (1996): In vitro studies on cellular and molecular mechanisms of arsenic trioxide (As₂O₃) in the treatment of acute promyelocytic leukemia: As₂O₃ induces NB4 cell apoptosis with downregulation of Bcl-2 expression and modulation of PML-RAR alpha/PML proteins. *Blood* **88**, 1052-1061.
- Chen, H., Liu, J., Zhao, C.Q., Diwan, B.A., Merrick, B.A. & Waalkes, M.P. (2001): Association of c-myc overexpression and hyperproliferation with arsenite-induced malignant transformation. *Toxicol Appl Pharmacol* **175**, 260-268.
- Chen, H., Qin, S. & Pan, Q. (2000): Antitumor effect of arsenic trioxide on mice experimental liver cancer. *Chung Hua Kan Tsang Ping Tsa Chih* **8**, 27-29.
- Chen, L. & ST, S. (1993): Fluorescent and Luminescent Probes for Biological Activity Probing Mitochondrial Membrane Potential in Living Cells by a J-Aggregate-Forming Dye. 124-132.
- Chen, Z., Chen, G.Q., Shen, Z.X., Sun, G.L., Tong, J.H., Wang, Z.Y. & Chen, S.J. (2002): Expanding the use of arsenic trioxide: Leukemias and beyond. *Semin Hematol* **39**, 22-26.

- Cheson, B.D., Zwiebel, J.A., Dancey, J. & Murgo, A. (2000): Novel therapeutic agents for the treatment of myelodysplastic syndromes. *Semin Oncol* **27**, 560-577.
- Chou, J.J., Matsuo, H., Duan, H. & Wagner, G. (1998): Solution structure of the RAIDD CARD and model for CARD/CARD interaction in caspase-2 and caspase-9 recruitment. *Cell* **94**, 171-180.
- Chow, K.U., Boehrer, S., Geduldig, K., Krapohl, A., Hoelzer, D., Mitrou, P.S. & Weidmann, E. (2001): In vitro induction of apoptosis of neoplastic cells in low-grade non-Hodgkin's lymphomas using combinations of established cytotoxic drugs with bendamustine. *Haematologica* **86**, 485-493.
- Chun, Y.J., Park, I.C., Park, M.J., Woo, S.H., Hong, S.I., Chung, H.Y., Kim, T.H., Lee, Y.S., Rhee, C.H. & Lee, S.J. (2002): Enhancement of radiation response in human cervical cancer cells in vitro and in vivo by arsenic trioxide (As₂O₃). *FEBS Lett* **519**, 195-200.
- Cinco, M., Murgia, R., Perticarari, S. & Presani, G. (1994): Simultaneous measurement by flow cytometry of phagocytosis and metabolic burst induced in phagocytic cells in whole blood by *Borrelia burgdorferi*. *FEMS Microbiol Lett* **122**, 187-193.
- Cohen, G.M. (1997): Caspases: the executioners of apoptosis. *Biochem J* **326**, 1-16.
- Cossarizza, A., Baccarani-Contri, M., Kalashnikova, G. & Franceschi, C. (1993): A new method for the cytofluorimetric analysis of mitochondrial membrane potential using the J-aggregate forming lipophilic cation 5,5',6,6'-tetrachloro-1,1',3,3'-tetraethylbenzimidazolcarbocyanine iodide (JC-1). *Biochem Biophys Res Commun* **197**, 40-45.
- Cossarizza, A., Franceschi, C., Monti, D., Salvio, S., Bellesia, E., Rivabene, R., Biondo, L., Rainaldi, G., Tinari, A. & Malorni, W. (1995): Protective effect of N-acetylcysteine in tumor necrosis factor- α -induced apoptosis in U937 cells: the role of mitochondria. *Exp Cell Res* **220**, 232-240.
- Cosulich, S.C., Worrall, V., Hedge, P.J., Green, S. & Clarke, P.R. (1997): Regulation of apoptosis by BH3 domains in a cell-free system. *Curr Biol* **7**, 913-920.
- Cryns, V. & Yuan, J. (1998): Proteases to die for. *Genes Dev* **12**, 1551-1570.
- Cui, S., Reichner, J.S., Mateo, R.B. & Albina, J.E. (1994): Activated murine macrophages induce apoptosis in tumor cells through nitric oxide-dependent or -independent mechanisms. *Cancer Res* **54**, 2462-2467.
- Dai, J., Weinberg, R.S., Waxman, S. & Jing, Y. (1999): Malignant cells can be sensitized to undergo growth inhibition and apoptosis by arsenic trioxide through modulation of the glutathione redox system. *Blood* **93**, 268-277.
- Daigle, I. & Simon, H.U. (2001): Critical role for caspases 3 and 8 in neutrophil but not eosinophil apoptosis. *Int Arch Allergy Immunol* **126**, 147-156.
- Daniel, M.T., Koken, M., Romagne, O., Barbey, S., Bazarbachi, A., Stadler, M., Guillemin, M.C., Degos, L., Chomienne, C. & de The, H. (1993): PML protein expression in hematopoietic and acute promyelocytic leukemia cells. *Blood* **82**, 1858-1867.
- Darwiche, N., El-Sabban, M., Bazzi, R., Nasr, R., Al-Hashimi, S., Hermine, O., de The, H. & Bazarbachi, A. (2001): Retinoic acid dramatically enhances the arsenic trioxide-induced cell cycle arrest and apoptosis in retinoic acid receptor alpha-positive human T-cell lymphotropic virus type-I-transformed cells. *The Haematological Journal* **2**, 127-135.
- Davison, K., Mann, K.K. & Miller, W.H., Jr. (2002): Arsenic trioxide: Mechanisms of action. *Semin Hematol* **39**, 3-7.
- de The, H., Chomienne, C., Lanotte, M., Degos, L. & Dejean, A. (1990): The t(15;17) translocation of acute promyelocytic leukaemia fuses the retinoic acid receptor alpha gene to a novel transcribed locus. *Nature* **347**, 558-561.
- de The, H., Lavau, C., Marchio, A., Chomienne, C., Degos, L. & Dejean, A. (1991): The PML-RAR alpha fusion mRNA generated by the t(15;17) translocation in acute promyelocytic leukemia encodes a functionally altered RAR. *Cell* **66**, 675-684.
- Deaglio, S., Canella, D., Baj, G., Arnulfo, A., Waxman, S. & Malavasi, F. (2001): Evidence of an immunologic mechanism behind the therapeutic effects of arsenic trioxide (As₂O₃) on myeloma cells. *Leuk Res* **25**, 227-235.
- Debatin, K.M. (1998): CD95 (APO-1/Fas) in hematopoietic diseases. *Results Probl Cell Differ* **24**, 157-174.
- Debatin, K.M. (2001): Cell death in T- and B-cell development. *Ann Hematol* **80**, B29-31.
- Debatin, K.M., Beltinger, C., Bohler, T., Fellenberg, J., Friesen, C., Fulda, S., Herr, I., Los, M., Scheuerpflug, C., Sieverts, H. & Stahnke, K. (1997): Regulation of apoptosis through CD95 (APO-1/Fas) receptor-ligand interaction. *Biochem Soc Trans* **25**, 405-410.

- Deng, Y., Lin, C., Zheng, J., Fu, M., Liang, X., Chen, J., Xiao, P. & Wu, M. (2000): Overexpression of Bcl-2 partly inhibits apoptosis of human cervical cancer SiHa cells induced by arsenic trioxide. *Chin Med J (Engl)* **113**, 84-88.
- Desagher, S. & Martinou, J.C. (2000): Mitochondria as the central control point of apoptosis. *Trends Cell Biol* **10**, 369-377.
- Desagher, S., Osen-Sand, A., Nichols, A., Eskes, R., Montessuit, S., Lauper, S., Maundrell, K., Antonsson, B. & Martinou, J.C. (1999): Bid-induced conformational change of Bax is responsible for mitochondrial cytochrome c release during apoptosis. *J Cell Biol* **144**, 891-901.
- Dhein, J., Behrmann, I., Daniel, P.T., Debatin, K.M., Klas, C., Moller, P., Oehm, A., Trauth, B.C., Walczak, H. & Krammer, P.H. (1994): APO-1-mediated apoptosis in normal and malignant lymphocytes. *Biochem Soc Trans* **22**, 598-600.
- Dombret, H., Fenaux, P., Soignet, S.L. & Tallman, M.S. (2002): Established practice in the treatment of patients with acute promyelocytic leukemia and the introduction of arsenic trioxide as a novel therapy. *Semin Hematol* **39**, 8-13.
- Douer, D. (2002): Advances in the treatment of relapsed acute promyelocytic leukemia. *Acta Haematol* **107**, 1-17.
- Du, Y.H. & Ho, P.C. (2001): Arsenic compounds induce cytotoxicity and apoptosis in cisplatin-sensitive and -resistant gynecological cancer cell lines. *Cancer Chemother Pharmacol* **47**, 481-490.
- Duan, H. & Dixit, V.M. (1997): RAIDD is a new 'death' adaptor molecule. *Nature* **385**, 86-89.
- Dyck, J.A., Maul, G.G., Miller, W.H., Jr., Chen, J.D., Kakizuka, A. & Evans, R.M. (1994): A novel macromolecular structure is a target of the promyelocyte-retinoic acid receptor oncoprotein. *Cell* **76**, 333-343.
- Earnshaw, W.C., Martins, L.M. & Kaufmann, S.H. (1999): Mammalian caspases: structure, activation, substrates, and functions during apoptosis. *Annu Rev Biochem* **68**, 383-424.
- Eguchi, N., Kuroda, K. & Endo, G. (1997): Metabolites of arsenic induced tetraploids and mitotic arrest in Cultured cells. *Arch Environ Contam Toxicol* **32**, 141-145.
- el-Khatib, M., Stanger, B.Z., Dogan, H., Cui, H. & Ju, S.T. (1995): The molecular mechanism of FasL-mediated cytotoxicity by CD4+ Th1 clones. *Cell Immunol* **163**, 237-244.
- Emoto, Y., Manome, Y., Meinhardt, G., Kisaki, H., Kharbanda, S., Robertson, M., Ghayur, T., Wong, W.W., Kamen, R., Weichselbaum, R. (1995): Proteolytic activation of protein kinase C delta by an ICE-like protease in apoptotic cells. *Embo J* **14**, 6148-6156.
- Essmann, F., Wieder, T., Otto, A., Muller, E.C., Dorken, B. & Daniel, P.T. (2000): GDP dissociation inhibitor D4-GDI (Rho-GDI 2), but not the homologous rho-GDI 1, is cleaved by caspase-3 during drug-induced apoptosis. *Biochem J* **346**, 777-783.
- Estrov, Z., Manna, S.K., Harris, D., Van, Q., Estey, E.H., Kantarjian, H.M., Talpaz, M. & Aggarwal, B.B. (1999): Phenylarsine oxide blocks interleukin-1beta-induced activation of the nuclear transcription factor NF-kappaB, inhibits proliferation, and induces apoptosis of acute myelogenous leukemia cells. *Blood* **94**, 2844-2853.
- Evan, G. & Littlewood, T. (1998): A matter of life and cell death. *Science* **281**, 1317-1322.
- Evans, T.R., Colston, K.W., Loftis, F.J., Cunningham, D., Anthoney, D.A., Gogas, H., de Bono, J.S., Hamberg, K.J., Skov, T. & Mansi, J.L. (2002): A phase II trial of the vitamin D analogue Seocalcitol (EB1089) in patients with inoperable pancreatic cancer. *Br J Cancer* **86**, 680-685.
- Fadok, V.A., Bratton, D.L., Frasch, S.C., Warner, M.L. & Henson, P.M. (1998): The role of phosphatidylserine in recognition of apoptotic cells by phagocytes. *Cell Death Differ* **5**, 551-562.
- Fernandes-Alnemri, T., Armstrong, R.C., Krebs, J., Srinivasula, S.M., Wang, L., Bullrich, F., Fritz, L.C., Trapani, J.A., Tomaselli, K.J., Litwack, G. & Alnemri, E.S. (1996): In vitro activation of CPP32 and Mch3 by Mch4, a novel human apoptotic cysteine protease containing two FADD-like domains. *Proc Natl Acad Sci U S A* **93**, 7464-7469.
- Ferri, K.F. & Kroemer, G. (2001): Organelle-specific initiation of cell death pathways. *Nat Cell Biol* **3**, E255-263.
- Fiers, W., Beyaert, R., Declercq, W. & Vandenabeele, P. (1999): More than one way to die: apoptosis, necrosis and reactive oxygen damage. *Oncogene* **18**, 7719-7730. mitochondria and/or reactive oxygen species are often, but not always, key components. As these various caspase-dependent and caspase-independent cell death pathways are becoming better characterized, we may learn to differentiate them, fill in the many gaps in our understanding, and perhaps exploit the knowledge acquired for clinical benefit.

- Formigli, L., Papucci, L., Tani, A., Schiavone, N., Tempestini, A., Orlandini, G.E., Capaccioli, S. & Orlandini, S.Z. (2000): Aponecrosis: morphological and biochemical exploration of a syncretic process of cell death sharing apoptosis and necrosis. *J Cell Physiol* **182**, 41-49.
- Friche, E., Skovsgaard, T. & Nissen, N.I. (1989): Anthracycline resistance. *Acta Oncol* **28**, 877-881.
- Friesen, C., Fulda, S. & Debatin, K.M. (1997): Deficient activation of the CD95 (APO-1/Fas) system in drug-resistant cells. *Leukemia* **11**, 1833-1841.
- Friesen, C., Fulda, S. & Debatin, K.M. (1999): Cytotoxic drugs and the CD95 pathway. *Leukemia* **13**, 1854-1858.
- Fujimori, A., Harker, W.G., Kohlhagen, G., Hoki, Y. & Pommier, Y. (1995): Mutation at the catalytic site of topoisomerase I in CEM/C2, a human leukemia cell line resistant to camptothecin. *Cancer Res* **55**, 1339-1346.
- Fukuo, K., Hata, S., Suhara, T., Nakahashi, T., Shinto, Y., Tsujimoto, Y., Morimoto, S. & Ogihara, T. (1996): Nitric oxide induces upregulation of Fas and apoptosis in vascular smooth muscle. *Hypertension* **27**, 823-826.
- Fulda, S., Los, M., Friesen, C. & Debatin, K.M. (1998): Chemosensitivity of solid tumor cells in vitro is related to activation of the CD95 system. *Int J Cancer* **76**, 105-114.
- Fulda, S., Sieverts, H., Friesen, C., Herr, I. & Debatin, K.M. (1997): The CD95 (APO-1/Fas) system mediates drug-induced apoptosis in neuroblastoma cells. *Cancer Res* **57**, 3823-3829.
- Gao, F., Yi, J., Shi, G., Li, H., Shi, X., Wang, Z. & Tang, X. (2002): Ascorbic acid enhances the apoptosis of U937 cells induced by arsenic trioxide in combination with DMNQ and its mechanism. *Zhonghua Xue Ye Xue Za Zhi* **23**, 9-11.
- Gianni, M. & de The, H. (1999): In acute promyelocytic leukemia NB4 cells, the synthetic retinoid CD437 induces contemporaneously apoptosis, a caspase-3-mediated degradation of PML/RARalpha protein and the PML retargeting on PML-nuclear bodies. *Leukemia* **13**, 739-749.
- Gianni, M., Koken, M.H., Chelbi-Alix, M.K., Benoit, G., Lanotte, M., Chen, Z. & de The, H. (1998): Combined arsenic and retinoic acid treatment enhances differentiation and apoptosis in arsenic-resistant NB4 cells. *Blood* **91**, 4300-4310.
- Gill, J.E., Jotz, M.M., Young, S.G., Modest, E.J. & Sengupta, S.K. (1975): 7-Amino-actinomycin D as a cytochemical probe. I. Spectral properties. *J Histochem Cytochem* **23**, 793-799.
- Goddard, A.D., Borrow, J., Freemont, P.S. & Solomon, E. (1991): Characterization of a zinc finger gene disrupted by the t(15;17) in acute promyelocytic leukemia. *Science* **254**, 1371-1374.
- Gore, S.D., Weng, L.J. & Burke, P.J. (1993): Validation of flow-cytometric determination of Ki67 expression as a measure of growth factor response in acute myelogenous leukemia. *Exp Hematol* **21**, 1702-1708.
- Gorman, A.M., Samali, A., McGowan, A.J. & Cotter, T.G. (1997): Use of flow cytometry techniques in studying mechanisms of apoptosis in leukemic cells. *Cytometry* **29**, 97-105.
- Grad, J.M., Bahlis, N.J., Reis, I., Oshiro, M.M., Dalton, W.S. & Boise, L.H. (2001): Ascorbic acid enhances arsenic trioxide-induced cytotoxicity in multiple myeloma cells. *Blood* **98**, 805-813.
- Granville, D.J., Carthy, C.M., Hunt, D.W. & McManus, B.M. (1998): Apoptosis: molecular aspects of cell death and disease. *Lab Invest* **78**, 893-913.
- Green, D.R. & Ferguson, T.A. (2001): The role of Fas ligand in immune privilege. *Nat Rev Mol Cell Biol* **2**, 917-924.
- Gupta, S. (2001): Molecular steps of death receptor and mitochondrial pathways of apoptosis. *Life Sci* **69**, 2957-2964.
- Haferlach, T. & Schoch, C. (2002): WHO classification of acute myeloid leukaemia (AML) and the myelodysplastic syndrome (MDS). *Dtsch Med Wochenschr* **127**, 447-450.
- Hajri, A., Metzger, E., Vallat, F., Coffy, S., Flatter, E., Evrard, S., Marescaux, J. & Aprahamian, M. (1998): Role of nitric oxide in pancreatic tumour growth: in vivo and in vitro studies. *Br J Cancer* **78**, 841-849.
- Han, Z., Hendrickson, E.A., Bremner, T.A. & Wyche, J.H. (1997): A sequential two-step mechanism for the production of the mature p17:p12 form of caspase-3 in vitro. *J Biol Chem* **272**, 13432-13436.
- Harker, W.G., Slade, D.L., Dalton, W.S., Meltzer, P.S. & Trent, J.M. (1989): Multidrug resistance in mitoxantrone-selected HL-60 leukemia cells in the absence of P-glycoprotein overexpression. *Cancer Res* **49**, 4542-4549.
- Harley, A. (2001): www.bdfacs.com/source_book/html/23_1838.shtml, Becton Dickinson Immunocytometry Systems, Franklin Lakes, NJ, USA.

- Harris, K.A. & Reese, D.M. (2001): Treatment options in hormone-refractory prostate cancer: current and future approaches. *Drugs* **61**, 2177-2192.
- Harris, N.L., Jaffe, E.S., Diebold, J., Flandrin, G., Muller-Hermelink, H.K., Vardiman, J., Lister, T.A. & Bloomfield, C.D. (1999): World Health Organization classification of neoplastic diseases of the hematopoietic and lymphoid tissues: report of the Clinical Advisory Committee meeting-Airlie House, Virginia, November 1997. *J Clin Oncol* **17**, 3835-3849.
- Haughland, R.P. (2001): www.probes.com/handbook/, Handbook of Fluorescent Probes and Research Products, *Eight Edition*, Molecular Probes, Inc., Leiden, Niederlande.
- Higgins, K. & Brown, N. (2002): Treatment of acute promyelocytic leukemia with arsenic trioxide. *J Pediatr Oncol Nurs* **19**, 50.
- Hirata, H., Takahashi, A., Kobayashi, S., Yonehara, S., Sawai, H., Okazaki, T., Yamamoto, K. & Sasada, M. (1998): Caspases are activated in a branched protease cascade and control distinct downstream processes in Fas-induced apoptosis. *J Exp Med* **187**, 587-600.
- Holson, J.F., Stump, D.G., Clevidence, K.J., Knapp, J.F. & Farr, C.H. (2000): Evaluation of the prenatal developmental toxicity of orally administered arsenic trioxide in rats. *Food Chem Toxicol* **38**, 459-466.
- Horan, P.K. & Slezak, S.E. (1989): Stable cell membrane labelling. *Nature* **340**, 167-168.
- Hortelano, S., Dallaporta, B., Zamzami, N., Hirsch, T., Susin, S.A., Marzo, I., Bosca, L. & Kroemer, G. (1997): Nitric oxide induces apoptosis via triggering mitochondrial permeability transition. *FEBS Lett* **410**, 373-377.
- Hossain, K., Akhand, A.A., Kato, M., Du, J., Takeda, K., Wu, J., Takeuchi, K., Liu, W., Suzuki, H. & Nakashima, I. (2000): Arsenite induces apoptosis of murine T lymphocytes through membrane raft-linked signaling for activation of c-Jun amino-terminal kinase. *J Immunol* **165**, 4290-4297.
- Hu, J., Shen, Z., Sun, H., Wu, W., Li, X., Sun, G. & Wang, Z. (2000): Long-term survey of outcome in acute promyelocytic leukemia. *Chin Med J (Engl)* **113**, 107-110.
- Hu, J., Shen, Z.X., Sun, G.L., Chen, S.J., Wang, Z.Y. & Chen, Z. (1999): Long-term survival and prognostic study in acute promyelocytic leukemia treated with all-trans-retinoic acid, chemotherapy, and As₂O₃: an experience of 120 patients at a single institution. *Int J Hematol* **70**, 248-260.
- Huang, C., Ma, W.Y., Li, J. & Dong, Z. (1999a): Arsenic induces apoptosis through a c-Jun NH₂-terminal kinase-dependent, p53-independent pathway. *Cancer Res* **59**, 3053-3058.
- Huang, C., Ma, W.Y., Li, J., Goranson, A. & Dong, Z. (1999b): Requirement of Erk, but not JNK, for arsenite-induced cell transformation. *J Biol Chem* **274**, 14595-14601.
- Huang, P. & Oliff, A. (2001): Signaling pathways in apoptosis as potential targets for cancer therapy. *Trends Cell Biol* **11**, 343-348.
- Huang, S., Huang, C.F. & Lee, T. (2000): Induction of mitosis-mediated apoptosis by sodium arsenite in HeLa S3 cells. *Biochem Pharmacol* **60**, 771-780.
- Huang, X. (2000): Potentiation of arsenic trioxide-induced apoptosis by retinoic acid in retinoic acid sensitive and resistant HL-60 myeloid leukemia cells. *Chin Med J (Engl)* **113**, 498-501.
- Huang, X.J., Wiernik, P.H., Klein, R.S. & Gallagher, R.E. (1999): Arsenic trioxide induces apoptosis of myeloid leukemia cells by activation of caspases. *Med Oncol* **16**, 58-64.
- Huff, J., Waalkes, M., Nyska, A. & Chan, P. (1999): Re: Apoptosis and growth inhibition in malignant lymphocytes after treatment with arsenic trioxide at clinically achievable concentrations. *J Natl Cancer Inst* **91**, 1690-1691.
- Humphreys, R.C., Krajewska, M., Krnacik, S., Jaeger, R., Weiher, H., Krajewski, S., Reed, J.C. & Rosen, J.M. (1996): Apoptosis in the terminal endbud of the murine mammary gland: a mechanism of ductal morphogenesis. *Development* **122**, 4013-4022.
- Hussein, M.A. (2002): Nontraditional cytotoxic therapies for relapsed/refractory multiple myeloma. *Oncologist* **7**, 20-29.
- Hyde, S.C., Emsley, P., Hartshorn, M.J., Mimmack, M.M., Gileadi, U., Pearce, S.R., Gallagher, M.P., Gill, D.R., Hubbard, R.E. & Higgins, C.F. (1990): Structural model of ATP-binding proteins associated with cystic fibrosis, multidrug resistance and bacterial transport. *Nature* **346**, 362-365.
- Igarashi, J., Thatte, H.S., Prabhakar, P., Golan, D.E. & Michel, T. (1999): Calcium-independent activation of endothelial nitric oxide synthase by ceramide. *Proc Natl Acad Sci U S A* **96**, 12583-12588.
- Ishii, Y., Hori, Y., Sakai, S. & Honma, Y. (2002): Control of Differentiation and Apoptosis of Human Myeloid Leukemia Cells by Cytokinins and Cytokinin Nucleosides, Plant Redifferentiation-inducing Hormones. *Cell Growth Differ* **13**, 19-26.

- Ishinishi, N., Tomita, M. & Hisanaga, A. (1980): Study on chronic toxicity of arsenic trioxide in rats with special reference to the liver damages. *Fukuoka Igaku Zasshi* **71**, 27-40.
- Itoh, T., Zhang, Y.F., Murai, S., Saito, H., Nagahama, H., Miyate, H., Saito, Y. & Abe, E. (1990): The effect of arsenic trioxide on brain monoamine metabolism and locomotor activity of mice. *Toxicol Lett* **54**, 345-353.
- Iwama, K., Nakajo, S., Aiuchi, T. & Nakaya, K. (2001): Apoptosis induced by arsenic trioxide in leukemia U937 cells is dependent on activation of p38, inactivation of ERK and the Ca²⁺-dependent production of superoxide. *Int J Cancer* **92**, 518-526.
- Jacobs, J.M., Nichols, C., Marek, D., Gorman, N., Walton, H.S., Sinclair, P.R. & Sinclair, J.F. (2000): Effect of arsenite on the induction of CYP1A4 and CYP1A5 in cultured chick embryo hepatocytes. *Toxicol Appl Pharmacol* **168**, 177-182.
- Jager, R., Herzer, U., Schenkel, J. & Weiher, H. (1997): Overexpression of Bcl-2 inhibits alveolar cell apoptosis during involution and accelerates c-myc-induced tumorigenesis of the mammary gland in transgenic mice. *Oncogene* **15**, 1787-1795.
- Janiak, F., Leber, B. & Andrews, D.W. (1994): Assembly of Bcl-2 into microsomal and outer mitochondrial membranes. *J Biol Chem* **269**, 9842-9849.
- Janicke, R.U., Walker, P.A., Lin, X.Y. & Porter, A.G. (1996): Specific cleavage of the retinoblastoma protein by an ICE-like protease in apoptosis. *Embo J* **15**, 6969-6978.
- Jaroszeski, M.J. & Heller, R. (1997): Flow Cytometry Protocols Methods in Molecular Biology. Humana Press Inc. Totowa, New Jersey, USA.
- Jia, P., Chen, G., Huang, X., Cai, X., Yang, J., Wang, L., Zhou, Y., Shen, Y., Zhou, L., Yu, Y., Chen, S., Zhang, X. & Wang, Z. (2001): Arsenic trioxide induces multiple myeloma cell apoptosis via disruption of mitochondrial transmembrane potentials and activation of caspase-3. *Chin Med J (Engl)* **114**, 19-24.
- Jiang, X.H., Wong, B.C., Yuen, S.T., Jiang, S.H., Cho, C.H., Lai, K.C., Lin, M.C., Kung, H.F., Lam, S.K. & Chun-Yu Wong, B. (2001): Arsenic trioxide induces apoptosis in human gastric cancer cells through up-regulation of p53 and activation of caspase-3. *Int J Cancer* **91**, 173-179.
- Jing, Y., Dai, J., Chalmers-Redman, R.M., Tatton, W.G. & Waxman, S. (1999): Arsenic trioxide selectively induces acute promyelocytic leukemia cell apoptosis via a hydrogen peroxide-dependent pathway. *Blood* **94**, 2102-2111.
- Jing, Y., Wang, L., Xia, L., Chen, G., Chen, Z., Miller, W.H. & Waxman, S. (2001): Combined effect of all-trans retinoic acid and arsenic trioxide in acute promyelocytic leukemia cells in vitro and in vivo [In Process Citation]. *Blood* **97**, 264-269.
- Jones, G.E. (1996): Human Cell Culture Protocols Methods in Molecular Medicine. Humana Press Inc. Totowa, New Jersey, USA.
- Joseph, B., Ekedahl, J., Lewensohn, R., Marchetti, P., Formstecher, P. & Zhivotovsky, B. (2001): Defective caspase-3 relocalization in non-small cell lung carcinoma. *Oncogene* **20**, 2877-2888.
- Kakizuka, A., Miller, W.H., Jr., Umesono, K., Warrell, R.P., Jr., Frankel, S.R., Murty, V.V., Dmitrovsky, E. & Evans, R.M. (1991): Chromosomal translocation t(15;17) in human acute promyelocytic leukemia fuses RAR alpha with a novel putative transcription factor, PML. *Cell* **66**, 663-674.
- Kapoor, R., Slade, D.L., Fujimori, A., Pommier, Y. & Harker, W.G. (1995): Altered topoisomerase I expression in two subclones of human CEM leukemia selected for resistance to camptothecin. *Oncol Res* **7**, 83-95.
- Kastner, P. & Chan, S. (2001): Function of RARalpha during the maturation of neutrophils. *Oncogene* **20**, 7178-7185.
- Kastner, P., Perez, A., Lutz, Y., Rochette-Egly, C., Gaub, M.P., Durand, B., Lanotte, M., Berger, R. & Chambon, P. (1992): Structure, localization and transcriptional properties of two classes of retinoic acid receptor alpha fusion proteins in acute promyelocytic leukemia (APL): structural similarities with a new family of oncoproteins. *Embo J* **11**, 629-642.
- Kawahara, A., Ohsawa, Y., Matsumura, H., Uchiyama, Y. & Nagata, S. (1998): Caspase-independent cell killing by Fas-associated protein with death domain. *J Cell Biol* **143**, 1353-1360.
- Kerr, J.F., Wyllie, A.H. & Currie, A.R. (1972): Apoptosis: a basic biological phenomenon with wide-ranging implications in tissue kinetics. *Br J Cancer* **26**, 239-257.
- Kim, K.M., Lee, K., Hong, Y.S. & Park, H.Y. (2000): Fas-mediated apoptosis and expression of related genes in human malignant hematopoietic cells. *Exp Mol Med* **32**, 246-254.
- Kioka, N., Hosokawa, N., Komano, T., Hirayoshi, K., Nagata, K. & Ueda, K. (1992): Quercetin, a bioflavonoid, inhibits the increase of human multidrug resistance gene (MDR1) expression caused by arsenite. *FEBS Lett* **301**, 307-309.

- Kitamura, K., Minami, Y., Yamamoto, K., Akao, Y., Kiyoi, H., Saito, H. & Naoe, T. (2000): Involvement of CD95-independent caspase 8 activation in arsenic trioxide-induced apoptosis. *Leukemia* **14**, 1743-1750.
- Klaassen, C.D. (1996): Heavy metals and heavy-metal antagonists The pharmacological basis of therapeutics. Goodman & Gilman's. McGraw-Hill, NY, USA.
- Kojima, H., Nakatsubo, N., Kikuchi, K., Kawahara, S., Kirino, Y., Nagoshi, H., Hirata, Y. & Nagano, T. (1998): Detection and imaging of nitric oxide with novel fluorescent indicators: diamino fluoresceins. *Anal Chem* **70**, 2446-2453.
- Koken, M.H., Puvion-Dutilleul, F., Guillemain, M.C., Viron, A., Linares-Cruz, G., Stuurman, N., de Jong, L., Szosteck, C., Calvo, F., Chomienne, C. (1994): The t(15;17) translocation alters a nuclear body in a retinoic acid-reversible fashion. *Embo J* **13**, 1073-1083.
- Körper, S., Rojewski, M., Thiel, E. & Schrezenmeier, H. (2001): Effects of arsenic trioxide (ATO) and glykoprotein-P-antagonists on apoptosis and mitochondrial membrane potential in a cell line without expression of glykoprotein-P. *Onkologie* **24**, 54.
- Krammer, P.H., Galle, P.R., Moller, P. & Debatin, K.M. (1998): CD95(APO-1/Fas)-mediated apoptosis in normal and malignant liver, colon, and hematopoietic cells. *Adv Cancer Res* **75**, 251-273.
- Krieser, R.J. & Eastman, A. (1999): Cleavage and nuclear translocation of the caspase 3 substrate Rho GDP-dissociation inhibitor, D4-GDI, during apoptosis. *Cell Death Differ* **6**, 412-419.
- Kroemer, G. (2001): Dysregulation of programmed cell death. *Bull Acad Natl Med* **185**, 1135-1142; discussion 1143.
- Kroemer, G. & de The, H. (1999): Arsenic trioxide, a novel mitochondriotoxic anticancer agent? *J Natl Cancer Inst* **91**, 743-745.
- Kroemer, G., Zamzami, N. & Susin, S.A. (1997): Mitochondrial control of apoptosis. *Immunol Today* **18**, 44-51.
- Kubota, N., Nishio, K., Takeda, Y., Ohmori, T., Funayama, Y., Ogasawara, H., Ohira, T., Kunikane, H., Terashima, Y. & Saijo, N. (1994): Characterization of an etoposide-resistant human ovarian cancer cell line. *Cancer Chemother Pharmacol* **34**, 183-190.
- Kurth, K.H., Bouffouix, C., Sylvester, R., van der Meijden, A.P., Oosterlinck, W. & Brausi, M. (2000): Treatment of superficial bladder tumors: achievements and needs. The EORTC Genitourinary Group. *Eur Urol* **37**, 1-9.
- Lallemant-Breitenbach, V., Zhu, J., Puvion, F., Koken, M., Honore, N., Doubeikovsky, A., Duprez, E., Pandolfi, P.P., Puvion, E., Freemont, P. & de The, H. (2001): Role of promyelocytic leukemia (PML) sumolation in nuclear body formation, 11S proteasome recruitment, and As₂O₃-induced PML or PML/retinoic acid receptor alpha degradation. *J Exp Med* **193**, 1361-1371.
- Landowski, T.H., Moscinski, L., Burke, R., Buyuksal, I., Painter, J.S., Goldstein, S. & Dalton, W.S. (2001): CD95 antigen mutations in hematopoietic malignancies. *Leuk Lymphoma* **42**, 835-846.
- Larochette, N., Decaudin, D., Jacotot, E., Brenner, C., Marzo, I., Susin, S.A., Zamzami, N., Xie, Z., Reed, J. & Kroemer, G. (1999): Arsenite induces apoptosis via a direct effect on the mitochondrial permeability transition pore. *Exp Cell Res* **249**, 413-421.
- Lazebnik, Y.A., Cole, S., Cooke, C.A., Nelson, W.G. & Earnshaw, W.C. (1993): Nuclear events of apoptosis in vitro in cell-free mitotic extracts: a model system for analysis of the active phase of apoptosis. *J Cell Biol* **123**, 7-22.
- Lecoq, H., Ledru, E. & Gougeon, M.L. (1998): A cytofluorometric method for the simultaneous detection of both intracellular and surface antigens of apoptotic peripheral lymphocytes. *J Immunol Methods* **217**, 11-26.
- Lehmann, S., Bengtzen, S., Paul, A., Christensson, B. & Paul, C. (2001): Effects of arsenic trioxide (As₂O₃) on leukemic cells from patients with non-M3 acute myelogenous leukemia: studies of cytotoxicity, apoptosis and the pattern of resistance. *Eur J Haematol* **66**, 357-364.
- Leist, M. & Nicotera, P. (1997): The shape of cell death. *Biochem Biophys Res Commun* **236**, 1-9.
- Lenaz, G., Cavazzoni, M., Genova, M.L., D'Aurelio, M., Pich, M.M., Pallotti, F., Formigini, G., Marchetti, M., Castelli, G.P. & Bovina, C. (1998): Oxidative stress, antioxidant defences and aging. *Biofactors* **8**, 195-204.
- Leoni, F., Gianfaldoni, G., Annunziata, M., Fanci, R., Ciolli, S., Nozzoli, C. & Ferrara, F. (2002): Arsenic trioxide therapy for relapsed acute promyelocytic leukemia: a bridge to transplantation. *Haematologica* **87**, 485-489.
- Levkau, B., Koyama, H., Raines, E.W., Clurman, B.E., Herren, B., Orth, K., Roberts, J.M. & Ross, R. (1998): Cleavage of p21Cip1/Waf1 and p27Kip1 mediates apoptosis in endothelial cells through activation of Cdk2: role of a caspase cascade. *Mol Cell* **1**, 553-563.

- Lew, Y.S., Brown, S.L., Griffin, R.J., Song, C.W. & Kim, J.H. (1999): Arsenic trioxide causes selective necrosis in solid murine tumors by vascular shutdown. *Cancer Res* **59**, 6033-6037.
- Li, H., Bergeron, L., Cryns, V., Pasternack, M.S., Zhu, H., Shi, L., Greenberg, A. & Yuan, J. (1997): Activation of caspase-2 in apoptosis. *J Biol Chem* **272**, 21010-21017.
- Li, P., Nijhawan, D., Budihardjo, I., Srinivasula, S.M., Ahmad, M., Alnemri, E.S. & Wang, X. (1997): Cytochrome c and dATP-dependent formation of Apaf-1/caspase-9 complex initiates an apoptotic protease cascade. *Cell* **91**, 479-489.
- Li, Y., Li, C.J., Yu, D. & Pardee, A.B. (2000): Potent induction of apoptosis by beta-lapachone in human multiple myeloma cell lines and patient cells. *Mol Med* **6**, 1008-1015.
- Li, Y.M. & Broome, J.D. (1999): Arsenic targets tubulins to induce apoptosis in myeloid leukemia cells. *Cancer Res* **59**, 776-780.
- List, A.F. (2002): New approaches to the treatment of myelodysplasia. *Oncologist* **7**, 39-49.
- Liu, B., Andrieu-Abadie, N., Levade, T., Zhang, P., Obeid, L.M. & Hannun, Y.A. (1998): Glutathione regulation of neutral sphingomyelinase in tumor necrosis factor-alpha-induced cell death. *J Biol Chem* **273**, 11313-11320.
- Liu, F. & Jan, K.Y. (2000): DNA damage in arsenite- and cadmium-treated bovine aortic endothelial cells. *Free Radic Biol Med* **28**, 55-63.
- Liu, J., Kadiiska, M.B., Liu, Y., Lu, T., Qu, W. & Waalkes, M.P. (2001): Stress-related gene expression in mice treated with inorganic arsenicals. *Toxicol Sci* **61**, 314-320.
- Liu, L., Qin, S., Chen, H., Wang, J., Ma, J. & Liu, W. (2000): An experimental study on arsenic trioxide-selectively induced human hepatocarcinoma cell lines apoptosis and its related genes. *Chung Hua Kan Tsang Ping Tsa Chih* **8**, 367-369.
- Lo Coco, F. (2002): Usefulness of arsenic trioxide in the treatment of acute promyelocytic leukemia. *Haematologica* **87**, 452-453.
- Lowe, S.W., Ruley, H.E., Jacks, T. & Housman, D.E. (1993): p53-dependent apoptosis modulates the cytotoxicity of anticancer agents. *Cell* **74**, 957-967.
- Lu, M., Levin, J., Sulpice, E., Sequeira-Le Grand, A., Alemany, M., Caen, J.P. & Han, Z.C. (1999): Effect of arsenic trioxide on viability, proliferation, and apoptosis in human megakaryocytic leukemia cell lines. *Exp Hematol* **27**, 845-852.
- Lu, T., Liu, J., LeCluyse, E.L., Zhou, Y.S., Cheng, M.L. & Waalkes, M.P. (2001): Application of cDNA microarray to the study of arsenic-induced liver diseases in the population of Guizhou, China. *Toxicol Sci* **59**, 185-192.
- Lynch, D.H., Ramsdell, F. & Alderson, M.R. (1995): Fas and FasL in the homeostatic regulation of immune responses. *Immunol Today* **16**, 569-574.
- Macho, A., Decaudin, D., Castedo, M., Hirsch, T., Susin, S.A., Zamzami, N. & Kroemer, G. (1996): Chloromethyl-X-Rosamine is an aldehyde-fixable potential-sensitive fluorochrome for the detection of early apoptosis. *Cytometry* **25**, 333-340.
- Maeda, T. & Kamihira, S. (2001): Apoptosis, Part II: The role of mutated Fas genes in tumorigenesis. *Adv Clin Chem* **36**, 109-137.
- Mallya, S.M. & Sikpi, M.O. (1999): Requirement for p53 in ionizing-radiation-inhibition of double-strand-break rejoining by human lymphoblasts. *Mutat Res* **434**, 119-132.
- Mancini, M., Anderson, B.O., Caldwell, E., Sedghinasab, M., Paty, P.B. & Hockenbery, D.M. (1997): Mitochondrial proliferation and paradoxical membrane depolarization during terminal differentiation and apoptosis in a human colon carcinoma cell line. *J Cell Biol* **138**, 449-469.
- Mandal, B.K., Ogra, Y. & Suzuki, K.T. (2001): Identification of dimethylarsinous and monomethylarsonous acids in human urine of the arsenic-affected areas in West Bengal, India. *Chem Res Toxicol* **14**, 371-378.
- Mann, K.K., Shao, W. & Miller, W.H., Jr. (2001): The biology of acute promyelocytic leukemia. *Curr Oncol Rep* **3**, 209-216.
- Martin, S.J., Amarante-Mendes, G.P., Shi, L., Chuang, T.H., Casiano, C.A., O'Brien, G.A., Fitzgerald, P., Tan, E.M., Bokoch, G.M., Greenberg, A.H. & Green, D.R. (1996): The cytotoxic cell protease granzyme B initiates apoptosis in a cell-free system by proteolytic processing and activation of the ICE/CED-3 family protease, CPP32, via a novel two-step mechanism. *Embo J* **15**, 2407-2416.
- Marzo, I., Brenner, C., Zamzami, N., Jurgensmeier, J.M., Susin, S.A., Vieira, H.L., Prevost, M.C., Xie, Z., Matsuyama, S., Reed, J.C. & Kroemer, G. (1998): Bax and adenine nucleotide translocator cooperate in the mitochondrial control of apoptosis. *Science* **281**, 2027-2031.
- Mass, M.J., Tennant, A., Roop, B.C., Cullen, W.R., Styblo, M., Thomas, D.J. & Kligerman, A.D. (2001): Methylated trivalent arsenic species are genotoxic. *Chem Res Toxicol* **14**, 355-361.

- Menisser-de Murcia, J., Mark, M., Wendling, O., Wynshaw-Boris, A. & de Murcia, G. (2001): Early embryonic lethality in PARP-1 Atm double-mutant mice suggests a functional synergy in cell proliferation during development. *Mol Cell Biol* **21**, 1828-1832.
- Menzel, D.B., Hamadeh, H.K., Lee, E., Meacher, D.M., Said, V., Rasmussen, R.E., Greene, H. & Roth, R.N. (1999): Arsenic binding proteins from human lymphoblastoid cells. *Toxicol Lett* **105**, 89-101.
- MIC Cooperative Study Group (1988): Morphologic, immunologic and cytogenetic (MIC) working classification of the acute myeloid leukaemias. Second MIC Cooperative Study Group. *Br J Haematol* **68**, 487-494.
- Mikoshiha, M., Ohashi, K., Takei, N., Okuyama, Y., Maeda, Y., Hiruma, K., Akiyama, H., Fukuhara, O., Takeshita, A. & Sakamaki, H. (2002): Successful unrelated bone marrow transplantation after arsenic trioxide treatment in a patient with relapsed acute promyelocytic leukemia. *Int J Hematol* **75**, 104-106.
- Mittl, P.R., Di Marco, S., Krebs, J.F., Bai, X., Karanewsky, D.S., Priestle, J.P., Tomaselli, K.J. & Grutter, M.G. (1997): Structure of recombinant human CPP32 in complex with the tetrapeptide acetyl-Asp-Val-Ala-Asp fluoromethyl ketone. *J Biol Chem* **272**, 6539-6547.
- Moisan, E., Arbour, S., Nguyen, N., Hebert, M.J., Girard, D., Bernier, J., Fournier, M. & Kouassi, E. (2002): Prolongation of human neutrophil survival by low-level mercury via inhibition of spontaneous apoptosis. *J Toxicol Environ Health A* **65**, 183-203.
- Moncada, S., Palmer, R.M. & Higgs, E.A. (1991): Nitric oxide: physiology, pathophysiology, and pharmacology. *Pharmacol Rev* **43**, 109-142.
- Muhl, H., Sandau, K., Brune, B., Briner, V.A. & Pfeilschifter, J. (1996): Nitric oxide donors induce apoptosis in glomerular mesangial cells, epithelial cells and endothelial cells. *Eur J Pharmacol* **317**, 137-149.
- Muller, S., Matunis, M.J. & Dejean, A. (1998a): Conjugation with the ubiquitin-related modifier SUMO-1 regulates the partitioning of PML within the nucleus. *Embo J* **17**, 61-70.
- Muller, S., Miller, W.H., Jr. & Dejean, A. (1998b): Trivalent antimonials induce degradation of the PML-RAR oncoprotein and reorganization of the promyelocytic leukemia nuclear bodies in acute promyelocytic leukemia NB4 cells. *Blood* **92**, 4308-4316.
- Murphy, M.P. (1999): Nitric oxide and cell death. *Biochim Biophys Acta* **1411**, 401-414.
- Muzio, M., Chinnaiyan, A.M., Kischkel, F.C., O'Rourke, K., Shevchenko, A., Ni, J., Scaffidi, C., Bretz, J.D., Zhang, M., Gentz, R., Mann, M., Krammer, P.H., Peter, M.E. & Dixit, V.M. (1996): FLICE, a novel FADD-homologous ICE/CED-3-like protease, is recruited to the CD95 (Fas/APO-1) death-inducing signaling complex. *Cell* **85**, 817-827.
- Muzio, M., Salvesen, G.S. & Dixit, V.M. (1997): FLICE induced apoptosis in a cell-free system. Cleavage of caspase zymogens. *J Biol Chem* **272**, 2952-2956.
- Na, S., Chuang, T.H., Cunningham, A., Turi, T.G., Hanke, J.H., Bokoch, G.M. & Danley, D.E. (1996): D4-GDI, a substrate of CPP32, is proteolyzed during Fas-induced apoptosis. *J Biol Chem* **271**, 11209-11213.
- Nagata, S. (2000): Apoptotic DNA fragmentation. *Exp Cell Res* **256**, 12-18.
- Nagata, S. & Golstein, P. (1995): The Fas death factor. *Science* **267**, 1449-1456.
- Nakagawa, Y., Akao, Y., Morikawa, H., Hirata, I., Katsu, K., Naoe, T., Ohishi, N. & Yagi, K. (2002): Arsenic trioxide-induced apoptosis through oxidative stress in cells of colon cancer cell lines. *Life Sci* **70**, 2253-2269.
- Nakatsubo, N., Kojima, H., Kikuchi, K., Nagoshi, H., Hirata, Y., Maeda, D., Imai, Y., Irimura, T. & Nagano, T. (1998): Direct evidence of nitric oxide production from bovine aortic endothelial cells using new fluorescence indicators: diamino fluoresceins. *FEBS Lett* **427**, 263-266.
- Namgung, U. & Xia, Z. (2000): Arsenite-induced apoptosis in cortical neurons is mediated by c-Jun N-terminal protein kinase 3 and p38 mitogen-activated protein kinase. *J Neurosci* **20**, 6442-6451.
- Namgung, U. & Xia, Z. (2001): Arsenic induces apoptosis in rat cerebellar neurons via activation of JNK3 and p38 MAP kinases. *Toxicol Appl Pharmacol* **174**, 130-138.
- Nathan, C. (1992): Nitric oxide as a secretory product of mammalian cells. *Faseb J* **6**, 3051-3064.
- Nathan, C. (1997): Inducible nitric oxide synthase: what difference does it make? *J Clin Invest* **100**, 2417-2423.
- Nawata, H., Maeda, Y., Sumimoto, Y., Miyatake, J. & Kanamaru, A. (2001): A mechanism of apoptosis induced by all-trans retinoic acid on adult T-cell leukemia cells: a possible involvement of the Tax/NF-kappaB signaling pathway. *Leuk Res* **25**, 323-331.

- Nguyen, T., Brunson, D., Crespi, C.L., Penman, B.W., Wishnok, J.S. & Tannenbaum, S.R. (1992): DNA damage and mutation in human cells exposed to nitric oxide in vitro. *Proc Natl Acad Sci U S A* **89**, 3030-3034.
- Ni, J., Chen, G., Shen, Z., Li, X., Liu, H., Huang, Y., Fang, Z., Chen, S., Wang, Z. & Chen, Z. (1998): Pharmacokinetics of intravenous arsenic trioxide in the treatment of acute promyelocytic leukemia. *Chin Med J (Engl)* **111**, 1107-1110.
- Nicot, C., Mahieux, R., Takemoto, S. & Franchini, G. (2000): Bcl-X(L) is up-regulated by HTLV-I and HTLV-II in vitro and in ex vivo ATLL samples. *Blood* **96**, 275-281.
- Niu, C., Yan, H., Yu, T., Sun, H.P., Liu, J.X., Li, X.S., Wu, W., Zhang, F.Q., Chen, Y., Zhou, L., Li, J.M., Zeng, X.Y., Yang, R.R., Yuan, M.M., Ren, M.Y., Gu, F.Y., Cao, Q., Gu, B.W., Su, X.Y., Chen, G.Q., Xiong, S.M., Zhang, T., Waxman, S., Wang, Z.Y., Chen, S.J. (1999): Studies on treatment of acute promyelocytic leukemia with arsenic trioxide: remission induction, follow-up, and molecular monitoring in 11 newly diagnosed and 47 relapsed acute promyelocytic leukemia patients. *Blood* **94**, 3315-3324.
- O'Dwyer, M.E., Rosee, P.L., Nimmanapalli, R., Bhalla, K.N. & Druker, B.J. (2002): Recent advances in Philadelphia chromosome-positive malignancies: The potential role of arsenic trioxide. *Semin Hematol* **39**, 18-21.
- Oberhammer, F.A., Hochegger, K., Froschl, G., Tiefenbacher, R. & Pavelka, M. (1994): Chromatin condensation during apoptosis is accompanied by degradation of lamin A+B, without enhanced activation of cdc2 kinase. *J Cell Biol* **126**, 827-837.
- Ohnishi, K., Yoshida, H., Shigeno, K., Nakamura, S., Fujisawa, S., Naito, K., Shinjo, K., Fujita, Y., Matsui, H., Sahara, N., Takeshita, A., Satoh, H., Terada, H. & Ohno, R. (2002): Arsenic trioxide therapy for relapsed or refractory Japanese patients with acute promyelocytic leukemia: need for careful electrocardiogram monitoring. *Leukemia* **16**, 617-622.
- Ohnishi, K., Yoshida, H., Shigeno, K., Nakamura, S., Fujisawa, S., Naito, K., Shinjo, K., Fujita, Y., Matsui, H., Takeshita, A., Sugiyama, S., Satoh, H., Terada, H. & Ohno, R. (2000): Prolongation of the QT Interval and Ventricular Tachycardia in Patients Treated with Arsenic Trioxide for Acute Promyelocytic Leukemia. *Ann Intern Med* **133**, 881-885.
- Ohsawa, M., Koyama, T., Shibakura, M., Kamei, S. & Hirose, S. (2000): Arsenic trioxide (As₂O₃) gradually downregulates tissue factor expression without affecting thrombomodulin expression in acute promyelocytic leukemia cells. *Leukemia* **14**, 941-943.
- Oketani, M., Kohara, K., Tuvdendorj, D., Ishitsuka, K., Komorizono, Y., Ishibashi, K. & Arima, T. (2002): Inhibition by arsenic trioxide of human hepatoma cell growth. *Cancer Lett* **183**, 147-153.
- Olofsson, B. (1999): Rho guanine dissociation inhibitors: pivotal molecules in cellular signalling. *Cell Signal* **11**, 545-554.
- Omura, M., Hirata, M., Tanaka, A., Zhao, M., Makita, Y., Inoue, N., Gotoh, K. & Ishinishi, N. (1996): Testicular toxicity evaluation of arsenic-containing binary compound semiconductors, gallium arsenide and indium arsenide, in hamsters. *Toxicol Lett* **89**, 123-129.
- Ora, I., Bondesson, L., Jonsson, C., Ljungberg, J., Porn-Ares, I., Garwicz, S. & Pahlman, S. (2000): Arsenic trioxide inhibits neuroblastoma growth in vivo and promotes apoptotic cell death in vitro. *Biochem Biophys Res Commun* **277**, 179-185.
- Ormerod, M.G. (1994): *Flow Cytometry: A Practical Approach 2nd edition*. IRL Press at Oxford University. Oxford, England.
- Owens, M.A. & Loken, M.R. (1995): *Flow Cytometry Principles for Clinical Laboratory Practice*. Wiley-Liss. New York, NY, USA.
- Pandolfi, P.P., Grignani, F., Alcalay, M., Mencarelli, A., Biondi, A., LoCoco, F. & Pelicci, P.G. (1991): Structure and origin of the acute promyelocytic leukemia myl/RAR alpha cDNA and characterization of its retinoid-binding and transactivation properties. *Oncogene* **6**, 1285-1292.
- Pantazis, P. (1995): The water-insoluble camptothecin analogues: promising drugs for the effective treatment of haematological malignancies. *Leuk Res* **19**, 775-788.
- Park, J.W., Choi, Y.J., Jang, M.A., Baek, S.H., Lim, J.H., Passaniti, T. & Kwon, T.K. (2001): Arsenic trioxide induces G₂/M growth arrest and apoptosis after caspase-3 activation and bcl-2 phosphorylation in promonocytic U937 cells. *Biochem Biophys Res Commun* **286**, 726-734.
- Park, W.H., Seol, J.G., Kim, E.S., Hyun, J.M., Jung, C.W., Lee, C.C., Kim, B.K. & Lee, Y.Y. (2000): Arsenic trioxide-mediated growth inhibition in MC/CAR myeloma cells via cell cycle arrest in association with induction of cyclin-dependent kinase inhibitor, p21, and apoptosis. *Cancer Res* **60**, 3065-3071.

- Perkins, C., Kim, C.N., Fang, G. & Bhalla, K.N. (2000): Arsenic induces apoptosis of multidrug-resistant human myeloid leukemia cells that express Bcr-Abl or overexpress MDR, MRP, Bcl-2, or Bcl-x(L). *Blood* **95**, 1014-1022.
- Perticarari, S., Presani, G. & Banfi, E. (1994): A new flow cytometric assay for the evaluation of phagocytosis and the oxidative burst in whole blood. *J Immunol Methods* **170**, 117-124.
- Peter, M.E., Heufelder, A.E. & Hengartner, M.O. (1997): Advances in apoptosis research. *Proc Natl Acad Sci U S A* **94**, 12736-12737.
- Petrick, J.S., Ayala-Fierro, F., Cullen, W.R., Carter, D.E. & Vasken Aposhian, H. (2000): Monomethylarsonous acid (MMA(III)) is more toxic than arsenite in Chang human hepatocytes. *Toxicol Appl Pharmacol* **163**, 203-207.
- Petrick, J.S., Jagadish, B., Mash, E.A. & Aposhian, H.V. (2001): Monomethylarsonous acid (MMA(III)) and arsenite: LD(50) in hamsters and in vitro inhibition of pyruvate dehydrogenase. *Chem Res Toxicol* **14**, 651-656.
- Philpott, N.J., Turner, A.J., Scopes, J., Westby, M., Marsh, J.C., Gordon-Smith, E.C., Dalgleish, A.G. & Gibson, F.M. (1996): The use of 7-amino actinomycin D in identifying apoptosis: simplicity of use and broad spectrum of application compared with other techniques. *Blood* **87**, 2244-2251.
- Pi, J., Yamauchi, H., Kumagai, Y., Sun, G., Yoshida, T., Aikawa, H., Hopenhayn-Rich, C. & Shimojo, N. (2002): Evidence for induction of oxidative stress caused by chronic exposure of chinese residents to arsenic contained in drinking water. *Environ Health Perspect* **110**, 331-336.
- Poirier, J. (1997): Apoptosis Techniques and Protocols Neuromethods. Humana Press Inc. Totowa, New Jersey, USA.
- Porter, A.C., Fanger, G.R. & Vaillancourt, R.R. (1999): Signal transduction pathways regulated by arsenate and arsenite. *Oncogene* **18**, 7794-7802.
- Pu, Y.S., Hour, T.C., Chen, J., Huang, C.Y., Guan, J.Y. & Lu, S.H. (2002): Arsenic trioxide as a novel anticancer agent against human transitional carcinoma-characterizing its apoptotic pathway. *Anticancer Drugs* **13**, 293-300.
- Radbruch, A. (1992): Flow Cytometry and Cell Sorting 2nd edition. Springer-Verlag. New York, NY, USA.
- Ramage, P., Cheneval, D., Chvei, M., Graff, P., Hemmig, R., Heng, R., Kocher, H.P., Mackenzie, A., Memmert, K., Revesz, L. (1995): Expression, refolding, and autocatalytic proteolytic processing of the interleukin-1 beta-converting enzyme precursor. *J Biol Chem* **270**, 9378-9383.
- Ramirez, P., Del Razo, L.M., Gutierrez-Ruiz, M.C. & Gonsebatt, M.E. (2000): Arsenite induces DNA-protein crosslinks and cytokeratin expression in the WRL-68 human hepatic cell line. *Carcinogenesis* **21**, 701-706.
- Ramirez, P., Eastmond, D.A., Laclette, J.P. & Ostrosky-Wegman, P. (1997): Disruption of microtubule assembly and spindle formation as a mechanism for the induction of aneuploid cells by sodium arsenite and vanadium pentoxide. *Mutat Res* **386**, 291-298.
- Rano, T.A., Timkey, T., Peterson, E.P., Rotonda, J., Nicholson, D.W., Becker, J.W., Chapman, K.T. & Thornberry, N.A. (1997): A combinatorial approach for determining protease specificities: application to interleukin-1beta converting enzyme (ICE). *Chem Biol* **4**, 149-155.
- Rao, L., Perez, D. & White, E. (1996): Lamin proteolysis facilitates nuclear events during apoptosis. *J Cell Biol* **135**, 1441-1455.
- Recher, C., Chopin, M., Raffoux, E., Pierron, G., Poupon, J., Sigaux, F., Dombret, H. & Stern, M.H. (2002): In vitro and in vivo effectiveness of arsenic trioxide against murine T-cell prolymphocytic leukaemia. *Br J Haematol* **117**, 343-350.
- Reddy, B.A., Etkin, L.D. & Freemont, P.S. (1992): A novel zinc finger coiled-coil domain in a family of nuclear proteins. *Trends Biochem Sci* **17**, 344-345.
- Reichl, F.X., Kreppel, H. & Forth, W. (1991a): Pyruvate and lactate metabolism in livers of guinea pigs perfused with chelating agents after repeated treatment with As₂O₃. *Arch Toxicol* **65**, 235-238.
- Reichl, F.X., Kreppel, H., Szinicz, L., Fichtl, B. & Forth, W. (1991b): Effect of glucose treatment on carbohydrate content in various organs in mice after acute As₂O₃ poisoning. *Vet Hum Toxicol* **33**, 230-235.
- Reichl, F.X., Szinicz, L., Kreppel, H., Fichtl, B. & Forth, W. (1990): Effect of glucose in mice after acute experimental poisoning with arsenic trioxide (As₂O₃). *Arch Toxicol* **64**, 336-338.
- Reichl, F.X., Szinicz, L., Kreppel, H. & Forth, W. (1989): Effects on mitochondrial metabolism in livers of guinea pigs after a single or repeated injection of As₂O₃. *Arch Toxicol* **63**, 419-422.
- Roberts, T.F., Sprague, K., Schenkein, D., Miller, K.B. & Relias, V. (2000): Hyperleukocytosis during induction therapy with arsenic trioxide for relapsed acute promyelocytic leukemia associated with central nervous system infarction. *Blood* **96**, 4000-4001.

- Robinson, J.P., Darzynkiewicz, Z., Dean, P., Orfao, A., Rabinovitch, P., Tanke, H. & Wheelless, L. (1999): Current Protocols in Cytometry. Wiley & Sons, Inc. New York, NY, USA.
- Roboz, G.J., Dias, S., Lam, G., Lane, W.J., Soignet, S.L., Warrell, R.P., Jr. & Rafii, S. (2000): Arsenic trioxide induces dose- and time-dependent apoptosis of endothelium and may exert an antileukemic effect via inhibition of angiogenesis. *Blood* **96**, 1525-1530.
- Rojewski, M., Knauf, W., Thiel, E. & Schrezenmeier, H. (2000a): Induction of apoptosis and growth inhibition in myeloid malignancies by arsenic trioxide. *Experimental Hematology* **28**, 103.
- Rojewski, M., Kneifel, C., Baldus, C., Knauf, W., Thiel, E. & Schrezenmeier, H. (2000b): Arsenic trioxide: a new treatment modality for myeloid malignancies? 1. Auflage Jahrbuch 2000 des Fachbereiches Humanmedizin der Freien Universität Berlin. 408; Fromm, M. Berlin.
- Rojewski, M., Körper, S., Kneifel, C., Thiel, E. & Schrezenmeier, H. (2001a): Arsen(III)-oxid-induzierte Apoptose in hämopoetischen Zelllinien: CD95-unabhängige Caspasenaktivierung und Mitochondrieninaktivierung Jahrbuch 2001 des Fachbereiches Humanmedizin der Freien Universität Berlin. Fromm, M. Berlin.
- Rojewski, M., Körper, S., Thiel, E. & Schrezenmeier, H. (2001b): Activation of caspases is involved in arsenic trioxide (ATO)-induced apoptosis in myeloid and non-myeloid malignant cell lines. *Onkologie* **24**, 53.
- Rojewski, M., Thiel, E. & Schrezenmeier, H. (2000c): Arsenic and old lace: the use of arsenic in cancer therapy. *Proceedings of the focus symposium on health, healing & medicine VI*, 51-55.
- Rojewski, M.T., Baldus, C., Knauf, W., Thiel, E. & Schrezenmeier, H. (2002): Dual effects of arsenic trioxide (As₂O₃) on non-acute promyelocytic leukaemia myeloid cell lines: induction of apoptosis and inhibition of proliferation. *Br J Haematol* **116**, 555-563.
- Rossman, T.G., Uddin, A.N., Burns, F.J. & Bosland, M.C. (2001): Arsenite is a cocarcinogen with solar ultraviolet radiation for mouse skin: an animal model for arsenic carcinogenesis. *Toxicol Appl Pharmacol* **176**, 64-71.
- Salerno, M., Petroutsa, M. & Garnier-Suillerot, A. (2002): The MRP1-mediated effluxes of arsenic and antimony do not require arsenic-glutathione and antimony-glutathione complex formation. *J Bioenerg Biomembr* **34**, 135-145.
- Salvioli, S., Ardizzoni, A., Franceschi, C. & Cossarizza, A. (1997): JC-1, but not DiOC₆(3) or rhodamine 123, is a reliable fluorescent probe to assess delta psi changes in intact cells: implications for studies on mitochondrial functionality during apoptosis. *FEBS Lett* **411**, 77-82.
- Sambrook, J., Fritsch, E.F. & Maniatis, T. (1989): Molecular Cloning: A Laboratory Manual 2nd edition. Cold Spring Harbour Laboratory Press. Cold Spring Harbour, New York, USA.
- Scheffer, G.L., Wijngaard, P.L., Flens, M.J., Izquierdo, M.A., Slovak, M.L., Pinedo, H.M., Meijer, C.J., Clevers, H.C. & Scheper, R.J. (1995): The drug resistance-related protein LRP is the human major vault protein. *Nat Med* **1**, 578-582.
- Schempp, C.M., Simon-Haarhaus, B., Termeer, C.C. & Simon, J.C. (2001): Hypericin photo-induced apoptosis involves the tumor necrosis factor-related apoptosis-inducing ligand (TRAIL) and activation of caspase-8. *FEBS Lett* **493**, 26-30.
- Scheper, R.J., Broxterman, H.J., Scheffer, G.L., Kaaijk, P., Dalton, W.S., van Heijningen, T.H., van Kalken, C.K., Slovak, M.L., de Vries, E.G., van der Valk, P. (1993): Overexpression of a M(r) 110,000 vesicular protein in non-P-glycoprotein-mediated multidrug resistance. *Cancer Res* **53**, 1475-1479.
- Schmid, I., Uittenbogaart, C.H. & Giorgi, J.V. (1994a): Sensitive method for measuring apoptosis and cell surface phenotype in human thymocytes by flow cytometry. *Cytometry* **15**, 12-20.
- Schmid, I., Uittenbogaart, C.H., Keld, B. & Giorgi, J.V. (1994b): A rapid method for measuring apoptosis and dual-color immunofluorescence by single laser flow cytometry. *J Immunol Methods* **170**, 145-157.
- Schrezenmeier, H., Kneifel, C., Rojewski, M., Mönich, T., Schwartz, S. & Thiel, E. (2000): Induction of apoptosis by arsenic trioxide in acute myeloid leukemia blasts in vitro. *Onkologie* **23**, 91.
- Schrezenmeier, H., Körper, S., Rojewski, M. & Thiel, E. (2001a): Antagonists of glykoprotein-P have a synergistic apoptotic effect with arsenic trioxide in the absence of glykoprotei-P. *The Hematology Journal* **1**, 89.
- Schrezenmeier, H., Mönich, T., Rojewski, M. & Thiel, E. (2001b): Effects of antithymocyte globulin in myeloid cells: induction of apoptosis, activation of caspases and inhibition of proliferation rate. *Onkologie* **24**, 53.
- Schulze-Osthoff, K., Bakker, A.C., Vanhaesebroeck, B., Beyaert, R., Jacob, W.A. & Fiers, W. (1992): Cytotoxic activity of tumor necrosis factor is mediated by early damage of mitochondrial

- functions. Evidence for the involvement of mitochondrial radical generation. *J Biol Chem* **267**, 5317-5323.
- Schulze-Osthoff, K., Beyaert, R., Vandevoorde, V., Haegeman, G. & Fiers, W. (1993): Depletion of the mitochondrial electron transport abrogates the cytotoxic and gene-inductive effects of TNF. *Embo J* **12**, 3095-3104.
- Schwartz, P.S. & Waxman, D.J. (2001): Cyclophosphamide induces caspase 9-dependent apoptosis in 9L tumor cells. *Mol Pharmacol* **60**, 1268-1279.
- Seol, J.G., Park, W.H., Kim, E.S., Jung, C.W., Hyun, J.M., Kim, B.K. & Lee, Y.Y. (1999): Effect of arsenic trioxide on cell cycle arrest in head and neck cancer cell line PCI-1. *Biochem Biophys Res Commun* **265**, 400-404.
- Shami, P.J., Sauls, D.L. & Weinberg, J.B. (1998): Schedule and concentration-dependent induction of apoptosis in leukemia cells by nitric oxide. *Leukemia* **12**, 1461-1466.
- She, Q.B., Ma, W.Y. & Dong, Z. (2002): Role of MAP kinases in UVB-induced phosphorylation of p53 at serine 20. *Oncogene* **21**, 1580-1589.
- Shen, Y., Shen, Z.X., Yan, H., Chen, J., Zeng, X.Y., Li, J.M., Li, X.S., Wu, W., Xiong, S.M., Zhao, W.L., Tang, W., Wu, F., Liu, Y.F., Niu, C., Wang, Z.Y., Chen, S.J. & Chen, Z. (2001): Studies on the clinical efficacy and pharmacokinetics of low-dose arsenic trioxide in the treatment of relapsed acute promyelocytic leukemia: a comparison with conventional dosage. *Leukemia* **15**, 735-741.
- Shen, Y.H., Wang, X.L. & Wilcken, D.E. (1998): Nitric oxide induces and inhibits apoptosis through different pathways. *FEBS Lett* **433**, 125-131.
- Shen, Z.X., Chen, G.Q., Ni, J.H., Li, X.S., Xiong, S.M., Qiu, Q.Y., Zhu, J., Tang, W., Sun, G.L., Yang, K.Q., Chen, Y., Zhou, L., Fang, Z.W., Wang, Y.T., Ma, J., Zhang, P., Zhang, T.D., Chen, S.J., Chen, Z. & Wang, Z.Y. (1997): Use of arsenic trioxide (As₂O₃) in the treatment of acute promyelocytic leukemia (APL): II. Clinical efficacy and pharmacokinetics in relapsed patients. *Blood* **89**, 3354-3360.
- Shen, Z.Y., Shen, J., Cai, W.J., Hong, C. & Zheng, M.H. (2000): The alteration of mitochondria is an early event of arsenic trioxide induced apoptosis in esophageal carcinoma cells. *Int J Mol Med* **5**, 155-158.
- Shen, Z.Y., Shen, J., Li, Q.S., Chen, C.Y., Chen, J.Y. & Yi, Z. (2002a): Morphological and functional changes of mitochondria in apoptotic esophageal carcinoma cells induced by arsenic trioxide. *World J Gastroenterol* **8**, 31-35.
- Shen, Z.Y., Shen, W.Y., Chen, M.H., Shen, J., Cai, W.J. & Yi, Z. (2002b): Nitric oxide and calcium ions in apoptotic esophageal carcinoma cells induced by arsenite. *World J Gastroenterol* **8**, 40-43.
- Shen, Z.Y., Shen, W.Y., Chen, M.H., Shen, J., Cai, W.J. & Zeng, Y. (2002c): Mitochondria, calcium and nitric oxide in the apoptotic pathway of esophageal carcinoma cells induced by As₂O₃. *Int J Mol Med* **9**, 385-390.
- Shimizu, S., Konishi, A., Kodama, T. & Tsujimoto, Y. (2000): BH4 domain of antiapoptotic Bcl-2 family members closes voltage-dependent anion channel and inhibits apoptotic mitochondrial changes and cell death. *Proc Natl Acad Sci U S A* **97**, 3100-3105.
- Shimizu, S., Narita, M. & Tsujimoto, Y. (1999): Bcl-2 family proteins regulate the release of apoptogenic cytochrome c by the mitochondrial channel VDAC. *Nature* **399**, 483-487.
- Singer, J.W. (2001): Cardiac toxicity of arsenic trioxide. *Blood* **98**, 1633; discussion 1633-1634.
- Siu, K.P., Chan, J.Y. & Fung, K.P. (2002): Effect of arsenic trioxide on human hepatocellular carcinoma HepG2 cells: Inhibition of proliferation and induction of apoptosis. *Life Sci* **71**, 275-285.
- Sleath, P.R., Hendrickson, R.C., Kronheim, S.R., March, C.J. & Black, R.A. (1990): Substrate specificity of the protease that processes human interleukin-1 beta. *J Biol Chem* **265**, 14526-14528.
- Soignet, S.L. (2001a): Clinical experience of arsenic trioxide in relapsed acute promyelocytic leukemia. *Oncologist* **6**, 11-16.
- Soignet, S.L., Frankel, S.R., Douer, D., Tallman, M.S., Kantarjian, H., Calleja, E., Stone, R.M., Kalaycio, M., Scheinberg, D.A., Steinherz, P., Sievers, E.L., Coutre, S., Dahlberg, S., Ellison, R. & Warrell, R.P., Jr. (2001b): United States multicenter study of arsenic trioxide in relapsed acute promyelocytic leukemia. *J Clin Oncol* **19**, 3852-3860.
- Soignet, S.L., Maslak, P., Wang, Z.G., Jhanwar, S., Calleja, E., Dardashti, L.J., Corso, D., DeBlasio, A., Gabilove, J., Scheinberg, D.A., Pandolfi, P.P. & Warrell, R.P., Jr. (1998): Complete

- remission after treatment of acute promyelocytic leukemia with arsenic trioxide. *N Engl J Med* **339**, 1341-1348.
- Soignet, S.L., Tong, W.P., Hirschfeld, S. & Warrell, R.P., Jr. (1999): Clinical study of an organic arsenical, melarsoprol, in patients with advanced leukemia. *Cancer Chemother Pharmacol* **44**, 417-421.
- Sok, J., Calfon, M., Lu, J., Lichtlen, P., Clark, S.G. & Ron, D. (2001): Arsenite-inducible RNA-associated protein (AIRAP) protects cells from arsenite toxicity. *Cell Stress Chaperones* **6**, 6-15.
- Soldani, C., Lazze, M.C., Bottone, M.G., Tognon, G., Biggiogera, M., Pellicciari, C.E. & Scovassi, A.I. (2001): Poly(ADP-ribose) polymerase cleavage during apoptosis: when and where? *Exp Cell Res* **269**, 193-201.
- Sperandio, S., de Belle, I. & Bredesen, D.E. (2000): An alternative, nonapoptotic form of programmed cell death. *Proc Natl Acad Sci U S A* **97**, 14376-14381.
- Srinivasula, S.M., Ahmad, M., Fernandes-Alnemri, T. & Alnemri, E.S. (1998): Autoactivation of procaspase-9 by Apaf-1-mediated oligomerization. *Mol Cell* **1**, 949-957.
- Srinivasula, S.M., Ahmad, M., Fernandes-Alnemri, T., Litwack, G. & Alnemri, E.S. (1996a): Molecular ordering of the Fas-apoptotic pathway: the Fas/APO-1 protease Mch5 is a CrmA-inhibitable protease that activates multiple Ced-3/ICE-like cysteine proteases. *Proc Natl Acad Sci U S A* **93**, 14486-14491.
- Srinivasula, S.M., Fernandes-Alnemri, T., Zangrilli, J., Robertson, N., Armstrong, R.C., Wang, L., Trapani, J.A., Tomaselli, K.J., Litwack, G. & Alnemri, E.S. (1996b): The Ced-3/interleukin 1beta converting enzyme-like homolog Mch6 and the lamin-cleaving enzyme Mch2alpha are substrates for the apoptotic mediator CPP32. *J Biol Chem* **271**, 27099-27106.
- Stanger, B.Z., Leder, P., Lee, T.H., Kim, E. & Seed, B. (1995): RIP: a novel protein containing a death domain that interacts with Fas/APO-1 (CD95) in yeast and causes cell death. *Cell* **81**, 513-523.
- Stennicke, H.R., Jurgensmeier, J.M., Shin, H., Deveraux, Q., Wolf, B.B., Yang, X., Zhou, Q., Ellerby, H.M., Ellerby, L.M., Bredesen, D., Green, D.R., Reed, J.C., Froelich, C.J. & Salvesen, G.S. (1998): Pro-caspase-3 is a major physiologic target of caspase-8. *J Biol Chem* **273**, 27084-27090.
- Stepczynska, A., Lauber, K., Engels, I.H., Janssen, O., Kabelitz, D., Wesselborg, S. & Schulze-Osthoff, K. (2001): Staurosporine and conventional anticancer drugs induce overlapping, yet distinct pathways of apoptosis and caspase activation. *Oncogene* **20**, 1193-1202.
- Sternsdorf, T., Puccetti, E., Jensen, K., Hoelzer, D., Will, H., Ottmann, O.G. & Ruthardt, M. (1999): PIC-1/SUMO-1-modified PML-retinoic acid receptor alpha mediates arsenic trioxide-induced apoptosis in acute promyelocytic leukemia. *Mol Cell Biol* **19**, 5170-5178.
- Story, M.D., Voehringer, D.W., Malone, C.G., Hobbs, M.L. & Meyn, R.E. (1994): Radiation-induced apoptosis in sensitive and resistant cells isolated from a mouse lymphoma. *Int J Radiat Biol* **66**, 659-668.
- Susca, M., Grassi, A., Zauli, D., Volta, U., Lenzi, M., Marchesini, G., Bianchi, F.B. & Ballardini, G. (2001): Liver inflammatory cells, apoptosis, regeneration and stellate cell activation in non-alcoholic steatohepatitis. *Dig Liver Dis* **33**, 768-777.
- Susin, S.A., Lorenzo, H.K., Zamzami, N., Marzo, I., Brenner, C., Larochette, N., Prevost, M.C., Alzari, P.M. & Kroemer, G. (1999): Mitochondrial release of caspase-2 and -9 during the apoptotic process. *J Exp Med* **189**, 381-394.
- Susin, S.A., Zamzami, N. & Kroemer, G. (1998): Mitochondria as regulators of apoptosis: doubt no more. *Biochim Biophys Acta* **1366**, 151-165.
- Suzuki, M., Youle, R.J. & Tjandra, N. (2000): Structure of Bax: coregulation of dimer formation and intracellular localization. *Cell* **103**, 645-654.
- Szincz, L. & Forth, W. (1988): Effect of As₂O₃ on gluconeogenesis. *Arch Toxicol* **61**, 444-449.
- Takahashi, A., Alnemri, E.S., Lazebnik, Y.A., Fernandes-Alnemri, T., Litwack, G., Moir, R.D., Goldman, R.D., Poirier, G.G., Kaufmann, S.H. & Earnshaw, W.C. (1996): Cleavage of lamin A by Mch2 alpha but not CPP32: multiple interleukin 1 beta-converting enzyme-related proteases with distinct substrate recognition properties are active in apoptosis. *Proc Natl Acad Sci U S A* **93**, 8395-8400.
- Takahashi, A., Hirata, H., Yonehara, S., Imai, Y., Lee, K.K., Moyer, R.W., Turner, P.C., Mesner, P.W., Okazaki, T., Sawai, H., Kishi, S., Yamamoto, K., Okuma, M. & Sasada, M. (1997): Affinity labeling displays the stepwise activation of ICE-related proteases by Fas, staurosporine, and CrmA-sensitive caspase-8. *Oncogene* **14**, 2741-2752.
- Talley, A.K., Dewhurst, S., Perry, S.W., Dollard, S.C., Gummuluru, S., Fine, S.M., New, D., Epstein, L.G., Gendelman, H.E. & Gelbard, H.A. (1995): Tumor necrosis factor alpha-induced apoptosis

- in human neuronal cells: protection by the antioxidant N-acetylcysteine and the genes bcl-2 and crmA. *Mol Cell Biol* **15**, 2359-2366.
- Tallman, M.S. (1998): Therapy of acute promyelocytic leukemia: all-trans retinoic acid and beyond. *Leukemia* **12 Suppl 1**, S37-40.
- Tallman, M.S., Nabhan, C., Feusner, J.H. & Rowe, J.M. (2002): Acute promyelocytic leukemia: evolving therapeutic strategies. *Blood* **99**, 759-767.
- Tamura, T. & Ozato, K. (2002): ICSBP/IRF-8: its regulatory roles in the development of myeloid cells. *J Interferon Cytokine Res* **22**, 145-152.
- Tanaka, A., Hirata, M., Omura, M., Zhao, M., Makita, Y., Yamazaki, K., Inoue, N. & Gotoh, K. (2000): Comparative study of the toxic effects of gallium arsenide, indium arsenide and arsenic trioxide following intratracheal instillations to the lung of Syrian golden hamsters. *Fukuoka Igaku Zasshi* **91**, 21-33.
- Tanaka, M., Itai, T., Adachi, M. & Nagata, S. (1998): Downregulation of Fas ligand by shedding. *Nat Med* **4**, 31-36.
- Tanaka, M., Suda, T., Takahashi, T. & Nagata, S. (1995): Expression of the functional soluble form of human fas ligand in activated lymphocytes. *Embo J* **14**, 1129-1135.
- Tarello, W. (2001): Chronic fatigue syndrome in horses: diagnosis and treatment of 4 cases. *Comp Immunol Microbiol Infect Dis* **24**, 57-70.
- Tentori, L., Balduzzi, A., Portarena, I., Levati, L., Vernole, P., Gold, B., Bonmassar, E. & Graziani, G. (2001): Poly (ADP-ribose) polymerase inhibitor increases apoptosis and reduces necrosis induced by a DNA minor groove binding methyl sulfonate ester. *Cell Death Differ* **8**, 817-828.
- Tewari, M., Quan, L.T., O'Rourke, K., Desnoyers, S., Zeng, Z., Beidler, D.R., Poirier, G.G., Salvesen, G.S. & Dixit, V.M. (1995): Yama/CPP32 beta, a mammalian homolog of CED-3, is a CrmA-inhibitable protease that cleaves the death substrate poly(ADP-ribose) polymerase. *Cell* **81**, 801-809.
- Theron, T., Binder, A., Verheye-Dua, F. & Bohm, L. (2000): The role of G2-block abrogation, DNA double-strand break repair and apoptosis in the radiosensitization of melanoma and squamous cell carcinoma cell lines by pentoxifylline. *Int J Radiat Biol* **76**, 1197-1208.
- Thornberry, N.A. (1998a): Caspases: key mediators of apoptosis. *Chem Biol* **5**, R97-103.
- Thornberry, N.A. & Lazebnik, Y. (1998b): Caspases: enemies within. *Science* **281**, 1312-1316.
- Thornberry, N.A., Rano, T.A., Peterson, E.P., Rasper, D.M., Timkey, T., Garcia-Calvo, M., Houtzager, V.M., Nordstrom, P.A., Roy, S., Vaillancourt, J.P., Chapman, K.T. & Nicholson, D.W. (1997): A combinatorial approach defines specificities of members of the caspase family and granzyme B. Functional relationships established for key mediators of apoptosis. *J Biol Chem* **272**, 17907-17911.
- Tibbetts, J. (2002): How arsenic acts. Evidence of oxidative stress. *Environ Health Perspect* **110**, A204.
- Timmer, T., de Vries, E.G. & de Jong, S. (2002): Fas receptor-mediated apoptosis: a clinical application? *J Pathol* **196**, 125-134.
- Tong, W.M., Cortes, U. & Wang, Z.Q. (2001a): Poly(ADP-ribose) polymerase: a guardian angel protecting the genome and suppressing tumorigenesis. *Biochim Biophys Acta* **1552**, 27-37.
- Tong, W.M., Hande, M.P., Lansdorp, P.M. & Wang, Z.Q. (2001b): DNA strand break-sensing molecule poly(ADP-Ribose) polymerase cooperates with p53 in telomere function, chromosome stability, and tumor suppression. *Mol Cell Biol* **21**, 4046-4054.
- Trauth, B.C., Klas, C., Peters, A.M., Matzku, S., Moller, P., Falk, W., Debatin, K.M. & Krammer, P.H. (1989): Monoclonal antibody-mediated tumor regression by induction of apoptosis. *Science* **245**, 301-305.
- Tsai, S., Hsieh, M., Chen, L., Liang, Y., Lin, J. & Lin, S. (2001): Suppression of Fas ligand expression on endothelial cells by arsenite through reactive oxygen species. *Toxicol Lett* **123**, 11-19.
- Tsujimoto, H., Takeshita, S., Nakatani, K., Kawamura, Y., Tokutomi, T. & Sekine, I. (2001): Delayed apoptosis of circulating neutrophils in Kawasaki disease. *Clin Exp Immunol* **126**, 355-364.
- Uchida, M., Hanai, S., Uematsu, N., Sawamoto, K., Okano, H., Miwa, M. & Uchida, K. (2001): Genetic and functional analysis of PARP, a DNA strand break-binding enzyme. *Mutat Res* **477**, 89-96.
- Ucker, D.S., Obermiller, P.S., Eckhart, W., Apgar, J.R., Berger, N.A. & Meyers, J. (1992): Genome digestion is a dispensable consequence of physiological cell death mediated by cytotoxic T lymphocytes. *Mol Cell Biol* **12**, 3060-3069.
- Um, S.J., Lee, S.Y., Kim, E.J., Myoung, J., Namkoong, S.E. & Park, J.S. (2002): Down-regulation of human papillomavirus E6/E7 oncogene by arsenic trioxide in cervical carcinoma cells. *Cancer Lett* **181**, 11-22.

- Unnikrishnan, D., Dutcher, J.P., Varshneya, N., Lucariello, R., Api, M., Garl, S., Wiernik, P.H. & Chiaramida, S. (2001): Torsades de pointes in 3 patients with leukemia treated with arsenic trioxide. *Blood* **97**, 1514-1516.
- Ushmorov, A., Ratter, F., Lehmann, V., Droge, W., Schirrmacher, V. & Umansky, V. (1999): Nitric-oxide-induced apoptosis in human leukemic lines requires mitochondrial lipid degradation and cytochrome C release. *Blood* **93**, 2342-2352.
- Van Amersfoort, E.S. & Van Strijp, J.A. (1994): Evaluation of a flow cytometric fluorescence quenching assay of phagocytosis of sensitized sheep erythrocytes by polymorphonuclear leukocytes. *Cytometry* **17**, 294-301.
- Van Den Heuvel-Eibrink, M.M., Wiemer, E.A., Prins, A., Meijerink, J.P., Vosseveld, P.J., Van Der Holt, B., Pieters, R. & Sonneveld, P. (2002): Increased expression of the breast cancer resistance protein (BCRP) in relapsed or refractory acute myeloid leukemia (AML). *Leukemia* **16**, 833-839.
- van Engeland, M., Nieland, L.J., Ramaekers, F.C., Schutte, B. & Reutelingsperger, C.P. (1998): Annexin V-affinity assay: a review on an apoptosis detection system based on phosphatidylserine exposure. *Cytometry* **31**, 1-9.
- van Lent, P.L., Licht, R., Dijkman, H., Holthuysen, A.E., Berden, J.H. & van den Berg, W.B. (2001): Uptake of apoptotic leukocytes by synovial lining macrophages inhibits immune complex-mediated arthritis. *J Leukoc Biol* **70**, 708-714.
- van Zon, A., Mossink, M.H., Schoester, M., Scheffer, G.L., Scheper, R.J., Sonneveld, P. & Wiemer, E.A. (2001): Multiple human vault RNAs. Expression and association with the vault complex. *J Biol Chem* **276**, 37715-37721.
- Vega, L., Styblo, M., Patterson, R., Cullen, W., Wang, C. & Germolec, D. (2001): Differential effects of trivalent and pentavalent arsenicals on cell proliferation and cytokine secretion in normal human epidermal keratinocytes. *Toxicol Appl Pharmacol* **172**, 225-232.
- Vercammen, D., Brouckaert, G., Denecker, G., Van de Craen, M., Declercq, W., Fiers, W. & Vandenaabeele, P. (1998): Dual signaling of the Fas receptor: initiation of both apoptotic and necrotic cell death pathways. *J Exp Med* **188**, 919-930.
- Verhagen, A.M. & Vaux, D.L. (2002): Cell death regulation by the mammalian IAP antagonist Diablo/Smac. *Apoptosis* **7**, 163-166.
- Verhoven, B., Kraehling, S., Schlegel, R.A. & Williamson, P. (1999): Regulation of phosphatidylserine exposure and phagocytosis of apoptotic T lymphocytes. *Cell Death Differ* **6**, 262-270.
- Vernhet, L., Allain, N., Payen, L., Anger, J.P., Guillouzo, A. & Fardel, O. (2001a): Resistance of human multidrug resistance-associated protein 1-overexpressing lung tumor cells to the anticancer drug arsenic trioxide. *Biochem Pharmacol* **61**, 1387-1391.
- Vernhet, L., Seite, M.P., Allain, N., Guillouzo, A. & Fardel, O. (2001b): Arsenic induces expression of the multidrug resistance-associated protein 2 (MRP2) gene in primary rat and human hepatocytes. *J Pharmacol Exp Ther* **298**, 234-239.
- Vincenz, C. & Dixit, V.M. (1997): Fas-associated death domain protein interleukin-1beta-converting enzyme 2 (FLICE2), an ICE/Ced-3 homologue, is proximally involved in CD95- and p55-mediated death signaling. *J Biol Chem* **272**, 6578-6583.
- Vogt, B.L. & Rossman, T.G. (2001): Effects of arsenite on p53, p21 and cyclin D expression in normal human fibroblasts -- a possible mechanism for arsenite's comutagenicity. *Mutat Res* **478**, 159-168.
- Volm, M., Efferth, T., Mattern, J. & Pommerenke, E.W. (1992): Resistance mechanisms in murine tumors with acquired multidrug resistance. *Arzneimittelforschung* **42**, 1163-1168.
- Walker, N.P., Talanian, R.V., Brady, K.D., Dang, L.C., Bump, N.J., Ferez, C.R., Franklin, S., Ghayur, T., Hackett, M.C., Hammill, L.D. (1994): Crystal structure of the cysteine protease interleukin-1 beta-converting enzyme: a (p20/p10)₂ homodimer. *Cell* **78**, 343-352.
- Wallace, P.K., Palmer, L.D., Perry-Lalley, D., Bolton, E.S., Alexander, R.B., Horan, P.K., Yang, J.C. & Muirhead, K.A. (1993): Mechanisms of adoptive immunotherapy: improved methods for in vivo tracking of tumor-infiltrating lymphocytes and lymphokine-activated killer cells. *Cancer Res* **53**, 2358-2367.
- Walter, R., Schoedon, G., Bachli, E., Betts, D.R., Hossle, J.P., Calandra, T., Joller-Jemelka, H.I., Fehr, J. & Schaffner, A. (2000): Establishment and characterization of an arsenic-sensitive monoblastic leukaemia cell line (SigM5). *Br J Haematol* **109**, 396-404.
- Wang, H.G., Rapp, U.R. & Reed, J.C. (1996): Bcl-2 targets the protein kinase Raf-1 to mitochondria. *Cell* **87**, 629-638.

- Wang, K.C., Cheng, A.L., Chuang, S.E., Hsu, H.C. & Su, I.J. (2000): Retinoic acid-induced apoptotic pathway in T-cell lymphoma: Identification of four groups of genes with differential biological functions. *Exp Hematol* **28**, 1441-1450.
- Wang, Z., Xu, Y. & Liao, J. (2000): Experimental study on apoptosis of HL-60 cell induced by arsenic trioxide. *Zhongguo Zhong Xi Yi Jie He Za Zhi* **20**, 536-538.
- Wang, Z.G., Rivi, R., Delva, L., Konig, A., Scheinberg, D.A., Gambacorti-Passerini, C., Gabrilove, J.L., Warrell, R.P., Jr. & Pandolfi, P.P. (1998): Arsenic trioxide and melarsoprol induce programmed cell death in myeloid leukemia cell lines and function in a PML and PML-RARalpha independent manner. *Blood* **92**, 1497-1504.
- Wang, Z.Q., Ovitt, C., Grigoriadis, A.E., Mohle-Steinlein, U., Ruther, U. & Wagner, E.F. (1992): Bone and haematopoietic defects in mice lacking c-fos. *Nature* **360**, 741-745.
- Ware, C.F., VanArsdale, S. & VanArsdale, T.L. (1996): Apoptosis mediated by the TNF-related cytokine and receptor families. *J Cell Biochem* **60**, 47-55.
- Wedi, B., Straede, J., Wieland, B. & Kapp, A. (1999): Eosinophil apoptosis is mediated by stimulators of cellular oxidative metabolisms and inhibited by antioxidants: involvement of a thiol-sensitive redox regulation in eosinophil cell death. *Blood* **94**, 2365-2373.
- Weis, K., Rambaud, S., Lavau, C., Jansen, J., Carvalho, T., Carmo-Fonseca, M., Lamond, A. & Dejean, A. (1994): Retinoic acid regulates aberrant nuclear localization of PML-RAR alpha in acute promyelocytic leukemia cells. *Cell* **76**, 345-356.
- Westervelt, P., Brown, R.A., Adkins, D.R., Khoury, H., Curtin, P., Hurd, D., Luger, S.M., Ma, M.K., Ley, T.J. & DiPersio, J.F. (2001): Sudden death among patients with acute promyelocytic leukemia treated with arsenic trioxide. *Blood* **98**, 266-271.
- Wijeweera, J.B., Gandolfi, A.J., Parrish, A. & Lantz, R.C. (2001): Sodium arsenite enhances AP-1 and NFkappaB DNA binding and induces stress protein expression in precision-cut rat lung slices. *Toxicol Sci* **61**, 283-294.
- Williams, G.T. & Smith, C.A. (1993): Molecular regulation of apoptosis: genetic controls on cell death. *Cell* **74**, 777-779. England.
- Wink, D.A., Kasprzak, K.S., Maragos, C.M., Elespuru, R.K., Misra, M., Dunams, T.M., Cebula, T.A., Koch, W.H., Andrews, A.W., Allen, J.S. (1991): DNA deaminating ability and genotoxicity of nitric oxide and its progenitors. *Science* **254**, 1001-1003.
- Wong, G.H. & Goeddel, D.V. (1988): Induction of manganous superoxide dismutase by tumor necrosis factor: possible protective mechanism. *Science* **242**, 941-944.
- Woo, S.H., Park, I.C., Park, M.J., Lee, H.C., Lee, S.J., Chun, Y.J., Lee, S.H., Hong, S.I. & Rhee, C.H. (2002): Arsenic trioxide induces apoptosis through a reactive oxygen species-dependent pathway and loss of mitochondrial membrane potential in HeLa cells. *Int J Oncol* **21**, 57-63
- World Health Organisation (2001): Classification of Tumours: Pathology & Genetics Tumours of Haematopoietic and Lymphoid Tissues. IARC Press, Lyon, Frankreich. Lyon.
- Wu, Z., Earle, J., Saito, S., Anderson, C.W., Appella, E. & Xu, Y. (2002): Mutation of Mouse p53 Ser23 and the Response to DNA Damage. *Mol Cell Biol* **22**, 2441-2449.
- Wyllie, A.H., Kerr, J.F. & Currie, A.R. (1980): Cell death: the significance of apoptosis. *Int Rev Cytol* **68**, 251-306.
- Xie, D., Yin, S., Ou, Y., Bai, H., Ding, F., Wang, X., Liu, Z., Zhou, C. & Wu, M. (2002): Arsenic trioxide (As₂O₃) induced apoptosis and its mechanisms in a human esophageal squamous carcinoma cell line. *Chin Med J (Engl)* **115**, 280-285.
- Yamamoto, T., Shichishima, T., Shikama, Y., Saitoh, Y., Ogawa, K. & Maruyama, Y. (2002): Granulocytes from patients with paroxysmal nocturnal hemoglobinuria and normal individuals have the same sensitivity to spontaneous apoptosis. *Exp Hematol* **30**, 187-194.
- Yamin, T.T., Ayala, J.M. & Miller, D.K. (1996): Activation of the native 45-kDa precursor form of interleukin-1-converting enzyme. *J Biol Chem* **271**, 13273-13282.
- Yang, E., Zha, J., Jockel, J., Boise, L.H., Thompson, C.B. & Korsmeyer, S.J. (1995): Bad, a heterodimeric partner for Bcl-XL and Bcl-2, displaces Bax and promotes cell death. *Cell* **80**, 285-291.
- Yang, X., Khosravi-Far, R., Chang, H.Y. & Baltimore, D. (1997): Daxx, a novel Fas-binding protein that activates JNK and apoptosis. *Cell* **89**, 1067-1076.
- Yi, J., Gao, F., Shi, G., Li, H., Wang, Z., Shi, X. & Tang, X. (2002): The inherent cellular level of reactive oxygen species: One of the mechanisms determining apoptotic susceptibility of leukemic cells to arsenic trioxide. *Apoptosis* **7**, 209-215.
- Yip, S.F., Yeung, Y.M. & Tsui, E.Y. (2002): Severe neurotoxicity following arsenic therapy for acute promyelocytic leukemia: potentiation by thiamine deficiency. *Blood* **99**, 3481-3482.

- Yonish-Rouach, E., Grunwald, D., Wilder, S., Kimchi, A., May, E., Lawrence, J.J., May, P. & Oren, M. (1993): p53-mediated cell death: relationship to cell cycle control. *Mol Cell Biol* **13**, 1415-1423.
- Yu, H.S., Lee, C.H. & Chen, G.S. (2002): Peripheral vascular diseases resulting from chronic arsenical poisoning. *J Dermatol* **29**, 123-130.
- Yuan, J., Shaham, S., Ledoux, S., Ellis, H.M. & Horvitz, H.R. (1993): The *C. elegans* cell death gene *ced-3* encodes a protein similar to mammalian interleukin-1 beta-converting enzyme. *Cell* **75**, 641-652.
- Zambetti, G.P. & Levine, A.J. (1993): A comparison of the biological activities of wild-type and mutant p53. *Faseb J* **7**, 855-865.
- Zamzami, N., Marchetti, P., Castedo, M., Decaudin, D., Macho, A., Hirsch, T., Susin, S.A., Petit, P.X., Mignotte, B. & Kroemer, G. (1995): Sequential reduction of mitochondrial transmembrane potential and generation of reactive oxygen species in early programmed cell death. *J Exp Med* **182**, 367-377.
- Zhang, T.C., Cao, E.H., Li, J.F., Ma, W. & Qin, J.F. (1999): Induction of apoptosis and inhibition of human gastric cancer MGC-803 cell growth by arsenic trioxide. *Eur J Cancer* **35**, 1258-1263.
- Zhang, Y. & Nie, L. (2001): Studies of apoptosis of malignant lymphoma cells induced by arsenic trioxide. *Cell Biol Int* **25**, 1003-1006.
- Zheng, A., Mantymaa, P., Saily, M., Savolainen, E., Vahakangas, K. & Koistinen, P. (2000): p53 pathway in apoptosis induced by all-trans-retinoic acid in acute myeloblastic leukaemia cells. *Acta Haematol* **103**, 135-143.
- Zhong, S., Salomoni, P., Ronchetti, S., Guo, A., Ruggero, D. & Pandolfi, P.P. (2000): Promyelocytic leukemia protein (PML) and Daxx participate in a novel nuclear pathway for apoptosis. *J Exp Med* **191**, 631-640.
- Zhou, B.B., Li, H., Yuan, J. & Kirschner, M.W. (1998): Caspase-dependent activation of cyclin-dependent kinases during Fas-induced apoptosis in Jurkat cells. *Proc Natl Acad Sci U S A* **95**, 6785-6790.
- Zhu, X.H., Shen, Y.L., Jing, Y.K., Cai, X., Jia, P.M., Huang, Y., Tang, W., Shi, G.Y., Sun, Y.P., Dai, J., Wang, Z.Y., Chen, S.J., Zhang, T.D., Waxman, S., Chen, Z. & Chen, G.Q. (1999): Apoptosis and growth inhibition in malignant lymphocytes after treatment with arsenic trioxide at clinically achievable concentrations. *J Natl Cancer Inst* **91**, 772-778.
- Zou, H., Henzel, W.J., Liu, X., Lutschg, A. & Wang, X. (1997): Apaf-1, a human protein homologous to *C. elegans* CED-4, participates in cytochrome c-dependent activation of caspase-3. *Cell* **90**, 405-413.