

8 Literaturverzeichnis

AGUS, Z.S., WASSERSTEIN, S., GOLDFARB, S. (1981):

PTH, calcitonin, cyclic nucleotides and the kidney.

Annu. Rev. Physiol. 43: 583-595.

ALLGOEWER, I. (1994):

Panostitis; Craniomandibuläre Osteopathie.

Praktischer Tierarzt 7, 625-627.

ANDERSON, H.C. (1995):

Molecular biology of matrix vesicles.

Clin. Orthop. 314, 266-280.

ANDERSON, M.P., CAPEN, C.C. (1978):

Parathyroids.

In: Bernischke, K., Garner, F.M., Jones, T.C. (eds.): Pathology of laboratory animals. Vol.1.

New York: Springer, 451-499.

ANDREWS, A.H. (1985):

Osteodystrophia fibrosa in goats.

Vet. Annu. 25, 226-230.

ANDREWS, A.H., INGRAM, P.L., LONGSTAFFE, J.A. (1983):

Osteodystrophia fibrosa in young goats.

Vet. Rec. 112, 404-406.

ARDRAN, G.M. (1951):

Bone destruction not demonstrable by radiography.

Br. J. Radiol. 24, 107-109.

ARGAWALA, N., GAY, C.V. (1992):

Specific binding of parathyroid hormone to living osteoclasts.

J. Bone Miner. Res. 7, 531-539.

ARNOLD, S.A., KRAM, M.A., HINTZ, H.F., EVANS, H., KROOK, L. (1974):

Nutritional secondary hyperparathyroidism in the parrakeet.

Cornell Vet. 64, 37-46.

ASH, P., LOUTIT, K.M., TOWNSEND, M.S. (1980):

Osteoclasts derived from haematopoietic stem cells.

Nature 283, 669-670.

BARON, R., VIGNERY, A. (1981):

Behavior of osteoclasts during a rapid change in their number induced by high doses of parathyroid hormone or calcitonin in intact rats.

Metab. Bone Dis. Rel. Res. 2, 339-346.

BARTELS, R., THOMAS, L. (2000):

Chronisch myeloproliferative Erkrankungen.

In: Thomas, L. (ed.): Labor und Diagnose.

Frankfurt: TH-Books, 542-560.

BAXTER, L.A., DELUCA, H.F. (1976):

Stimulation of 25-hydroxyvitamin D₃-1α-hydroxylase by phosphate depletion.

J. Biol. Chem. 251, 3158-3161.

BELSLY, R.E., DELUCA, H.F., POTTS, J.T. JR. (1974):

Selective binding properties of vitamin D transport protein in chick plasma in vitro.

Nature 247, 208-209.

BENDELE, A.M., WHITE, S.L., HULMAN, J.F. (1989):

Osteoarthritis in guinea pigs: histopathologic and scanning electron microscopic features.

Lab. Anim. Sci. 39, 115-121.

BENNETT, D. (1976):

Nutrition and bone disease in the dog and cat.

Vet. Rec. 98, 313-321.

BIBER, J., CADERAS, G., WERNER, A., MOORE, M., MURER, H. (1993):

Cellular and molecular aspects of renal phosphate transport.

Ren. Physiol. Biochem. 16, 37-47.

BILEZIKIAN, J.P., BRANDI, M.L., RUBIN, M., SILVERBERG, S.J. (2005):

Primary hyperparathyroidism: new concepts in clinical, densiometric and biochemical features.

J. Inter. Med. 257, 6-17.

BILEZIKIAN, J.P., SILVERBERG, S.J., GARTENBERG, F., KIM, T.-S., JACOBS, T.P., SIRIS, E.S., SHANE, E. (1994):

Clinical presentation of primary hyperparathyroidism.

In: Bilezikian, J.P., Marcus, R., Levine, M.A. (eds.): The parathyroids. Basic and clinical concepts.

New York: Raven Press, 457-470.

BLUM, J. (1994):

Parathormon und Parahormonähnliches Peptid.

In: Döcke, F. (Hrsg.): Veterinärmedizinische Endokrinologie.

Jena: Fischer, 272-291.

BODEN, S.D., KAPLAN, F.S. (1990):

Calcium homeostasis.

Orthop. Clin. North. Am. 21, 31-42.

BONUCCI, E. (1971):

The locus of initial calcification in cartilage and bone.

Clin. Orthop. 78, 108-139.

BORSBERRY, S. (1994):

Bovine osteodystrophies.

Vet. Rec. 135, 607.

BOYDE, A., JONES, S.J., ASHFORD, J. (1982):

Scanning electron microscope observations and the question of possible osteocytic bone mini-(re-) modelling.

In: Silbermann, M., Slavkin, H.C. (eds.): Current advances in skeletogenesis.

Amsterdam: Excerpta medica, 305-314.

BOYER, T.H. (1996):

Metabolic bone disease.

In: Mader, D.R. (ed.): Reptile medicine and surgery.

Philadelphia: Saunders, 385-392.

BOYLE, W.J., SIMONET, W.S., LACEY, D.L. (2003):

Osteoclast differentiation and activation.

Nature 423, 337-342.

BRODEY, R.S. (1954):

Renal osteitis fibrosa cystica in a Wire-Haired Fox Terrier.

J. Am. Vet. Med. Assoc. 124, 275-278.

BRODEY, R.S., MEDWAY, W., MARSHAK, R.R. (1961):

Renal osteodystrophy in the dog.

J. Am. Vet. Med. Assoc. 139, 329-341.

BRONNER, F. (2003):

Mechanisms of intestinal calcium absorption.

J. Cell. Biochem. 88, 387-393.

BRUNS J. (1996):

Klinisches Bewertungsschema.

In: Osteochondrosis dissecans: Pathogenese, Diagnose, Therapie.

Stuttgart: Enke, 79-80.

BUDRAS, K.-D., FRICKE, W. (1991):

Allgemeine Anatomie.

In: Atlas der Anatomie des Hundes.

Hannover: Schlütersche, II.

BURGENER, F.A., KORMANO, M. (1993):

Osteopenie.

In: Röntgenologische Differentialdiagnose.

Stuttgart: Thieme, 3-12.

BURR, D.B., MARTIN, R.B. (1989):

Errors in bone remodeling: toward a unified theory of metabolic bone disease.

Am. J. Anat. 186, 186-216.

BUSH, B.M. (1991a):

Alkaline phosphatase (ALP).

In: Interpretation of laboratory results for small animal clinicians.

Oxford: Blackwell, 319-324.

BUSH, B.M. (1991b):

Plasma calcium.

In: Interpretation of laboratory results for small animal clinicians.

Oxford: Blackwell, 366-376.

BUSH, B.M. (1991c):

Plasma inorganic phosphate.

In: Interpretation of laboratory results for small animal clinicians.

Oxford: Blackwell, 376-381.

CANAS, F., BRAND, J.S., NEUMANN, W.F., TEREPKA, A. (1969a):

Bone effects of vitamin D₃ in collagen synthesis in rachitic chick cortical bone.

Am. J. Physiol. 216, 117-120.

CANAS, F., TEREPKA, A.R., NEUMAN, W.F. (1969b):

Potassium and milieu interieur of bone.

Am. J. Physiol. 217, 117-120.

CAPEN, C.C. (1992):

Parathyreoid glands and calcium-regulating hormones.

In: Jubb, K.V.F., Kennedy, P.C., Palmer, N. (eds.): Pathology of Domestic Animals.

San Diego: Academic Press, 287-306.

CARILLO, J.M., BURK, R.L., BODE, C. (1979):

Primary hyperparathyroidism in a dog.

J. Am. Vet. Med. Assoc. 174, 67-71.

CASTLE, W.E., LAW, L.W. (1936):

Satin, a new hair mutation in the rabbit.

J. Hered. 27, 235-240.

CHACHRA, D., LEE, J.M., KASRA, M., GRYNPAS, M.D. (2000):

Differential effects of ovariectomy on the mechanical properties of cortical and cancellous bone in rat femora and vertebrae.

Biomed. Sci. Instrum. 36, 123-128.

CHAMBERS, T.J. (1985):

The pathobiology of the osteoclast.

J. Clin. Pathol. 38, 241-252.

CHAMBERS, T.J. (1991):

Regulation of osteoclastic bone resorption in vitro.

In: Hall, B.K. (ed.): Bone Vol. 2. The osteoclast.

Boca Raton: CRC Press, 141-173.

CHAMBERS, T.J., FULLER, K. (1985):

Bone cells predispose bone surfaces to resorption by exposure of mineral to osteoclastic contact.

J. Cell Sci. 76, 155-165.

CHAMBERS, T.J., FULLER, K., DARBY, J.A. (1987):

Hormonal regulation of acid phosphatase release by osteoclasts disaggregated from neonatal rat bone.

J. Cell. Physiol. 132, 90-96.

CHAMBERS, T.J., MAGNUS, C.J. (1982):

Calcitonin alters behaviour of isolated osteoclasts.

J. Pathol. 136, 97-106.

CHAMBERS, T.J., MCSHEEHY, P.M.J., THOMSON, B.M., FULLER, K. (1985):

The effect of calcium regulating hormones and prostaglandins on bone resorption by osteoclasts disaggregated from neonatal rabbit bones.

Endocrinology, 116: 234-239.

CHAMBERS, T.J., REVELL, P.A., FULLER, K., ATHANASOU, N.A. (1984):

Resorption of bone by isolated rabbit osteoclasts. J. Cell. Sci. 66, 383-399.

CHEN, P.S. JR., BOSMAN, H.B. (1964):

Effects of vitamin D₂ and D₃ on serum calcium and phosphorus in rachitic chicks.

J. Nutr. 83, 133-139.

CLARKE, G.L., ALLEN, A.M., SMALL, J.D., LOCK, A. (1980):

Subclinical scurvy in the guinea pig.

Vet. Pathol. 17, 40-44.

COPP, D.H., CAMERON, E.C., CHENEY, B.A., DAVIDSON, A.G., HENZE, K.G. (1962):

Evidence for calcitonin – a new hormone from the parathyroid that lowers blood calcium.

Endocrinology 70, 638-648.

DÄMMRICH, K. (1967):

Rachitis und Osteodystrophia fibrosa generalisata.

Zentralbl. Veterinärmed. (A) 14 (7), 579-627.

DAVID, J.B., COHEN, N.D., NACHREINER, R. (1997):

Equine nutritional secondary hyperparathyroidism.

Comp. Cont. Educ. Prac. 19, 1380-1387.

DELLING, G. (1984):

Generalisierte Osteopathien.

In: Remmele, W. (Hrsg.). Pathologie Bd. 3.

Berlin: Springer, 689-707.

DELUCA, H.F. (1974):

Vitamin D: the vitamin and the hormone.

Fed. Proc. 33, 2211-2219.

DELUCA, H.F. (1988):

The vitamin D story: a collaborative effort of basic science and clinical medicine.

FASEB J. 2, 224-236.

DELUCA, H.F., SCHNOES, H.K. (1983):

Vitamin D: recent advances.

Annu. Rev. Biochem. 52, 411-439.

DE VRIES, H.W., VAN DE WATERING, C.C. (1973):

Prednisolone in the treatment of canine craniomandibular osteopathy.

Neth. J. Vet. Sci. 5, 123-131.

DOYLE, F.H. (1966):

Some quantitative radiological observations in primary and secondary hyperparathyroidism.

Br. J. Radiol. 39, 161-167.

DRAZNER, F.H. (1987):

Parathyreoid glands and calcium metabolism.

In: Drazner, F.H. (ed.): Small animal endocrinology.

New York: Churchill Livingston, 121-160.

DRY, F.W. (1926):

The coat of the mouse (*Mus musculus*).

J. Genet. 16, 287-340.

DUNLAY, R., RODRIGUEZ, M., FELSENFELD, A.J., LLACH, F. (1989):

Direct inhibitory effect of calcitriol on parathyroid function (sigmoidal curve) in dialysis.

Kidney Int. 36, 1093-1098.

DUSSO, A.S., BROWN, A.J., SLATOPOLSKY, E. (2005):

Vitamin D.

Am. J. Physiol. Renal. Physiol., 289-F8-F28.

EDEIKEN, J., HODES, P.J. (1967a):

Metabolic bone disease and dystrophies.

In: Roentgen diagnosis of diseases of bone.

Baltimore: Williams und Wilkens, 6149-6263.

EDEIKEN, J., HODES, P.J. (1967b):

Osteomyelitis.

In: Roentgen diagnosis of diseases of bone.

Baltimore: Williams und Wilkens, 6317-6376.

EDEIKEN, J., HODES, P.J. (1967c):

Bone tumors and tumor-like conditions.

In: Roentgen diagnosis of diseases of bone.

Baltimore: Williams und Wilkens, 6491-6633.

EDINGER, R.D., WARNICK, C.L., HONG, C.C. (1975):

Malocclusion on the premolar and molar teeth in the guinea pig.

Lab. Anim. Sci. 25, 760-762.

EISELE, P.H. (1986):

Dental problems in rabbits and rodents.

In: Kirk, R.W. (ed.): Current veterinary therapy IX.

Philadelphia: Saunders, 759-762.

EUGENIDIS, N., OLAH, A.J., HAAS, H.G. (1972):

Osteosclerosis in hyperparathyroidism.

Radiology 105, 265-275.

FELDMAN, E.C. (2000):

Disorders of the parathyreoid glands.

In: Ettinger, J.E., Feldman, E.C. (eds.): Textbook of veterinary internal medicine, diseases of the dog and cat.

Philadelphia: Saunders, 1379-1399.

FIELD, J.R., DOBSON, H., BONNETT, B. (1995):

Navicular syndrome: preliminary assessment of radiographic scoring.

Vet. Comp. Orth. Traum. 8, 36-39.

FINDLAY, D.M., MARTIN, T.J. (1997):

Receptors of calciotropic hormones.

Horm. Metab. Res. 29, 128-134.

FLECKNELL, P. (2002):

Guinea pigs.

In: Meredith, A., Redrobe, S. (eds.): BSVA manual of exotic pets.

Gloucester: BSVA, 52-65.

FORD, D. (1973):

Nutrition of the guinea-pig.
Guinea Pig News Lett. 7, 11-24.

FORREST, L.J. (2002):

The cranial and nasal cavities – canine and feline.
In: Thrall, D.E. (ed.): Textbook of veterinary diagnostic radiology.
Philadelphia: Saunders, 71-87.

FOSTER, G.V., BAGHDIAINTZ, A., KUMAR, M.A., SLACK, E., SOLIMAN, H.A., MACINTYRE, I.

(1964a):

Thyroid origin of calcitonin.
Nature 202, 1303-1305.

FOSTER, G.V., MACINTYRE, I., PEARSE, A.G.E. (1964b):

Calcitonin production and the mitochondrion-rich cells of the dog thyroid.
Nature 202, 1029-1030.

FRANK, N., HAWKINS, J.F., COUËTIC, L.L., RAYMOND, J.T. (1998):

Primary hyperthyroidism with osteodystrophia fibrosa of the facial bones in a pony.
J. Am. Vet. Med. Assoc. 212, 84-86.

FRANKLING, E.M. (1963):

Abnormalities and defects in pedigree dogs. VI. The breeders point of view.
J. Small Anim. Pract. 4, 247-253.

FRASER, A.S. (1951):

Growth of the mouse coat.
J. Exp. Zool. 117, 15-29.

FRASER, D.R. (1980):

Regulation of the metabolism of vitamin D.
Physiol. Rev. 60, 551-612.

FRASER, D.R., KODICEK, E. (1970):

Unique biosynthesis by kidney of a biologically active vitamin D metabolite.

Nature 228, 764-766.

FREYSCHMIDT, J. (1993a):

Osteoporose.

In: Skeletterkrankungen: Klinisch-radiologische Diagnose und Differentialdiagnose.

Berlin: Springer, 119-147.

FREYSCHMIDT, J. (1993b):

Osteomalazie.

In: Skeletterkrankungen: Klinisch-radiologische Diagnose und Differentialdiagnose.

Berlin: Springer, 148-157.

FREYSCHMIDT, J. (1993c):

Hyperparathyreoidismus.

In: Skeletterkrankungen: Klinisch-radiologische Diagnose und Differentialdiagnose.

Berlin: Springer, 157-170.

FREYSCHMIDT, J. (1993d):

Pseudohypoparathyreoidismus.

In: Skeletterkrankungen: Klinisch-radiologische Diagnose und Differentialdiagnose.

Berlin: Springer, 172-175

FREYSCHMIDT, J. (1993e):

Plasmozytom.

In: Skeletterkrankungen: Klinisch-radiologische Diagnose und Differentialdiagnose.

Berlin: Springer, 221-237.

FREYSCHMIDT, J. (1993f):

Entzündliche (infektiöse und nichtinfektiöse) Skeletterkrankungen.

In: Skeletterkrankungen: Klinisch-radiologische Diagnose und Differentialdiagnose.

Berlin: Springer, 293-338.

FREYSCHMIDT, J. (1993g):

Ostitis deformans Paget.

In: Skeletterkrankungen: Klinisch-radiologische Diagnose und Differentialdiagnose.

Berlin: Springer, 339-364.

FRIEDMAN, E., SAKAGUCHI, K., BALE, A.E., FALCHETTI, A., STREETEN, E., ZIMERIN, M.B.,

WEINSTEIN, L.S., MCBRIDE, W.O., NAKAMURA, Y., BRANDI, M.L. ET AL. (1989):

Clonality of parathyroid tumors in familial multiple endocrine neoplasia type 1.

N. Engl. J. Med. 27, 321 (4), 213-218.

FULLER, K., OWENS, J.M., CHAMBERS, T.J. (1998):

Induction of osteoclast formation by parathyroid hormone depends on an action on stromal cells.

J. Endocrinol. 158, 341-350.

GARMA-AVIÑA, A., TORRES-MONTOYA, J. (1998):

Cystic fibrous osteodystrophy of the jaw in two pet kinkajous (*Potos flavus*).

Vet. Rec. 143, 532-534.

GAY, C.V., ZHENG, B., GILMAN, V.R. (2003):

Co-detection of PTH/PTHrP receptor and tartrate resistant acid phosphatase in osteoclasts.

J. Cell Biochem. 89, 902-908.

GEHRING, H., BRASS, W. (1967):

Die „craniomandibuläre Osteopathie“ des Hundes.

Dtsch. Tierärztl. Wschr. 74, 546-547.

GENANT, H.K., BARON, J.M., PALOYAN, E., JOWSEY, J. (1975):

Osteosclerosis in primary hyperparathyreoidism.

Am. J. Med. 59, 104-113.

GIALAMAS, J., HÖGER, H., ADAMIKER, D. (1983):

Soft tissue calcification in guinea pigs.

Z. Versuchstierkd. 25, 227-230.

GORHAM, J.R., PECKHAM, J.C., ALEXANDER J. (1970):

Rickets and osteodystrophia fibrosa in foxes fed a high horsemeat ratio.

J. Am. Vet. Med. Assoc. 156, 1331-1333.

GONZALES, E.A., LUND, R.J., MARTIN, K.J., MCCARTNEY, J.E., TONDRAVI, M.M.,

SAMPATH, T.K., HRUSKA, K.A. (2002):

Treatment of a murine model of high-turnover renal osteodystrophy by exogenous BMP-7.

Kidney Int. 61, 1322-1331.

GOTO, N., IMAMURA, K., MIURA, Y., OGAWA, T. (1987):

The Mexican hairless dog, its morphology and inheritance.

Exp. Anim. 36, 87-90.

GRAMPP, S., DOBNIG, H., WILLVONSEDER, R. (1999):

Empfehlung zur klinischen Anwendung und Relevanz der densiometrischen Verfahren.

J. Miner. Stoffwechs. 2, 19-21.

GREENWALD, L., BARAJAS, K., WHITE-GREENWALD, M. (2003):

Better bone density reporting: T-score report versus fracture risk report with outcome analysis.

Am. J. Manag. Care 9, 665-670.

GRIFFITHS, R.C. (1968):

Osteochondritis dissecans of the canine shoulder.

J. Am. Vet. Med. Assoc. 153, 1733-1735.

GRÜNEBERG, H. (1966):

More about the tabby mouse and about the Lyon hypothesis.

J. Embryol. Exp. Morph. 16, 333-353.

GRÜNEBERG, H. (1969):

Threshold phenomena versus cell heredity in the manifestation of sex-linked genes in mammals.

J. Embryol. Exp. Morph. 22, 145-179.

GUTHRIE, S. (1989):

Use of a radiographic scoring technique for the assessment of dogs with elbow osteochondrosis.

J. Small Anim. Pract. 30, 639-644.

GUTHRIE, S., PIDDUCK, H.G. (1990):

Heritability of elbow osteochondrosis within a closed population of dogs.

J. Small Anim. Pract. 31, 93-96.

HABERMEHL, K.-H. (1980):

Die Altersbestimmung beim Meerschweinchen (*Cavia apera porcellus*).

In: Die Altersbestimmung bei Versuchstieren.

Berlin und Hamburg: Parey, 27-39.

HALL, B.K. (1987):

Earliest evidence of cartilage and bone development in embryonic life.

Clin. Orthop. 225, 255-272.

HALL, F.M., SEGALL-BLANK, M., GENANT, H.K., KOLB, F.O., HAWES, L.E. (1981):

Pseudohypoparathyroidism presenting as renal osteodystrophy.

Skeletal Radiol. 6, 43-46.

HARRIS, L.J. (1956):

Vitamin D and bone.

In: Bourne, G.H. (ed.): The biochemistry and physiology of bone.

New York: Academic Press, 581-622.

HARRISON, H.C., HARRISON, H.E., PARK, E.A. (1958):

Vitamin D and citrate metabolism. Effect of vitamin D in rats fed diets adequate in both calcium and phosphorus.

Am. J. Physiol. 182, 432-436.

HARCOURT-BROWN, F.M. (1995):

A review of clinical conditions in pet rabbits associated with their teeth.

Vet. Rec. 137, 341-346.

HARCOURT-BROWN, F.M. (1996):

Calcium deficiency, diet and dental disease in pet rabbits.

Vet. Rec. 139, 567-561.

HARCOURT-BROWN, F.M. (2001):

Parathyroid hormone, haematological and biochemical parameters in relation to dental disease and husbandry in rabbits.

J. Small Anim. Pract. 42, 130-136.

HAY, A.W.M., WATSON, G. (1977):

Evolution of vitamin D serum proteins.

In: Norman, A.W., Schaefer, K, Coburn, J.W., DeLuca, H.F., Fraser, D., Grigoleit, H.-G., Herrath, D. von (eds.): Proceedings of the third workshop on vitamin D, Asiloma, Pacific Grove, California, USA, January 1977.

Berlin, New York: Walter de Gruyter, 483-489.

HAYES, H.M. JR., WILSON, G.P., FENNER, W.R., WYMAN, M. (1981):

Canine congenital deafness: epidemiologic study of 272 cases.

J. Am. Anim. Hosp. Assoc. 17, 473-476.

HAZEWINKEL, H.A.W., HOW, K.L., BOSCH, R., GOEDEGEBURRE, S.A., VOORHOUT, G. (1988):

Ungenügende Photosynthese von Vitamin D bei Hunden.

In: Meijer, H., Kiezele, E. (Hrsg.): Ernährung, Fehlernährung und Diätetik bei Hund und Katze.

Tierärztliche Hochschule München, 125-129.

HEATH, D.A., MARTIN, D.J. (1970):

Periosteal new bone formation in hyperparathyroidism associated with renal failure.

Br. J. Radiol. 43, 517-521.

HEDLUND, T., HULTH, A., JOHNELL, O. (1983):

Early effects of parathormone and calcitonin on the number of osteoclasts and on serum-calcium in rats.

Acta Orthop. Scand. 54, 802-804.

HEERSCHE, J.N.M., AUBIN, J.E. (1990):

Regulation of cellular activity of bone-forming cells.

In: Hall, B.K. (ed.): Bone Vol. 1. The osteoblast and osteocyte.

Caldwell: Telford Press, 327-349.

HEIN, J. (2002):

Labordiagnostische Referenzbereiche bei Kaninchen und Meerschweinchen.

München: Ludwig-Maximilian-Univ., Vet. Med., Diss.

HEROLD, I. (2003):

Blutchemische Untersuchungen beim Hausmeerschweinchen.

Berlin: Freie Univ., Vet. Med., Diss.

HESSLE, L., JOHNSON, K.A., ANDERSON, H.C., NARISAWA, S., SALI, A., GODING, J.W.,

TERKELTAUB, R., MILLÁN, J.L. (2002):

Tissue-nonspecific alkaline phosphatase and plasma cell membrane glycoprotein-1 are central antagonistic regulators of bone mineralization.

Proc. Natl. Acad. Sci. U.S.A. 99, 9445-9449.

HIERHOLZER, K., FROMM, M. (2000):

Kalzium- und Phosphathaushalt.

In: Schmidt, R.F., Thews, G., Lang, F. (Hrsg.): Physiologie des Menschen.

Berlin: Springer, 785-789.

HILLYER, E.V., QUESENBERRY, K.E., DONELLY, T.M. (1997):

Biology, husbandry, and clinical techniques.

In: Hillyer E.V., Quesenberry, K.E. (eds.): Ferrets, rabbits, and rodents. Clinical medicine and surgery.

Philadelphia: Saunders, 243-259.

HJERTQUIST, S.O. (1961):

Biophysical studies of epiphyseal growth zones and adjacent compact bone tissue in normal and rachitic dogs and rats.

Acta Soc. Med. Upsaliens. 66, 202-216.

HOFFMANN, W.A., KRAMER, J., MAIN, A.R., TORRES, J.L. (1989):

Clinical enzymology.

In: Loeb, W.F., Quimby, F.W. (eds.): The clinical chemistry of laboratory animals.

New York: Pergamon Press, 237-278.

HOGAN, A.G., REGAN, W.O. (1946):

Diet and calcium phosphate deposits in guinea pigs.

Fed. Proc. 5, 138.

HOLICK, M.F., CLARK, M.B. (1978):

The photobiogenesis and metabolism of vitamin D.

Fed. Proc. 37, 2567-2574.

HOLSCEECK, M. VON, ROEX, L., FAVRIL, A., BURSSENS, D., BAERT, A.L. (1987):

Osteosclerosis in primary hyperparathyroidism.

Fortschr. Röntgenstr. 147, 690-691.

HOLTROP, N.E., RAISZ, L.J., SIMMONS, H.A. (1974):

The effects of parathyroid hormone, colchicines and calcitonin on the ultrastructure and the activity of osteoclasts in organ culture.

J. Cell Biol. 60, 346-355.

How, K.L., HAZEWINKEL, H.A.W., MOL, J.A. (1994):

Dietary vitamin D dependence of cat and dog due to inadequate cutaneous synthesis of vitamin D.

Gen. Comp. Endocrinol. 96(1), 12-18.

HOWE, P.R., WESSON, L.G., BOYLE, P.E., WOLLBACH, S.B. (1940):

Low calcium rickets in the guinea pig.

Proc. Soc. Exp. Biol. Med. 45, 298-301.

HUGHES, M.R., BRUMBAUGH, P.F., HAUSSLER, J.E., WERGEDAL, J.E., BAYLINK, D.J. (1975):

Regulation of serum 1α ,25-dihydroxyvitamin D₃ by calcium and phosphate in the rat.

Science 190, 578-580.

HUNT, R.D., GARCIA, F.G. (1967):

Vitamin D₂ and D₃ in new world primates: influence on calcium absorption.

Science 157, 943-946.

HUNT, R.D., GARCIA, F.G., HEGSTEDT, D.M. (1967):

A comparison of vitamin D₂ and D₃ in new world primates. 1. Production and regression of osteodystrophia fibrosa.

Lab. Anim. Care 17, 222-232.

IBBOTSON, K.J., ROODMAN, G.D., McMANUS, MUNDY, R. (1984):

Identification and characterization of osteoclast-like cells and their progenitors in cultures of feline marrow mononuclear cells.

J. Cell Biol. 99, 471-480.

IKEGAME, M., RAKOPOULOS, M., MARTIN, T.J., MOSELEY, J.M., FINDLAY, D.M. (1996):

Effects of continuous calcitonin treatment on osteoclast-like cell development and calcitonin receptor expression in mouse bone marrow cultures.

J. Bone Miner. Res., 11: 456-465.

ISENBÜGEL, E., FRANK, W. (1985):

Nichtinfektiöse Krankheiten. In: Heimtierkrankheiten.

Stuttgart: Ulmer, 37-47.

ITO, M., SAKAI, Y., FUROMOTO, M., SEGAWA, H., HAITO, S., YAMANAKA, S., NAKAMURA, R., KUWAHATA, M., MIYAMOTO, K. (2005):

Vitamin D and phosphate regulate fibroblast growth factor-23 in K-562 cells.

Am. J. Physiol. Endocrinol. Metab., 288, E1101-E1109.

JAFFE, H.L., BODANSKY, A. (1930):

Experimental fibrous osteodystrophy (ostitis fibrosa) in hyperparathyreoid dogs.

J. Exp. Med. 52, 669-694.

JAFFE, H.L., BODANSKY, A., BLAIR, J.E. (1931):

Fibrous osteodystrophy (osteitis fibrosa) in experimental hyperparathyreoidism of guinea pigs.

Arch. Pathol. 11, 207-228.

JANDE, S.S., SCHREINER, D.S. (1982):

Cellular localization of vitamin D dependent calcium binding protein by immunoperoxidase methods.

In: Norman, A.W., Schaefer, K., Herrath, D. von, Grigoleit H.-G. (eds.): Vitamin D.

Chemical, biochemical and clinical endocrinology of calcium metabolism.

New York: Walter de Gruyter, 203-208.

JIMI, E., AKIYAMA, S., TSURUKAI, T., OKAHASHI, N., KOBAYASHI, K., UDAGAWA, N.,

NISHIHARA, T., TAKAHASHI, N., SUDA, T. (1999):

Osteoclast differentiation factor acts as a multifunctional regulator in murine osteoclast differentiation and function.

J. Immunol. 163, 434-442.

JIMINEZ, P.A., GLASSON, S.S., TRUBETSKOY, O.V., HAIMES, H.B. (1997):

Spontaneous osteoarthritis in Dunkin Hartley guinea pigs: histologic, radiologic, and biochemical changes.

Lab. Anim. Sci. 47, 598-601.

JOHNSON, K.A., WATSON, A.D.J. (2000):

Skeletal diseases.

In: Ettinger, J.E., Feldman, E.C. (eds.): Textbook of veterinary internal medicine, diseases of the dog and cat.

Philadelphia: Saunders, 1887-1916.

JONES, G., STRUGNELL, S.A., DELUCA, H.F. (1998):

Current understanding of the molecular actions of vitamin D.

Physiol. Rev. 78, 1193-1232.

JUPPNER, H., RITTINGHAUS, E.F., AHLGRIMM, M., BURDELSKI, M., DRALLE, H. (1986):

C-terminal PTH (70-84) after biliary ligation in rats: implications for the diagnostic importance in hepatobiliary disease.

Biochem. Biophys. Res. Commun. 139, 633-636.

JURASCHKO, K. (2000):

Populationsgenetische Untersuchung der kongenitalen Taubheit beim Dalmatiner.

Hannover: Tierärztl. Hochsch., Vet. Med., Diss.

KALLET, A.J., RICHTER, K.P., FELDMAN, E.C., BRUM, D.E. (1991) :

Primary hyperparathyreoidism in cats: seven cases (1984-1989).

J. Am. Vet. Med. Assoc. 199, 1767-1771.

KASPAREIT-RITTINGHAUSEN, J., RAPP, K., DEERBERG, F., WCISLO, A., MESSOW, C. (1989):

Hereditary polycystic kidney disease associated with osteorenal syndrome in rats.

Vet. Pathol. 26, 195-201.

KASPERK, C., ZIEGLER, R. (2000):

Knochenstoffwechsel.

In: Thomas, L. (ed.): Labor und Diagnose.

Frankfurt: TH-Books, 221-237.

KEYMER, I.F., HIME, J.M. (1977):

Nutritional osteodystrophy in a freelifing red squirrel (*Sciurus vulgaris*).

Vet. Rec. 100, 31-32.

KINGSLEY, D.M., BLAND, A.E., GRUBBER, J.M., MARKER, P.C., RUSSELL, L.B.,

COPELAND, N.G., JENKINS, N.A. (1992):

The mouse short ear skeletal morphogenesis locus is associated with defects in a bone morphogenetic member of the TGF β superfamily.

Cell 71, 399-410.

KIPP, D.E., MCELVAIN, M., KIMMEL, D.B., AKHTER, M.P., ROBINSON, R.G., LUKERT, B.P.

(1996):

Scurvy results in decreased collagen synthesis and bone density in the guinea pig animal model.

Bone 18, 281-288.

KLEEREKOPER, M., VILLANUEVA, A.R., MATHEWS, C.H.E., RAO, D.S., PUMO, B., PARFITT,

A.M. (1983):

PTH mediated bone loss in primary and secondary hyperparathyroidism.

In: Frame, B., Potts, J.T. jr. (eds.): Clinical disorders of bone and mineral metabolism.

Amsterdam: Excerpta Medica, 200-203.

KODICEK, E., MURRAY, F. (1943):

Influence of a prolonged partial deficiency of vitamin C on the recovery of guinea pigs from injury to bones and muscles.

Nature 151, 395-396.

KOHN, B. (1989):

Die ovariektomierte Ratte als Modelltier für die postmenopausale Osteoporose:
Therapeutische Wirkung von Vitamin-D-Metaboliten.
München: Ludwig-Maximilians-Univ., Vet. Med., Diss.

KOLB, F.O., STEINBACH, H.L. (1962):

Pseudohypoparathyroidism with secondary hyperparathyroidism and osteitis fibrosa.
J. Clin. Endocrinol. Metab. 22, 59-70.

KOLEK, O.I., HINES, E.R., JONES, M.D., LESUEUR, L.K., LIPKO, M.A., KIELA, P.R.,

COLLINS, J.F., HAUSSLER, M.R., GHISHAN, F.K. (2005):

1 α ,25-Dihydroxyvitamin D3 upregulates FGF23 gene expression in bone: the final link in a
renal-gastrointestinal-skeletal axis that controls phosphate transport.
Am. J. Physiol. Gastrointest. Liver Physiol., 289, G1036-G1042.

KRAFT, W., DÜRR, U.M. (1999a):

Leber.

In: Kraft, W., Dürr, U.M. (Hrsg.): Klinische Labordiagnostik in der Tiermedizin.
Stuttgart: Schattauer, 112-133.

KRAFT, W., DÜRR, U.M. (1999b):

Harnapparat.

In: Kraft, W., Dürr, U.M. (Hrsg.): Klinische Labordiagnostik in der Tiermedizin.
Stuttgart: Schattauer, 169-200.

KRAMMER, S. (2001):

Das Osteoporosemodell Ratte: Einfluß von Phytoöstrogenen, mehrfach ungesättigten
Fettsäuren sowie Vitamin D und K.
München: Ludwig-Maximilians-Univ., Vet. Med., Diss.

KRANE, S.M. (1999):

Morbus Paget.

In: Fauci, S., Braunwald, E., Isselbacher, K.J., Wilson, J.D., Martin, J.B., Kasper, D.L., Hauser, S.L., Longo, D.L. (Hrsg.): Harrisons Innere Medizin.
London: McGraw-Hill, 2666-2670.

KRANE, S.M., HOLICK, M.F. (1999):

Metabolisch bedingte Knochenerkrankungen.

In: Fauci, S., Braunwald, E., Isselbacher, K.J., Wilson, J.D., Martin, J.B., Kasper, D.L., Hauser, S.L., Longo, D.L. (Hrsg.): Harrisons Innere Medizin.
London: McGraw-Hill, 2646-2658.

KRUSE, H.-P., KUHLENCORDT, F., WIENERS, H. (1973):

Vergleichende Untersuchung histologischer, mikroradiographischer und röntgenologischer Skeletbefunde beim Hyperparathyreoidismus.

Radiologe 13, 155-159.

KUHLENCORDT, J., KRUSE, H.-P., FRANKE, J. (1981).

Diagnostischer Wert der Lamina dura alveolaris bei generalisierten Knochenerkrankungen.
RöFo 134, 401-407.

LACEY, D.L., TIMMS, E., TAN, H.L., KELLEY, M.J., DUNSTAN, C.R., BURGESS, T., ELLIOTT, R., COLOMERO, A., ELLIOTT, G., SCULLY, S., HSU, H., SULLIVAN, J., HAWKINS, N., DAVY, E., CAPPARELLI, C., ELI, A., QIAN, Y.X., KAUFMAN, S., SAROSI, I., SHALHOUB, V., SENALDI, G., GUO, J., DELANEY, J., BOYLE, W.J. (1998):

Osteoprotegerin ligand is a cytokine that regulates osteoclast differentiation and activation.
Cell 93, 165-176.

LACHMAN, E. (1955):

Osteoporosis: the potentialities and limitations of ist roentgenologic diagnosis.
Am. J. Roentgenol. 74: 712-715.

LACHMANN, M., KRICUN, M.E., SCHWARTZ, E.E. (1985):

Case report 310.

Skeletal Radiol. 13, 248-252.

LAMB, C.R. (1990):

The double cortical line: a sign of osteopenia.

J. Small Anim. Pract. 31, 189-192.

LANE, P.W. (1965):

Mouse News Lett. 32, 47-52.

LAWSON, D.E.M., WILSON, P.W., KODICEK, E. (1969):

New vitamin D metabolite localized in intestinal cell nuclei.

Nature 222, 171-172.

LEE, D.B.N., WALLING, M.M., LEVINE, B.S., GAFTER, U., SILIS, V., HODSMAN, A.,

COBURN, J.W. (1981):

Intestinal and metabolic effect of 1,25-dihydroxyvitamin D₃ in normal adult rat.

Am. J. Physiol. 240 (1), G90-G96.

LIEBICH, H.-G. (1993):

III. Binde- und Stützgewebe (Textus connectivus).

In: Funktionelle Histologie, Farbatlas und Kurzlehrbuch der mikroskopischen Anatomie der Haussäugetiere.

Stuttgart und New York: Schattauer, 64-73.

LITTLEWORT, M.C.G. (1958):

Tumorlike exostosis on the bones of the head in pups.

Vet. Rec. 70, 977-978.

LUCHT, U. (1973):

Effects of calcitonin on osteoclasts in vivo: an ultrastructural and histochemical study.

Z. Zellforsch. 145, 75-87.

LUND, J., DELUCA, H.F. (1966):

Biologically active metabolite of vitamin D₃ from bone, liver and blood serum.

J. Lipid Res. 7: 739-744.

MADDOX, S.C. (1964):

Mouse News Lett. 31, 41.

MAHMOODIAN, F., GOSIEWSKA, A., PETERKOVSKY, B. (1996):

Regulation and properties of bone alkaline phosphatase during vitamin c deficiency in guinea pigs.

Arch. Biochem. Biophys. 336, 86-96.

MAJOR, M.H. (1955):

Mouse News Lett. 12, 47-49.

MALLUCHE, H.H., SHERMAN, D., MEYER, W.A., KEUSCH, G., HEALY, M., RITZ, E.,

NORMAN, A.W., MASSRY, S.G. (1981):

Physiologic effects of PTH on bone.

In: Cohn, D.V., Talmage, R.V., Matthews, J.L. (eds.): Hormonal control of calcium metabolism.

Amsterdam: Excerpta medica, 409.

MANGANARO, R., MAMI, C., GEMELLI, M. (1994):

The validity of the Apgar scores in the assessment of asphyxia at birth.

Eur. J. Obstet. Gynecol. Reprod. Biol. 54, 99-102.

MANO, M., ARAKAWA, T., MANO, H., NAKAGAWA, M., KANEDA, T., KANEKO, H., YAMADA,

T., MIYATA, K., KIYOMURA, H., KUMEGAWA, M., HAKEDA, Y. (2000):

Prostaglandin E2 directly inhibits bone-resorbing activity of isolated mature osteoclasts mainly through the EP4 receptor.

Calcif. Tissue Int. 67, 85-92.

MANNING, P.J. (1976):

Neoplastic diseases.

In: Wagner, J.E., Manning, P.J. (eds.): The biology of the guinea pig.

New York: Academic Press, 211-225.

MAROTTI, G. (1976):

Bone Morphometry.

Ottawa: University of Ottawa Press, 202-207.

MASALA, S., ANNIBALE, B., FIORI, R., CAPURSO, G., MARINETTI, A., SIMONETTI, G.

(2003):

DXA vs. QCT for subclinical celiac disease patients.

Acta Diabetol. 40, Suppl. 1, 174-176.

MATTHEWS, J.L., TALMAGE, R.V. (1981):

Influence of parathyroid hormone on bone cell ultrastructure.

Clin. Orthop. 156, 27-38.

MAWER, E.B., LUMB, G.A., STANBURY, S.W. (1969):

Long biological half-life of vitamin D₃ and its polar metabolites in human serum.

Nature 222, 482-483.

McCARTHY, E.F., FRASSICA, F.J. (1998a):

Anatomy and physiology of bone.

In: Pathology of bone and joint disorders.

Philadelphia: Saunders, 25-50.

McCARTHY, E.F., FRASSICA, F.J. (1998b):

Metabolic bone diseases.

In: Pathology of bone and joint disorders.

Philadelphia: Saunders, 75-103.

MC LAUGHLIN, J., HOLICK, M.F. (1985):

Aging decreases the capacity of human skin to produce vitamin D₃.

J. Clin. Invest. 76, 1536-1538.

MERKLE, C. (1976):

Alimentäre Osteodystrophia fibrosa bei einer erwachsenen Katze.

Tierärztl. Prax. 4, 77-84.

MERZ, W., SCHENK, R. (1970):

A quantitative histological study on bone formation in human cancellous bone.

Acta Anat. 76, 1-15.

MESCHAN, I. (1988):

Knochenerkrankungen mit erhöhter Strahlendurchlässigkeit mehrerer Knochen oder Regionen.

In: Diagnostik mit bildgebenden Verfahren. Band II; Knochen und Gelenke.

Stuttgart: Enke, 215-280.

MEYER, J.L. (1984):

Can biological calcification occur in the presence of pyrophosphate?

Arch. Biochem. Biophys. 231, 1-8.

MILLER, M.A., CHIN, J., MILLER, S.C., FOX, J. (1998):

Disparate effects of mild, moderate, and severe secondary hyperparathyroidism on cancellous and cortical bone in rats with chronic renal insufficiency.

Bone 23 (3), 257-266.

MILLER, S.C., JEE, W.S.S. (1992):

Bone lining cells.

In: Hall, B.K. (ed.): Bone Vol. 4. Bone metabolism and mineralisation.

Boca Raton: CRC Press, 2-19.

MIRRA, J.M., BRIEN, E.W., TEHRANZADEH, J. (1995):

Paget's disease of bone: review with emphasis on radiologic features, part 2.

Skeletal Radiol. 24, 173-184.

MITRUKA, B.M., RAWNSLEY, H.M. (1977):

Reference values in experimental animals.

In: Clinical, biochemical and hematological reference values in normal experimental animals.

New York: Masson, 126-131.

MORGAN, J.P. (1974):

Systematic radiographic interpretation of skeletal diseases in small animals.

Vet. Clin. N. A. 4, 611-626.

MORRIS, E.R., O'DELL, B.L. (1963):

Relationship of excess calcium and phosphorus to magnesium requirement and toxicity in guinea pigs.

J. Nutr. 81, 175-181.

MOSEKILDE, F., MELSEN, F. (1978):

A tetracycline based histomorphometric evaluation of bone resorption and bone turnover in hyperthyroidism and hyperparathyroidism.

Acta Med. Scand. 204, 97-102.

MUFF, R., FISCHER, J.A., BIBER, J., MURER, H. (1992):

Parathyroid hormone receptors in control of proximal tubule function.

Annu. Rev. Physiol. 54, 67-80.

MUHLE, A.C., JAGGY, A., STRICKER, C., STEFFEN, F., DOLF, G., BUSATO, A., KORNBERG,

M., MARISCOLI, M., SRENK, P., GAILLARD, C. (2002):

Further contributions to the genetic aspect of congenital sensoneural deafness in dalmatians.

Vet. J. 163, 311-318.

MUNDY, G.R., ROODMAN, G. (1987):

Osteoclast ontogeny and function.

In: Peck, W.A. (ed.): Bone and Mineral Research. Vol. V.

Amsterdam: Elsevier, 209-279.

NARBAITZ, R. (1992):

Effects of vitamins A, C, D and K on bone growth, mineralization, and resorption.

In: Hall, B.K. (ed.): Bone Vol. 4. Bone metabolism and mineralization.

Boca Raton: CRC Press, 141-169.

NARBAITZ, R., STUMPF, W.E., SAR, M., DELUCA, H.F., TANAKA, Y. (1980):

Autoradiographic demonstration of target cells for 1,25-dihydroxycholecalciferol in the chick embryo chorioallantoic membrane, duodenum and parathyroid glands.

Gen. Comp. Endocrinol. 42: 283-289.

NARBAITZ, R., STUMPF, W.E., SAR, M., HUANG, S., DELUCA, H.F. (1983):

Autoradiographic localization of target cells for 1α , 25-dihydroxyvitamin D₃ in bones from fetal rats.

Calcif. Tissue Int. 35, 177-182.

NATIONAL ACADEMY OF SCIENCE – NATIONAL RESEARCH COUNCIL (1995):

Nutrient requirements of the guinea pig.

In: Nutrient requirements of laboratory animals.

Washington, D.C.: National Academy of Science, 103-124.

NEEDHAM, J.R. (1975):

Overgrowth of guinea pig teeth.

Guinea pig News Lett. 9, 33-34.

NICKEL, R., SCHUMMER, A., SEIFERLE, E. (1992):

Knochenlehre, Osteologia.

In: Lehrbuch der Anatomie der Haustiere. Bd. 1. Bewegungsapparat.

Berlin und Hamburg: Parey, 15-27.

NIELSEN, S.W., MCSHERRY, B.J. (1954):

Renal hyperparathyroidism (rubber jaw syndrome) in a dog.

J. Am. Vet. Med. Assoc. 124, 270-274.

NIJWEIDE, P.J., BURGER, E.H. (1990):

Mechanisms of bone formation in vitro. In: Hall, B.K. (ed.): Bone Vol. 1. The osteoblast and osteocyte.

Caldwell: Telford Press, 303-326.

O'DELL, B.L., VANDEPOPULIERE, J.M., MORRIS, E.R., HOGAN, A.G. (1956):

Effect of a high phosphorus diet on acid-base balance in guinea pigs.

Proc. Soc. Exp. Biol. Med. 91, 220-223.

OLSSON, S.-E. (1974):

A new type of elbow joint dysplasia.

Vet. Bull. 44, 416.

OWEN, M. (1970):

The origin of bone cells.

Int. Rev. Cytol. 28: 213-238.

OWENS, J.M., BIERY, D.N. (1999a):

Extremities.

In: Radiographic interpretation for the small animal clinician.

Baltimore: Williams and Wilkins 1999: 27-58.

OWENS, J.M., BIERY, D.N. (1999b):

Scull.

In: Radiographic interpretation for the small animal clinician.

Baltimore: Williams and Wilkins 1999: 105-125.

OWENS, J.M., BIERY, D.N. (1999c):

Vertebral column.

In: Radiographic interpretation for the small animal clinician.

Baltimore: Williams and Wilkins , 127-146.

PADGETT, G.A., MOSTOSKY, U.V. (1986):

Animal model: the mode of inheritance of craniomandibular osteopathy in West Highland White terrier dogs.

Am. J. Med. Genet. 25, 9-13.

PADGETT, G.A., MOSTOSKY, U.V., PROBST, C.W., THOMAS, M.W., KRECKE, C.F. (1995):

The inheritance of osteochondritis dissecans and fragmented coronoid process of the elbow joint in labrador retrievers.

J. Am. Anim. Hosp. Assoc. 31, 327-330.

PALMER, N.C. (1968):

Osteodystrophia fibrosa in cats.

Aust. Vet. J. 44, 151-155.

PALMER, N. (1992a):

Osteoporosis, osteopenia, and atrophy.

In: Jubb, K.V.F., Kennedy, P.C., Palmer, N. (eds.): Pathology of domestic animals.

San Diego: Academic Press, 58-65.

PALMER, N. (1992b):

Osteomalacia.

In: Jubb, K.V.F., Kennedy, P.C., Palmer, N. (eds.): Pathology of domestic animals.

San Diego: Academic Press, 65-67.

PALMER, N. (1992c):

Rickets.

In: Jubb, K.V.F., Kennedy, P.C., Palmer, N. (eds.): Pathology of domestic animals.

San Diego: Academic Press, 67-72.

PALMER, N. (1992d):

Hyperparathyreoid disorders.

In: Jubb, K.V.F., Kennedy, P.C., Palmer, N. (eds.): Pathology of domestic animals.
San Diego: Academic Press, 72-77.

PALMER, N. (1992e):

Renal osteodystrophy.

In: Jubb, K.V.F., Kennedy, P.C., Palmer, N. (eds.): Pathology of domestic animals.
San Diego: Academic Press, 77-79.

PALMER, N. (1992f):

Canine craniomandibular osteopathy.

In: Jubb, K.V.F., Kennedy, P.C., Palmer, N. (eds.): Pathology of domestic animals.
San Diego: Academic Press, 112-114.

PARFITT, A.M. (1983):

The physiologic and clinical significance of bone histomorphometric data.

In: Recker, R. (ed.): Bone histomorphometry, techniques and interpretation.
Boca Raton: CRC Press, 143-223.

PARFITT, A.M. (1997):

The hyperparathyroidism of chronic renal failure: a disorder of growth.

Kidney Int. 52, 3-9.

PARFITT, A.M., MATHEWS, C.H., BROMMAGE, R., JARNAGIN, K., DELUCA, H.F. (1984):

Calcitriol but no other metabolite of vitamin D is essential for normal bone growth and development in the rat.

J. Clin. Invest. 73, 576-586.

PERCY, D.H., BARTHOLD, S.W. (1993):

The guinea pig. Nutritional, metabolic and other disorders.

In: Percy, D.H., Barthold, S.W. (eds.): Pathology of laboratory rodents and rabbits.
Ames: Iowa State University Press, 165-172.

POBISCH, R. (1978):

Röntgenbefunde bei Rachitis und ihre Abgrenzung gegenüber denen des alimentären Hyperparathyreoidismus.
Wien. Tier. Monat. 65, 179-182.

POPESKO, P., RAJTOVÁ, V., HORÁK, J. (2002):

A colour atlas of the anatomy of small laboratory animals. Vol. 1. rabbit, guinea pig.
Philadelphia: Saunders, 150-255.

PORTALE, A.A., BOOTH, B., HALLORAN, B.P., MORRIS, R.C. JR. (1984):

Effect of dietary phosphorus on circulating concentrations of 1,25-dihydroxyvitamin D and immunoreactive parathyroid hormone in children with moderate renal insufficiency.
J. Clin. Invest. 73, 1580-1589.

PORATA, A.A., HALLORAN, B.P., MORRIS, R.C. JR. (1989):

Physiological regulation of the serum concentration of 1,25-dihydroxyvitamin D by phosphorus in normal men.
J. Clin. Invest. 83, 1494-1499.

POTTS, J.T. JR. (1999):

Erkrankungen der Nebenschilddrüse sowie andere hyper- und hypokalzämische Störungen.
In: Fauci, A.S., Braunwald, E., Isselbacher, K.J., Wilson, J.D., Martin, J.B., Kaspar, D.L., Hauser, S.L., Longo, D.L. (Hrsg.): Harrisons Innere Medizin.
London: McGraw-Hill, 2621-2646.

PSCHYREMBEL (1998a):

Sensitivität.
In: Pschyrembel Klinisches Wörterbuch. - 258., neu bearb. Aufl.
Berlin [u.a.]: de Gruyter, 1452.

PSCHYREMBEL (1998b):

Spezifität.

In: Pschyrembel Klinisches Wörterbuch. - 258., neu bearb. Aufl.
Berlin [u.a.]: de Gruyter, 1482.

PSCHYREMBEL (1998c):

Validität.

In: Pschyrembel Klinisches Wörterbuch. - 258., neu bearb. Aufl.
Berlin [u.a.]: de Gruyter, 1639.

PUGH, D.G. (1952):

The roentgenologic diagnosis of hyperparathyroidism.
Surg. Clin. North Am. 32, 1017-1030.

RAISZ, L.G. (1984):

Studies on bone formation in vitro.
Horm. Res. 20, 22-27.

RAISZ, L.G., PILBEAM, C.C., FALL, P.M. (1993):

Prostaglandins: mechanisms of action and regulation of production in bone.
Osteoporos. Int. 3 (Suppl. 1), 136-140.

RECKLINGHAUSEN, F.D. VON (1891):

Die fibröse oder deformirende Ostitis, die Osteomalacie und die osteoplastische Carcinose in
ihren gegenseitigen Beziehungen.
In: Internationale Beiträge zur wissenschaftlichen Medicin: Festschrift Rudolf Virchow zu
seinem 71. Geburtstage gewidmet von den früheren und jetzigen Assistenten des Berliner
Pathologischen Instituts.
Berlin: G. Reimer, 1-89.

REICHART, P., DÜRR, U.M., BÖHM, E. (1979):

Cranio-mandibuläre Osteopathie bei zwei Deutsch-Drahthaar-Wurfgeschwistern.
Kleintierpraxis 24, 127-133.

REZENDE, A., PIZAURO, J., CIANCAGLINI, P., LEONE, F. (1994):

Phosphodiesterase activity is a novel property of alkaline phosphatase from osseus plate.
Biochem. J. 301, 53-57.

RILEY, J.H., CORNELIUS, L.M. (1989):

Electrolytes, blood gases, and acid base balance.
In: Loeb, W.F., Quimby, F.W. (eds.): The clinical chemistry of laboratory animals.
New York: Pergamon Press, 345-413.

RISER, W.H. (1966):

What is your diagnosis?
J. Am. Vet. Med. Assoc. 148, 1543-1547.

RISER, W.H., PARKES, L.J., SHIRER, J.F. (1967):

Craniomandibular osteopathy.
J. Am. Vet. Radiol. Soc. 8, 23-30.

ROBINSON, R. (1972):

Satin - a new coat mutant in the Syrian hamster.
J. Hered. 63, 52.

ROBINSON, R., SEABORNE, S. (1988):

Satin coat in the guinea pig. J. Hered. 79, 214-215.

RODAN, G.A., MARTIN, J.T. (1981):

Role of osteoblasts in hormonal control of bone resorption – a hypothesis.
Calcif. Tiss. Int. 33, 349-351.

RODAN, G.A., RODAN, S.B. (1984):

Expression of the osteoblastic phenotype.
In: Peck, W.A. (ed.): Bone and mineral research. Vol. II.
Amsterdam: Elsevier, 244-285.

ROODMAN, G.D. (1996):

Advances in bone biology: the osteoclast.

Endocr. Rev. 17, 308-327.

SCHMIDT, B., KIRPALANI, H., ROSENBAUM, P., CADMAN, D. (1988):

Strengths and limitations of the Apgar score: a critical appraisal.

J. Clin. Epidemiol. 41, 843-850.

SCHOENMAKERS, I., NAP, R.C., MOL, J.A., HAZEWINKEL, H.A.W. (1999):

Calcium metabolism: an overview of its hormonal regulation and interrelation with skeletal integrity.

Vet. Q. 21, 147-153.

SCHOLZ, G., SCHERBAUM, W. (1998):

Nebenschilddrüse.

In: Schettler, G., Greten, H. (Hrsg.): Innere Medizin. Bd. 1.

Stuttgart: Thieme, 568-587.

SCHWARZ, T., STÖRK, C.K., MEGAHY, I.W., LAWRIE, A.M., LOCHMÜLLER, E.-M.,

JOHNSTON, P.E.J. (2001):

Osteodystrophia fibrosa in two guinea pigs.

J. Am. Vet. Med. Assoc. 219, 63-66.

SIEGHART, S. (2004):

Osteitis deformans – Morbus Paget.

Wien. Med. Wochenschr. 154, 97-101.

SIFFERT, R.S. (1967):

Trabecular patterns in bone.

Am. J. Roentgenol. 99, 746-755.

SIMMONS, P.J., GRYNPAS, M.D. (1990):

Mechanisms of bone resorption in vivo.

In: Hall, B.K. (ed.): Bone Vol. 1. The osteoblast and osteocyte.

Caldwell: Telford Press, 193-302.

SLEE, J. (1957):

The morphology and development of 'ragged' a mutant affecting the skin and hair of the house mouse. (1) Adult morphology.

J. Genet. 55, 100-121.

SNYDER, S.B., OMDAHL, J.L., LAW, D.L., FROELICH, J.W. (1980):

Osteomalacia and nutritional secondary hyperparathyreoidism in a semi-free-ranging troop of Japanese monkeys (*Macaca fuscata*).

In: Montali, J.R., Migaki, G. (eds.): The comparative pathology of zoo animals.

Washington D.C.: Smithsonian Institution Press, 51-57.

SODIKOFF, C.H. (2001a):

Laboratory profiles of diseases (dog).

In: Laboratory profiles of small animal diseases.

St. Louis: Mosby, 368-373.

SODIKOFF, C.H. (2001b):

Laboratory profiles of diseases (cat).

In: Laboratory profiles of small animal diseases.

St. Louis: Mosby, 492-497.

SPANNBRUCKER, D., SCHMIDTKE, D., SCHMIDTKE, H.O. (1977):

Anomalien der Backenzähne bei Zwerghaninchen und Meerschweinchen.

Kleintierpraxis 22, 331-334.

SPUZJAK, M.I. (1989):

Modellierung der hyperparathyreoidalen Osteodystrophie bei Tieren.

Radiol. Diagn. 30, 697-702.

ST. AMAND, W., CUPP, M.B. (1958):

Mouse News Lett. 19, 35-42.

STEINBACH, G., LINEK, J. (1995):

Ein Kaninchen mit multiplen Frakturen – Sekundärer Hyperparathyreoidismus durch Fehlernährung?

Kleintierpraxis 40, 957-959.

STORTS, R.W., KOESTNER, A. (1965):

Skeletal lesions associated with dietary calcium and phosphorus imbalance in the pig.
Am. J. Vet. Res. 26, 280-294.

STÜNZI, H., WEISS, E. (1990):

Störungen des Lipidstoffwechsels in der Leber.

In: Allgemeine Pathologie für Tierärzte und Studierende der Tiermedizin.
Berlin und Hamburg: Parey, 100-103.

STUMPF, W.E., SAR, M., REID, F.A., TANAKA, Y., DELUCA, H.F. (1979):

Target cells for 1,25-dihydroxyvitamin D₃ in intestinal tract, stomach, kidney, skin, pituitary and parathyroid.

Science 206, 1188-1190.

STUR, P.F., MAYRHOFER, E., KOPF, N., MÜLLER, S. (1991):

Craniomandibuläre Osteopathie beim West Highland White Terrier.

Kleintierpraxis 36, 491-500.

SUZAWA, T., MIYaura, C., INADA, M., MARUYAMA, T., SUGIMOTO, Y., USHIKUBI, F.,

ICHIKAWA, A., NARUMIYA, S., SUDA, T. (2000):

The role of prostaglandin E receptor subtypes (EP1, EP2, EP3, and EP4) in bone resorption: an analysis using specific agonists for the respective Eps.

Endocrinology 141, 1554-1559.

SUZUKI, H., SUZUKI, K. (1998):

Rat hypoplastic kidney (hpk/hpk) induces renal anemia, hyperparathyroidism, and osteodystrophy at the end stage of renal failure.

J. Vet. Med. Sci. 60, 1041-1058.

TAKAHASHI, N., YAMANA, H., YOSHIKI, S., ROODMAN, G.D., MUNDY, G.R., JONES, S.J.,

BOYDE, A., SUDA, T. (1988):

Osteoclast-like cell formation and ist regulation by osteotropic hormones in mouse bone marrow cultures.

Endocrinology 122, 1373-1382.

TAM, C.S., HEERSCHE, J.N.M., JONES, G., MURRAY, T.M., PARSONS, J.A. (1982):

Parathyroid hormone stimulates the bone apposition rate independently of its resorptive action: different effects of intermittent and continous administration.

Endocrinology 110, 506-512.

TEMPLETON, A.W., JACONETTE, J.R., ORMOND, R.S. (1962):

Localized osteosclerosis in hyperparathyroidism.

Radiology 78, 955-958.

THOMAS, L. (2000a):

Alkalische Phosphatase (AP).

In: Thomas, L. (ed.): Labor und Diagnose.

Frankfurt: TH-Books, 37-47.

THOMAS, L. (2000b):

Calcium (Ca).

In: Thomas, L. (ed.): Labor und Diagnose.

Frankfurt: TH-Books, 237-247.

THOMAS, L. (2000c):

Anorganisches Phosphat.

In: Thomas, L. (ed.): Labor und Diagnose.

Frankfurt: TH-Books, 247-254.

THOMAS, L. (2000d):

Creatinin.

In: Thomas, L. (ed.): Labor und Diagnose.

Frankfurt: TH-Books, 376-381.

THOMAS, L. (2000e):

Harnstoff und Harnstoff-N (BUN).

In: Thomas, L. (ed.): Labor und Diagnose.

Frankfurt: TH-Books, 384-387.

THOMAS, L., KASPERK, C., ZIEGLER, R. (2000):

Parathormon (PTH). In: Thomas, L. (ed.): Labor und Diagnose.

Frankfurt: TH-Books, 254-259.

THOMPSON, K.G., JONES, L.P., SMYLIE, W.A., QUICK, C.B., SEGRE, G.V., MEUTEN, D.J., PETRITIS-MURPHY, M.B. (1984):

Primary hyperparathyroidism in German shepherd dogs: a disorder of probable genetic origin.

Vet. Pathol. 21(4), 370-376.

THOMPSON, B.M., SAKLATVALA, J., CHAMBERS, T.J. (1986):

Osteoblasts mediate interleukin 1 stimulation of bone resorption by rat osteoclasts.

J. Exp. Med. 164, 104-112.

THRALL, D.E. (1977):

The extremities.

In: Gillette, E., Thrall, D.E., Lebel, J.L. (eds.): Carlson's veterinary radiology.

Philadelphia: Lea & Febiger, 333-389.

TIERSCHUTZBERICHT DER BUNDESREGIERUNG (1995):

Bundestagsdrucksache 13/350, 40.

http://www.parlamentsspiegel.de/portal/Parlamentsspiegel_neu/Webmaster/Dokumente/bund_parlamentspapiere.htm

TIERSCHUTZGESETZ (2006):

§11b

<http://www.bundesrecht.juris.de/bundesrecht/tierschg/gesamt.pdf>

TOMSA, K., GLAUS, T., HAUSER, B., FLÜCKIGER, M., ARNOLD, P., WESS, G., REUSCH, C. (1999):

Nutritional secondary hyperparathyreoidism in six cats.

J. Small Anim. Pract. 40, 533-539.

TOMSON, F.N., KELLER, G.L., KNAPKE, F.B. (1980):

Nutritional secondary hyperparathyroidism in a group of lemurs.

In: Montali, R.J., Migaki, G. (eds.): The comparative pathology of zoo animals.

Washington D.C.: Smithsonian Institution Press, 59-64.

TORRANCE, A.G., NACHREINER, R. (1990):

Intact parathyroid hormone assay and total calcium concentration in the diagnosis of disorders of calcium metabolism in dogs.

J. Vet. Int. Med. 3, 86-89.

TRIGG, M.J. (1972):

Hair growth in mouse mutants affect coat texture.

J. Zool. 168, 165-198.

ULLREY, D.E., BERNARD, J.B. (1999):

Vitamin D: metabolism, sources, unique problems in zoo animals, meeting needs.

In: Fowler, M.E., Miller, R.E. (eds.): Zoo and wild animal medicine: current therapy.

Philadelphia: Saunders, 63-78.

VAN HELLEMOND, M.J., LEMMONS, A.G., BEYNEN, A.C. (1988):

Dietary phosphorus and calcium excretion in guinea pigs.

Nutr. Rep. Int. 37, 909-912.

VAN HOOSIER, G. L. JR., ROBINETTE, L.R. (1976):

Viral and chlamydial diseases.

In: Wagner, J.E., Manning, P.J. (eds.): The biology of the guinea pig.

New York: Academic Press, 137-152.

WALLACH, J.D., FLIEG, G.M. (1967):

Nutritional secondary hyperparathyreoidism in captive psittacine birds.

J. Am. Vet. Med. Assoc. 151, 880-883.

WARSHAWSKY, H., GOLTZMAN, D., ROULEAU, M.F., BERGERON, J.J.M. (1980):

Direct in vivo demonstration by radioautography of specific binding sites for calcitonin in skeletal and renal tissues of the rat.

J. Cell Biol. 85, 682-694.

WARWICK, B.L., DAVIS, S.P., BERRY, R.O., PATTERSON, E. (1960):

“Silky”, a dominant mutation in sheep.

J. Hered. 51, 39-42.

WASSERMAN, R.H., TAYLOR, A.N. (1966):

Vitamin D induced calcium-binding protein in chick intestinal mucosa.

Science 152, 791-793.

WATSON, A.D.J., PORGES, W.L. (1997):

Osteodystrophy in a kitten.

Aust. Vet. J. 75, 30-31.

WESTERHOF, I., LUMEIJ, J.T. (1987):

Dental problems in rabbits, guinea pigs and chinchillas.

Tijdschrift voor Diergeneesk. 112 (Suppl.), 6-10.

WILD, P., MEIER, S. (1975):

Sekundärer nutritiver Hyperparathyreoidismus bei jungen Hunden. I. Spontanfälle.

Schweiz. Arch. Tierheilkd. 117: 485-491.

WITT, W.M., HUBBARD, G.B., FANTON, J.W. (1988):

Streptococcus pneumoniae arthritis and osteomyelitis with Vitamin C deficiency in guinea pigs.

Lab. Anim. Sci 38, 192-194.

WOODWARD, J.C. (1978):

Bones.

In: Bernischke, K., Garner, F.M., Jones, T.C. (eds.): Pathology of laboratory animals. Vol.1. New York: Springer, 663-783.

YAGAN, R., RADIVOYEVITCH, M., KHAN, M.A. (1987):

Double cortical line in the acetabular roof: a sign of disuse osteoporosis.

Radiology 165, 171-175.

YANKELL, S.L., SCHWARTZMAN, R.M., RESNICK, B. (1970):

Care and breeding of the Mexican hairless dog.

Lab. Anim, Care 20, 940-945.

YASUDA, H., SHIMA, N., NAKAGAWA, N., YAMAGUCHI, K., KINOSAKI, M., MOCHIZUKI, S.,

TOMOYASU, A., YANO, K., GOTO, M., MURAKAMI, A., TSUDA, E., MORINAGA, T.,

HIGASHIO, K., UDAGAWA, N., TAKAHASHI, N., SUDA, T. (1998):

Osteoclast differentiation factor is a ligand for osteoprotegerin/osteoclastogenesis-inhibitory factor and is identical to TRANCE/RANKL.

Proc. Natl. Acad. Sci. U.S.A. 95, 3597-3602.

YATES, N.G., HOFFMANN, D., SERIPTO, S. (1987):

Mandibular osteodystrophy fibrosa in indonesian goats fed leucaena.

Trop. Anim. Health Prod. 19, 121-126.

YOOON, C.H., DEGROOT, C.T., PETERSON, J.S. (1980):

Linkage group V in the Syrian hamster: cardiomyopathy and lethal gray.

J. Hered. 71, 287-288.

YOON, C.H., PETERSON, J.S. (1977):

Linkage group II in the Syrian hamster, linkage between hydrocephalus and cream coat color.
J. Hered. 68, 418.

YUMITA, S., NICHOLSON, G.C., ROWE, D.J., KENT, G.N., MARTIN, T.J. (1991):

Biphasic effect of calcitonin on tartrate-resistant acid phosphatase activity in isolated rat osteoclasts.

J. Bone Miner. Res. 6, 591-597.

ZAIDI, M., BRAIN, S.D., TIPPINS, J.R., DiMARZO, V., MOONGA, B.S., CHAMBERS, T.J.,

MORRIS, H.R., MACINTYRE, I. (1990):

Structure-activity relationship of human calcitonin gene-related peptide.

Biochem. J. 269, 775-780.

ZAIDI, M., INZERILLO, A.M., MOONGA, B.S., BEVIS, P.J.R., HUANG, L.-H. (2002):

Forty years of calcitonin – where are we now? A tribute to the work of Ian MacIntyre, FRS.

Bone 30, 655-663.

ZIEGLER, R., DEUTSCHLE, U., RAUE, F. (1984):

Calcitonin in human pathophysiology.

Horm. Res. 20, 65-73

ZIEGLER, R., HOLZ, G., RAUE, F., MINNE, H., DELLING, G. (1977):

Therapeutic studies with human calcitonin.

In: MacIntyre, Human calcitonin and Paget's disease. Proc. Int. Workshop, London 1976.

Wien: Huber, 167-177.

ZIEGLER, R., RAUE, F., MINNE, H., SAUTER, T. (1980):

Calcitonin secretion in rats with neoplastic hyperparathyroidism (abstract).

VIth Int. Congr. Endocrinology, Melbourne, 1980.